WEEKLY PROGRESS UPDATE FOR SEPTEMBER 5-SEPTEMBER 11, 1997

EPA REGION I ADMINISTRATIVE ORDER SDWA I-97-1019 MASSACHUSETTS MILITARY RESERVATION TRAINING RANGE AND IMPACT AREA

The following summary of progress is for the period from September 5 to September 11, 1997.

1. SUMMARY OF ACTIONS TAKEN

UXO Survey

CMS Environmental (the UXO contractor) demobilized from the site on September 5, 1997. CMS will remobilize to the site when the remaining boreholes are accessible to finish down hole clearance and any additional grid locations. Downhole clearance remains to be performed at MW-3 (awaiting road building), MW-13 (awaiting road building), MW-19, and MW-26. UXO present at Demo Area 1, Areas 2 and 3, on Indian Trail Road, and at Mortar Position 8 are scheduled to be destroyed on September 12.

Drilling

Ogden and D.L. Maher (the drilling subcontractor) continued drilling work on the site. TRC (EPA's oversight contractor) was present for oversight of drilling activities. As of September 11 the sonic rig was drilling at MW-21 at a depth of 175 feet, one of the Barber rigs was drilling at MW-1 at a depth 320 feet bgs, and the other Barber rig was drilling at MW-15 at a depth of 330 feet bgs. Table 2 presents a summary of wells completed to date.

Sampling and Analysis

Soil and groundwater samples have been analyzed or submitted for borings at MW-1, MW-3, MW-4, MW-5, MW-6, MW-7, MW-10, MW-11, MW-12, MW-14, MW-15, MW-16, MW-17, MW-18, MW-23, MW-26, MW-27, MW-28, and MW-29. The types of samples being analyzed, dates of submittal, and preliminary results are summarized in Table 1. All results in Table 1 are unvalidated. Concentrations of specific compounds will be presented in tabular form after the results for all samples in a sample data group are available and have been validated.

Explosive compounds have been detected in soil samples collected from 0-6 inches at MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-12, MW-15, MW-19, MW-25, MW-26, MW-27, MW-28, and MW-29, using the screening methods. Explosives were also detected in the 10-12 foot interval from MW-1 using the screening method. The results from the Method 8330 analysis of 0-6 inch samples from MW-4, MW-7, MW-9, MW-12, MW-15, MW-28, and MW-29 have not detected any explosives above the detection limits. The results from the 8330 analysis of 0-6 inch samples from MW-19 and MW-25 confirm that explosive

compounds are present in surface soil at these locations. No explosive compounds have been detected in deeper soil samples analyzed to date by screening methods.

RDX was reported at an estimated concentration below the detection limit by the screening method in a groundwater sample collected from 160 feet bgs in MW-17. When this sample was analyzed using Method 8330 no explosive compounds were detected. RDX was reported at an estimated concentration below the detection limit by the screening method in a groundwater sample collected from 176 feet bgs in MW-18. The analysis of this sample by method 8330 is currently underway. RDX was detected in groundwater from 120, 130, 162, 202, 222, 232, and 252 feet bgs in MW-1 by screening methods. Explosive compounds were detected using Method 8330 in groundwater samples collected at 120, 130, 140, 150, 162, and 182 feet bgs in MW-1. No explosive compounds have been detected to date in any other groundwater samples analyzed by screening methods.

Trihalomethanes ("THM", including chloroform and dibromochloromethane) have been reported at estimated concentrations below the detection limit in groundwater profiling samples from 240 to 260 feet bgs in the MW-23 boring, and from 185 feet bgs in the MW-10 boring. THM are also present in the potable water source that is used for drilling. Ogden's evaluation of drilling water removal volumes suggests that 150% removal provides the best balance between removing drilling water and overpumping the 10-foot profile interval, and this removal volume will be used for the remainder of the program.

Toluene was detected at an estimated concentration below the detection limit in a groundwater profile sample from 230 feet bgs in the MW-23 boring. This compound was not detected in profile samples from above or below this interval. Acetone was detected in a soil sample from 140 feet bgs in the MW-10 boring. Based on preliminary validation information it appears that this compound was a lab contaminant and the result will be flagged as an estimated non-detect.

Water Level Measurements

Water level recording devices that were installed in LRWS-2, CS-19 (MW-7E), and CS-10 (AEHA- 11) continue to record water levels.

Plans and Reports

NGB is preparing Field Sampling Plans for the remaining areas identified in the Action Plan.

2. SUMMARY OF DATA RECEIVED

Laboratory results for soil and groundwater samples were received during the week and are summarized in Section 1 above. Concentrations for specific compounds will be presented in tabular form after the results for all samples in a sample data group are available and have been

validated. The types of samples being analyzed, dates of submittal, and preliminary results are summarized in Table 1. All results in Table 1 are unvalidated.

3. DELIVERABLES SUBMITTED

Deliverables submitted during the reporting period included the following:

Weekly Progress Update (August 29 - September 4)

September 5, 1997

4. SCHEDULED ACTIONS

One Barber drill rig is expected to finish drilling the deep boring at location MW-15 and then start drilling MW-25. The other Barber drill rig is expected to finish drilling at MW-1 and then start drilling at MW-6. The Sonic rig is expected to continue drilling the deep boring at location MW-21. Surface soil sampling is expected to continue next week at Area 3 and Area 2.

Table 1 Summary of Preliminary Analytical Results (not validated) As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
MW-14	Soil: 0.5 feet	ND^s	Inorganics	7/30
	Soil: 2 feet			
	Soil: 10 feet	ND^s	Inorganics	7/22
	Soil: 20 feet	ND^s	Inorganics	
	Soil: 30, 40, 50, 60, 70, 80, 90 feet	ND^s	Inorganics	
MW-23	Soil: 40 feet			7/22
	Soil: 70 feet			7/23
	Groundwater: 140, 150, 160, 170, 180, 190, 200, 210	ND^s		7/24 (V)
	Groundwater: 220	ND^s		ND (V*)
	Groundwater: 230	ND^s		Tol (V*)
	Groundwater: 240, 250, 260	ND^s		THM (V*)
	Groundwater: 270, 280	ND^s		7/29 (V)

Table 1
Summary of Preliminary Analytical Results (not validated)
As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
MW-28	Soil: 0.5 feet	TNT/DNT ^s ND	Inorganics	7/30
	Soil: 2 feet	ND ^s		
	Soil: 10 feet	NDs	Inorganics	7/29
	Soil: 20 feet	NDs	Inorganics	
	Soil: 30, 40, 50, 60, 70, 80, 90 feet		Inorganics	
	Soil: 100 feet		Inorganics	7/30
MW-7	Soil: 0.5 feet	TNT/DNT ^s ND	Inorganics	7/30
	Soil: 2 feet			
	Soil: 10 feet	NDs	Inorganics	7/30
	Soil: 20 feet	NDs	Inorganics	
	Soil: 30, 40, 50, 60, 70, 80, 90, 100 feet		Inorganics	
	Groundwater: 130	NDs		8/9 (V)
	Groundwater: 140, 150, 160, 165	NDs		8/12 (V)
	Groundwater: 175, 185, 195, 205, 215, 225	NDs		8/13 (V)
	Groundwater: 235, 245, 255, 265, 275, 285, 295	NDs		8/14 (V)
	Groundwater: 310, 320, 330	NDs		8/16(V)
	Groundwater: 340	ND ^s		8/19(V)
	Groundwater: 347	NDs		8/23(V)
MW-29	Soil: 0.5 feet	TNT/DNT ^s ND	Inorganics	7/31
	Soil: 2 feet			
	Soil: 10 feet	ND ^s	Inorganics	7/31

Table 1 Summary of Preliminary Analytical Results (not validated) As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
	Soil: 20 feet	NDs	Inorganics	
	Soil: 30 feet		Inorganics	
	Soil: 40 feet		Inorganics	7/31
	Soil: 50, 60, 70, 80, 90, 100 feet		Inorganics	
MW-10	Soil: 140 feet			Ace (V*)
	Groundwater: 185 feet	NDs		THM (V*)
	Groundwater: 195, 205 feet	NDs		8/6 (V)
	Groundwater: 285 feet	NDs		8/7 (V)
	Groundwater: 295, 305, 315, 330 feet	NDs		8/8 (V)
	Groundwater: 355 feet	NDs		8/9 (V)
MW-12	Soil: 0.5 feet	TNT/DNT ^s ND	Inorganics	8/6
	Soil: 2 feet			
	Soil: 10 feet	NDs	Inorganics	8/7
	Soil: 20 feet	NDs	Inorganics	
	Soil: 30, 40, 50 feet		Inorganics	
	Soil: 60, 70, 80, 90, 100 feet		Inorganics	
MW-11	Soil: 0.5 feet	NDs	Inorganics	8/9
	Soil: 2 feet			
	Soil: 10 feet	NDs	Inorganics	8/9
	Soil: 20 feet	NDs	Inorganics	
	Soil: 30, 40, 50, 60, 70 feet		Inorganics	8/12
	Soil: 80 feet		Inorganics	
	Soil: 90, 100, 110, 120, 130 feet		Inorganics	8/12
MW-17	Soil: 3.5 feet			8/13

Table 1 Summary of Preliminary Analytical Results (not validated) As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
	Soil: 17.5 feet			8/13
	Soil: 53 feet			8/14
	Groundwater: 120, 130, 140, 150 feet	ND^s		8/15 (V)
	Groundwater: 160 feet	RDX ^s ND		8/15 (V)
	Groundwater: 170, 180, 190 feet	ND^s		8/15-16 (V)
	Groundwater: 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 320, 330 feet	NDs		8/16 (V)
MW-4	Soil: 0.5 feet	TNT/DNT ^s ND	Inorganics	8/14
	Soil: 2 feet			
	Soil: 10 feet	NDs	8/15	8/15
	Soil: 20 feet	ND^s	8/15	
	Soil: 30, 40, 50, 60 feet		8/15-16	8/15-16
	Soil: 70, 80, 90, 100 feet		8/16	
	Soil: 110, 120, 130 feet		8/16	8/16
	Soil: 140 feet		8/16	
MW-1	Soil: 0.5 feet	TNT/DNT ^s	8/21	8/21
	Soil: 2 feet			
	Soil: 10 feet	RDX/HMX ^s	8/21	8/21
	Soil: 20 feet	ND^s	8/22	
	Soil: 30		8/22	
	Soil: 40, 50, 60, 70, 80, 90 feet	9/5	8/22	
	Soil: 100, 110, 120 feet		8/23	
	Groundwater: 120, 130 feet	RDX ^s EXP		8/23(V)

Table 1 Summary of Preliminary Analytical Results (not validated) As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
	Groundwater: 140, 150 feet	ND ^s EXP		8/27(V)
	Groundwater: 162 feet	RDX ^s EXP		8/27(V)
	Groundwater: 182 feet	EXP		8/28(V)
	Groundwater: 192 feet	ND		8/28(V)
	Groundwater: 202 feet	RDX^s		8/29(V)
	Groundwater: 212 feet	NDs		8/29 (V)
	Groundwater: 222, 232, 252 feet	RDX^s		9/2 (V)
	Groundwater: 262, 272, 282, 292 feet	9/9-10		9/10 (V)
MW-3	Soil: 0.5 feet	TNT/DNT ^s	8/21	8/21
MW-5	Soil: 0.5 feet	TNT/DNT ^s RDX/HMX ^s	8/21	8/21
MW-6	Soil: 0.5 feet	TNT/DNT ^s	8/21	8/21
MW-16	Soil: 0.5 feet	NDs	8/21	8/21
MW-26	Soil: 0.5 feet	TNT/DNT ^s RDX/HMX ^s	8/21	8/21
MW-27	Soil: 0.5 feet	TNT/DNT ^s	8/21	8/21
MW-2	Soil: 0.5 feet	TNT/DNT ^s	8/22	8/22
MW-8	Soil: 0.5 feet	TNT/DNT ^s	8/22	8/22
MW-9	Soil: 0.5 feet	TNT/DNT ^s ND	8/22	8/22
MW-15	Soil: 0.5 feet	TNT/DNT ^s ND	8/22	8/22
	Soil: 2 feet			
	Soil: 10, 20 feet	NDs	8/29	8/29
	Soil: 30 feet	8/29 ^s	8/29	8/29

Table 1
Summary of Preliminary Analytical Results (not validated)
As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
	Soil: 50, 60, 70 feet	NDs	8/29	
	Soil: 70, 80, 90, 100 feet	9/2 ^s	9/2	
	Groundwater: 110, 120, 130, 140, 150 feet	NDs		9/4 (V)
	Groundwater: 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270 feet	ND^s		9/5 (V)
	Groundwater: 280, 290, 300, 310	9/11-12		9/11-12 (V)
MW-19	Soil: 0.5 feet	RDX/HMX ^s EXP	8/22	8/22
MW-25	Soil: 0.5 feet	TNT/DNT ^s RDX/HMX ^s EXP	8/22	8/22
MW-18	Groundwater: 44 feet	eet ND ^s		8/29 (V)
	Groundwater: 60, 76, 86, 96, 106, 116, 126, 136, 146, 156, 166 feet	NDs		9/4 (V)
	Groundwater: 176 feet	RDX^s		9/5(V)
	Groundwater: 186, 196, 206, 216, 226 feet	NDs		9/5(V)
	Groundwater: 236, 246, 256, 268 feet	9/6 ^s		9/6(V)
	Groundwater: 276 feet	9/9		9/9(V)
Area 3	Soil: 0-6 inch	TNT/DNT ^s	9/10	9/10
Grid A	Soil: 18-24 inch			
Area 3 Grid B	Soil: 0-6 inch	TNT/DNT ^s RDX/HMX ^s	9/10	9/10
	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	TNT/DNT ^s	9/10	9/10
Grid C	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	TNT/DNT ^s	9/10	9/10
Grid E	Soil: 18-24 inch			

Table 1 Summary of Preliminary Analytical Results (not validated) As of September 11, 1997

Boring	Sample Type	Explosives	Inorganics	Other Analytes
Area 3	Soil: 0-6 inch	TNT/DNT ^s	9/10	9/10
Grid F	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	TNT/DNT ^s	9/10	9/10
Grid G	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	9/11 ^s	9/11	9/11
Grid J	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	9/11 ^s	9/11	9/11
Grid K	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	9/11 ^s	9/11	9/11
Grid L	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	9/11 ^s	9/11	9/11
Grid M	Soil: 18-24 inch			
Area 3	Soil: 0-6 inch	9/11 ^s	9/11	9/11
Grid N	Soil: 18-24 inch			
Notes: 7/22 ND s BOLD (V) THM Tol Ace Exp Inorganics	= date sample received for analysis = not detected = result from screening method (colorimetric for soil or high-level 8330 for groundwater) = result from 8330 method = analyzed for volatile organic compounds; * = expedited (5-day TAT) = trihalomethanes = toluene = acetone = explosives = inorganic compounds detected; compounds exceeding background will be reported after determination of background levels.			

Table 2 Summary of Monitoring Wells Completed As of September 11, 1997

Monitoring Well	Screen Interval (feet bgs)	Location	Date Completed
MW-14S	96.0-106.0	Water Table	7/28
MW-23S	122.5-132.5	Water Table	7/29
MW-23D	272.0-282.0	Bottom of Aquifer ¹	7/29
MW-28S	95.2-105.2	Water Table	7/30
MW-29S	98.5-108.5	Water Table	8/1
MW-12S	96.7-106.7	Water Table	8/7
MW-10S	145.0-155.0	Water Table	8/11
MW-10D	351.5-361.5	Bottom of Aquifer ²	8/11
MW-11S	122.0-132.0	Water Table	8/12
MW-4S	137.0-147.0	Water Table	8/18
MW-7S	103.0-104.0	Water Table	8/27
MW-7D	332.0-342.0	Bottom of Aquifer ¹	8/27
MW-17S	120.0-130.0	Water Table	8/27
MW-17D	320.0-330.0	Bottom of Aquifer ¹	8/27
MW-18S	35.0-45.0	Water Table	9/9
MW-18D	265-275	Bottom of Aquifer ¹	9/9

^{1 =}Well constructed on top of till layer overlying bedrock.

^{2 =}Well constructed on top of bedrock.