

**WEEKLY PROGRESS UPDATE  
FOR JULY 15 – JULY 19, 2002**

**EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 & 1-2000-0014  
MASSACHUSETTS MILITARY RESERVATION  
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from July 15 through July 19, 2002.

**1. SUMMARY OF ACTIONS TAKEN**

Drilling progress as of July 19 is summarized in Table 1.

<b>Boring Number</b>	<b>Purpose of Boring/Well</b>	<b>Total Depth (ft bgs)</b>	<b>Saturated Depth (ft bwt)</b>	<b>Completed Well Screens (ft bgs)</b>
MW-228	J-2 Range (J2P-15)	320	215	
MW-229	J-2 Range (J2P-13)	349	236	
MW-230	J-2 Range (J2P-14)	346	239	

bgs = below ground surface  
bwt = below water table

Completed drilling of MW-229 (J2P-13) and MW-230 (J2P-14), and continued drilling of MW-228 (J2P-15). Continued well development for newly installed wells.

Samples collected during the reporting period are summarized in Table 2. Groundwater profile samples were collected from MW-229 and MW-230. Groundwater samples were collected from Bourne supply wells and monitoring wells, as part of the Site-Wide Perchlorate sampling, from Snake Pond drivepoints, and from newly installed wells. Water samples were collected from the GAC treatment system. Surface water samples were collected from Snake Pond. Soil samples were collected from the MW-228 borehole and from soil grids on the J-2 Range.

As part of the Munitions Survey Project, soil samples were collected from beneath UXO located in HUTA 2 Transect 2.

The IAGWSP Technical Team meeting was cancelled for the week of July 15 - 19, 2002.

**2. SUMMARY OF DATA RECEIVED**

Rush data are summarized in Table 3. These data are for analyses that are performed on a fast turnaround time, typically 1-5 days. Explosive analyses for monitoring wells, and explosive and volatile organic compound (VOC) analyses for groundwater profile samples, are conducted in this timeframe, as well as any analyses pursuant to a special request. The rush data are not validated, but are provided as an indication of the most recent preliminary results. Table 3 summarizes only detects, and does not show samples with non-detects.

The status of the explosive detections with respect to confirmation using Photo Diode Array (PDA) spectra is indicated in Table 3. PDA is a procedure that has been implemented for the explosive analysis, to reduce the likelihood of false positive identifications. Where the PDA status is "YES" in Table 3, the detected compound is verified as properly identified. Where the status is "NO", the identification of an explosive has been determined to be a false positive. Where the status is blank, PDA has not yet been used to evaluate the detection, or PDA is not applicable because the analyte is a VOC or perchlorate. Most explosive detections verified by PDA are confirmed to be present upon completion of validation. Table 3 includes the following detections:

- Groundwater samples from 90SNP002 (Snake Pond) had a detection of RDX that was confirmed by PDA spectra, but with interference. This is the first detection of RDX that has been spectra confirmed at this drivepoint.
- Groundwater samples from MW-161S (Demo Area 2) had a detection of RDX that was confirmed by PDA spectra. The results were similar to previous sampling rounds.
- Groundwater samples from MW-163S (J-3 Range) and MW-187M1 (J-1 Range) had detections of RDX and HMX that were confirmed by PDA spectra. The results were similar to previous sampling rounds.
- Groundwater samples from MW-196S (J-3 Range) had detections of 1,3,5-trinitrobenzene, TNT, 2A-DNT, 4A-DNT, RDX, HMX and picric acid. The explosives detections were confirmed by PDA spectra. The detection of RDX was confirmed by PDA spectra, but with interference. This is the first time RDX and picric acid have been detected in this well.
- Groundwater samples from Bourne wells TW1-88A, 02-13M1 and M2, and Far Field wells MW-213M2, M3, and MW-80M2 had detections of perchlorate. The results were similar to previous sampling rounds.
- Groundwater profile samples from MW-229 (J2P-13) had detections of 1,3,5-trinitrobenzene (1 interval), 1,3-dinitrobenzene (1 interval), TNT (1 interval), 2,6-DNT (1 interval), 2A-DNT (1 interval), 2-nitrotoluene (2 intervals), 3-nitrotoluene (5 intervals), 4A-DNT (4 intervals), RDX (1 interval), nitroglycerin (12 intervals), PETN (2 intervals), picric acid (6 intervals), perchlorate (1 interval), acetone (4 intervals), chloroform (2 intervals), and methyl isobutyl ketone (4 intervals). The detections of 2,6-DNT and 2-nitrotoluene, one detection of nitroglycerin, and one detection of picric acid were confirmed by PDA spectra.
- Groundwater profile samples from MW-230 (J2P-14) had detection of TNT (1 interval), 2,4-DANT (2 intervals), 2,4-DNT (1 interval), 2,6-DNT (4 intervals), 2A-DNT (3 intervals), 2-nitrotoluene (2 intervals), 3-nitrotoluene (3 intervals), 4A-DNT (6 intervals), 4-nitrotoluene (4 intervals), RDX (4 intervals), nitrobenzene (5 intervals), nitroglycerin (12 intervals), HMX (1 interval), picric acid (4 intervals), 2-hexanone (2 intervals), acetone (10 intervals), benzene (1 interval), carbon disulfide (2 intervals), chloroethane (3 intervals), chloroform (4 intervals), chloromethane (3 intervals), 2-butanone (9 intervals), methyl isobutyl ketone (1 interval), and toluene (1 interval). Two detections of 2,6-DNT and the detection of HMX were confirmed by PDA spectra. One detection of 2,6-DNT and one detection of RDX were confirmed by PDA spectra, but with interference.

### **3. DELIVERABLES SUBMITTED**

Weekly Progress Update for July 8 – July 12, 2002

07/17/2002

### **4. SCHEDULED ACTIONS**

Scheduled actions for the week of July 22 include complete well installation of MW-228 (J2P-15), MW-229 (J2P-13) and MW-230 (J2P-14), and commence drilling of MW-231 (D1P-14), J3P-17 and WS4P-2.

### **5. SUMMARY OF ACTIVITIES FOR DEMO 1**

Additional delineation of the downgradient portion of the groundwater plume is being conducted prior to finalizing the Feasibility Study for the Groundwater Operable Unit and as the Interim Action for groundwater remediation is being designed. Pumping and treating groundwater at the toe of the Demo 1 plume and at Frank Perkins Road has been selected as an Interim Action to address the Demo 1 Area Groundwater Operable Unit. A Rapid Response Action/Release Abatement Measure is being planned to address soil contamination at Demo 1.

TABLE 2  
 SAMPLING PROGRESS  
 07/13/2002 - 07/19/2002

OGDEN_ID	LOCID OR WELL ID	DATE SAMPLED	SAMPLE TYPE	SBD	SED	BWTS	BWTE
G229DXT	FIELDQC	07/15/2002	FIELDQC	0.00	0.00		
G230DPE	FIELDQC	07/15/2002	FIELDQC	0.00	0.00		
G230DVE	FIELDQC	07/16/2002	FIELDQC	0.00	0.00		
G230DWT	FIELDQC	07/17/2002	FIELDQC	0.00	0.00		
G230DXE	FIELDQC	07/17/2002	FIELDQC	0.00	0.00		
HC101PQ1AAE	FIELDQC	07/16/2002	FIELDQC	0.00	0.00		
M-1CAE	FIELDQC	07/19/2002	FIELDQC	0.00	0.00		
S228DAE	FIELDQC	07/17/2002	FIELDQC	0.00	0.00		
S228DJE	FIELDQC	07/18/2002	FIELDQC	0.00	0.00		
W190M1T	FIELDQC	07/18/2002	FIELDQC	0.00	0.00		
W196M1E	FIELDQC	07/15/2002	FIELDQC	0.00	0.00		
W197M1E	FIELDQC	07/16/2002	FIELDQC	0.00	0.00		
W197M1T	FIELDQC	07/16/2002	FIELDQC	0.00	0.00		
W197M2E	FIELDQC	07/17/2002	FIELDQC	0.00	0.00		
W197M2E	FIELDQC	07/19/2002	FIELDQC	0.00	0.00		
W197M3E	FIELDQC	07/18/2002	FIELDQC	0.00	0.00		
W198M4E	FIELDQC	07/19/2002	FIELDQC	0.00	0.00		
W198M4T	FIELDQC	07/19/2002	FIELDQC	0.00	0.00		
4036000-01G	4036000-01G	07/17/2002	GROUNDWATER			6.00	12.00
4036000-03G	4036000-03G	07/17/2002	GROUNDWATER			6.00	12.00
4036000-04G	4036000-04G	07/17/2002	GROUNDWATER			6.00	12.00
4036000-06G	4036000-06G	07/17/2002	GROUNDWATER			6.00	12.00
4036000-06GD	4036000-06G	07/17/2002	GROUNDWATER			6.00	12.00
90SNP0001	90SNP001	07/15/2002	GROUNDWATER			1.00	1.00
90SNP0002	90SNP002	07/15/2002	GROUNDWATER			1.00	1.00
M-1BAA	M-1	07/19/2002	GROUNDWATER		45.00		2.15
M-1CAA	M-1	07/19/2002	GROUNDWATER		55.00		12.15
M-1DAA	M-1	07/19/2002	GROUNDWATER		65.00		22.15
M-2BAA	M-2	07/19/2002	GROUNDWATER		65.00		1.50
M-2CAA	M-2	07/19/2002	GROUNDWATER		75.00		11.50
M-2DAA	M-2	07/19/2002	GROUNDWATER		85.00		21.50
M-2DAD	M-2	07/19/2002	GROUNDWATER		85.00		21.50
M-3BAA	M-3	07/19/2002	GROUNDWATER		65.00		6.80
M-3DAA	M-3	07/19/2002	GROUNDWATER		85.00		26.80
RANGECON	RANGECON	07/16/2002	GROUNDWATER	230.00	240.00	30.00	40.00
SPRING1A	SPRING1	07/18/2002	GROUNDWATER				
TW1-88AA	1-88	07/17/2002	GROUNDWATER				
TW1-88AD	1-88	07/17/2002	GROUNDWATER				
W02-12M1A	02-12	07/17/2002	GROUNDWATER	109.00	119.00	58.35	68.35
W02-12M2A	02-12	07/17/2002	GROUNDWATER	94.00	104.00	43.21	53.21
W02-12M3A	02-12	07/17/2002	GROUNDWATER	79.00	89.00	28.22	38.22
W02-13M1A	02-13	07/17/2002	GROUNDWATER	98.00	108.00	58.33	68.33
W02-13M2A	02-13	07/17/2002	GROUNDWATER	83.00	93.00	44.20	54.20
W02-13M3A	02-13	07/17/2002	GROUNDWATER	68.00	78.00	28.30	38.30

Profiling methods include: Volatiles, Explosives and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

TABLE 2  
 SAMPLING PROGRESS  
 07/13/2002 - 07/19/2002

OGDEN_ID	LOCID OR WELL ID	DATE SAMPLED	SAMPLE TYPE	SBD	SED	BWTS	BWTE
W155M1A	MW-155	07/16/2002	GROUNDWATER	124.00	134.00	99.00	109.00
W155M2A	MW-155	07/16/2002	GROUNDWATER	45.00	55.00	20.00	30.00
W155M2D	MW-155	07/16/2002	GROUNDWATER	45.00	55.00	20.00	30.00
W176M1A	MW-176	07/18/2002	GROUNDWATER	270.00	280.00	158.55	168.55
W176M1D	MW-176	07/18/2002	GROUNDWATER	270.00	280.00	158.55	168.55
W176M2A	MW-176	07/19/2002	GROUNDWATER	229.00	239.00	115.17	125.17
W187M1A	MW-187	07/15/2002	GROUNDWATER	160.00	170.00	51.30	61.30
W187SSA	MW-187	07/15/2002	GROUNDWATER	103.00	113.00	0.00	10.00
W188M1A	MW-188	07/18/2002	GROUNDWATER	155.00	165.00	41.10	51.10
W188M1A	MW-188	07/18/2002	GROUNDWATER	155.00	165.00	41.10	51.10
W189SSA	MW-189	07/18/2002	GROUNDWATER	94.00	104.00	0.00	7.16
W189SSA	MW-189	07/18/2002	GROUNDWATER	94.00	104.00	0.00	7.16
W190M1A	MW-190	07/18/2002	GROUNDWATER	145.00	155.00	44.32	54.32
W190M2A	MW-190	07/18/2002	GROUNDWATER	110.00	120.00	9.30	19.30
W196M1A	MW-196	07/15/2002	GROUNDWATER	32.00	37.00	12.00	17.00
W197M1A	MW-197	07/16/2002	GROUNDWATER	120.00	125.00	99.60	104.60
W197M2A	MW-197	07/17/2002	GROUNDWATER	80.00	85.00	59.30	64.30
W197M3A	MW-197	07/18/2002	GROUNDWATER	60.00	65.00	39.40	44.40
W198M4A	MW-198	07/19/2002	GROUNDWATER	70.00	75.00	48.40	53.40
W200M1A	MW-200	07/17/2002	GROUNDWATER	294.00	304.00	89.80	99.80
W200M2A	MW-200	07/17/2002	GROUNDWATER	255.00	265.00	50.72	60.72
W201M1A	MW-201	07/18/2002	GROUNDWATER	306.00	316.00	0.00	0.00
W201M2A	MW-201	07/18/2002	GROUNDWATER	306.00	316.00	0.00	0.00
W201M3A	MW-201	07/19/2002	GROUNDWATER	266.00	276.00	0.00	0.00
W206M1A	MW-206	07/18/2002	GROUNDWATER	178.50	188.50	19.57	29.57
W206SSA	MW-206	07/17/2002	GROUNDWATER	156.00	166.00		7.06
W213M1A	MW-213	07/15/2002	GROUNDWATER	133.00	143.00	85.01	95.01
W213M2A	MW-213	07/15/2002	GROUNDWATER	89.00	99.00	41.15	51.15
W213M3A	MW-213	07/15/2002	GROUNDWATER	77.00	82.00	29.38	34.38
W80DDA	MW-80	07/15/2002	GROUNDWATER	158.00	168.00	114.00	124.00
W80M1A	MW-80	07/15/2002	GROUNDWATER	130.00	140.00	86.00	96.00
W80M2A	MW-80	07/15/2002	GROUNDWATER	100.00	110.00	56.00	66.00
W80M3A	MW-80	07/15/2002	GROUNDWATER	70.00	80.00	26.00	36.00
W80M3D	MW-80	07/15/2002	GROUNDWATER	70.00	80.00	26.00	36.00
W81DDA	MW-81	07/16/2002	GROUNDWATER	184.00	194.00	156.00	166.00
W81M3A	MW-81	07/16/2002	GROUNDWATER	53.00	58.00	25.00	30.00
W81SSA	MW-81	07/16/2002	GROUNDWATER	25.00	35.00	0.00	10.00
W82DDA	MW-82	07/16/2002	GROUNDWATER	125.00	135.00	97.00	107.00
W82M1A	MW-82	07/16/2002	GROUNDWATER	104.00	114.00	76.00	86.00
W82M1D	MW-82	07/16/2002	GROUNDWATER	104.00	114.00	76.00	86.00
W82M2A	MW-82	07/15/2002	GROUNDWATER	78.00	88.00	50.00	60.00
W82M3A	MW-82	07/15/2002	GROUNDWATER	54.00	64.00	26.00	36.00
W82SSA	MW-82	07/15/2002	GROUNDWATER	25.00	35.00	0.00	10.00
DW071502	GAC WATER	07/15/2002	IDW	0.00	0.00		

Profiling methods include: Volatiles, Explosives and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

TABLE 2  
 SAMPLING PROGRESS  
 07/13/2002 - 07/19/2002

OGDEN_ID	LOCID OR WELL ID	DATE SAMPLED	SAMPLE TYPE	SBD	SED	BWTS	BWTE
DW071802-NV	GAC WATER	07/18/2002	IDW	0.00	0.00		
G229DUA	MW-229	07/15/2002	PROFILE	320.00	320.00	207.50	207.50
G229DVA	MW-229	07/15/2002	PROFILE	330.00	330.00	217.50	217.50
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00
G230DRA	MW-230	07/15/2002	PROFILE	280.00	280.00	173.62	173.62
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62
G230DTA	MW-230	07/15/2002	PROFILE	300.00	300.00	193.62	193.62
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62
G230DWA	MW-230	07/16/2002	PROFILE	330.00	330.00	223.62	223.62
G230DXA	MW-230	07/17/2002	PROFILE	340.00	340.00	233.62	233.62
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22
S228DAA	MW-228	07/17/2002	SOIL BORING	0.00	0.50		
S228DBA	MW-228	07/17/2002	SOIL BORING	1.50	2.00		
S228DCA	MW-228	07/17/2002	SOIL BORING	5.00	7.00		
S228DDA	MW-228	07/17/2002	SOIL BORING	10.00	12.00		
S228DEA	MW-228	07/18/2002	SOIL BORING	20.00	22.00		
S228DFA	MW-228	07/18/2002	SOIL BORING	30.00	30.00		
S228DGA	MW-228	07/18/2002	SOIL BORING	40.00	42.00		
S228DHA	MW-228	07/18/2002	SOIL BORING	50.00	52.00		
S228DIA	MW-228	07/18/2002	SOIL BORING	60.00	62.00		
S228DJA	MW-228	07/18/2002	SOIL BORING	70.00	72.00		
S228DKA	MW-228	07/18/2002	SOIL BORING	80.00	82.00		
S228DLA	MW-228	07/18/2002	SOIL BORING	90.00	92.00		
S228DMA	MW-228	07/18/2002	SOIL BORING	100.00	102.00		
S228DNA	MW-228	07/18/2002	SOIL BORING	110.00	112.00		
T2.B.0H.005.5.0	T2.0H.005.O	07/12/2002	SOIL GRAB	1.00	2.00		
T2.B.0H.005.6.0	T2.0H.005.O	07/12/2002	SOIL GRAB	2.00	3.00		
T2.B.0H.005.7.0	T2.0H.005.O	07/12/2002	SOIL GRAB	3.00	4.00		
HC101PQ1AAA	101PQ	07/16/2002	SOIL GRID	0.00	0.25		
HC101PQ1BAA	101PQ	07/16/2002	SOIL GRID	0.25	0.50		
HC101PQ1CAA	101PQ	07/16/2002	SOIL GRID	0.50	1.00		
LKSNK0005AAA	LKSNK0005	07/17/2002	SURFACE WATER	0.00	0.00		
LKSNK0006AAA	LKSNK0006	07/17/2002	SURFACE WATER	0.00	0.00		
LKSNK0007AAA	LKSNK0007	07/17/2002	SURFACE WATER	0.00	0.00		

Profiling methods include: Volatiles, Explosives and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

TABLE 3  
DETECTED COMPOUNDS-UNVALIDATED  
SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
90SNP0002	90SNP002	07/15/2002	GROUNDWATER			1.00	1.00	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES*
TW1-88AA	1-88	07/11/2002	GROUNDWATER				67.40	E314.0	PERCHLORATE	
W02-13M1A	02-13	07/11/2002	GROUNDWATER	98.00	108.00	58.33	68.33	E314.0	PERCHLORATE	
W02-13M1A	02-13	07/17/2002	GROUNDWATER	98.00	108.00	58.33	68.33	E314.0	PERCHLORATE	
W02-13M2A	02-13	07/11/2002	GROUNDWATER	83.00	93.00	44.20	54.20	E314.0	PERCHLORATE	
W02-13M2A	02-13	07/17/2002	GROUNDWATER	83.00	93.00	44.20	54.20	E314.0	PERCHLORATE	
W161SSA	MW-161	07/02/2002	GROUNDWATER	145.50	155.50	6.00	16.00	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES
W163SSA	MW-163	07/02/2002	GROUNDWATER	38.00	48.00	0.00	10.00	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES
W163SSA	MW-163	07/02/2002	GROUNDWATER	38.00	48.00	0.00	10.00	8330N	OCTAHYDRO-1,3,5,7-TETRANIT	YES
W187M1A	MW-187	07/15/2002	GROUNDWATER	160.00	170.00	51.30	61.30	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES
W187M1A	MW-187	07/15/2002	GROUNDWATER	160.00	170.00	51.30	61.30	8330N	OCTAHYDRO-1,3,5,7-TETRANIT	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	1,3,5-TRINITROBENZENE	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	2,4,6-TRINITROTOLUENE	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	2-AMINO-4,6-DINITROTOLUENE	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	4-AMINO-2,6-DINITROTOLUENE	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES*
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	OCTAHYDRO-1,3,5,7-TETRANIT	YES
W196SSA	MW-196	07/12/2002	GROUNDWATER	32.00	37.00	0.00	5.00	8330N	PICRIC ACID	YES
W213M2A	MW-213	07/15/2002	GROUNDWATER	89.00	99.00	41.15	51.15	E314.0	PERCHLORATE	
W213M3A	MW-213	07/15/2002	GROUNDWATER	77.00	82.00	29.38	34.38	E314.0	PERCHLORATE	
W80M2A	MW-80	07/15/2002	GROUNDWATER	100.00	110.00	56.00	66.00	E314.0	PERCHLORATE	
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	1,3,5-TRINITROBENZENE	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	1,3-DINITROBENZENE	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2,4,6-TRINITROTOLUENE	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2,6-DINITROTOLUENE	YES
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2-NITROTOLUENE	YES
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	3-NITROTOLUENE	YES
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	NO
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	NITROGLYCERIN	YES
G229DAA	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	PICRIC ACID	YES

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample

TABLE 3  
DETECTED COMPOUNDS-UNVALIDATED  
SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	1,3,5-TRINITROBENZENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	1,3-DINITROBENZENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2,4,6-TRINITROTOLUENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2,6-DINITROTOLUENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	2-NITROTOLUENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	3-NITROTOLUENE	YES*
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	NITROGLYCERIN	NO
G229DAD	MW-229	07/09/2002	PROFILE	120.00	120.00	7.50	7.50	8330N	PICRIC ACID	NO
G229DBA	MW-229	07/09/2002	PROFILE	130.00	130.00	17.50	17.50	8330N	NITROGLYCERIN	NO
G229DCA	MW-229	07/09/2002	PROFILE	140.00	140.00	27.50	27.50	8330N	3-NITROTOLUENE	NO
G229DCA	MW-229	07/09/2002	PROFILE	140.00	140.00	27.50	27.50	8330N	NITROGLYCERIN	NO
G229DCA	MW-229	07/09/2002	PROFILE	140.00	140.00	27.50	27.50	8330N	PICRIC ACID	NO
G229DDA	MW-229	07/09/2002	PROFILE	150.00	150.00	37.50	37.50	8330N	3-NITROTOLUENE	NO
G229DDA	MW-229	07/09/2002	PROFILE	150.00	150.00	37.50	37.50	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G229DDA	MW-229	07/09/2002	PROFILE	150.00	150.00	37.50	37.50	8330N	NITROGLYCERIN	NO
G229DDA	MW-229	07/09/2002	PROFILE	150.00	150.00	37.50	37.50	8330N	PENTAERYTHRITOL TETRANITR	NO
G229DDA	MW-229	07/09/2002	PROFILE	150.00	150.00	37.50	37.50	8330N	PICRIC ACID	NO
G229DMA	MW-229	07/11/2002	PROFILE	240.00	240.00	127.50	127.50	8330N	NITROGLYCERIN	NO
G229DNA	MW-229	07/11/2002	PROFILE	250.00	250.00	137.50	137.50	8330N	NITROGLYCERIN	NO
G229DQA	MW-229	07/12/2002	PROFILE	280.00	280.00	167.50	167.50	8330N	NITROGLYCERIN	NO
G229DRA	MW-229	07/12/2002	PROFILE	290.00	290.00	177.50	177.50	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G229DRA	MW-229	07/12/2002	PROFILE	290.00	290.00	177.50	177.50	8330N	NITROGLYCERIN	NO
G229DRA	MW-229	07/12/2002	PROFILE	290.00	290.00	177.50	177.50	8330N	PICRIC ACID	NO
G229DRA	MW-229	07/11/2002	PROFILE	290.00	290.00	177.50	177.50	E314.0	PERCHLORATE	
G229DUA	MW-229	07/15/2002	PROFILE	320.00	320.00	207.50	207.50	8330N	NITROGLYCERIN	NO
G229DUA	MW-229	07/15/2002	PROFILE	320.00	320.00	207.50	207.50	OC21V	ACETONE	
G229DUA	MW-229	07/15/2002	PROFILE	320.00	320.00	207.50	207.50	OC21V	CHLOROFORM	
G229DUA	MW-229	07/15/2002	PROFILE	320.00	320.00	207.50	207.50	OC21V	METHYL ETHYL KETONE (2-BU	
G229DVA	MW-229	07/15/2002	PROFILE	330.00	330.00	217.50	217.50	8330N	NITROGLYCERIN	NO
G229DVA	MW-229	07/15/2002	PROFILE	330.00	330.00	217.50	217.50	OC21V	ACETONE	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample



TABLE 3  
DETECTED COMPOUNDS-UNVALIDATED  
SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
G229DVA	MW-229	07/15/2002	PROFILE	330.00	330.00	217.50	217.50	OC21V	CHLOROFORM	
G229DVA	MW-229	07/15/2002	PROFILE	330.00	330.00	217.50	217.50	OC21V	METHYL ETHYL KETONE (2-BU	
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	8330N	2-NITROTOLUENE	YES*
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	8330N	3-NITROTOLUENE	NO
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	8330N	NITROGLYCERIN	NO
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	8330N	PICRIC ACID	NO
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	OC21V	ACETONE	
G229DWA	MW-229	07/15/2002	PROFILE	340.00	340.00	227.50	227.50	OC21V	METHYL ETHYL KETONE (2-BU	
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	8330N	3-NITROTOLUENE	NO
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	8330N	NITROGLYCERIN	NO
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	8330N	PENTAERYTHRITOL TETRANIT	NO
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	8330N	PICRIC ACID	NO
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	OC21V	ACETONE	
G229DXA	MW-229	07/15/2002	PROFILE	348.50	348.50	236.00	236.00	OC21V	METHYL ETHYL KETONE (2-BU	
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	2,4,6-TRINITROTOLUENE	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	2,4-DIAMINO-6-NITROTOLUENE	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	2,6-DINITROTOLUENE	YES*
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	3-NITROTOLUENE	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	4-NITROTOLUENE	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	NITROGLYCERIN	NO
G230DAA	MW-230	07/09/2002	PROFILE	110.00	110.00	3.62	3.62	8330N	PICRIC ACID	NO
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	2,6-DINITROTOLUENE	NO
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	4-NITROTOLUENE	NO
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	YES*
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	NITROGLYCERIN	NO
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	OCTAHYDRO-1,3,5,7-TETRANIT	YES
G230DBA	MW-230	07/09/2002	PROFILE	120.00	120.00	13.62	13.62	8330N	PICRIC ACID	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	2,4-DIAMINO-6-NITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	2,6-DINITROTOLUENE	YES

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample

TABLE 3  
DETECTED COMPOUNDS-UNVALIDATED  
SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	2-NITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	3-NITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	4-NITROTOLUENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	NITROBENZENE	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	NITROGLYCERIN	NO
G230DCA	MW-230	07/09/2002	PROFILE	130.00	130.00	23.62	23.62	8330N	PICRIC ACID	NO
G230DPA	MW-230	07/12/2002	PROFILE	260.00	260.00	153.62	153.62	8330N	NITROGLYCERIN	NO
G230DPA	MW-230	07/12/2002	PROFILE	260.00	260.00	153.62	153.62	OC21V	ACETONE	
G230DPA	MW-230	07/12/2002	PROFILE	260.00	260.00	153.62	153.62	OC21V	CHLOROFORM	
G230DPA	MW-230	07/12/2002	PROFILE	260.00	260.00	153.62	153.62	OC21V	METHYL ETHYL KETONE (2-BU*	
G230DQA	MW-230	07/12/2002	PROFILE	270.00	270.00	163.62	163.62	8330N	NITROGLYCERIN	NO
G230DQA	MW-230	07/12/2002	PROFILE	270.00	270.00	163.62	163.62	OC21V	2-HEXANONE	
G230DQA	MW-230	07/12/2002	PROFILE	270.00	270.00	163.62	163.62	OC21V	ACETONE	
G230DQA	MW-230	07/12/2002	PROFILE	270.00	270.00	163.62	163.62	OC21V	CHLOROMETHANE	
G230DQA	MW-230	07/12/2002	PROFILE	270.00	270.00	163.62	163.62	OC21V	METHYL ETHYL KETONE (2-BU*	
G230DRA	MW-230	07/15/2002	PROFILE	280.00	280.00	173.62	173.62	8330N	NITROGLYCERIN	NO
G230DRA	MW-230	07/15/2002	PROFILE	280.00	280.00	173.62	173.62	OC21V	ACETONE	
G230DRA	MW-230	07/15/2002	PROFILE	280.00	280.00	173.62	173.62	OC21V	CHLOROETHANE	
G230DRA	MW-230	07/15/2002	PROFILE	280.00	280.00	173.62	173.62	OC21V	METHYL ETHYL KETONE (2-BU*	
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	2,4-DINITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	2,6-DINITROTOLUENE	YES
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	2-NITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	3-NITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	4-NITROTOLUENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	NITROBENZENE	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	NITROGLYCERIN	NO
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	8330N	PICRIC ACID	NO

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample

TABLE 3  
DETECTED COMPOUNDS-UNVALIDATED  
SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	OC21V	ACETONE	
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	OC21V	CHLOROETHANE	
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	OC21V	CHLOROMETHANE	
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	OC21V	METHYL ETHYL KETONE (2-BU	
G230DSA	MW-230	07/15/2002	PROFILE	290.00	290.00	183.62	183.62	OC21V	METHYL ISOBUTYL KETONE (4-	
G230DTA	MW-230	07/15/2002	PROFILE	300.00	300.00	193.62	193.62	OC21V	ACETONE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	8330N	NITROBENZENE	NO
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	8330N	NITROGLYCERIN	NO
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	ACETONE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	BENZENE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	CARBON DISULFIDE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	CHLOROETHANE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	CHLOROFORM	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	CHLOROMETHANE	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	METHYL ETHYL KETONE (2-BU	
G230DUA	MW-230	07/15/2002	PROFILE	310.00	310.00	203.62	203.62	OC21V	TOLUENE	
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	NO
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	8330N	NITROBENZENE	NO
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	8330N	NITROGLYCERIN	NO
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	OC21V	ACETONE	
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	OC21V	CHLOROFORM	
G230DVA	MW-230	07/16/2002	PROFILE	320.00	320.00	213.62	213.62	OC21V	METHYL ETHYL KETONE (2-BU	
G230DWA	MW-230	07/16/2002	PROFILE	330.00	330.00	223.62	223.62	8330N	NITROGLYCERIN	NO
G230DWA	MW-230	07/16/2002	PROFILE	330.00	330.00	223.62	223.62	OC21V	ACETONE	
G230DWA	MW-230	07/16/2002	PROFILE	330.00	330.00	223.62	223.62	OC21V	CHLOROFORM	
G230DWA	MW-230	07/16/2002	PROFILE	330.00	330.00	223.62	223.62	OC21V	METHYL ETHYL KETONE (2-BU	
G230DXA	MW-230	07/17/2002	PROFILE	340.00	340.00	233.62	233.62	8330N	NITROGLYCERIN	NO
G230DXA	MW-230	07/17/2002	PROFILE	340.00	340.00	233.62	233.62	OC21V	ACETONE	
G230DXA	MW-230	07/17/2002	PROFILE	340.00	340.00	233.62	233.62	OC21V	METHYL ETHYL KETONE (2-BU	
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	8330N	4-AMINO-2,6-DINITROTOLUENE	NO

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample

TABLE 3  
 DETECTED COMPOUNDS-UNVALIDATED  
 SAMPLES COLLECTED 06/28/02 - 07/20/02

OGDEN_ID	LOCID OR WELL ID	SAMPLED	SAMP_TYPE	SBD	SED	BWTS	BWTE	METHOD	OGDEN_ANALYTE	PDA
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,	NO
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	8330N	NITROBENZENE	NO
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	8330N	NITROGLYCERIN	NO
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	OC21V	2-HEXANONE	
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	OC21V	ACETONE	
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	OC21V	CARBON DISULFIDE	
G230DYA	MW-230	07/17/2002	PROFILE	345.60	345.60	239.22	239.22	OC21V	METHYL ETHYL KETONE (2-BU	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES COLLECTED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BGS

SED = SAMPLE COLLECTION END DEPTH IN FEET BGS

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

\* = Interference in sample