

**MONTHLY PROGRESS REPORT #97
FOR APRIL 2005**

EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 and 1-2000-0014

**MASSACHUSETTS MILITARY RESERVATION
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from April 1 to April 30, 2005. Scheduled actions are for the six-week period ending June 10, 2005.

1. SUMMARY OF REMEDIATION ACTIONS

The following is a description of remediation actions taken as part of or in preparation for Rapid Response Action (RRA) Plans for various Areas of Concern at Camp Edwards through April 30, 2005. An RRA is an interim action that may be conducted prior to risk assessments or remedial investigations to address a known, ongoing threat of contamination to groundwater and/or soil.

Demo Area 1 Groundwater RRA

The Demo Area 1 Groundwater RRA consists of the removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. Extraction, treatment, and recharge systems (ETR) at Frank Perkins Road and Pew Road has been designed and include single extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater, and injection wells to return treated water to the aquifer.

The Pew Road ETR continues operation at a flow rate of 100 gallons per minute (gpm). Perchlorate and hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) have been detected in influent samples. The Granular Activated Carbon (GAC) media was exchanged in the first and second pair of treatment vessels on March 9, 2005. Perchlorate breakthrough was detected after the first pair of GAC vessels on April 14, 2005. Perchlorate has not been detected after the second pair of GAC vessels. RDX has not been detected in any mid-fluent samples. Perchlorate and RDX have not been detected in samples collected from the effluent. The next GAC exchange will be scheduled after breakthrough at the second pair of GAC vessels. Based on past operational history, this second GAC exchange is anticipated to be required at the end of June 2005. As of April 29, 2005, approximately 32 million gallons of water have been treated and re-injected at the Pew Road ETR System.

The Frank Perkins Road ETR continues operation at a flow rate of 220 gpm. Perchlorate, RDX, and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX) have been detected in influent samples. Perchlorate was detected in mid-fluent samples collected after the first pair of GAC vessels in each of the three treatment containers. The GAC vessels are followed by ion exchange (IX) vessels, which are designed for treatment of perchlorate. Perchlorate and RDX have not been detected in mid-fluent samples collected after the IX vessels or in effluent samples. As of April 29, 2005, approximately 64 million gallons of water had been treated and re-injected at the Frank Perkins Road ETR System.

Groundwater sampling was conducted at select monitoring wells as part of the Demo Area 1 System Performance and Ecological Impact Monitoring (SPEIM) Plan.

Demo Area 1 Soil RRA

The Demo Area 1 Soil RRA consists of the removal of all geophysical anomalies within the perimeter road (7.4 acres) and the removal and thermal treatment of contaminated soil from in and around the Demo 1 kettle hole. To date, the total amount of soil excavated at Demo Area 1 is 16,642 cubic yards, with an additional 195 cubic yards excavated at Demo Area 1 burn pits.

Investigation of targets identified during the EM-61 survey continued. Approximately 6 cubic yards of soil was excavated from a burn pit and two target locations.

Impact Area Soil RRA

The Impact Area Soil RRA consists of the removal and treatment of contaminated soil and targets at Targets 23 and 42. A total of 590 cubic yards have been removed from Target 23 and 796 cubic yards have been removed from Target 42 and treated in the Thermal Treatment Unit.

Soil moisture samples were collected from lysimeters at Targets 23 and 42 as part of the Focused Investigation at High Use Target Area (HUTA) 1. Two lysimeters were reinstalled at Targets 23 and 42.

J-2 Range Soil RRA

The J-2 Range Soil RRA consists of the removal and treatment of soil in six general areas within the J-2 Range that contain selected explosives and perchlorate. Soil removal locations include Twin Berms Area, Berm 2, Berm 5, Fixed Firing Points 3 and 4 (FFP-3 and 4) and adjacent Range Road Burn Area (RRBA), Disposal Area 1, and Disposal Area 2. To date, a total of 6,236 cubic yards of soil has been excavated and treated at the Thermal Treatment Unit.

Clearance of unexploded ordnance (UXO) was conducted in the northern section of Polygon 2.

J-3 Range Soil RRA

The J-3 Range Soil RRA consists of the removal and treatment of contaminated soil from three areas within the J-3 Range Demolition Area. Soil was removed from the Detonation Pit, the Burn Box, and the area north of Target 2, with total soil removal approximated at 4,615 square feet and 461 cubic yards of soil to a maximum depth of 3 feet. Soil has been treated in the Thermal Treatment Unit or containerized for off-site disposal.

Soils were excavated, screened and containerized from a third additional lift at the C-6 Burn Pit. One post-excavation sample was collected from this burn pit.

2. SUMMARY OF ACTIONS TAKEN

Drilling progress for the month of April is summarized in Table 1.

Table 1. Drilling progress as of April 30, 2005				
Boring Number	Purpose of Boring/Well	Total Depth (ft bgs)	Depth to Water Table (ft bgs)	Completed Well Screens (ft bgs)
MW-356	J-3 Range (J3P-44)	297	103	105-115; 140-150; 185-195
MW-365	J-2 Range (J2P-52)	316	91	275-285
MW-368	J-2 Range (J2P-53)	351	104	
MW-369	J-1 Range (J1P-26)	130		
ft bgs = ft below ground surface				

Completed well installation at MW-356 (J3P-44) and re-drilling and installation for one well screen at MW-365M1 (J2P-52). Completed drilling at MW-368 (J2P-53) and commenced drilling at MW-369 (J1P-26).

Samples collected during the reporting period are summarized in Table 2. Groundwater profile samples were collected from MW-368. Groundwater samples were collected from a supply well, a residential well, recently installed wells, Northwest Corner wells, as part of the April round of the 2005 Long-Term Groundwater Monitoring (LTGM) Plan, and as part of the Demo Area 1 SPEIM Plan. Pore water samples were collected from lysimeters installed in the Impact Area at Targets 23 and 42 and at the HUTA 1. Process water samples were collected from the Pew Road and Frank Perkins Road ETR systems. An investigation-derived waste (IDW) sample was collected from the GAC treatment system. Wipe samples were collected from ordnance at the Former K Range. Soil samples were collected from grids at the Former K Range, the L Range, as part of the supplemental geophysical investigation at the J-2 Range, and as part of supplemental sampling at blown-in-place (BIP) craters. Soil samples, including pre-BIP samples and samples for Toxicity Characteristic Leaching Procedure (TCLP) analysis, were collected from trench excavations at the Former A Range. A post-excavation sample was collected from the C-6 grid burn pit located at the J-3 Range. Pre- and post-BIP samples were collected from Demo Area 1 and J-2 Range locations.

The following are the notes from the April 14, 2005 Technical Team meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

Punchlist Items

There were no Punchlist items from the 3/24/05 Technical Team meeting.

J-2 East/Peters Pond Investigation Status

Dave Hill (IAGWSP) displayed and distributed a SE Ranges Proposed Well Locations map showing the proposed six drive point locations at the base boundary (based on particle track information derived from recently installed J-2 wells) and two contingency off-base locations. Dave Hill and Jay Ehret (USACE) cautioned that it is difficult to predict if the drive points will be effective for collection of groundwater samples in this area. Jane Dolan (EPA) requested that chromatograms for explosive results from locations MW-336, MW-342, MW-355, MW-358, and MW-362 be evaluated for the presence of trace levels of explosives.

Mark Panni (MADEP), Jane Dolan (EPA), and Lynne Jennings (EPA) questioned the accuracy of the particle track information shown in the figure, since the results do not seem consistent with the groundwater plume depiction. Mike Goydas (Jacobs) explained that the inconsistency is based on the nature of the input parameters used for the plume and particle tracks. There is likely to be less confidence at the top of the groundwater mound and significant groundwater splaying in this area. The particle track data should be used with these limitations in mind. Ms. Jennings suggested that attaining more hydrologic information may improve the accuracy of these models.

Regarding the proposed off-post locations, Lynne Jennings and Len Pinaud (MADEP) expressed interest in moving proposed location #6 (near Route 130) to the Peters Pond residence, which has historically shown detections for perchlorate. It was agreed that a drive point at this residential location would prove beneficial, and Jay Ehret (USACE) will initiate the real estate access process.

Regarding the placement of the proposed base boundary drive point locations, Ms. Jennings and Mr. Pinaud suggested that tighter spacing and more locations be considered. Mr. Goydas and Mr. Hill expressed confidence that based on groundwater hydrology data available, the proposed spacing would be adequate for detection of contaminant plumes. Jane Dolan requested that maps be provided showing separate RDX and perchlorate plumes for the J Ranges.

Drive point groundwater samples will be collected for analysis of explosives (by method 8330) and perchlorate (by method 314.0). Based on the expected high turbidity and sample volume limitations, it was agreed that EPA split samples would not be collected for this phase of the investigation. Samples collected with the drive point method will use 1.5 inch diameter probe. Groundwater samples will be collected at 10 ft increments.

Jay Ehret stated that the drive point sampling is likely to begin in approximately 4 to 6 weeks. This schedule is based on the expected duration for attaining the necessary environmental permits. Dave Hill will revise the Project Notes for the base boundary and off-post well locations to include the details discussed at this meeting by next week.

CIA – Feasibility Study Screening Report

Bill Gallagher (IAGWSP) provided a handout that described Review of Remedial Action Objectives (RAOs), Remedial Technologies, Preliminary Assembly of Alternatives, and Feasibility Study Screening Report (FSSR) for groundwater, soil, and UXO operable units (OUs) at the Central Impact Area. Mr. Gallagher explained that some of these topics have been previously introduced at the last tech meeting, and that this session would focus primarily on the preliminary assembly of alternatives and FSSR content and scope.

Mr. Gallagher explained that RDX has been used as a driver for the groundwater RAOs. This is a reasonable simplifying assumption, which is necessary to avoid excessive permutations for development of the FSSR. Chris Abate (AMEC) added that almost all other contaminants of concern (COCs) are contained within the RDX plume. Kim Groff (AMEC) stated that data can be provided to support this assumption. Lynne Jennings and Mike Minior (AFCEE) suggested that some adjustments be made to the RAO language in the handout to incorporate more flexibility into the statements.

Mr. Gallagher stated that a primary data gap for the soil OU will be will be satisfied when feedback on the Human & Ecological Risk Assessment (HERA) report is provided by the

agencies, since this will influence the contingent remedial actions (RAs), remedial investigations (RIs), and soil volume estimates. For soil, the FSSR will focus on soil areas believed to pose a threat to groundwater. As with the groundwater OU, RDX will be used the driver for cleanup. Lynne Jennings inquired why perchlorate is not considered a driver as well. Chris Abate stated that perchlorate source areas are collocated with RDX source areas and that decreasing concentrations of perchlorate in shallow groundwater are an indication that the source is depleting.

Several data gaps associated with the UXO OU have been identified, including the extent of UXO that poses a risk to groundwater, the UXO distribution, and future loading to groundwater from UXO leakage and corrosion. Herb Colby (AMEC) suggested that it would be reasonable to assume a relationship between soil and UXO contamination, and that UXO cleanup would be captured within the soil remediation process. Ms. Jennings recommended considering some type of surface cleanup approach.

Ms. Groff discussed the Draft Assembly of Alternatives FS table. The table provides a summary of remedial alternatives of varying complexity and aggressiveness, and is intended to present a first cut list of options to stimulate further discussions. The table summarizes general response actions (including control technology type and area/volume criteria) for each media, RAOs (including area/volume estimates and time frames), and six alternative assembly options (with variants within these options, including cleanup to background or risk based standards; 10 year or 30 year duration periods for groundwater remediation; and 10 to 90 acre volume estimates for soil remediation). Some alternatives, primarily related to UXO remediation, were noted to have issues with level of confidence. Ms. Groff clarified that the 10 acre volume estimate for soil is based on RDX detections at the water table (not including CS-19 area), and the 90 acre estimate is based on modeling. Ms. Jennings stated that CS-19 area needs to be included in the area estimates, and asked for more information on the assumptions used to derive the volume estimates. Ms. Jennings also asked for figures showing the soil and groundwater extents of contamination (compared to risk based levels and background concentrations).

In conclusion, Mr. Gallagher asked for agency feedback on three major issues relating to the scope and timing of the FSSR: 1) the number of alternatives and types, 2) the key assumptions, and 3) the level of detail of the report. Mr. Gallagher indicated that more information on remaining data gaps will be provided at the next tech meeting (on 4/28/05).

IART Meeting for April 2005

The EPA convened a meeting of the Impact Area Groundwater Review Team on April 26, 2005. The agenda included a Technical Outreach Services for Communities (TOSC) Presentation on GAC and Ion Exchange, an investigation update of the off-post investigation in Forestdale, a remediation update for Demolition Area 1, and an update on the Draft J-2 Range North Groundwater RRA Plan.

The following are the notes from the April 28, 2005 Technical Team meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

Demo 1 FS/RSP/DD Schedule Update

Paul Nixon (IAGWSP) presented a general description of the process to produce the Decision Document by the current deadline of 6/30. Mr. Nixon stated that the schedule contained aggressive turnaround times for both the Army and the agencies and that while the agencies' late and extended response to the MOR will squeeze the remaining schedule, meeting the 6/30 deadline was still possible. Mr. Nixon indicated that the Army would submit the Draft Remedy

Selection Plan (RSP) on Tuesday 5/2 so that the Army and agencies could discuss some of the specific details (e.g. cleanup goals, etc.). Lynne Jennings (EPA) indicated a preference for submitting the RSP today in advance of the discussions in order to give the lawyers sufficient time to review the language and turn around comments to the Army by Tuesday. Mr. Nixon indicated the Draft RSP would be submitted today pending completion of the Army's internal review.

Mr. Nixon reiterated the need for all parties to stick to the schedule as the Army not only needs to finalize the RSP by 5/13 (the scheduled start of the public comment period), but also needs to produce a second MOR, address comments from DEP, and produce a final FS by this date as well.

J-2 East/Peters Pond Investigation Status

Dave Hill (IAGWSP) submitted the Project Note describing the base boundary and off-site direct push investigation. Mr. Hill requested that the agencies provide comments by the end of next week (5/6) so as not to adversely impact the field schedule. Mr. Hill also reiterated that completion of the work described in the Project Note was based on the assumption that direct push technology would be able to reach the desired depths. Ms. Jennings inquired as to why a larger rig was not being used initially in order to maximize the successful application of this drilling technique. Mr. Hill described the Army's past unsuccessful experiences at using CPT at the site. Ms. Jennings and Len Pinaud (MADEP) indicated that failure to reach the desired depths at the first location (DP-1) should not be used as an indication that the direct push technology would not work. It was agreed that attempts would be made at multiple locations (e.g. DP-1, residential property, Snake Pond) due to potential differences in subsurface conditions that would make direct push more or less effective.

Jane Dolan (EPA) questioned whether the ponds have a greater influence on groundwater flow than that which is depicted in the figures. Mike Goydas (Jacobs) explained that the ponds act as a sink and discharge to groundwater on the downgradient side. This interpretation is based on both modeled and empirical data. Jane Dolan (EPA) requested copies of the USGS comments on the modeling done to support this investigation.

Jane Dolan (EPA) stated that with respect to drilling depth, the Data Quality Objectives (DQOs) of this investigation should be consistent with those of the overall investigation at the site, i.e. that the boreholes should be installed to the maximum depth possible. Mr. Hill stated that the DQOs of the investigation with respect to drilling depth are 1) the target depth of contamination and 2) refusal. Ms. Dolan and Ms. Jennings expressed concern with refusal occurring prior to reaching the target depth. Mr. Goydas and Mr. Hill subsequently clarified that reaching the target depth is the minimum DQO and only after the target depth would refusal be considered as a DQO. Ms. Jennings also expressed concern over how the target contamination depths were identified, specifically the reliance on contamination present at MW-319 and the fact that there could be deeper contamination present. Mr. Goydas explained that the determinations of the target zone of contamination were not solely based on MW-319, but also other groundwater data and forward particle tracks for the ranges.

Mr. Hill indicated that drilling is scheduled to begin at DP-1 on 5/16. Jay Ehret (USACE) stated that the resident has signed the Right of Entry agreement and a drilling location has been agreed upon (~80' WSW of private well). The pertinent information was submitted to SHPO yesterday (4/27) and the Army is in the process of preparing a REC. Mr. Ehret stated that installation of a permanent monitoring point at the private property is not covered by the current

ROE agreement. Installation of a permanent structure would require that the Army purchase an easement.

Ms. Dolan inquired as to whether the model used to generate the particle tracks was calibrated to 2003 groundwater elevation data and if so, how this data related to other years. Mr. Hill responded that this information could be found in the J-3 Groundwater RRA plan. Mr. Goydas indicated that the 2003 data was used to calibrate the model; however, the model was also evaluated using 1993 and 2000 groundwater elevation data. Mr. Goydas explained that 1993 and 2000 data are considered representative of long-term average conditions and that 2003 represents a slightly drier than average year. Elevation data from 1993 and 2000 were not used for calibration due to more limited well coverage.

CIA – Feasibility Study Screening Report

Bill Gallagher (IAGWSP) provided a handout that described Review of Groundwater Data - Distribution of Contaminants of Concern (COCs), Data Gaps, Source Containment/Partial Aquifer Restoration Alternatives, Soil Removal Alternatives, and Discussion of EPA Comments (4/22/05). Mr. Gallagher explained that the general goal of the presentation was to address the comments made by EPA in its 4/22/05 letter in response to the 4/14/05 Technical Team meeting.

Mr. Gallagher explained that the use of RDX as a driver in evaluating groundwater cleanup alternatives is a reasonable simplifying assumption necessary to avoid excessive permutations for development of the FSSR. Mr. Gallagher presented data describing the distribution of the other COCs (perchlorate, HMX, 2,4,6-trinitrotoluene [TNT], 2-amino-4,6-dinitrotoluene [2A-DNT] and 2-amino-4,6-dinitrotoluene [4A-DNT]) relative to RDX and showing that the other COCs are contained within or in close proximity to the RDX plume. Because the plumes are generally co-located, consideration of other COCs is not necessary in order to develop alternatives to be evaluated in the FSSR or to select alternatives to be retained for detailed analysis in the Feasibility Study (FS), as addressing the other COCs would likely only require minor adjustments to any approach designed to address RDX. Kim Groff (AMEC) stated that while the RDX plume would be used to determine well locations, plume volumes, and cleanup times, all COCs would be considered in the evaluation of technologies for treating extracted groundwater. Ms. Jennings indicated that she did not dispute that the COCs are generally co-located with RDX and that using RDX as a driver for evaluating groundwater cleanup alternatives in the FSSR is appropriate, provided 1) this assumption is used to simplify calculation of plume volumes and remedial time estimates and 2) evaluation of the other COCs is considered in the FS.

Mr. Gallagher stated that primary data gaps (for completion of the FSSR) include identification of the range of alternatives to be evaluated (including soil/groundwater/UXO areas to be remediated) and characterization of UXO density. Secondary data gaps (for completion of the RI) include completion of the risk assessment, refinement of source areas, definition of the future source term, completion of the RI Reports, and completion of treatability studies. Completion of the risk assessment is pending agency feedback on the Human & Ecological Risk Assessment (HERA) plan. Refinement of the source area may require additional characterization work. Potential activities include additional soil sampling using larger grids and multi-point composites, installation of lysimeters, and installation of drive points to define water table RDX contours. Work to define the future source term is ongoing and is being conducted in two steps: 1) development of an estimate of UXO density distribution using existing data and 2) field validation of the distribution through test-plots. The groundwater RI report is currently with the agencies and completion of the soil RI work is pending approval of the risk assessment

process and potential additional characterization work. With respect to the treatability studies, the Army hopes to provide additional information to the agencies soon.

Herb Colby (AMEC) stated that determining UXO density is one component critical to being able to define future contaminant loading and critical for evaluating UXO remedial alternatives in the FSSR and FS. Mr. Colby stated that the approach for estimating UXO density across the CIA is to identify a correlation between site-wide data (e.g. AirMAG, aerial photos, proximity to known targets) and areas of known UXO density (e.g. MT-9, HUTA I, HUTA II transects, Targets 42 and 43) and then use this correlation to extrapolate to areas where we do not have any UXO clearance information. Subsequently, UXO density could be determined at a series of test plots in order to validate the method. Work to develop this correlation is currently ongoing; however, one finding is that there is a poor correlation between UXO at the surface and total UXO, which suggests that data regarding the surface cannot be used to reliably predict the presence of total UXO. The relationships of other measures, such as UXO scrap, and total UXO are currently being evaluated. Ms. Jennings inquired as to the anticipated schedule to complete these activities. Mr. Colby stated that it is expected that an estimate of UXO density be available in a couple of months. Mr. Gallagher deferred identifying a schedule for any fieldwork until funding could be reviewed.

Mr. Gallagher presented a series of figures depicting potential areas for soil remediation to be evaluated in the FSSR. Potential areas are based on water table RDX contours and swaths along Tank Alley/Turpentine Road as suggested by the agencies. Mr. Gallagher also pointed out that there are technical issues with evaluating potential benefits of removing soil from areas that are not indicated as sources in the model. Ms. Jennings indicated that for the FSSR, she is interested in gross comparisons between alternatives and inquired as to whether it would be possible to "trick" the model by using more general areas of soil removal/contaminant reduction.

Mr. Gallagher presented two potential partial aquifer restoration scenarios intended for discussion purposes. Graphical representations of the two alternatives (containment at Burgoyne Road and at the Impact Area Boundary) and a summary table of volumes restored were presented. Ms. Jennings stated that the AO requires evaluation of a no-action alternative, cleanup to risk in 10 yrs, and cleanup to background in a reasonable timeframe and leaves the option for other scenarios designed to meet the RAOs. These partial restoration scenarios would fit in the final category and would not need to be designed to fit a 10-year time frame. She envisions the following partial restoration/containment alternatives to be evaluated in the FSSR: 1) containment at the leading edge, 2) containment at Burgoyne Road with partial restoration of downgradient contamination, and 3) containment at Spruce Swamp Road (Impact Area Boundary) and partial restoration of downgradient contamination. The partial restoration of downgradient contamination should be evaluated using both natural and active remedies. Hap Gonser (IAGWSP) indicated that evaluation of the impacts of both soil and groundwater "hot spot" removal could also be evaluated within the context of these scenarios.

Mr. Gallagher stated that the Army would also like to continue to evaluate technologies other than pump-and-treat in the interests of reducing long-term costs. Len Pinaud (MADEP) stated that DEP is only interested in innovative technologies when used as a supplement to proven technologies. Mr. Pinaud also stated that the DEP, and not the Army, is charged with determining location of potential future wells and that any uses of MMR under the Army's lease must be compatible with the State's goals of habitat protection and water supply protection. With respect to innovative technologies, Carol Keating (EPA) requested information on sites where these technologies were used for explosives.

Mr. Gallagher then discussed responses to EPA comments made in its 4/22/05 letter that were not addressed elsewhere in the presentation.

- With respect to EPA's request to consider remedial alternatives for UXO that include areas where soil remediation is not proposed, Mr. Gallagher explained that the decision to only evaluate removal of UXO at locations where soil remediation was proposed was made as a simplifying assumption due to data gaps in the distribution of UXO. Herb Colby (AMEC) suggested that it would be reasonable to assume a relationship between soil and UXO contamination, and that UXO cleanup would be captured within the soil remediation process. Mr. Gallagher acknowledged EPA's desire for a range of alternatives, but explained that given the current data gaps, only the costs of UXO removal could currently be quantified. It was agreed that the schedule for addressing the UXO data gaps be produced and that deferring additional UXO removal alternatives to either an addendum to the FSSR or the FS be considered so as not to unnecessarily delay production of the FSSR.
- Mr. Gallagher requested clarification of EPA's comment that evaluation of containment at the leading edge at background and at risk-based concentrations did not both need to be done. Ms. Jennings stated that it was her desire to simplify the evaluation by only considering one of these two alternatives as they are likely to be very similar in nature.
- Mr. Gallagher stated that EPA's request for a figure depicting soil above risk levels could not be generated as these data are pending completion of a risk assessment and completion of the soil RI. Ms. Jennings acknowledged the data gap and stated she was merely looking for a graphical representation of soil contamination.
- It was agreed that the text in the Remedial Alternatives Table presented at the 4/14/050 Technical Team meeting would be changed from "Removal of UXO containing RDX..." to "Removal of UXO containing PEP compounds..."

In conclusion, it was agreed that the IAGWSP would put together an initial draft matrix of alternatives to be evaluated in the FSSR and submit to EPA for their review and input.

3. SUMMARY OF DATA RECEIVED

Validated data were received during April 2005 for Sample Delivery Groups (SDGs): 67726A, CE0483, CE0484, CEM094, CEM096, CEM097, CEM098, CEM099, CEM100, CEM101, CEM102, CEM103, DCE037, DCE039, EC0412, EC0426, GCE257, GCE258, GCE259, GCE260, GCE261, GCE262, GCE263, GWA006.

These SDGs contain results for 171 groundwater samples from supply wells, sentry wells, monitoring wells, and a residential well, and 51 process water samples from the Frank Perkins and Pew Road ETR systems.

Validated Data

Table 3 summarizes the detections that exceeded an EPA Maximum Contaminant Level (MCL) or Health Advisory (HA) for drinking water, or exceeded a 4 ppb concentration for perchlorate, sorted by analyte, since 1997. Table 3 is updated on a monthly basis; discussions in the text are updated on the same schedule as Figures 1 through 8, which are discussed later in this section.

Table 4 summarizes first-time validated detections of explosives below the MCL/HA for drinking water or of perchlorate below a 4 ppb concentration received from March 25, 2005 through April 29, 2005. First-time validated detections of VOCs, SVOCs, herbicides and pesticides are included and discussed quarterly in the March, June, September, and December Monthly Progress Reports. Metals, chloroform, and BEHP are excluded from Table 4 for the following reasons: metals are a natural component of groundwater, particularly at levels below MCLs or HAs; detections of chloroform are pervasive throughout Cape Cod and are not likely the result of military training activities; and BEHP is believed to be largely an artifact of the investigation methods and introduced to the samples during collection or analysis.

Figures 1 through 8 depict the cumulative results of groundwater analyses for the period from the start of the Impact Area Groundwater Study (July 1997) to the present. Each figure depicts results for a different analyte class:

- Figure 1 shows the results of explosive analyses by EPA Method 8330. This figure is updated and included each month.
- Figure 2 shows the results of inorganic analyses (collectively referred to as "metals", though some analytes are not true metals) by methods E200.8, 300.0, 350.2M, 353M, 365.2, CYAN, IM40MB, and IM40HG. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 3 shows the results of Volatile Organic Compound (VOC) analyses by methods OC21V, OC21VM, 504, 8021W, and SW8260 exclusive of chloroform detections. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 4 shows the chloroform results using the Volatile Organic Compound (VOC) analyses by method OC21V and OC21VM. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 5 shows the results of Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270, exclusive of detections of bis (2-ethylhexyl) phthalate (BEHP). This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 6 shows the BEHP results using the Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 7 shows the results of Pesticide (method OL21P) and Herbicide (method 8151) analyses. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 8 shows the results of Perchlorate analysis by method E314.0. This figure is updated and included each month.

The concentrations from these analyses are depicted in Figures 1 through 7 compared to Maximum Contaminant Levels (MCLs) or Health Advisories (HAs) published by EPA for drinking water. For Figures 1 through 7, a red circle is used to depict a well where the concentration of one or more analytes was greater than or equal to the lowest MCL or HA for the analyte(s). A yellow circle is used to depict a well where the concentration of all analytes was less than the lowest MCL or HA. A green circle is used to depict a well where the given analytes were not detected in groundwater samples. For Figure 8, a red circle is used to depict a well where the concentration of perchlorate was greater than or equal to 4 ppb. An orange circle is used to depict a well where the concentration of perchlorate is above 1 ppb and below 4 ppb. A yellow circle is used to depict a well where the concentration of perchlorate was less than 1 ppb. A green circle is used to depict a well where perchlorate was not detected in groundwater.

samples. For all figures, an open circle is used to depict a proposed well where the analytes in question for example, Explosives in Figure 1, have not yet been quantified. A black circle represents a well that has been sampled for analytes, but validated groundwater data is not yet available.

There are multiple labels listed for some wells in Figures 1 through 8, which indicate multiple well screens at different depths throughout the aquifer. The aquifer is approximately 200 to 300 feet thick in the study area. Well screens are positioned throughout this thickness based on various factors, including the results of groundwater profile samples, the geology, and projected locations of contaminants estimated by groundwater modeling. The screen labels are colored to indicate which of the depths had the chemical detected above MCLs/HAs/4 ppb concentration for perchlorate. Generally, groundwater entering the top of the aquifer will move deeper into the aquifer as it moves radially outward from the top of the water table mound. Light blue dashed lines in Figures 1 through 8 depict water table contours. Groundwater generally moves perpendicular to these contours, starting at the center of the 70 foot contour (the top of the mound) and moving radially outward. The rate of vertical groundwater flow deeper into the aquifer slows as groundwater moves away from the mound.

The results presented in Figures 1 through 8 are cumulative, which provides a historical perspective on the data rather than a depiction of current conditions. Any detection at a well that equals or exceeds the MCL/HA/4 ppb concentration for perchlorate results in the well having a red symbol, regardless of later detections at lower concentrations, or later non-detects. The difference between historical and current conditions varies according to the type of analytes. There are little or no differences between historical and current exceedances of drinking water criteria for Explosives, Perchlorate, VOCs, Pesticides, and Herbicides; the minor differences are mentioned in the following paragraphs. There are significant differences between historical and current exceedances of drinking water criteria for Metals and SVOCs, as described further below.

Figure 1: Explosives in Groundwater Compared to MCLs/HAs

For data validated in April 2005, no wells had first-time validated detections of explosives above the MCL/HAs. Two wells, MW-348M2 and MW-366M2 (J-2 Range) had first-time validated detections of RDX below the HA of 2 ppb.

Exceedances of drinking water criteria for explosive compounds are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 34, 73, 76, 77, 114, 129, 165, 210, and 211);
- Demo Area 2 (wells 16, 160, 259 and 262);
- The Impact Area and CS-19 (wells 58MW0001, 58MW0002, 58MW0009E, 58MW0011D, 58MW0016B, 58MW0016C, 58MW0018B; and wells 1, 2, 23, 25, 37, 38, 40, 43, 85, 86, 87, 88, 89, 90, 91, 93, 95, 98, 99, 100, 101, 105, 107, 111, 112, 113, 176, 178, 184, 201, 203, 204, 206, 207, 209, 223, 235, OW-1, OW-2, and OW-6);
- J Ranges and southeast of the J Ranges (wells 45, 58, 132, 147, 153, 163, 164, 166, 171, 191, 196, 198, 215, 218, 227, 234, 247, 265, 289, 303, 306, 324, 326, 343, and wells 90MW0022, 90MW0041, 90MW0054 and 90WT0013).
- Landfill Area 1 (wells 27MW0018A, 27MW0020A, and 27MW0020B); and
- Northwest Corner of Base Boundary (well 323)

Exceedances of drinking water criteria were measured for TNT at Demo Area 1 (wells 19S, 31S, 31M, and 31D) and Southeast of the Ranges (196S). Exceedances of the HA for RDX were noted at all of the locations listed above except at MW-45, MW-196, and the LF-1 wells. Exceedances of drinking water criteria were measured for 2,6-dinitrotoluene (2,6-DNT) at MW-45S. Exceedances of drinking water criteria were measured for 1,3-dinitrobenzene at LF-1 wells 27MW0018A, 27MW0020A and 27MW0020B.

A magenta concentration contour line is used in Figure 1 and Inset A to show the extent of RDX exceeding the HA in these areas. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples). This extent also considers non-validated data, where the results have been confirmed using Photo Diode Array (PDA). Additional information regarding PDA is provided below under the heading "Rush (Non-Validated) Data". Concentration contours will be prepared for other areas, and refined for the above areas, when sufficient data are available.

Demo Area 1 has a single well-defined source area and extent of contamination. The estimated extent of RDX exceeding the HA at Demo Area 1 based on the most recent groundwater measurements is indicated by a magenta concentration contour line on Figure 1 and Inset A.

Demo Area 2 has four groundwater exceedances of the RDX HA at MW-16S, MW-160S, MW-259, and MW-262M1. The extent of the contamination is currently under investigation.

The Impact Area has a plume defined by RDX concentrations above the HA of 2 ppb. The plume originates primarily along Turpentine Road and extends downgradient to the east, northeast. Another source of RDX in the Impact Area is CS-19. Portions of CS-19 are currently under investigation by the Air Force Center for Environmental Excellence (AFCEE) under the Superfund program. The extent of RDX has largely been defined in the Impact Area and the investigation phase of the project is nearing completion.

The J Ranges and downgradient areas have five groundwater plumes defined by concentrations of RDX above the HA of 2 ppb. The five plumes originate at the J-1 Range Interberm Area (northern plume in the vicinity of MW-58 and MW-265), the J-2 Range North plume (northern plume extending from MW-130), the J-2 Range East plume (eastern plume including MW-215), the J-3 Range Demolition Area (southern plume extending from MW-163 south to Snake Pond) and the L Range (in an area defined by MW-147 and MW-153 at Greenway Road). All the J ranges and the L Range are currently under investigation and the plumes will be updated and refined as new validated data is received.

The Northwest Corner of the base boundary has one validated detection of RDX in groundwater above the HA of 2 ppb at MW-323M2. The M1 screen in this location has a validated detection of RDX in groundwater below 2 ppb.

Figure 2: Metals in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for metals are scattered throughout the study area. Where two or more rounds of sampling data are available, the exceedances generally have not been replicated in consecutive sampling rounds. The exceedances have been measured for antimony, arsenic, cadmium, chromium, lead, molybdenum, sodium, thallium and zinc. Arsenic (well 7M1), cadmium (52M3), and chromium (7M1) each had one exceedance in a single sampling round in August-September 1999. Two of four lead exceedances (ASP well and 45S) were repeated in another sampling round and the remaining two lead exceedances (wells 2S

and 7M1) have not been repeated in previous or subsequent results. Two of the eight molybdenum exceedances were repeated in consecutive sampling rounds (wells 53M1 and 54S). All of the molybdenum exceedances were observed in year 1998 and 1999 results. Seven of the 19 sodium exceedances were repeated in consecutive sampling rounds (wells 2S, 46S, 57M2, 57M1, 145S, ASP well and SDW261160). Eight wells (21S, 57M1, 57M3, 144S, 145S, 148S, 187D, and the ASP well) had sodium exceedances in year 2002, 2003, and/or 2004 results. Zinc exceeded the HA in seven wells, all of which are constructed of galvanized (zinc-coated) steel.

There have been few exceedances of drinking water limits for antimony and thallium since the introduction of the ICP/GFAA and ICP/MS methods, discussed in the next paragraph. None of the 12 antimony exceedances were repeated in consecutive sampling rounds, and only one exceedance (well 187D) was measured in year 2002 results. Eight of the 71 thallium exceedances were repeated in consecutive sampling rounds (wells 7M1, 7M2, 47M2, 52S, 52D, 54S, 54M1, and 94M2). Only two wells (148S and 191M1) have had thallium exceedances in the year 2002. There have been no exceedances of thallium in 2003, 2004 or thus far in 2005.

Groundwater samples sent for metals analysis are analyzed for most metals by Inductively Coupled Plasma (ICP) in accordance with U.S. EPA Contract Laboratory Program Statement of Work ILM04.0. In May of 2001, the IAGWSP began analyzing for antimony and thallium using the GFAA (graphite furnace atomic adsorption) method in accordance with EPA Drinking Water Methods 204.2 (antimony) and 279.2 (thallium) in order to achieve lower detection limits for these metals. Both the ILM04.0 and GFAA methods are subject to false positive results at trace levels due to interferences. As a result, the IAGWSP changed to a new method to achieve lower detection limits for antimony and thallium in January of 2003. Groundwater samples are now analyzed for antimony and thallium by Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) in accordance with the EPA Method 6020. The ICP/MS Method 6020 has greater sensitivity and the added feature of selectivity for antimony and thallium. These additional methods achieve lower detection limits for these two metals and reduce the number of false positive results.

The distribution and lack of repeatability of the metals exceedances is not consistent with a contaminant source, nor do the detections appear to be correlated with the presence of explosives or other organic compounds. The IAGWSP has re-evaluated inorganic background concentrations using the expanded groundwater quality database of 1999, and has submitted a draft report describing background conditions. The population characteristics of the remaining eight metals were determined to be consistent with background. This figure was last included and updated in the March 2005 Monthly Report.

Figure 3: VOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for VOCs are indicated in six general areas: Northeast Corner (LRMW003), Monument Beach Field Well (02-12, 80M2), CS-10 (wells 03MW0007A, 03MW0014A, and 03MW0020), LF-1 (well 27MW0017B), FS-12 (wells MW-45S, 90MW0003, and ECMWSNP02D), and in the J-1 Range (187D). CS-10, LF-1, and FS-12 are sites located near the southern extent of the Training Ranges that are currently under investigation by AFCEE under the Superfund program. Exceedances of drinking water criteria were measured for tetrachloroethylene (PCE) at CS-10, for vinyl chloride at LF-1, and for toluene, 1,2-dichloroethane, and ethylene dibromide (EDB) at FS-12. These compounds are believed to be associated with the sites under investigation by AFCEE. Detections of benzene, tert-butyl methyl ether, and chloromethane at J-1 Range well 187D, and chloromethane at Western

Boundary wells 02-12M1 and 80M2 and chloromethane at Northeast corner well LRMW003 are currently under investigation. This figure was last included and updated in the March 2005 Monthly Report.

Figure 4: Chloroform in Groundwater Compared to MCLs

Chloroform has been widely detected in groundwater across the Upper Cape as stated in a joint press release from USEPA, MADEP, IRP, and the Joint Programs Office. The Cape Cod Commission (2001) in their review of public water supply wells for 1999 found greater than 75% contained chloroform with an average concentration of 4.7 ug/L. The IRP has concluded chloroform is not the result of Air Force activities. A detailed discussion of the presence of chloroform is provided in the Final Central Impact Area Groundwater Report (06/01). To date, the source of the chloroform in the Upper Cape groundwater has not been identified. This figure was last included and updated in the December 2004 Monthly Report.

Figure 5: SVOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for SVOCs are scattered throughout the study area. All exceedances of drinking water criteria for SVOCs were measured for bis (2-ethylhexyl) phthalate (BEHP), with the exception of two wells. MW-264M1 (J-3 Range) had a detection of benzo(a)pyrene at concentrations of more than twice the HA and MW-241M1 (L Range) had a detection of naphthalene above the HA of 100 ppb. Detections of BEHP are presented separately in Figure 6 and discussed in the next paragraph. This figure was last included and updated in the March 2005 Monthly Report.

Figure 6: BEHP in Groundwater Compared to MCLs

Exceedances of drinking water criteria for bis (2-ethylhexyl) phthalate (BEHP) are scattered throughout the study area. BEHP is believed to be largely an artifact of the investigation methods, introduced to the samples during collection or analysis. However, the potential that some of the detections of BEHP are the result of activities conducted at MMR has not been ruled out.

A detailed discussion of the presence of BEHP is provided in the Draft Completion of Work Report (7/98) and subsequent responses to comments. The theory that BEHP mostly occurs as an artifact, and is not really present in the aquifer, is supported by the results of subsequent sampling rounds that show much lower levels of the chemical after additional precautions were taken to prevent cross-contamination during sample collection and analysis. Only four locations (out of 90) showed BEHP exceedances in consecutive sampling rounds: 28MW0106 (located near SD-5, a site under investigation by AFCEE), 58MW0006E (located at CS-19), and 90WT0013 (located at FS-12), and 146M1 (located at L Range). Subsequent sampling rounds at all these locations have had results below the MCL. Eleven wells (27MW0705, 27MW2061, C2-B, C6-C, C7-B, 47M2, 164M1, 168M1, 188M1, 196M1, and 198M1) had BEHP exceedances in the year 2002 and 2003 results. There have been no exceedances of BEHP in 2004 or thus far in 2005. This figure was last included and updated in the December 2004 Monthly Report.

Figure 7: Herbicides and Pesticides in Groundwater Compared to MCLs/HAs

There has been one exceedance of drinking water criteria for pesticides, at well PPAWSMW-1. A contractor to the United States Air Force installed this monitoring well at the PAVE PAWS radar station in accordance with the Massachusetts Contingency Plan (MCP), in order to

evaluate contamination from a fuel spill. The exceedance was for the pesticide dieldrin in a sample collected in June 1999. This well was sampled again in November 1999. The results of the November sample indicate no detectable pesticides although hydrocarbon interference was noted. It appears from the November sample that pesticides identified in the June sample were false positives. However, the June sample results cannot be changed when following the EPA functional guidelines for data validation. The text of the validation report for the June sample has been revised to include an explanation of the hydrocarbon interference and the potential for false positives.

There has been one exceedance of drinking water criteria for herbicides, at well 41M1 (Impact Area). This response well was installed downgradient of the Impact Area. The exceedance was for the herbicide pentachlorophenol in a sample collected in May 2000. There were no detections above the MCL of this compound in the three previous sampling rounds in 1999, nor in the subsequent sampling rounds in 2000, 2001, and 2002. This figure was last included and updated in the March 2005 Monthly Report.

Figure 8: Perchlorate in Groundwater Compared to a 4 ppb Concentration

For data validated in April 2005, no wells had first-time validated detections of perchlorate above the concentration of 4 ppb. Five wells, MW-307M1, MW-366M1, M2, & M3 (J-2 Range), and MW-359M2 (J-3 Range) had first-time validated detections of perchlorate below the concentration of 4 ppb.

Sampling and analysis of groundwater for perchlorate was initiated at the end of the year 2000 as part of the IAGWSP. Exceedances of the 4 ppb concentration of perchlorate are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 32, 34, 35, 36, 73, 75, 76, 77, 78, 114, 129, 139, 162, 165, 172, 210, 211, and 341);
- Impact Area (well 91);
- J Ranges and southeast of the J Ranges (wells 127, 130, 132, 143, 163, 193, 197, 198, 232, 247, 250, 263, 265, 289, 293, 300, 302, 303, 305, 307, 310, 313, 321, 326, 339, 348 and wells 90PZ0211, 90MW0022 and 90MW0054);
- Landfill Area 1 (27MW0031B);
- CS-18 (well 16MW0001); and
- Northwest Corner of Base Boundary (wells 4036009DC, 270, 277, 278, and 279).

A magenta concentration contour line is used in Figure 8 and the inset to show the extent of perchlorate greater than a 4 ppb concentration of perchlorate. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples).

Demo Area 1 has a single well-defined source area and extent of contamination. The downgradient extent of the perchlorate plume has been determined with the installation of monitoring wells along the power line right-of-way east of Fredrickson Road.

The Impact Area has a single exceedance of the 4 ppb concentration of perchlorate at MW-91S.

Plumes have been identified in four areas in the J Ranges as shown on Figure 8. The J-1 Interberm perchlorate plume has several detections of greater than 4 ppb in downgradient locations MW-265, MW-303, and MW-326. The J-3 Range Demolition perchlorate plume has concentrations greater than 4 ppb in several wells immediately downgradient of the source area,

which is centered at MW-198, and further downgradient centered around location 90MW0054. The J-2 Range North perchlorate plume has detections greater than 4 ppb at source area locations MW-130 and MW-263, and downgradient locations MW-289, MW-293, MW-300, MW-302, MW-305, and MW-313. The J-2 East perchlorate plumes are in the process of delineation and include detections greater than 4 ppb at MW-307 and MW-310. Perchlorate detections at the L Range are below 4 ppb and a plume is not depicted on the figure.

The Northwest Corner has a perchlorate plume extending from Canal View Road at the base boundary to the Cape Cod Canal. This area is under investigation and the plume will be updated and refined as new data is received.

The LF-1 and CS-18 areas are under investigation by AFCEE in the Superfund Program.

Rush (Non-Validated) Data

Rush data are summarized in Table 5. These data are for analyses that are performed on a fast turnaround time, typically 1 to 10 days. Explosive analyses for monitoring wells, and explosive and VOC analyses for profile samples, are typically conducted in this timeframe. Other types of analyses may be rushed depending on the proposed use of the data. The rush data have not yet been validated, but are provided as an indication of the most recent preliminary results. Table 5 summarizes only detects, and does not show samples with non-detects.

The status of the detections with respect to confirmation using Photo Diode Array (PDA) spectra is indicated in Table 5. PDA is a procedure that has been implemented for the explosive analysis, to reduce the likelihood of false positive identifications. Where the PDA status is "YES" in Table 5, the detected compound is verified as properly identified. Where the status is "NO", the identification of an explosive has been determined to be a false positive. Where the status is blank, PDA has not yet been used to evaluate the detection, or PDA is not applicable because the analyte is a VOC. Most explosive detections verified by PDA are confirmed to be present upon completion of validation.

Table 5 includes the following detections:

J-2 Range

- A groundwater sample from RS003P had a detection of perchlorate. The result was similar to previous sampling rounds.
- Profile samples from MW-368 (J2P-53) had detections of perchlorate, explosives and VOCs. Perchlorate was detected in six intervals between 87 and 147 feet below the water table (ft bwt). Of the explosives detections, RDX was confirmed by PDA spectra in four intervals between 87 and 117 ft bwt and HMX was confirmed by PDA spectra in two intervals at 87 and 97 ft bwt. 2-Nitrotoluene was confirmed by PDA spectra, but with interference, in one interval at 27 ft bwt. Well screens will be set at the depth (52 to 62 ft bwt) corresponding to the cross-gradient depth of the highest perchlorate detections at MW-366, at the depth (99 to 109 ft bwt) corresponding to the highest perchlorate and RDX detections at MW-368, and at the depth (132 to 142 ft bwt) corresponding to the second highest perchlorate detection at MW-368.

Northwest Corner

- A groundwater sample from well 4036009DC had a detection of perchlorate. The result was similar to previous sampling rounds.

Demo Area 1

- Process water samples collected from the Frank Perkins Road ETR system influent (FPR-INF) and mid-fluent (FPR-MID-1) had detections of perchlorate. Process water samples collected from the influent (FPR-INF) also had detections of RDX and HMX, which were confirmed by PDA spectra.
- Process water samples collected from the Pew Road ETR system influent (PR-INF) and mid-fluent (PR-MID-1) had detections of perchlorate. Process water samples collected from the influent (PR-INF) also had detections of RDX which were confirmed by PDA spectra.

4. DELIVERABLES SUBMITTED

Deliverables submitted during the reporting period include the following:

Monthly Progress Report # 96 for March 2005	04/08/2005
Draft Long-Term Groundwater Monitoring Plan 2005	04/08/2005
Interim Month Report for April 1 – April 15, 2005	04/25/2005
J-2 Range Groundwater Draft RRA Completion Report	04/27/2005
Demo Area 1 Groundwater Operable Unit Draft Remedy Selection Plan	04/28/2005
Demo Area 1 Groundwater Operable Unit Draft SPEIM Report / 6 Month Performance Monitoring Report	04/29/2005

5. SCHEDULED ACTIONS

Figure 9 provides a Gantt chart updated to reflect progress and proposed work. The following documents are scheduled to be submitted in May and early June:

- J-2 Range Groundwater Draft Report
- Central Impact Area Soil Final Feasibility Study

The following documents are being prepared or revised during May and early June:

- Demo Area 1 Soil Final RRA Completion Report
- J-1 Range Groundwater Draft Report
- J-3 Range Groundwater Draft Report
- Demo Area 1 Soil Draft Final Feasibility Study Screening Report
- Demo Area 1 Groundwater Final Decision Document and Response Summary
- Central Impact Area Soil Draft Remedy Selection Plan
- Central Impact Area Groundwater Draft Remedy Selection Plan

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
WSS0951AAA	S095		04/15/2005	GAUZE WIPE	0	0		
WSS1561AAA	S156		04/15/2005	GAUZE WIPE	0	0		
WSS1891AAA	S189		04/15/2005	GAUZE WIPE	0	0		
WSS1941AAA	S194		04/15/2005	GAUZE WIPE	0	0		
WSS1941AAD	S194		04/15/2005	GAUZE WIPE	0	0		
4036000-03G-A	4036000-03G	WESTERN BOU	04/08/2005	GROUNDWATER	50	60	6	12
4036009DC-A	4036009DC	NW CORNER	04/04/2005	GROUNDWATER	0	0		
58MW0001-A	58MW0001	CS-19	04/26/2005	GROUNDWATER	121.8	126.8	0	5
58MW0002-A	58MW0002	CS-19	04/25/2005	GROUNDWATER	121.2	126.2	0	5
58MW0003-A	58MW0003	CS-19	04/25/2005	GROUNDWATER	119	124	0	5
58MW0015A-A	58MW0015	CS-19	04/26/2005	GROUNDWATER	160.7	169.94	36	45
58MW0015B-A	58MW0015	CS-19	04/26/2005	GROUNDWATER	131	140.22	12.7	22.7
58MW0016A-A	58MW0016	CS-19	04/25/2005	GROUNDWATER	175.9	185.05	54.22	63.22
58MW0016B-A	58MW0016	CS-19	04/25/2005	GROUNDWATER	151.1	160.74	28.5	38.5
58MW0016C-A	58MW0016	CS-19	04/26/2005	GROUNDWATER	116.7	126.33	0	10
58MW0016C-D	58MW0016	CS-19	04/26/2005	GROUNDWATER	116.7	126.33	0	10
MW-326M2-	MW-326	J-1 RANGE	04/11/2005	GROUNDWATER	196.3	206.28	75.27	85.28
MW-329M1-	MW-329	J-3 RANGE	04/07/2005	GROUNDWATER	180	189.96	154.66	164.66
MW-329M1-FD	MW-329	J-3 RANGE	04/07/2005	GROUNDWATER	180	189.96	154.66	164.66
MW-329M2-	MW-329	J-3 RANGE	04/07/2005	GROUNDWATER	150.1	160.05	124.75	134.75
MW-329M2-FD	MW-329	J-3 RANGE	04/07/2005	GROUNDWATER	150.1	160.05	124.75	134.75
MW-331M2-	MW-331	J-2 RANGE	04/07/2005	GROUNDWATER	195	205	81	91
MW-334M1-	MW-334	J-2 RANGE	04/04/2005	GROUNDWATER	285	295	175	185
MW-335M1-	MW-335	J-2 RANGE	04/14/2005	GROUNDWATER	255.2	265.2	145.2	155.2
MW-335M2-	MW-335	J-2 RANGE	04/14/2005	GROUNDWATER	215.3	225.25	105.25	115.25
MW-335M3-	MW-335	J-2 RANGE	04/14/2005	GROUNDWATER	119.9	129.87	9.87	19.87
MW-336D-	MW-336	J-2 RANGE	04/18/2005	GROUNDWATER	309.9	319.94	218.94	228.94
MW-336M1-	MW-336	J-2 RANGE	04/19/2005	GROUNDWATER	125.2	135.18	34.18	44.18
MW-339M1-	MW-339	J-2 RANGE	04/18/2005	GROUNDWATER	233	243	125	135
MW-339M2-	MW-339	J-2 RANGE	04/18/2005	GROUNDWATER	213	223	105	115
MW-340D-	MW-340	J-2 RANGE	04/18/2005	GROUNDWATER	329.6	339.6	184.6	194.6
MW-340M1-	MW-340	J-2 RANGE	04/18/2005	GROUNDWATER	255.9	265.85	110.85	120.85
MW-340M2-	MW-340	J-2 RANGE	04/18/2005	GROUNDWATER	215.8	225.08	70.83	80.08
MW-346M1-	MW-346	J-1 RANGE	04/14/2005	GROUNDWATER	244.7	254.69	129.69	139.69
MW-346M2-	MW-346	J-1 RANGE	04/13/2005	GROUNDWATER	205.3	215.28	90.28	100.28
MW-346M2-FD	MW-346	J-1 RANGE	04/13/2005	GROUNDWATER	205.3	215.28	90.28	100.28
MW-346M3-	MW-346	J-1 RANGE	04/13/2005	GROUNDWATER	175.3	185.27	60.27	70.27
MW-346M4-	MW-346	J-1 RANGE	04/13/2005	GROUNDWATER	140	150	25	35
MW-347D-	MW-347	J-3 RANGE	04/11/2005	GROUNDWATER	304.5	314.45	197.75	207.75

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
MW-347M1-	MW-347	J-3 RANGE	04/11/2005	GROUNDWATER	250	259.97	143.27	153.27
MW-347M2-	MW-347	J-3 RANGE	04/11/2005	GROUNDWATER	144.8	154.77	38.07	48.07
MW-347S-	MW-347	J-3 RANGE	04/11/2005	GROUNDWATER	105	115	-1.7	8.3
MW-348M1-	MW-348	J-2 RANGE	03/23/2005	GROUNDWATER	288.5	298.46	171.46	181.46
MW-349M1-	MW-349	J-1 RANGE	04/12/2005	GROUNDWATER	229	239	109.7	119.7
MW-349M2-	MW-349	J-1 RANGE	04/12/2005	GROUNDWATER	195	205	75.7	85.7
MW-349M3-	MW-349	J-1 RANGE	04/12/2005	GROUNDWATER	174	184	54.7	64.7
MW-358M2-	MW-358	J-2 RANGE	04/01/2005	GROUNDWATER	178	188	77	87
MW-364D-	MW-364	J-3 RANGE	04/01/2005	GROUNDWATER	297	307	188	198
MW-364M1-	MW-364	J-3 RANGE	04/01/2005	GROUNDWATER	147	157	38	48
MW-365M1-	MW-365	J-2 RANGE	04/19/2005	GROUNDWATER	275	285	184.3	194.3
MW-365M2-	MW-365	J-2 RANGE	04/19/2005	GROUNDWATER	206	216	115.3	125.3
MW-365M2-FD	MW-365	J-2 RANGE	04/19/2005	GROUNDWATER	206	216	115.3	125.3
MW-365S-	MW-365	J-2 RANGE	04/19/2005	GROUNDWATER	94	104	3.3	13.3
RS003P-A	RS003P	J-2 RANGE	04/07/2005	GROUNDWATER	90	90		
W01M1A	MW-1	CIA	04/28/2005	GROUNDWATER	220	225	104	109
W01M2A	MW-1	CIA	04/28/2005	GROUNDWATER	160	165	44	49
W01SSA	MW-1	CIA	04/28/2005	GROUNDWATER	114	124	0	10
W100M2A	MW-100	CIA	04/27/2005	GROUNDWATER	164	174	30	40
W101M1A	MW-101	CIA	04/29/2005	GROUNDWATER	158	168	27	37
W101SSA	MW-101	CIA	04/29/2005	GROUNDWATER	131	141	0	10
W102M1A	MW-102	CIA	04/01/2005	GROUNDWATER	267	277	123	133
W102M2A	MW-102	CIA	04/29/2005	GROUNDWATER	237	247	93	103
W107M1A	MW-107	CIA	04/27/2005	GROUNDWATER	155	165	35	45
W107M2A	MW-107	CIA	04/27/2005	GROUNDWATER	125	135	5	15
W107M2D	MW-107	CIA	04/27/2005	GROUNDWATER	125	135	5	15
W108M1A	MW-108	CIA	04/04/2005	GROUNDWATER	297	307	133	143
W114M1A	MW-114	DEMO 1	04/13/2005	GROUNDWATER	177	187	96	106
W114M2A	MW-114	DEMO 1	04/13/2005	GROUNDWATER	120	130	39	49
W124M1A	MW-124	CIA	04/04/2005	GROUNDWATER	234	244	98	108
W124M2A	MW-124	CIA	04/04/2005	GROUNDWATER	219	229	83	93
W129M1A	MW-129	DEMO 1	04/05/2005	GROUNDWATER	136	146	66	76
W129M2A	MW-129	DEMO 1	04/05/2005	GROUNDWATER	116	126	46	56
W135M1A	MW-135	CIA	04/27/2005	GROUNDWATER	319	329	133	143
W135M2A	MW-135	CIA	04/28/2005	GROUNDWATER	280	290	94	104
W139M1A	MW-139	DEMO 1	04/06/2005	GROUNDWATER	194	204	110	120
W139M2A	MW-139	DEMO 1	04/07/2005	GROUNDWATER	154	164	70	80
W139M3A	MW-139	DEMO 1	04/07/2005	GROUNDWATER	119	129	35	45
W162M1A	MW-162	DEMO 1	04/18/2005	GROUNDWATER	190.5	200.5	114.28	124.28

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W162M2A	MW-162	DEMO 1	04/19/2005	GROUNDWATER	125.5	135.5	49.28	59.28
W162M3A	MW-162	DEMO 1	04/19/2005	GROUNDWATER	85.5	95.5	9.28	19.28
W165M1A	MW-165	DEMO 1	04/14/2005	GROUNDWATER	184.5	194.5	106	116
W165M2A	MW-165	DEMO 1	04/14/2005	GROUNDWATER	124.5	134.5	46	56
W165M3A	MW-165	DEMO 1	04/14/2005	GROUNDWATER	94.5	104.5	16	26
W172M1A	MW-172	DEMO 1	04/05/2005	GROUNDWATER	199	209	134	144
W172M2A	MW-172	DEMO 1	04/05/2005	GROUNDWATER	169	179	104	114
W172M3A	MW-172	DEMO 1	04/05/2005	GROUNDWATER	109	119	44	54
W172M3D	MW-172	DEMO 1	04/05/2005	GROUNDWATER	109	119	44	54
W173M1A	MW-173	DEMO 1	04/18/2005	GROUNDWATER	243	253	104.2	114.2
W173M2A	MW-173	DEMO 1	04/18/2005	GROUNDWATER	208	218	72.2	82.2
W173M3A	MW-173	DEMO 1	04/18/2005	GROUNDWATER	188	198	52.2	62.2
W175M1A	MW-175	DEMO 1	04/08/2005	GROUNDWATER	264	274	136.4	146.4
W175M2A	MW-175	DEMO 1	04/08/2005	GROUNDWATER	199	209	71.66	81.66
W175M3A	MW-175	DEMO 1	04/08/2005	GROUNDWATER	162	167	34.65	39.65
W176M1A	MW-176	CIA	04/04/2005	GROUNDWATER	270	280	158.55	168.55
W176M2A	MW-176	CIA	04/04/2005	GROUNDWATER	229	239	117.6	127.6
W180M2A	MW-180	CIA	04/01/2005	GROUNDWATER	195	205	34.5	44.5
W180M3A	MW-180	CIA	04/01/2005	GROUNDWATER	171	181	10.3	20.3
W201M1A	MW-201	CIA	04/04/2005	GROUNDWATER	306	316	106.9	116.9
W210M3A	MW-210	DEMO 1	04/20/2005	GROUNDWATER	121	131	19.68	29.68
W211M1A	MW-211	DEMO 1	04/05/2005	GROUNDWATER	200	210	55	65
W211M2A	MW-211	DEMO 1	04/05/2005	GROUNDWATER	175	185	29.7	39.7
W211M3A	MW-211	DEMO 1	04/05/2005	GROUNDWATER	150	160	5.01	15.01
W214M1A	MW-214	DEMO 1	04/05/2005	GROUNDWATER	198	208	111.4	121.4
W214M3A	MW-214	DEMO 1	04/05/2005	GROUNDWATER	140	150	53.45	63.45
W214M3D	MW-214	DEMO 1	04/05/2005	GROUNDWATER	150	160	5.01	15.01
W221M1A	MW-221	DEMO 1	04/19/2005	GROUNDWATER	216	226	70.79	80.79
W221M2A	MW-221	DEMO 1	04/19/2005	GROUNDWATER	178	188	32.85	42.85
W221M3A	MW-221	DEMO 1	04/19/2005	GROUNDWATER	156	166	10.86	20.86
W221M3D	MW-221	DEMO 1	04/19/2005	GROUNDWATER	156	166	10.86	20.86
W222M1A	MW-222	CIA/J-1 RANGE	04/29/2005	GROUNDWATER	240	250	123.76	133.76
W225M1A	MW-225	DEMO 1	04/06/2005	GROUNDWATER	175	185	77.1	87.1
W225M2A	MW-225	DEMO 1	04/06/2005	GROUNDWATER	145	155	46.48	56.48
W225M3A	MW-225	DEMO 1	04/06/2005	GROUNDWATER	125	135	26.48	36.48
W231M1A	MW-231	DEMO 1	04/11/2005	GROUNDWATER	210	220	104.15	114.15
W231M2A	MW-231	DEMO 1	04/12/2005	GROUNDWATER	165	175	58.33	68.33
W231M3A	MW-231	DEMO 1	04/12/2005	GROUNDWATER	115	125	8.27	18.27
W240M1A	MW-240	DEMO 1	04/11/2005	GROUNDWATER	198	208	100	110

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W240M2A	MW-240	DEMO 1	04/11/2005	GROUNDWATER	125	135	26.45	36.45
W240M3A	MW-240	DEMO 1	04/11/2005	GROUNDWATER	105	115	6.45	16.45
W240M3D	MW-240	DEMO 1	04/11/2005	GROUNDWATER	105	115	6.45	16.45
W248M2A	MW-248	DEMO 1	04/22/2005	GROUNDWATER	178	188	66.5	76.5
W248M3A	MW-248	DEMO 1	04/22/2005	GROUNDWATER	143	153	31.5	41.5
W248M3D	MW-248	DEMO 1	04/22/2005	GROUNDWATER	143	153	31.5	41.5
W252M1A	MW-252	DEMO 1	04/20/2005	GROUNDWATER	174	184	60.6	70.6
W252M2A	MW-252	DEMO 1	04/20/2005	GROUNDWATER	145	155	31.62	41.61
W252M3A	MW-252	DEMO 1	04/21/2005	GROUNDWATER	115	125	1.63	11.63
W255M1A	MW-255	DEMO 1	04/20/2005	GROUNDWATER	206	216	96.3	106.3
W255M3A	MW-255	DEMO 1	04/20/2005	GROUNDWATER	136	146	26.1	36.1
W25SSA	MW-25	CIA	04/25/2005	GROUNDWATER	108	118	0	10
W277SSA	MW-277	NW CORNER	04/27/2005	GROUNDWATER	102	112	0	10
W278M2A	MW-278	NW CORNER	04/26/2005	GROUNDWATER	97	102	9.79	14.79
W279SSA	MW-279	NW CORNER	04/27/2005	GROUNDWATER	66	76	10	20
W31DDA	MW-31	DEMO 1	04/30/2005	GROUNDWATER	133	138	48	53
W31MMA	MW-31	DEMO 1	04/30/2005	GROUNDWATER	113	123	28	38
W31SSA	MW-31	DEMO 1	04/30/2005	GROUNDWATER	98	103	13	18
W33MMA	MW-33	DEMO 1	04/22/2005	GROUNDWATER	161.5	171.5	65	75
W33SSA	MW-33	DEMO 1	04/22/2005	GROUNDWATER	146.5	151.5	50	55
W33SSD	MW-33	DEMO 1	04/22/2005	GROUNDWATER	146.5	151.5	50	55
W341M1A	MW-341	DEMO 1	04/18/2005	GROUNDWATER	290	300	130.66	140.66
W341M2A	MW-341	DEMO 1	04/18/2005	GROUNDWATER	265	270	105.66	110.66
W341M3A	MW-341	DEMO 1	04/18/2005	GROUNDWATER	210	220	50.66	60.66
W341M4A	MW-341	DEMO 1	04/18/2005	GROUNDWATER	182	187	22.66	27.66
W341M4D	MW-341	DEMO 1	04/18/2005	GROUNDWATER	182	187	22.66	27.66
W34M1A	MW-34	DEMO 1	04/21/2005	GROUNDWATER	151	161	73	83
W34M2A	MW-34	DEMO 1	04/21/2005	GROUNDWATER	131	141	53	63
W34M3A	MW-34	DEMO 1	04/21/2005	GROUNDWATER	111	121	33	43
W352M1A	MW-352	DEMO 1	04/19/2005	GROUNDWATER	115	125	96.7	106.7
W352M2A	MW-352	DEMO 1	04/19/2005	GROUNDWATER	65	75	46.63	56.63
W352M3A	MW-352	DEMO 1	04/20/2005	GROUNDWATER	43	53	25.3	35.3
W353M1A	MW-353	DEMO 1	04/21/2005	GROUNDWATER	107	117	96.57	106.57
W353M2A	MW-353	DEMO 1	04/21/2005	GROUNDWATER	57	67	46.65	56.65
W353M3A	MW-353	DEMO 1	04/21/2005	GROUNDWATER	35	45	24.85	34.85
W35M2A	MW-35	DEMO 1	04/22/2005	GROUNDWATER	100	110	13	23
W36M1A	MW-36	DEMO 1	04/21/2005	GROUNDWATER	151	161	74	84
W36M2A	MW-36	DEMO 1	04/21/2005	GROUNDWATER	131	141	54	64
W40M1A	MW-40	CIA	04/25/2005	GROUNDWATER	132.5	142.5	13	23

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W40SSA	MW-40	CIA	04/26/2005	GROUNDWATER	115.5	125.5	0	10
W44M1A	MW-44	CIA	04/27/2005	GROUNDWATER	182	192	53	63
W50DDA	MW-50	CIA	04/22/2005	GROUNDWATER	237	247	119	129
W50M2A	MW-50	CIA	04/22/2005	GROUNDWATER	177	187	59	69
W50M2D	MW-50	CIA	04/22/2005	GROUNDWATER	177	187	59	69
W74M2A	MW-74	DEMO 1	04/19/2005	GROUNDWATER	125	135	31	41
W74M3A	MW-74	DEMO 1	04/19/2005	GROUNDWATER	100	110	6	16
W75M1A	MW-75	DEMO 1	04/12/2005	GROUNDWATER	140	150	59	69
W75M2A	MW-75	DEMO 1	04/15/2005	GROUNDWATER	115	125	34	44
W75SSA	MW-75	DEMO 1	04/15/2005	GROUNDWATER	81	91	0	10
W76M1A	MW-76	DEMO 1	04/14/2005	GROUNDWATER	125	135	58	68
W76M2A	MW-76	DEMO 1	04/13/2005	GROUNDWATER	105	115	38	48
W76SSA	MW-76	DEMO 1	04/13/2005	GROUNDWATER	85	95	18	28
W77M1A	MW-77	DEMO 1	04/19/2005	GROUNDWATER	180	190	98	108
W77M1D	MW-77	DEMO 1	04/19/2005	GROUNDWATER	180	190	98	108
W77M2A	MW-77	DEMO 1	04/20/2005	GROUNDWATER	120	130	38	48
W77SSA	MW-77	DEMO 1	04/21/2005	GROUNDWATER	83	93	1	11
W78M1A	MW-78	DEMO 1	04/20/2005	GROUNDWATER	135	145	58	68
W78M2A	MW-78	DEMO 1	04/20/2005	GROUNDWATER	115	125	38	48
W78M3A	MW-78	DEMO 1	04/20/2005	GROUNDWATER	85	95	8	18
W78M3D	MW-78	DEMO 1	04/20/2005	GROUNDWATER	85	95	8	18
W79M1A	MW-79	DEMO 1	04/30/2005	GROUNDWATER	156	166	67	77
W79M2A	MW-79	DEMO 1	04/30/2005	GROUNDWATER	116	126	27	37
W79M2D	MW-79	DEMO 1	04/30/2005	GROUNDWATER	116	126	27	37
W79SSA	MW-79	DEMO 1	04/30/2005	GROUNDWATER	89	99	0	10
W88M1A	MW-88	CIA	04/28/2005	GROUNDWATER	233	243	92	102
W88M2A	MW-88	CIA	04/28/2005	GROUNDWATER	213	223	72	82
W90M1A	MW-90	CIA	04/29/2005	GROUNDWATER	145	155	27	37
W90SSA	MW-90	CIA	04/29/2005	GROUNDWATER	118	128	0	10
W91M1A	MW-91	CIA	04/29/2005	GROUNDWATER	170	180	45	55
W91SSA	MW-91	CIA	04/29/2005	GROUNDWATER	124	134	0	10
W93M1A	MW-93	CIA	04/28/2005	GROUNDWATER	185	195	56	66
W93M2A	MW-93	CIA	04/28/2005	GROUNDWATER	145	155	16	26
W98M1A	MW-98	CIA	04/28/2005	GROUNDWATER	164	174	26	36
W99M1A	MW-99	CIA	04/28/2005	GROUNDWATER	195	205	60	70
W99M1D	MW-99	CIA	04/28/2005	GROUNDWATER	195	205	60	70
W99SSA	MW-99	CIA	04/28/2005	GROUNDWATER	133	143	0	10
DW040405-NV	GAC WATER		04/04/2005	IDW	0	0		
FPR-EFF-25A	FPR-EFF		04/12/2005	PROCESS WATE	0	0		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
FPR-EFF-26A	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-A-25A	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-A-25B	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-A-26A	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-A-26B	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-B-25A	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-B-25B	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-B-26A	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-B-26B	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-C-25A	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-C-25B	FPR-EFF		04/12/2005	PROCESS WATE	0	0		
FPR-EFF-C-26A	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-EFF-C-26B	FPR-EFF		04/26/2005	PROCESS WATE	0	0		
FPR-INF-25A	FPR-INF		04/12/2005	PROCESS WATE	0	0		
FPR-INF-26A	FPR-INF		04/26/2005	PROCESS WATE	0	0		
FPR-INF-A-25B	FPR-INF		04/12/2005	PROCESS WATE	0	0		
FPR-INF-A-26B	FPR-INF		04/26/2005	PROCESS WATE	0	0		
FPR-INF-B-25B	FPR-INF		04/12/2005	PROCESS WATE	0	0		
FPR-INF-B-26B	FPR-INF		04/26/2005	PROCESS WATE	0	0		
FPR-INF-C-25B	FPR-INF		04/12/2005	PROCESS WATE	0	0		
FPR-INF-C-26B	FPR-INF		04/26/2005	PROCESS WATE	0	0		
FPR-MID-1A-25A	FPR-MID-1		04/12/2005	PROCESS WATE	0	0		
FPR-MID-1A-26A	FPR-MID-1		04/26/2005	PROCESS WATE	0	0		
FPR-MID-1B-25A	FPR-MID-1		04/12/2005	PROCESS WATE	0	0		
FPR-MID-1B-26A	FPR-MID-1		04/26/2005	PROCESS WATE	0	0		
FPR-MID-1C-25A	FPR-MID-1		04/12/2005	PROCESS WATE	0	0		
FPR-MID-1C-26A	FPR-MID-1		04/26/2005	PROCESS WATE	0	0		
FPR-MID-2A-25A	FPR-MID-2		04/12/2005	PROCESS WATE	0	0		
FPR-MID-2A-26A	FPR-MID-2		04/26/2005	PROCESS WATE	0	0		
FPR-MID-2B-25A	FPR-MID-2		04/12/2005	PROCESS WATE	0	0		
FPR-MID-2B-26A	FPR-MID-2		04/26/2005	PROCESS WATE	0	0		
FPR-MID-2C-25A	FPR-MID-2		04/12/2005	PROCESS WATE	0	0		
FPR-MID-2C-26A	FPR-MID-2		04/26/2005	PROCESS WATE	0	0		
PR-EFF-27A	PR-EFF		04/14/2005	PROCESS WATE	0	0		
PR-EFF-28A	PR-EFF		04/28/2005	PROCESS WATE	0	0		
PR-EFF-28D	PR-EFF		04/28/2005	PROCESS WATE	0	0		
PR-INF-27A	PR-INF		04/14/2005	PROCESS WATE	0	0		
PR-INF-28A	PR-INF		04/28/2005	PROCESS WATE	0	0		
PR-INF-28D	PR-INF		04/28/2005	PROCESS WATE	0	0		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
PR-MID-1-27A	PR-MID-1		04/14/2005	PROCESS WATE	0	0		
PR-MID-1-28A	PR-MID-1		04/28/2005	PROCESS WATE	0	0		
PR-MID-1-28D	PR-MID-1		04/28/2005	PROCESS WATE	0	0		
PR-MID-2-27A	PR-MID-2		04/14/2005	PROCESS WATE	0	0		
PR-MID-2-28A	PR-MID-2		04/28/2005	PROCESS WATE	0	0		
PR-MID-2-28D	PR-MID-2		04/28/2005	PROCESS WATE	0	0		
MW-368-01	MW-368		04/12/2005	PROFILE	117	117	13.5	13.5
MW-368-03	MW-368		04/13/2005	PROFILE	130	130	26.5	26.5
MW-368-03FD	MW-368		04/13/2005	PROFILE	130	130	26.5	26.5
MW-368-04	MW-368		04/13/2005	PROFILE	140	140	36.5	36.5
MW-368-05	MW-368		04/13/2005	PROFILE	150	150	46.5	46.5
MW-368-06	MW-368		04/13/2005	PROFILE	160	160	56.5	56.5
MW-368-07	MW-368		04/13/2005	PROFILE	170	170	66.5	66.5
MW-368-08	MW-368		04/13/2005	PROFILE	180	180	76.5	76.5
MW-368-09	MW-368		04/13/2005	PROFILE	190	190	86.5	86.5
MW-368-10	MW-368		04/13/2005	PROFILE	200	200	96.5	96.5
MW-368-11	MW-368		04/13/2005	PROFILE	210	210	106.5	106.5
MW-368-13	MW-368		04/14/2005	PROFILE	220	220	116.5	116.5
MW-368-13FD	MW-368		04/14/2005	PROFILE	220	220	116.5	116.5
MW-368-14	MW-368		04/14/2005	PROFILE	240	240	136.5	136.5
MW-368-15	MW-368		04/14/2005	PROFILE	250	250	146.5	146.5
MW-368-16	MW-368		04/14/2005	PROFILE	260	260	156.5	156.5
MW-368-17	MW-368		04/15/2005	PROFILE	270	270	166.5	166.5
MW-368-18	MW-368		04/15/2005	PROFILE	280	280	176.5	176.5
MW-368-19	MW-368		04/18/2005	PROFILE	290	290	186.5	186.5
MW-368-21	MW-368		04/19/2005	PROFILE	300	300	196.5	196.5
MW-368-23	MW-368		04/21/2005	PROFILE	336	336	232.5	232.5
MW-368-24	MW-368		04/21/2005	PROFILE	340	340	236.5	236.5
MW-368-25	MW-368		04/21/2005	PROFILE	350	350	246.5	246.5
MW-368-25FD	MW-368		04/21/2005	PROFILE	350	250	246.5	146.5
H17-BLP-001 (stp)	SSJ2H17BLP		04/19/2005	SOIL COMPOSITE	0	0.2		
ECC032105D103-02	SSD1D5023		04/19/2005	SOIL GRAB	0	0.2		
ECC032205D101-02	SSD1B6012		04/19/2005	SOIL GRAB	0	0.2		
ECC041905J201	SSJ216004		04/19/2005	SOIL GRAB	0	0.25		
ECC041905J202	SSJ216005		04/19/2005	SOIL GRAB	0	0.25		
ECC042205D101 (post)	SSD1B8006		04/28/2005	SOIL GRAB	0	0.2		
ECC042205D101 (pre)	SSD1B8006		04/28/2005	SOIL GRAB	0	0.2		
ECC042205J202 (post)	SSJ2O19002		04/22/2005	SOIL GRAB	0	0.2		
ECC042605J201 (post)	SSJ2O19003		04/28/2005	SOIL GRAB	0	0.2		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
ECC042605J201 (pre)	SSJ2O19003		04/28/2005	SOIL GRAB	0	0.2		
HD0331050102W1CA	AM03310501		04/01/2005	SOIL GRAB	0	0.25		
HD0401050101W1DA	AM04010501		04/07/2005	SOIL GRAB	0	0.25		
HD0401050101W1DD	AM04010501		04/07/2005	SOIL GRAB	0	0.25		
SS15092-SS1	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS2	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS3	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS4	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS5	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS6	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS7	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15092-SS8	SS15092-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS1	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS2	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS3	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS4	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS5	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS6	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS7	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15094-SS8	SS15094-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS1	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS1FD	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS2	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS2FD	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS3	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS4	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS5	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS6	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS7	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15095-SS8	SS15095-A		04/12/2005	SOIL GRAB	0	0.2		
SS15110-SS1	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS2	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS3	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS4	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS5	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS6	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS7	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15110-SS8	SS15110-A		04/13/2005	SOIL GRAB	0	0.2		
SS15127-SS1	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
SS15127-SS2	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS3	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS4	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS4 FD	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS5	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS6	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS7	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15127-SS8	SS15127-A		04/12/2005	SOIL GRAB	0	0.2		
SS15219-SS1	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15219-SS2	SS15219-A		04/12/2005	SOIL GRAB	0	0.2		
SS15219-SS3	SS15219-A		04/12/2005	SOIL GRAB	0	0.2		
SS15219-SS4	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15219-SS5	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15219-SS6	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15219-SS7	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15219-SS8	SS15219-A		04/11/2005	SOIL GRAB	0	0.2		
SS15227-SS1	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS2	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS3	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS4	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS5	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS6	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS7	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15227-SS8	SS15227-A		04/12/2005	SOIL GRAB	0	0.2		
SS15230-SS1	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS1 FD	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS2	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS3	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS4	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS4 FD	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS5	SS15230-A		04/12/2005	SOIL GRAB	0	0.2		
SS15230-SS6	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS7	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS15230-SS8	SS15230-A		04/11/2005	SOIL GRAB	0	0.2		
SS338-SS1	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS2	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS3	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS4	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS4FD	SS338-A		04/14/2005	SOIL GRAB	0	0.2		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
SS338-SS5	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS6	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS7	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SS338-SS8	SS338-A		04/14/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS1	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS2	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS3	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS4	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS5	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS6	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS7	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD010-SS8	SSJ1RD010		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS1	SSJ1RD014		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS2	SSJ1RD014		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS3	SSJ1RD014		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS4	SSJ1RD014		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS5	SSJ1RD014		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS7	SSJ1RD014		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD014-SS8	SSJ1RD014		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS1	SSJ1RD017		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS2	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS2FD	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS3	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS3FD	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS4	SSJ1RD017		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS5	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS6	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD017-SS7	SSJ1RD017		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS1	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS2	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS3	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS4	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS5	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS6	SSJ1RD018		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS7	SSJ1RD018		04/12/2005	SOIL GRAB	0	0.2		
SSJ1RD018-SS8	SSJ1RD018		04/11/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS1	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS2	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS3	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
SSJ1RD022-SS4	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS5	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS6	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS7	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
SSJ1RD022-SS8	SSJ1RD022		04/13/2005	SOIL GRAB	0	0.2		
H17-BLP-001 (post)	SSJ2H17BLP		04/19/2005	SOIL GRID	0	0.2		
HC130AU1AAA	130AU		04/08/2005	SOIL GRID	0	0.25		
HC130AU1BAA	130AU		04/08/2005	SOIL GRID	0.25	0.5		
HC130AU1BAD	130AU		04/08/2005	SOIL GRID	0.25	0.5		
HC130AU1CAA	130AU		04/08/2005	SOIL GRID	0.5	1		
HC130AV1AAA	130AV		04/08/2005	SOIL GRID	0	0.25		
HC130AV1BAA	130AV		04/08/2005	SOIL GRID	0.25	0.5		
HC130AV1BAD	130AV		04/08/2005	SOIL GRID	0.25	0.5		
HC130AV1CAA	130AV		04/08/2005	SOIL GRID	0.5	1		
HC130AW1AAA	130AW		04/07/2005	SOIL GRID	0	0.25		
HC130AW1BAA	130AW		04/07/2005	SOIL GRID	0.25	0.5		
HC130AW1CAA	130AW		04/07/2005	SOIL GRID	0.5	1		
HC130AW1CAD	130AW		04/07/2005	SOIL GRID	0.5	1		
HC130AX1AAA	130AX		04/06/2005	SOIL GRID	0	0.25		
HC130AX1BAA	130AX		04/06/2005	SOIL GRID	0.25	0.5		
HC130AX1CAA	130AX		04/06/2005	SOIL GRID	0.5	1		
HC130AY1AAA	130AY		04/06/2005	SOIL GRID	0	0.25		
HC130AY1BAA	130AY		04/06/2005	SOIL GRID	0.25	0.5		
HC130AY1CAA	130AY		04/06/2005	SOIL GRID	0.5	1		
HC130AY1CAD	130AY		04/06/2005	SOIL GRID	0.5	1		
HC130AZ1AAA	130AZ		04/06/2005	SOIL GRID	0	0.25		
HC130AZ1BAA	130AZ		04/06/2005	SOIL GRID	0.25	0.5		
HC130AZ1CAA	130AZ		04/06/2005	SOIL GRID	0.5	1		
HC130BA1AAA	130BA		04/06/2005	SOIL GRID	0	0.25		
HC130BA1BAA	130BA		04/06/2005	SOIL GRID	0.25	0.5		
HC130BA1CAA	130BA		04/06/2005	SOIL GRID	0.5	1		
HC132W3SPA	132W		04/01/2005	SOIL GRID	0	0.25		
HC132W4AAA	132W		04/01/2005	SOIL GRID	0	0.25		
HC132W4SPA	132W		04/07/2005	SOIL GRID	0	0.25		
HC132W5AAA	132W		04/07/2005	SOIL GRID	0	0.25		
HC132W6AAA	132W		04/07/2005	SOIL GRID	0	0.25		
HC132W7AAA	132W		04/07/2005	SOIL GRID	0	0.25		
HC132X4AAA	132X		04/01/2005	SOIL GRID	0	0.25		
HC132X4AAD	132X		04/01/2005	SOIL GRID	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
HC132X5AAA	132X		04/05/2005	SOIL GRID	0	0.25		
HC132X6AAA	132X		04/05/2005	SOIL GRID	0	0.25		
HC132X7AAA	132X		04/07/2005	SOIL GRID	0	0.25		
HC132Y4AAA	132Y		04/01/2005	SOIL GRID	0	0.25		
HC132Y5AAA	132Y		04/05/2005	SOIL GRID	0	0.25		
HC132Y6AAA	132Y		04/05/2005	SOIL GRID	0	0.25		
HC132Y7AAA	132Y		04/07/2005	SOIL GRID	0	0.25		
HD130AU1AAA	130AU		04/08/2005	SOIL GRID	0	0.25		
HD130AU1BAA	130AU		04/08/2005	SOIL GRID	0.25	0.5		
HD130AU1CAA	130AU		04/08/2005	SOIL GRID	0.5	1		
HD130AV1AAA	130AV		04/08/2005	SOIL GRID	0	0.25		
HD130AV1BAA	130AV		04/08/2005	SOIL GRID	0.25	0.5		
HD130AV1CAA	130AV		04/08/2005	SOIL GRID	0.5	1		
HD130AW1AAA	130AW		04/07/2005	SOIL GRID	0	0.25		
HD130AW1BAA	130AW		04/07/2005	SOIL GRID	0.25	0.5		
HD130AW1CAA	130AW		04/07/2005	SOIL GRID	0.5	1		
HD130AX1AAA	130AX		04/06/2005	SOIL GRID	0	0.25		
HD130AX1BAA	130AX		04/06/2005	SOIL GRID	0.25	0.5		
HD130AX1CAA	130AX		04/06/2005	SOIL GRID	0.5	1		
HD130AY1AAA	130AY		04/06/2005	SOIL GRID	0	0.25		
HD130AY1BAA	130AY		04/06/2005	SOIL GRID	0.25	0.5		
HD130AY1CAA	130AY		04/06/2005	SOIL GRID	0.5	1		
J16-BLP-001 (post)	SSJ2J16BLP001		04/21/2005	SOIL GRID	0	0.2		
J16-BLP-002 (post)	SSJ2J16BLP002		04/21/2005	SOIL GRID	0	0.2		
J16-BLP-003 (post)	SSJ2J16BLP003		04/21/2005	SOIL GRID	0	0.2		
J2SG001-A	SSJ2SG001		04/01/2005	SOIL GRID	0	0.25		
J2SG001-B	SSJ2SG001		04/01/2005	SOIL GRID	0.25	0.5		
J2SG001-B FD	SSJ2SG001		04/01/2005	SOIL GRID	0.25	0.5		
J2SG001-C	SSJ2SG001		04/01/2005	SOIL GRID	0.5	1		
J2SG002-A	SSJ2SG002		04/01/2005	SOIL GRID	0	0.25		
J2SG002-B	SSJ2SG002		04/01/2005	SOIL GRID	0.25	0.5		
J2SG002-C	SSJ2SG002		04/01/2005	SOIL GRID	0.5	1		
J2SG003-A	SSJ2SG003		04/01/2005	SOIL GRID	0	0.25		
J2SG003-B	SSJ2SG003		04/01/2005	SOIL GRID	0.25	0.5		
J2SG003-C	SSJ2SG003		04/01/2005	SOIL GRID	0.5	1		
J2SG004-A	SSJ2SG004		04/01/2005	SOIL GRID	0	0.25		
J2SG004-B	SSJ2SG004		04/01/2005	SOIL GRID	0.25	0.5		
J2SG004-C	SSJ2SG004		04/01/2005	SOIL GRID	0.5	1		
J3C6-BP-004 (post)	ECCBPJ301		04/12/2005	SOIL GRID	0	0.2		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
Q43-BP-001 (post)	SSD1043		04/19/2005	SOIL GRID	0	0.2		
SS103BD-01	SS103BD		04/13/2005	SOIL GRID	0	0.25		
SS103BD-02	SS103BD		04/13/2005	SOIL GRID	0.25	0.5		
SS103BD-03	SS103BD		04/13/2005	SOIL GRID	0.5	1		
SS103BE-01	SS103BE		04/13/2005	SOIL GRID	0	0.25		
SS103BE-02	SS103BE		04/13/2005	SOIL GRID	0.25	0.5		
SS103BE-03	SS103BE		04/13/2005	SOIL GRID	0.5	1		
SS103BI-01	SS103BI		04/13/2005	SOIL GRID	0	0.25		
SS103BI-02	SS103BI		04/13/2005	SOIL GRID	0.25	0.5		
SS103BI-03	SS103BI		04/13/2005	SOIL GRID	0.5	1		
SS103BK-01	SS103BK		04/14/2005	SOIL GRID	0	0.25		
SS103BK-01FD	SS103BK		04/14/2005	SOIL GRID	0	0.25		
SS103BK-02	SS103BK		04/14/2005	SOIL GRID	0.25	0.5		
SS103BK-03	SS103BK		04/14/2005	SOIL GRID	0.5	1		
SS103BK-X1-01	SS103BK-X1		04/15/2005	SOIL GRID	0	0.25		
SS103BK-X1-02	SS103BK-X1		04/15/2005	SOIL GRID	0.25	0.5		
SS103BK-X1-03	SS103BK-X1		04/15/2005	SOIL GRID	0.5	1		
SS103BK-X2-01	SS103BK-X2		04/15/2005	SOIL GRID	0	0.25		
SS103BK-X2-02	SS103BK-X2		04/15/2005	SOIL GRID	0.25	0.5		
SS103BK-X2-03	SS103BK-X2		04/15/2005	SOIL GRID	0.5	1		
SS103BK-X3-01	SS103BK-X3		04/15/2005	SOIL GRID	0	0.25		
SS103BK-X3-02	SS103BK-X3		04/15/2005	SOIL GRID	0.25	0.5		
SS103BK-X3-02FD	SS103BK-X3		04/15/2005	SOIL GRID	0.25	0.5		
SS103BK-X3-03	SS103BK-X3		04/15/2005	SOIL GRID	0.5	1		
SS103BM-01	SS103BM		04/13/2005	SOIL GRID	0	0.25		
SS103BM-02	SS103BM		04/13/2005	SOIL GRID	0.25	0.5		
SS103BM-03	SS103BM		04/13/2005	SOIL GRID	0.5	1		
SSL-1-01	SSL-1		04/13/2005	SOIL GRID	0	0.25		
SSL-1-02	SSL-1		04/13/2005	SOIL GRID	0.25	0.5		
SSL-1-02FD	SSL-1		04/13/2005	SOIL GRID	0.25	0.5		
SSL-1-03	SSL-1		04/13/2005	SOIL GRID	0.5	1		
SSL-2-01	SSL-2		04/14/2005	SOIL GRID	0	0.25		
SSL-2-02	SSL-2		04/14/2005	SOIL GRID	0.25	0.5		
SSL-2-03	SSL-2		04/14/2005	SOIL GRID	0.5	1		
SSL-3-01	SSL-3		04/14/2005	SOIL GRID	0	0.25		
SSL-3-02	SSL-3		04/14/2005	SOIL GRID	0.25	0.5		
SSL-3-03	SSL-3		04/14/2005	SOIL GRID	0.5	1		
SSL-4-01	SSL-4		04/14/2005	SOIL GRID	0	0.25		
SSL-4-02	SSL-4		04/14/2005	SOIL GRID	0.25	0.5		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
SSL-4-03	SSL-4		04/14/2005	SOIL GRID	0.5	1		
LY115AA3A	115AA		04/14/2005	SOIL MOISTURE	5.5	5.5		
LY115AB3A	115AB		04/19/2005	SOIL MOISTURE	6	6		
LY115BB3A	115BB		04/14/2005	SOIL MOISTURE	4.7	4.7		
LY115CB3RA	115CB		04/28/2005	SOIL MOISTURE	4.4	4.4		
LY125AA3A	125AA		04/15/2005	SOIL MOISTURE	5.5	5.5		
LY125AA3D	125AA		04/15/2005	SOIL MOISTURE	5.5	5.5		
LY125AB3A	125AB		04/28/2005	SOIL MOISTURE	7	7		
LY125DB3RA	125DB		04/28/2005	SOIL MOISTURE	4.7	4.7		
LY209A1A	209A		04/25/2005	SOIL MOISTURE	5	5		
LY209A2A	209A		04/13/2005	SOIL MOISTURE	10	10		
LY209B1A	209B		04/11/2005	SOIL MOISTURE	5	5		
LY210A1A	210A		04/11/2005	SOIL MOISTURE	5	5		
LY210A2A	210A		04/13/2005	SOIL MOISTURE	5	5		
LY210A2A	210A		04/12/2005	SOIL MOISTURE	5	5		
LY210B1A	210B		04/11/2005	SOIL MOISTURE	5	5		
LY210B1A	210B		04/14/2005	SOIL MOISTURE	0	0		
LY210B1D	210B		04/14/2005	SOIL MOISTURE	0	0		
LY210B1D	210B		04/12/2005	SOIL MOISTURE	0	0		
LY210B2A	210B		04/13/2005	SOIL MOISTURE	10	10		
LY211A2A	211A		04/11/2005	SOIL MOISTURE	1.83	1.83		
LY211A3A	211A		04/11/2005	SOIL MOISTURE	9	9		
LY211B2A	211B		04/12/2005	SOIL MOISTURE	0	0		
LY211B2A	211B		04/11/2005	SOIL MOISTURE	5	5		
LY211B3A	211B		04/11/2005	SOIL MOISTURE	5	5		
HC132W3SPA	132W		04/01/2005	TCLP LEACHATE	0	0.25		
HC132W4AAA	132W		04/01/2005	TCLP LEACHATE	0	0.25		
HC132W4SPA	132W		04/07/2005	TCLP LEACHATE	0	0.25		
HC132W5AAA	132W		04/07/2005	TCLP LEACHATE	0	0.25		
HC132W6AAA	132W		04/07/2005	TCLP LEACHATE	0	0.25		
HC132W7AAA	132W		04/07/2005	TCLP LEACHATE	0	0.25		
HC132X4AAA	132X		04/01/2005	TCLP LEACHATE	0	0.25		
HC132X4AAD	132X		04/01/2005	TCLP LEACHATE	0	0.25		
HC132X5AAA	132X		04/05/2005	TCLP LEACHATE	0	0.25		
HC132X6AAA	132X		04/05/2005	TCLP LEACHATE	0	0.25		
HC132X7AAA	132X		04/07/2005	TCLP LEACHATE	0	0.25		
HC132Y4AAA	132Y		04/01/2005	TCLP LEACHATE	0	0.25		
HC132Y5AAA	132Y		04/05/2005	TCLP LEACHATE	0	0.25		
HC132Y6AAA	132Y		04/05/2005	TCLP LEACHATE	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
04/01/2005 - 04/30/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
HC132Y7AAA	132Y		04/07/2005	TCLP LEACHATE	0	0.25		
HD0331050102W1CA	AM03310501		04/01/2005	TCLP LEACHATE	0	0.25		
HD0401050101W1DA	AM04010501		04/07/2005	TCLP LEACHATE	0	0.25		
HD0401050101W1DD	AM04010501		04/07/2005	TCLP LEACHATE	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
ECMWSNP02	ECMWSNP02D	09/13/1999	J-3 RANGE	504	1,2-DIBROMOETHANE (ETHYLENE DI)	0.11		UG/L	75.08	80.08	0.05	X
90MW0003	WF03MA	10/07/1999	L RANGE	OC21V	1,2-DICHLOROETHANE	5		UG/L	52.11	57.11	5	X
27MW0018A	CHPI00006-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.7		UG/L			1	X
27MW0020A	CHPI10007-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1		UG/L			1	X
27MW0020B	CHPI00008-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.1		UG/L			1	X
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	10	J	UG/L	0	10	2	X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2	X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2	X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	7.2	J	UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.6	J	UG/L	0	10	2	X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.7	J	UG/L	0	10	2	X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	0	10	2	X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2	J	UG/L	0	10	2	X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.3	J	UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.4		UG/L	0	10	2	X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.2	J	UG/L	0	10	2	X
MW-196	W196SSA	02/07/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2	X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	10		UG/L	0	5	2	X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	9.3		UG/L	0	5	2	X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	0	5	2	X
MW-196	W196SSA	11/07/2003	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2	X
MW-196	W196SSA	02/10/2004	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	14		UG/L	0	5	2	X
MW-196	W196SSA	10/28/2004	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	29		UG/L	0	5	2	X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.3		UG/L	13	18	2	X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	13	18	2	X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18	2	X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18	2	X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.4		UG/L	13	18	2	X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2	X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18		2 X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18		2 X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18		2 X
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.7		UG/L	13	18		2 X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	6.2		UG/L	13	18		2 X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	6.3		UG/L	13	18		2 X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	28	38		2 X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	48	53		2 X
MW-45	W45SSA	08/23/2001	L RANGE	8330N	2,6-DINITROTOLUENE	8.3	J	UG/L	0	10		5 X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	ANTIMONY	6.7	J	UG/L	0	10		6 X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	ANTIMONY	6	J	UG/L	199.5	209.5		6 X
MW-3	W03DDL	03/06/1998	CIA	IM40MB	ANTIMONY	13.8	J	UG/L	219	224		6 X
MW-34	W34M2A	08/16/1999	DEMO 1	IM40MB	ANTIMONY	6.6	J	UG/L	53	63		6 X
MW-35	W35SSA	08/19/1999	DEMO 1	IM40MB	ANTIMONY	6.9	J	UG/L	0	10		6 X
MW-35	W35SSD	08/19/1999	DEMO 1	IM40MB	ANTIMONY	13.8	J	UG/L	0	10		6 X
MW-36	W36SSA	08/17/1999	DEMO 1	IM40MB	ANTIMONY	6.7	J	UG/L	0	10		6 X
MW-38	W38SSA	08/18/1999	CIA	IM40MB	ANTIMONY	7.4		UG/L	0	10		6 X
MW-38	W38M3A	08/18/1999	CIA	IM40MB	ANTIMONY	6.6	J	UG/L	52	62		6 X
MW-38	W38DDA	08/17/1999	CIA	IM40MB	ANTIMONY	6.9	J	UG/L	124	134		6 X
MW-39	W39M1A	08/18/1999	CIA	IM40MB	ANTIMONY	7.5		UG/L	84	94		6 X
MW-50	W50M1A	05/15/2000	CIA	IM40MB	ANTIMONY	9.5		UG/L	89	99		6 X
PPAWSMW-3	PPAWSMW-3	08/12/1999	OTHER	IM40MB	ANTIMONY	6	J	UG/L	0	10		6 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	ARSENIC	52.8		UG/L	135	140		50 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	BENZENE	1000		UG/L	199.5	209.5		5 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	VPHMA	BENZENE	760	J	UG/L	199.5	209.5		5 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	BENZENE	1300		UG/L	199.5	209.5		5 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	BENZENE	1300		UG/L	199.5	209.5		5 X
MW-187	W187DDA	07/11/2002	J-1 RANGE	OC21V	BENZENE	530	J	UG/L	199.5	209.5		5 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-187	W187DDA	10/17/2002	J-1 RANGE	OC21V	BENZENE	340		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/07/2003	J-1 RANGE	OC21V	BENZENE	150		UG/L	199.5	209.5	5	X
MW-187	W187DDA	11/21/2003	J-1 RANGE	OC21V	BENZENE	140		UG/L	199.5	209.5	5	X
MW-187	W187DDA	03/05/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/13/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	09/01/2004	J-1 RANGE	OC21VM	BENZENE	110		UG/L	199.5	209.5	5	X
MW-187	W187DDA	02/01/2005	J-1 RANGE	OC21VM	BENZENE	91		UG/L	199.5	209.5	5	X
MW-264	W264M1A	12/09/2003	J-3 RANGE	SW8270	BENZO(A)PYRENE	0.5	J	UG/L	160.94	170.94	0.2	X
03MW0122A	WS122A	09/30/1999	CS-10	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	12		UG/L	1	11	6	X
11MW0003	WF143A	02/25/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L			6	X
11MW0003	WF143A	09/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L			6	X
15MW0004	15MW0004	04/09/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
15MW0008	15MW0008D	04/12/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	25	J	UG/L	0	10	6	X
27MW0705	27MW0705	01/08/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	7.5	J	UG/L	0	10	6	X
27MW2061	27MW2061	01/09/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	12	J	UG/L	0	10	6	X
28MW0106	WL28XA	02/19/1998	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18	J	UG/L	0	10	6	X
28MW0106	WL28XA	03/23/1999	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	26		UG/L	0	10	6	X
58MW0002	WC2XXA	02/26/1998	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	5	6	X
58MW0005E	WC5EXA	09/27/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6	X
58MW0006E	WC6EXA	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	10	6	X
58MW0006E	WC6EXD	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	57		UG/L	0	10	6	X
58MW0006E	WC6EXA	01/29/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
58MW0007C	WC7CXA	09/28/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	24	29	6	X
58MW0010A	58MW0010A-01	04/16/1997	CS-19	CSVOL	bis(2-ETHYLHEXYL) PHTHALATE	7.3	J	UG/L	140	145	6	X
90MW0054	WF12XA	10/04/1999	J-3 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13	J	UG/L	91.83	96.83	6	X
90WT0003	WF03XA	09/30/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	58		UG/L	0	10	6	X
90WT0005	WF05XA	01/13/1998	FS-12	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	47		UG/L	0	10	6	X
90WT0013	WF13XA	01/16/1998	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	34		UG/L	0	10	6	X
90WT0013	WF13XA	01/14/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6	X
97-1	W9701A	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	54	J	UG/L	62	72	6	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
97-1	W9701D	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28	J	UG/L	62	72		6 X
97-2	W9702A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	53	63		6 X
97-3	W9703A	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	73	J	UG/L	36	46		6 X
97-5	W9705A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	76	86		6 X
BHW215083	WG083A	11/26/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	16.95	26.95		6 X
C2-B	C-2I	03/07/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	39.31	79.31		6 X
C6-C	C-6D	03/12/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	7.1		UG/L	100.04	140.04		6 X
C7-B	C-7I	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	93.89	133.89		6 X
C7-B	C-7ID	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	17		UG/L	93.89	133.89		6 X
LRWS1-4	WL14XA	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	78	J	UG/L	107	117		6 X
LRWS2-3	WL23XA	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20	J	UG/L	68	83		6 X
LRWS2-6	WL26XA	10/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	21		UG/L	75	90		6 X
LRWS2-6	WL26XA	10/04/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	75	90		6 X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	100		UG/L	66	91		6 X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	66	91		6 X
MW-10	W10SSA	09/16/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	39		UG/L	0	10		6 X
MW-11	W11SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	33	J	UG/L	0	10		6 X
MW-11	W11SSD	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	23	J	UG/L	0	10		6 X
MW-12	W12SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10		6 X
MW-14	W14SSA	11/04/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	0	10		6 X
MW-142	W142M2A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	100	110		6 X
MW-142	W142M1A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	185	195		6 X
MW-146	W146M1A	02/23/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.4		UG/L	75	80		6 X
MW-146	W146M1A	06/19/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.2		UG/L	75	80		6 X
MW-157	W157DDA	05/03/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.1		UG/L	199	209		6 X
MW-158	W158M2A	10/15/2001	J-2 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	34	J	UG/L	37	47		6 X
MW-16	W16SSA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10		6 X
MW-16	W16DDA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	43		UG/L	223	228		6 X
MW-164	W164M1A	09/05/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.6		UG/L	119	129		6 X
MW-168	W168M2A	06/05/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	116	126		6 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-168	W168M1A	06/04/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.7		UG/L	174	184		6 X
MW-168	W168M1A	06/06/2003	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.8	J	UG/L	174	184		6 X
MW-17	W17SSD	11/10/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	120	J	UG/L	0	10		6 X
MW-17	W17DDA	11/11/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	42		UG/L	196	206		6 X
MW-18	W18SSA	10/10/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	10		6 X
MW-18	W18DDA	09/10/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	222	232		6 X
MW-188	W188M1A	01/30/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.4		UG/L	41.1	51.1		6 X
MW-19	W19DDA	03/04/1998	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	254	259		6 X
MW-196	W196M1A	02/06/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	12	17		6 X
MW-198	W198M1A	10/31/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	127.8	132.8		6 X
MW-2	W02M2A	01/20/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	33	38		6 X
MW-2	W02M1A	01/21/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	75	80		6 X
MW-2	W02DDA	02/02/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	218	223		6 X
MW-20	W20SSA	11/07/1997	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	280		UG/L	0	10		6 X
MW-21	W21M2A	04/01/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	58	68		6 X
MW-22	W22SSA	11/24/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	96		UG/L	0	10		6 X
MW-22	W22SSA	09/20/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	0	10		6 X
MW-23	W23SSA	10/27/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	0	10		6 X
MW-23	W23M3A	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	34	39		6 X
MW-23	W23M3D	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	34	39		6 X
MW-24	W24SSA	11/14/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10		6 X
MW-27	W27SSA	09/17/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	0	10		6 X
MW-28	W28SSA	11/03/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	0	10		6 X
MW-28	W28SSA	09/17/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	150	J	UG/L	0	10		6 X
MW-28	W28M1A	01/12/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.7		UG/L	173	183		6 X
MW-29	W29SSA	11/03/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10		6 X
MW-29	W29SSA	09/17/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	0	10		6 X
MW-36	W36M2A	08/17/1999	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	54	64		6 X
MW-38	W38M3A	05/06/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	52	62		6 X
MW-4	W04SSA	11/04/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	0	10		6 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-41	W41M2A	11/12/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	67	77		6 X
MW-43	W43M1A	05/26/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	90	100		6 X
MW-44	W44M1A	09/20/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	53	63		6 X
MW-45	W45M1A	05/24/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	37		UG/L	98	108		6 X
MW-46	W46M1A	11/01/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6 J	J	UG/L	103	113		6 X
MW-46	W46DDA	11/02/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14 J	J	UG/L	136	146		6 X
MW-47	W47M2D	02/05/2003	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.6 J	J	UG/L	38	48		6 X
MW-47	W47M1A	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	75	85		6 X
MW-47	W47DDA	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	100	110		6 X
MW-49	W49SSA	03/01/2000	NW CORNER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	290		UG/L	0	10		6 X
MW-5	W05DDA	02/13/1998	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9 J	J	UG/L	223	228		6 X
MW-52	W52M3A	08/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7 J	J	UG/L	59	64		6 X
MW-53	W53M1A	08/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	31		UG/L	99	109		6 X
MW-53	W53DDA	02/18/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	158	168		6 X
MW-55	W55DDA	05/13/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	119	129		6 X
MW-55	W55DDA	07/31/2001	OTHER	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.4		UG/L	119	129		6 X
MW-57	W57SSA	12/21/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	3300 J	J	UG/L	0	10		6 X
MW-57	W57M2A	06/30/2000	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	62	72		6 X
MW-57	W57DDA	12/13/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	95		UG/L	127	137		6 X
MW-7	W07SSA	10/31/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	0	10		6 X
MW-70	W70M1A	10/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	129	139		6 X
MW-82	W82DDA	08/22/2001	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	97	107		6 X
MW-84	W84DDA	03/03/2000	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	153	163		6 X
RW-1	WRW1XA	02/18/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	9		6 X
RW-1	WRW1XD	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11 J	J	UG/L	0	9		6 X
XX95-14	W9514A	09/28/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	22		UG/L	90	100		6 X
MW-52	W52M3L	08/27/1999	OTHER	IM40MB	CADMIUM	12.2		UG/L	59	64		5 X
LRMW0003	LRMW0003-A	05/17/2004	OTHER	OC21VM	CHLOROMETHANE	33 J	J	UG/L	69.68	94.68		30 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	CHLOROMETHANE	75 J	J	UG/L	199.5	209.5		30 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	CHLOROMETHANE	47 J	J	UG/L	199.5	209.5		30 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-7	W07M1A	09/07/1999	CIA	IM40MB	CHROMIUM, TOTAL	114		UG/L	135	140		100 X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	OL21P	DIELDRIN	3		UG/L	0	10		0.5 X
58MW0001	58MW001-01	11/07/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	0	5		2 X
58MW0001	58MW0001-	02/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1	J	UG/L	0	5		2 X
58MW0001	58MW0001-FD	02/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3	J	UG/L	0	5		2 X
58MW0001	58MW0001	05/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	0	5		2 X
58MW0001	58MW0001	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	5		2 X
58MW0001	58MW0001-D	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	5		2 X
58MW0001	58MW0001	01/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	0	5		2 X
58MW0001	58MW0001	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5		2 X
58MW0001	58MW0001-A	09/13/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5		2 X
58MW0001	58MW0001-A	12/06/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	5		2 X
58MW0001	58MW0001-A	08/08/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5		2 X
58MW0001	58MW0001-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	0	5		2 X
58MW0001	58MW0001-A	06/22/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	5		2 X
58MW0001	58MW0001-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5	J	UG/L	0	5		2 X
58MW0002	58MW002-01	11/07/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	5		2 X
58MW0002	WC2XXA	02/26/1998	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	0	5		2 X
58MW0002	WC2XXA	01/14/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5		2 X
58MW0002	WC2XXA	10/08/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	0	5		2 X
58MW0002	58MW0002-	03/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	5		2 X
58MW0002	58MW0002	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5		2 X
58MW0002	58MW0002	09/19/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5		2 X
58MW0002	58MW0002	12/14/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5		2 X
58MW0002	58MW0002	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	5		2 X
58MW0002	58MW0002-A	09/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5		2 X
58MW0002	58MW0002-A	12/05/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5		2 X
58MW0002	58MW0002-A	10/10/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5		2 X
58MW0002	58MW0002-A	03/02/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	0	5		2 X
58MW0002	58MW0002-A	04/28/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	5		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0002	58MW0002-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14	J	UG/L	0	5		2 X
58MW0009E	58MW0009E-05	04/16/1997	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXA	10/02/1997	CS-19	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXA	01/26/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXA	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXD	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-	03/06/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	08/26/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	05/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	02/18/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5		2 X
58MW0011D	58MW0011D-	03/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	05/24/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.3		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	09/26/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	08/27/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	06/09/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	49.5	54.5		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0016	58MW0016C-	03/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10		2 X
58MW0016	58MW0016C	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
58MW0016	58MW0016C	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
58MW0016	58MW0016C	06/04/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
58MW0016	58MW0016C-A	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
58MW0016	58MW0016C-D	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10		2 X
58MW0016	58MW0016C-A	04/30/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
58MW0016	58MW0016C-A	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10		2 X
58MW0016	58MW0016C-D	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	0	10		2 X
58MW0016	58MW0016B-	03/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	28.5	38.5		2 X
58MW0016	58MW0016B	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	28.5	38.5		2 X
58MW0018	58MW0018B-	03/20/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	34.55	44.55		2 X
58MW0018	58MW0018B	12/13/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	34.55	44.55		2 X
90MW0022	WF22XA	01/26/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	72.79	77.79		2 X
90MW0022	WF22XA	02/16/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	72.79	77.79		2 X
90MW0022	WF22XA	09/30/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	72.79	77.79		2 X
90MW0041	90MW0041-D	01/13/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	31.5	36.5		2 X
90MW0054	90MW0054	12/08/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83		2 X
90MW0054	90MW0054	04/20/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	05/17/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	91.83	96.83		2 X
90WT0013	WF13XA	01/16/1998	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10		2 X
MW-1	71MW0001M2-	03/14/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L				2 X
MW-1	W01SSA	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10		2 X
MW-1	W01SSD	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-1	W01SSA	02/22/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
MW-1	W01SSA	09/07/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10		2 X
MW-1	W01SSA	05/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1	J	UG/L	0	10		2 X
MW-1	W01SSA	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8	J	UG/L	0	10		2 X
MW-1	W01SSA	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	0	10		2 X
MW-1	W01SSA	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1	J	UG/L	0	10		2 X
MW-1	W01SSD	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10		2 X
MW-1	W01SSA	08/16/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	0	10		2 X
MW-1	W01SSA	01/10/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10		2 X
MW-1	W01SSA	05/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	0	10		2 X
MW-1	W01SSA	11/14/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10		2 X
MW-1	W01SSA	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10		2 X
MW-1	W01MMA	09/29/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	44	49		2 X
MW-1	W01M2A	03/01/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	44	49		2 X
MW-1	W01M2A	05/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	44	49		2 X
MW-1	W01M2A	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	44	49		2 X
MW-1	W01M2A	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	44	49		2 X
MW-1	W01M2D	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	44	49		2 X
MW-1	W01M2A	05/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	44	49		2 X
MW-1	W01M2A	08/15/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	44	49		2 X
MW-1	W01M2A	11/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	44	49		2 X
MW-1	W01M2A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	44	49		2 X
MW-1	W01M2A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	44	49		2 X
MW-1	W01M2A	05/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	44	49		2 X
MW-1	W01M2A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	44	49		2 X
MW-1	W01M2A	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	44	49		2 X
MW-1	W01M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	44	49		2 X
MW-1	W01M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5	J	UG/L	44	49		2 X
MW-100	W100M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55		2 X
MW-100	W100M1D	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-100	W100M1A	10/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55		2 X
MW-100	W100M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55		2 X
MW-100	W100M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55		2 X
MW-100	W100M1D	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55		2 X
MW-100	W100M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	45	55		2 X
MW-100	W100M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55		2 X
MW-100	W100M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	45	55		2 X
MW-100	W100M1A	01/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55		2 X
MW-101	W101M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	27	37		2 X
MW-101	W101M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	27	37		2 X
MW-101	W101M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	27	37		2 X
MW-101	W101M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	27	37		2 X
MW-101	W101M1A	09/19/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	27	37		2 X
MW-101	W101M1A	11/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37		2 X
MW-101	W101M1A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37		2 X
MW-101	W101M1D	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37		2 X
MW-101	W101M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	27	37		2 X
MW-101	W101M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37		2 X
MW-101	W101M1A	11/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	27	37		2 X
MW-105	W105M1A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	78	88		2 X
MW-105	W105M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	78	88		2 X
MW-105	W105M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	78	88		2 X
MW-105	W105M1A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	78	88		2 X
MW-105	W105M1A	11/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	78	88		2 X
MW-105	W105M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	78	88		2 X
MW-105	W105M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	78	88		2 X
MW-107	W107M2A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	5	15		2 X
MW-107	W107M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	5	15		2 X
MW-107	W107M2A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15		2 X
MW-107	W107M2A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-107	W107M2D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15		2 X
MW-107	W107M2A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	5	15		2 X
MW-107	W107M2A	11/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	5	15		2 X
MW-107	W107M2A	04/09/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15		2 X
MW-107	W107M2A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15		2 X
MW-107	W107M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	5	15		2 X
MW-111	W111M3A	10/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	33	43		2 X
MW-112	W112M2A	04/25/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	26	36		2 X
MW-112	W112M2A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-112	W112M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-112	W112M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	26	36		2 X
MW-113	W113M2A	09/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	48	58		2 X
MW-113	W113M2A	01/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	48	58		2 X
MW-113	W113M2A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	48	58		2 X
MW-113	W113M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48	58		2 X
MW-113	W113M2A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48	58		2 X
MW-113	W113M2A	09/17/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	48	58		2 X
MW-113	W113M2A	11/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	48	58		2 X
MW-113	W113M2A	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	48	58		2 X
MW-113	W113M2D	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	48	58		2 X
MW-113	W113M2A	11/18/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	48	58		2 X
MW-113	W113M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48	58		2 X
MW-113	W113M2D	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	48	58		2 X
MW-113	W113M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	48	58		2 X
MW-113	W113M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	48	58		2 X
MW-113	W113M2A	11/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	48	58		2 X
MW-114	W114M2A	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X
MW-114	W114M2D	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X
MW-114	W114M2A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120	J	UG/L	39	49		2 X
MW-114	W114M2A	06/19/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-114	W114M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	39	49		2 X
MW-114	W114M2A	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	39	49		2 X
MW-114	W114M2A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49		2 X
MW-114	W114M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49		2 X
MW-114	W114M2A	05/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	39	49		2 X
MW-114	W114M2A	10/01/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49		2 X
MW-114	W114M2A	02/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49		2 X
MW-114	W114M2A	04/19/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	180		UG/L	39	49		2 X
MW-114	W114M2A	07/30/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	39	49		2 X
MW-114	W114M1A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2 J		UG/L	96	106		2 X
MW-114	W114M1A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	96	106		2 X
MW-114	W114M1A	06/21/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	96	106		2 X
MW-114	W114M1A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	96	106		2 X
MW-129	W129M2A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-129	W129M2A	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	46	56		2 X
MW-129	W129M2D	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56		2 X
MW-129	W129M2A	07/10/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56		2 X
MW-129	W129M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	46	56		2 X
MW-129	W129M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13 J		UG/L	46	56		2 X
MW-129	W129M2D	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-129	W129M2A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-129	W129M2A	10/02/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	46	56		2 X
MW-129	W129M2A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56		2 X
MW-129	W129M2A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	46	56		2 X
MW-129	W129M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56		2 X
MW-129	W129M1A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	66	76		2 X
MW-129	W129M1A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	66	76		2 X
MW-132	W132SSA	11/09/2000	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5 J		UG/L	0	10		2 X
MW-132	W132SSA	02/16/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4 J		UG/L	0	10		2 X
MW-132	W132SSA	12/12/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-147	W147M2A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	77	87		2 X
MW-147	W147M2A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	77	87		2 X
MW-147	W147M2A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87		2 X
MW-147	W147M2D	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87		2 X
MW-147	W147M1A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	94	104		2 X
MW-147	W147M1A	06/19/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	94	104		2 X
MW-147	W147M1A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	94	104		2 X
MW-147	W147M1A	09/05/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	94	104		2 X
MW-153	W153M1A	03/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	108	118		2 X
MW-153	W153M1A	07/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	108	118		2 X
MW-153	W153M1A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	108	118		2 X
MW-153	W153M1A	04/26/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7 J		UG/L	108	118		2 X
MW-153	W153M1A	09/30/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	108	118		2 X
MW-153	W153M1A	12/02/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	108	118		2 X
MW-153	W153M1A	06/24/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	108	118		2 X
MW-153	W153M1A	10/30/2003	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	108	118		2 X
MW-153	W153M1A	12/19/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	108	118		2 X
MW-153	W153M1A	06/14/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	108	118		2 X
MW-153	W153M1A	09/23/2004	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	108	118		2 X
MW-153	W153M1A	12/03/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	108	118		2 X
MW-16	W16SSA	10/03/2003	DEMO 2	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
MW-160	W160SSA	01/23/2002	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2 J		UG/L	5	15		2 X
MW-163	W163SSA	06/14/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	0	10		2 X
MW-163	W163SSA	10/10/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	0	10		2 X
MW-163	W163SSA	02/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X
MW-163	W163SSA	03/07/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	10		2 X
MW-163	W163SSA	07/02/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X
MW-163	W163SSA	01/08/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X
MW-163	W163SSA	03/27/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6 J		UG/L	0	10		2 X
MW-163	W163SSA	11/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-163	W163SSA	02/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X
MW-163	W163SSA	10/01/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7	J	UG/L	0	10		2 X
MW-164	W164M2A	05/25/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	49	59		2 X
MW-164	W164M2A	08/21/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	49	59		2 X
MW-164	W164M2A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49	59		2 X
MW-164	W164M2A	06/20/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	49	59		2 X
MW-164	W164M2A	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	49	59		2 X
MW-164	W164M2D	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	49	59		2 X
MW-164	W164M2A	01/08/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8	J	UG/L	49	59		2 X
MW-164	W164M2A	06/06/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	49	59		2 X
MW-165	W165M2A	05/08/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	60		UG/L	46	56		2 X
MW-165	W165M2A	08/16/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	46	56		2 X
MW-165	W165M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27	J	UG/L	46	56		2 X
MW-165	W165M2A	04/18/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	46	56		2 X
MW-165	W165M2A	08/10/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	46	56		2 X
MW-165	W165M2A	11/26/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	46	56		2 X
MW-165	W165M2A	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	35		UG/L	46	56		2 X
MW-165	W165M2A	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56		2 X
MW-165	W165M2D	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56		2 X
MW-165	W165M2A	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-165	W165M2D	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-165	W165M2A	04/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-165	W165M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-165	W165M2A	12/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	46	56		2 X
MW-166	W166M3A	06/01/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19	29		2 X
MW-166	W166M3A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	19	29		2 X
MW-166	W166M3A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	19	29		2 X
MW-166	W166M3A	07/02/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	19	29		2 X
MW-166	W166M1A	05/31/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117		2 X
MW-166	W166M1A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	112	117		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-166	W166M1A	01/16/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	112	117		2 X
MW-166	W166M1A	07/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	112	117		2 X
MW-166	W166M1A	11/11/2003	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	112	117		2 X
MW-166	W166M1A	02/20/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	112	117		2 X
MW-166	W166M1A	06/29/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	112	117		2 X
MW-166	W166M1A	09/30/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117		2 X
MW-166	W166M1A	01/05/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117		2 X
MW-171	W171M2A	05/31/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	83	88		2 X
MW-171	W171M2A	12/21/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	83	88		2 X
MW-176	W176M1A	11/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	117.6	127.6		2 X
MW-176	W176M1A	10/08/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	158.55	168.55		2 X
MW-176	W176M1A	01/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	158.55	168.55		2 X
MW-176	W176M1A	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	158.55	168.55		2 X
MW-176	W176M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	158.55	168.55		2 X
MW-176	W176M1D	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	158.55	168.55		2 X
MW-178	W178M1A	10/31/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	117	127		2 X
MW-178	W178M1A	03/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6	J	UG/L	117	127		2 X
MW-178	W178M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	117	127		2 X
MW-178	W178M1A	01/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	117	127		2 X
MW-178	W178M1A	06/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	117	127		2 X
MW-178	W178M1A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	117	127		2 X
MW-178	W178M1A	12/24/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	117	127		2 X
MW-178	W178M1A	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	117	127		2 X
MW-178	W178M1D	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	117	127		2 X
MW-178	W178M1A	08/12/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	117	127		2 X
MW-178	W178M1A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	117	127		2 X
MW-184	W184M1A	01/24/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	58.2	68.2		2 X
MW-184	W184M1A	06/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1A	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1D	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-184	W184M1A	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1D	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	58.2	68.2		2 X
MW-184	W184M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	58.2	68.2		2 X
MW-184	W184M1A	05/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2		2 X
MW-184	W184M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2		2 X
MW-184	W184M1A	02/09/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	58.2	68.2		2 X
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	0	10		2 X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10		2 X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10		2 X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	250		UG/L	0	10		2 X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	240		UG/L	0	10		2 X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150	J	UG/L	0	10		2 X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	0	10		2 X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	290		UG/L	0	10		2 X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10		2 X
MW-19	W19SSA	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10		2 X
MW-19	W19SSD	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	0	10		2 X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	99		UG/L	0	10		2 X
MW-19	W19SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	80		UG/L	0	10		2 X
MW-19	W19SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	65		UG/L	0	10		2 X
MW-19	W19SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	73		UG/L	0	10		2 X
MW-191	W191M2A	01/25/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	8.4	18.4		2 X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6	J	UG/L	0	5		2 X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4	J	UG/L	0	5		2 X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6	J	UG/L	0	5		2 X
MW-198	W198M4A	02/21/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48.4	53.4		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-198	W198M4A	07/19/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48.4	53.4		2 X
MW-198	W198M4A	11/01/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	48.4	53.4		2 X
MW-198	W198M4A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	05/26/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	48.4	53.4		2 X
MW-198	W198M3A	02/15/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5		2 X
MW-198	W198M3A	07/22/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	78.5	83.5		2 X
MW-198	W198M3A	11/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5		2 X
MW-198	W198M3A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5		2 X
MW-198	W198M3A	06/04/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5		2 X
MW-198	W198M3A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5		2 X
MW-198	W198M3D	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5		2 X
MW-198	W198M3A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	78.5	83.5		2 X
MW-198	W198M3A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	78.5	83.5		2 X
MW-198	W198M2A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.4	103.4		2 X
MW-198	W198M2A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	98.4	103.4		2 X
MW-2	W02M2A	01/20/1998	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	33	38		2 X
MW-2	W02M2A	02/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	33	38		2 X
MW-2	W02M2A	09/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	33	38		2 X
MW-2	W02M2A	05/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3	J	UG/L	33	38		2 X
MW-2	W02M2A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	05/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	33	38		2 X
MW-2	W02M2A	08/21/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	33	38		2 X
MW-2	W02M2A	11/19/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	33	38		2 X
MW-2	W02M2A	05/01/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4	J	UG/L	33	38		2 X
MW-2	W02M2A	09/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	33	38		2 X
MW-2	W02M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38		2 X
MW-2	W02M2D	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-2	W02M2A	07/18/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	33	38		2 X
MW-2	W02M2A	11/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	02/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5	J	UG/L	33	38		2 X
MW-2	W02M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	33	38		2 X
MW-2	W02M2A	10/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	33	38		2 X
MW-2	W02M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	33	38		2 X
MW-2	W02M1A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	75	80		2 X
MW-201	W201M2A	03/13/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1	J	UG/L	86.9	96.9		2 X
MW-201	W201M2A	07/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	86.9	96.9		2 X
MW-201	W201M2A	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	86.9	96.9		2 X
MW-201	W201M2D	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	86.9	96.9		2 X
MW-201	W201M2A	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9		2 X
MW-201	W201M2D	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9		2 X
MW-201	W201M2A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	86.9	96.9		2 X
MW-201	W201M2A	01/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	86.9	96.9		2 X
MW-201	W201M2A	07/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	86.9	96.9		2 X
MW-201	W201M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	86.9	96.9		2 X
MW-201	W201M2A	11/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	86.9	96.9		2 X
MW-203	W203M2A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	32.58	42.58		2 X
MW-203	W203M2A	01/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	32.58	42.58		2 X
MW-204	W204M2A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	17.2	27.2		2 X
MW-204	W204M2A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	17.2	27.2		2 X
MW-204	W204M1A	04/10/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	81	91		2 X
MW-204	W204M1A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	81	91		2 X
MW-204	W204M1D	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	81	91		2 X
MW-204	W204M1A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	81	91		2 X
MW-204	W204M1A	06/26/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	81	91		2 X
MW-204	W204M1A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	81	91		2 X
MW-204	W204M1A	01/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	81	91		2 X
MW-204	W204M1A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	81	91		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-204	W204M1A	09/07/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	81	91		2 X
MW-204	W204M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	81	91		2 X
MW-206	W206M1A	07/18/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	19.57	29.57		2 X
MW-206	W206M1A	10/15/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19.57	29.57		2 X
MW-206	W206M1A	02/05/2003	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	19.57	29.57		2 X
MW-206	W206M1A	02/03/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	19.57	29.57		2 X
MW-206	W206M1A	03/09/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	19.57	29.57		2 X
MW-206	W206M1A	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	19.57	29.57		2 X
MW-206	W206M1D	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	19.57	29.57		2 X
MW-206	W206M1A	09/29/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	19.57	29.57		2 X
MW-206	W206M1A	02/28/2005	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	19.57	29.57		2 X
MW-207	W207M1A	04/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1D	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	10/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	06/05/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52		2 X
MW-207	W207M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	100.52	110.52		2 X
MW-207	W207M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52		2 X
MW-207	W207M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	100.52	110.52		2 X
MW-207	W207M1A	08/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	100.52	110.52		2 X
MW-207	W207M1A	12/14/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	100.52	110.52		2 X
MW-209	W209M1A	04/30/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	121	131		2 X
MW-209	W209M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	121	131		2 X
MW-209	W209M1A	10/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	121	131		2 X
MW-209	W209M1A	06/12/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	121	131		2 X
MW-209	W209M1A	10/29/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	121	131		2 X
MW-209	W209M1A	02/13/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	121	131		2 X
MW-209	W209M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	121	131		2 X
MW-209	W209M1A	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	121	131		2 X
MW-209	W209M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3	J	UG/L	121	131		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-210	W210M2A	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	54.69	64.69		2 X
MW-210	W210M2D	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	54.69	64.69		2 X
MW-210	W210M2A	08/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	54.69	64.69		2 X
MW-210	W210M2A	12/06/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	54.69	64.69		2 X
MW-211	W211M1A	12/06/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	55	65		2 X
MW-215	W215M2A	08/01/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	98.9	108.9		2 X
MW-215	W215M2A	10/28/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9		2 X
MW-215	W215M2A	03/03/2003	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	98.9	108.9		2 X
MW-215	W215M2A	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	98.9	108.9		2 X
MW-215	W215M2D	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9		2 X
MW-215	W215M2A	09/09/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9		2 X
MW-215	W215M2D	09/09/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9		2 X
MW-215	W215M2A	02/09/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	98.9	108.9		2 X
MW-218	W218M2A	03/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	93	98		2 X
MW-218	W218M2A	02/02/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98		2 X
MW-218	W218M2A	03/15/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	93	98		2 X
MW-218	W218M2A	05/06/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98		2 X
MW-223	W223M2A	11/05/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93.31	103.31		2 X
MW-223	W223M2A	02/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	93.31	103.31		2 X
MW-223	W223M2A	01/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	93.31	103.31		2 X
MW-223	W223M2A	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31		2 X
MW-223	W223M2D	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31		2 X
MW-227	W227M2A	08/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	56.38	66.38		2 X
MW-227	W227M2A	11/04/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	56.38	66.38		2 X
MW-227	W227M2A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9		UG/L	56.38	66.38		2 X
MW-227	W227M2A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	56.38	66.38		2 X
MW-227	W227M2A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	56.38	66.38		2 X
MW-227	W227M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	56.38	66.38		2 X
MW-227	W227M2A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	56.38	66.38		2 X
MW-227	W227M2A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	56.38	66.38		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-227	W227M1A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	76.38	86.38		2 X
MW-227	W227M1D	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	76.38	86.38		2 X
MW-227	W227M1A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	76.38	86.38		2 X
MW-227	W227M1A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	76.38	86.38		2 X
MW-227	W227M1A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	76.38	86.38		2 X
MW-227	W227M1A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	76.38	86.38		2 X
MW-227	W227M1A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	76.38	86.38		2 X
MW-23	W23M1A	11/07/1997	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	103	113		2 X
MW-23	W23M1A	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	103	113		2 X
MW-23	W23M1D	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	103	113		2 X
MW-23	W23M1A	09/13/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	103	113		2 X
MW-23	W23M1A	05/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6	J	UG/L	103	113		2 X
MW-23	W23M1A	08/08/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	103	113		2 X
MW-23	W23M1A	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	103	113		2 X
MW-23	W23M1D	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	103	113		2 X
MW-23	W23M1A	04/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	103	113		2 X
MW-23	W23M1A	07/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113		2 X
MW-23	W23M1A	12/06/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113		2 X
MW-23	W23M1A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113		2 X
MW-23	W23M1D	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113		2 X
MW-23	W23M1A	08/15/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	103	113		2 X
MW-23	W23M1A	01/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113		2 X
MW-23	W23M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	103	113		2 X
MW-23	W23M1A	10/07/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	103	113		2 X
MW-23	W23M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	103	113		2 X
MW-23	W23M1A	07/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113		2 X
MW-23	W23M1A	08/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	103	113		2 X
MW-23	W23M1A	01/04/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	103	113		2 X
MW-234	W234M1A	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3		2 X
MW-234	W234M1D	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-234	W234M1A	08/02/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	25.3	35.3		2 X
MW-234	W234M1A	10/19/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	25.3	35.3		2 X
MW-235	W235M1A	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.1		UG/L	25.3	35.3		2 X
MW-235	W235M1D	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	25.3	35.3		2 X
MW-235	W235M1A	03/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11 J		UG/L	25.3	35.3		2 X
MW-235	W235M1A	06/27/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	25.3	35.3		2 X
MW-235	W235M1A	04/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	25.3	35.3		2 X
MW-235	W235M1A	05/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	30		UG/L	25.3	35.3		2 X
MW-235	W235M1A	10/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	40		UG/L	25.3	35.3		2 X
MW-235	W235M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	25.3	35.3		2 X
MW-247	W247M2A	04/22/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	102.78	112.78		2 X
MW-247	W247M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	102.78	112.78		2 X
MW-247	W247M2A	10/12/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78		2 X
MW-247	W247M2A	12/02/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78		2 X
MW-25	W25SSA	10/16/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	0	10		2 X
MW-25	W25SSA	03/17/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	0	10		2 X
MW-259	W259M1A	01/14/2005	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	7.62	17.62		2 X
MW-262	W262M1A	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	7.02	17.02		2 X
MW-262	W262M1D	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	7.02	17.02		2 X
MW-265	W265M2A	05/15/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	97.6	107.6		2 X
MW-265	W265M2A	12/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6		2 X
MW-265	W265M2A	03/03/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	97.6	107.6		2 X
MW-265	W265M2A	09/27/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	97.6	107.6		2 X
MW-265	W265M2A	02/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6		2 X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L				2 X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L				2 X
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L				2 X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	59.7	69.7		2 X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	59.7	69.7		2 X
MW-289	W289M2A	02/17/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	59.7	69.7		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	203	213		2 X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	203	213		2 X
MW-303	MW-303M3-	03/25/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L				2 X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	32		UG/L				2 X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	122	132		2 X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	122	132		2 X
MW-306	MW-306M2-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	41	51		2 X
MW-306	MW-306M2-	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	41	51		2 X
MW-306	MW-306M2-FD	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	41	51		2 X
MW-306	MW-306M2-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	41	51		2 X
MW-306	MW-306M1-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	61	71		2 X
MW-306	MW-306M1-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	61	71		2 X
MW-31	W31SSA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	64		UG/L	13	18		2 X
MW-31	W31SSA	02/01/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	13	18		2 X
MW-31	W31SSA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	13	18		2 X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	13	18		2 X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	13	18		2 X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	13	18		2 X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	81		UG/L	13	18		2 X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	88		UG/L	13	18		2 X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	13	18		2 X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	13	18		2 X
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	85		UG/L	13	18		2 X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	13	18		2 X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	86		UG/L	13	18		2 X
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	13	18		2 X
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	62		UG/L	13	18		2 X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	13	18		2 X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	72		UG/L	13	18		2 X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13J		UG/L	13	18		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31MMA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	280		UG/L	28	38		2 X
MW-31	W31MMA	02/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	370		UG/L	28	38		2 X
MW-31	W31MMA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	28	38		2 X
MW-31	W31M1A	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	28	38		2 X
MW-31	W31M1A	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	28	38		2 X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	70		UG/L	28	38		2 X
MW-31	W31MMA	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	28	38		2 X
MW-31	W31MMD	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.2		UG/L	28	38		2 X
MW-31	W31MMA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	28	38		2 X
MW-31	W31MMA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	28	38		2 X
MW-31	W31MMA	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	28	38		2 X
MW-31	W31MMA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	28	38		2 X
MW-31	W31MMA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50	J	UG/L	28	38		2 X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	48	53		2 X
MW-323	W323M2A	04/19/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	46.05	56.05		2 X
MW-323	W323M2A	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	46.05	56.05		2 X
MW-323	W323M2D	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	46.05	56.05		2 X
MW-323	W323M2A	10/08/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	46.05	56.05		2 X
MW-324	MW-324M2-	07/07/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	82	92		2 X
MW-324	MW-324M2-	10/20/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	82	92		2 X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L				2 X
MW-34	W34M2A	02/19/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	53	63		2 X
MW-34	W34M2A	05/18/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	53	63		2 X
MW-34	W34M2A	08/10/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	53	63		2 X
MW-34	W34M2A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	53	63		2 X
MW-34	W34M2A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	53	63		2 X
MW-34	W34M2A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	53	63		2 X
MW-34	W34M2A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	53	63		2 X
MW-34	W34M2A	12/08/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	53	63		2 X
MW-34	W34M1A	05/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	73	83		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-34	W34M1A	08/11/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	73	83		2 X
MW-34	W34M1A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	73	83		2 X
MW-34	W34M1A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	73	83		2 X
MW-34	W34M1A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	73	83		2 X
MW-34	W34M1A	03/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	73	83		2 X
MW-34	W34M1A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	73	83		2 X
MW-34	W34M1A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	73	83		2 X
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	74	84		2 X
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	74	84		2 X
MW-343	MW-343M2-	03/23/2005	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	74	84		2 X
MW-37	71MW0037M2-	03/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L				2 X
MW-37	71MW0037M2-FD	03/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L				2 X
MW-37	W37M3A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	11	21		2 X
MW-37	W37M2A	09/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	26	36		2 X
MW-37	W37M2A	12/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	26	36		2 X
MW-37	W37M2A	03/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36		2 X
MW-37	W37M2A	08/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8 J		UG/L	26	36		2 X
MW-37	W37M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-37	W37M2D	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-37	W37M2A	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36		2 X
MW-37	W37M2D	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36		2 X
MW-37	W37M2A	08/13/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6 J		UG/L	26	36		2 X
MW-37	W37M2A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	26	36		2 X
MW-37	W37M2A	04/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36		2 X
MW-37	W37M2A	10/01/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	26	36		2 X
MW-37	W37M2A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-37	W37M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3 J		UG/L	26	36		2 X
MW-38	71MW0038M3-	03/10/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L				2 X
MW-38	W38M4A	11/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1 J		UG/L	14	24		2 X
MW-38	W38M4A	02/18/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4 J		UG/L	14	24		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-38	W38M3A	05/06/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	52	62		2 X
MW-38	W38M3A	08/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62		2 X
MW-38	W38M3A	11/10/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	52	62		2 X
MW-38	W38M3A	05/16/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9	J	UG/L	52	62		2 X
MW-38	W38M3A	08/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62		2 X
MW-38	W38M3A	11/20/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	52	62		2 X
MW-38	W38M3A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	52	62		2 X
MW-38	W38M3A	08/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	52	62		2 X
MW-38	W38M3A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	52	62		2 X
MW-38	W38M3D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2	J	UG/L	52	62		2 X
MW-40	W40M1A	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	13	23		2 X
MW-40	W40M1D	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	13	23		2 X
MW-40	W40M1A	12/30/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3	J	UG/L	13	23		2 X
MW-40	W40M1A	04/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2	J	UG/L	13	23		2 X
MW-40	W40M1A	09/01/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	13	23		2 X
MW-40	W40M1A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	13	23		2 X
MW-40	W40M1A	06/02/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	13	23		2 X
MW-40	W40M1A	08/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	13	23		2 X
MW-40	W40M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	13	23		2 X
MW-43	W43M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	67	77		2 X
MW-43	W43M2A	09/21/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77		2 X
MW-43	W43M2A	03/08/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	67	77		2 X
MW-43	W43M2D	03/08/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77		2 X
MW-58	W58SSA	11/23/1999	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	0	10		2 X
MW-58	W58SSA	02/15/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	0	10		2 X
MW-58	W58SSA	05/11/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4	J	UG/L	0	10		2 X
MW-58	W58SSA	09/05/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X
MW-58	W58SSA	12/20/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	0	10		2 X
MW-58	W58SSA	06/14/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	0	10		2 X
MW-58	W58SSA	08/22/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-58	W58SSA	12/12/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10		2 X
MW-73	W73SSA	07/09/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50	J	UG/L	0	10		2 X
MW-73	W73SSA	09/16/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	0	10		2 X
MW-73	W73SSA	11/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	57		UG/L	0	10		2 X
MW-73	W73SSA	06/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	44		UG/L	0	10		2 X
MW-73	W73SSA	09/05/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10		2 X
MW-73	W73SSA	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	0	10		2 X
MW-73	W73SSD	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10		2 X
MW-73	W73SSA	06/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	0	10		2 X
MW-73	W73SSA	01/11/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	0	10		2 X
MW-73	W73SSA	08/20/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34	J	UG/L	0	10		2 X
MW-73	W73SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-73	W73SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	10		2 X
MW-73	W73SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10		2 X
MW-76	W76SSA	01/20/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	18	28		2 X
MW-76	W76SSA	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5	J	UG/L	18	28		2 X
MW-76	W76SSA	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	18	28		2 X
MW-76	W76SSA	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	18	28		2 X
MW-76	W76SSA	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	18	28		2 X
MW-76	W76SSA	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	18	28		2 X
MW-76	W76SSA	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	25		UG/L	18	28		2 X
MW-76	W76SSA	08/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31	J	UG/L	18	28		2 X
MW-76	W76SSA	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	18	28		2 X
MW-76	W76SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	18	28		2 X
MW-76	W76SSA	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	18	28		2 X
MW-76	W76SSA	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	18	28		2 X
MW-76	W76SSA	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	18	28		2 X
MW-76	W76M2A	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48		2 X
MW-76	W76M2D	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48		2 X
MW-76	W76M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37	J	UG/L	38	48		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76M2A	08/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48		2 X
MW-76	W76M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	46		UG/L	38	48		2 X
MW-76	W76M2A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	56		UG/L	38	48		2 X
MW-76	W76M2A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	38	48		2 X
MW-76	W76M2D	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	48		UG/L	38	48		2 X
MW-76	W76M2A	01/07/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	92		UG/L	38	48		2 X
MW-76	W76M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	38	48		2 X
MW-76	W76M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160	J	UG/L	38	48		2 X
MW-76	W76M2A	11/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48		2 X
MW-76	W76M2D	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48		2 X
MW-76	W76M2A	12/03/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48		2 X
MW-76	W76M2A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	04/22/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	38	48		2 X
MW-76	W76M1A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	58	68		2 X
MW-76	W76M1A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	58	68		2 X
MW-76	W76M1A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	90		UG/L	58	68		2 X
MW-76	W76M1A	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68		2 X
MW-76	W76M1A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	58	68		2 X
MW-76	W76M1A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14	J	UG/L	58	68		2 X
MW-76	W76M1A	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	58	68		2 X
MW-76	W76M1A	03/25/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68		2 X
MW-76	W76M1A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	58	68		2 X
MW-76	W76M1A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	58	68		2 X
MW-76	W76M1A	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	38		UG/L	58	68		2 X
MW-76	W76M1A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	59		UG/L	58	68		2 X
MW-77	W77M2A	01/25/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48		2 X
MW-77	W77M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	100	J	UG/L	38	48		2 X
MW-77	W77M2A	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	97	J	UG/L	38	48		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-77	W77M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	93		UG/L	38	48		2 X
MW-77	W77M2A	05/10/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	39		UG/L	38	48		2 X
MW-77	W77M2A	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48		2 X
MW-77	W77M2A	12/26/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	38	48		2 X
MW-77	W77M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	38	48		2 X
MW-77	W77M2A	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	38	48		2 X
MW-77	W77M2A	11/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	38	48		2 X
MW-77	W77M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	38	48		2 X
MW-77	W77M2A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48		2 X
MW-77	W77M2A	02/12/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48		2 X
MW-77	W77M2A	04/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48		2 X
MW-77	W77M2A	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	38	48		2 X
MW-77	W77M2D	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48		2 X
MW-85	W85M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	22	32		2 X
MW-85	W85M1A	02/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	22	32		2 X
MW-85	W85M1A	06/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	22	32		2 X
MW-85	W85M1A	09/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	22	32		2 X
MW-85	W85M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	22	32		2 X
MW-85	W85M1A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	22	32		2 X
MW-85	W85M1A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	22	32		2 X
MW-85	W85M1A	04/01/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	22	32		2 X
MW-85	W85M1A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	22	32		2 X
MW-85	W85M1D	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	22	32		2 X
MW-86	W86SSA	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5 J		UG/L	1	11		2 X
MW-86	W86SSA	08/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7 J		UG/L	1	11		2 X
MW-86	W86SSA	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	1	11		2 X
MW-86	W86SSA	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	1	11		2 X
MW-86	W86SSA	12/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	1	11		2 X
MW-86	W86M2A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26		2 X
MW-86	W86M2A	11/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-86	W86M2A	05/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	16	26		2 X
MW-87	W87M1A	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5	J	UG/L	62	72		2 X
MW-87	W87M1A	09/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72		2 X
MW-87	W87M1A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	62	72		2 X
MW-87	W87M1A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72		2 X
MW-87	W87M1A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72		2 X
MW-87	W87M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72		2 X
MW-87	W87M1A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	62	72		2 X
MW-87	W87M1A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	62	72		2 X
MW-87	W87M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	62	72		2 X
MW-87	W87M1A	10/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	62	72		2 X
MW-87	W87M1A	08/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	62	72		2 X
MW-88	W88M2A	05/24/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	72	82		2 X
MW-88	W88M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	72	82		2 X
MW-88	W88M2A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-88	W88M2A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	72	82		2 X
MW-88	W88M2A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	72	82		2 X
MW-88	W88M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	72	82		2 X
MW-88	W88M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X
MW-88	W88M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	72	82		2 X
MW-88	W88M2A	04/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	72	82		2 X
MW-88	W88M2A	10/16/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	72	82		2 X
MW-88	W88M2A	01/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	72	82		2 X
MW-88	W88M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82		2 X
MW-88	W88M2D	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82		2 X
MW-88	W88M2A	08/20/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	72	82		2 X
MW-88	W88M2A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	72	82		2 X
MW-88	W88M2D	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	72	82		2 X
MW-89	W89M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82		2 X
MW-89	W89M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-89	W89M2A	01/11/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5		UG/L	72	82		2 X
MW-89	W89M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-89	W89M2D	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	72	82		2 X
MW-89	W89M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X
MW-89	W89M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X
MW-89	W89M2A	04/17/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	72	82		2 X
MW-89	W89M2A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	72	82		2 X
MW-89	W89M2A	01/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-89	W89M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	10/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	72	82		2 X
MW-89	W89M2A	11/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	72	82		2 X
MW-89	W89M1A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	92	102		2 X
MW-89	W89M1A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	92	102		2 X
MW-89	W89M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	92	102		2 X
MW-89	W89M1A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	92	102		2 X
MW-90	W90SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	0	10		2 X
MW-90	W90SSA	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	0	10		2 X
MW-90	W90M1A	10/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	27	37		2 X
MW-91	W91SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X
MW-91	W91SSA	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	10/09/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	10		2 X
MW-91	W91SSA	12/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	10		2 X
MW-91	W91SSA	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10		2 X
MW-91	W91SSA	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10		2 X
MW-91	W91SSA	05/21/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	10		2 X
MW-91	W91SSA	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-91	W91SSA	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	0	10		2 X
MW-91	W91SSA	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10		2 X
MW-91	W91M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	45	55		2 X
MW-91	W91M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55		2 X
MW-91	W91M1D	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55		2 X
MW-91	W91M1A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	45	55		2 X
MW-91	W91M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13	J	UG/L	45	55		2 X
MW-91	W91M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10	J	UG/L	45	55		2 X
MW-91	W91M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	45	55		2 X
MW-91	W91M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	45	55		2 X
MW-91	W91M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	45	55		2 X
MW-91	W91M1A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	45	55		2 X
MW-91	W91M1A	05/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	45	55		2 X
MW-91	W91M1A	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	45	55		2 X
MW-91	W91M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	45	55		2 X
MW-91	W91M1D	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	45	55		2 X
MW-91	W91M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	45	55		2 X
MW-91	W91M1A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55		2 X
MW-91	W91M1A	11/10/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55		2 X
MW-93	W93M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	16	26		2 X
MW-93	W93M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	16	26		2 X
MW-93	W93M2A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1	J	UG/L	16	26		2 X
MW-93	W93M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	16	26		2 X
MW-93	W93M2A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	16	26		2 X
MW-93	W93M2A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	16	26		2 X
MW-93	W93M2A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5	J	UG/L	16	26		2 X
MW-93	W93M2A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M2D	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M2A	03/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	16	26		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-93	W93M2A	10/23/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	16	26		2 X
MW-93	W93M2A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	16	26		2 X
MW-93	W93M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26		2 X
MW-93	W93M2A	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M1A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	56	66		2 X
MW-93	W93M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66		2 X
MW-93	W93M1A	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	56	66		2 X
MW-93	W93M1D	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	56	66		2 X
MW-93	W93M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66		2 X
MW-93	W93M1A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	56	66		2 X
MW-93	W93M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	56	66		2 X
MW-93	W93M1A	09/24/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	56	66		2 X
MW-93	W93M1A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	56	66		2 X
MW-93	W93M1A	03/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	56	66		2 X
MW-93	W93M1A	10/22/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	56	66		2 X
MW-93	W93M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66		2 X
MW-93	W93M1A	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	56	66		2 X
MW-93	W93M1D	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66		2 X
MW-95	W95M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88		2 X
MW-95	W95M1A	10/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88		2 X
MW-95	W95M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	78	88		2 X
MW-95	W95M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	78	88		2 X
MW-95	W95M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	78	88		2 X
MW-95	W95M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	78	88		2 X
MW-95	W95M1A	02/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	78	88		2 X
MW-95	W95M1A	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	78	88		2 X
MW-95	W95M1D	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	78	88		2 X
MW-95	W95M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88		2 X
MW-95	W95M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88		2 X
MW-95	W95M1A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-95	W95M1A	08/27/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88		2 X
MW-95	W95M1A	12/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	78	88		2 X
MW-98	W98M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-99	W99M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70		2 X
MW-99	W99M1D	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70		2 X
MW-99	W99M1A	09/29/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	60	70		2 X
MW-99	W99M1A	01/13/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	60	70		2 X
MW-99	W99M1A	06/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	60	70		2 X
MW-99	W99M1A	10/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	60	70		2 X
OW-1	WOW-1A	11/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
OW-1	WOW-1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10		2 X
OW-1	WOW-1D	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	0	10		2 X
OW-1	OW-1-A	09/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
OW-1	OW-1-A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10		2 X
OW-1	OW-1-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	0	10		2 X
OW-1	OW-1-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10		2 X
OW-1	OW-1-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
OW-2	WOW-2A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	48.78	58.78		2 X
OW-2	WOW-2A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	08/30/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	48.78	58.78		2 X
OW-6	WOW-6A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	46.8	56.8		2 X
ASPWELL	ASPWELL	07/20/1999	OTHER	E200.8	LEAD	53		UG/L				15 X
ASPWELL	ASPWELL	12/12/2000	OTHER	IM40PB	LEAD	20.9		UG/L				15 X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	LEAD	30.4		UG/L				15 X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	LEAD	20.1		UG/L	0	10		15 X
MW-45	W45SSA	08/23/2001	L RANGE	IM40MB	LEAD	42.2		UG/L	0	10		15 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-45	W45SSA	12/14/2001	L RANGE	IM40MB	LEAD	42.8		UG/L	0	10		15 X
MW-45	W45SSA	06/09/2003	L RANGE	IM40MB	LEAD	619		UG/L	0	10		15 X
MW-45	W45SSL	06/09/2003	L RANGE	IM40MB	LEAD	516		UG/L	0	10		15 X
MW-45	W45SSA	07/28/2003	L RANGE	IM40MB	LEAD	326		UG/L	0	10		15 X
MW-45	W45SSA	01/21/2004	L RANGE	IM40MB	LEAD	50.7		UG/L	0	10		15 X
MW-45	W45SSA	06/30/2004	L RANGE	IM40MBM	LEAD	35.2		UG/L	0	10		15 X
MW-45	W45SSA	09/29/2004	L RANGE	IM40MBM	LEAD	35.7		UG/L	0	10		15 X
MW-45	W45SSA	01/06/2005	L RANGE	IM40MBM	LEAD	24.9		UG/L	0	10		15 X
MW-45	W45SSX	01/06/2005	L RANGE	IM40MBM	LEAD	18.2		UG/L	0	10		15 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	LEAD	40.2		UG/L	135	140		15 X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	LEAD	18.3		UG/L	135	140		15 X
MW-45	W45SSA	06/09/2003	L RANGE	OC21V	METHYLENE CHLORIDE	5 J		UG/L	0	10		5 X
MW-45	W45SSA	07/28/2003	L RANGE	OC21V	METHYLENE CHLORIDE	8 J		UG/L	0	10		5 X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	MOLYBDENUM	72.1		UG/L	0	10		40 X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	MOLYBDENUM	63.3		UG/L	0	10		40 X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	48.9		UG/L	56	66		40 X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	51		UG/L	56	66		40 X
MW-47	W47M3A	03/29/1999	OTHER	IM40MB	MOLYBDENUM	43.1		UG/L	21	31		40 X
MW-47	W47M3L	03/29/1999	OTHER	IM40MB	MOLYBDENUM	40.5		UG/L	21	31		40 X
MW-52	W52M3A	04/07/1999	OTHER	IM40MB	MOLYBDENUM	72.6		UG/L	59	64		40 X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	MOLYBDENUM	67.6		UG/L	59	64		40 X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	MOLYBDENUM	51.1		UG/L	218	228		40 X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	MOLYBDENUM	48.9		UG/L	218	228		40 X
MW-53	W53M1A	05/03/1999	OTHER	IM40MB	MOLYBDENUM	122		UG/L	99	109		40 X
MW-53	W53M1L	05/03/1999	OTHER	IM40MB	MOLYBDENUM	132		UG/L	99	109		40 X
MW-53	W53M1A	08/30/1999	OTHER	IM40MB	MOLYBDENUM	55.2		UG/L	99	109		40 X
MW-53	W53M1L	08/30/1999	OTHER	IM40MB	MOLYBDENUM	54.1		UG/L	99	109		40 X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	MOLYBDENUM	41.2		UG/L	99	109		40 X
MW-54	W54SSA	04/30/1999	OTHER	IM40MB	MOLYBDENUM	56.7		UG/L	0	10		40 X
MW-54	W54SSL	04/30/1999	OTHER	IM40MB	MOLYBDENUM	66.2		UG/L	0	10		40 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	MOLYBDENUM	61.4		UG/L	0	10		40 X
MW-54	W54M2A	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.7		UG/L	59	69		40 X
MW-54	W54M2L	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.2		UG/L	59	69		40 X
MW-241	W241M1A	01/31/2005	L RANGE	SW8270	NAPHTHALENE	130		UG/L	2.75	12.75		100 X
MW-41	W41M1A	05/18/2000	CIA	8151	PENTACHLOROPHENOL	1.8	J	UG/L	108	118		1 X
16MW0001	16MW0001-	07/12/2002	CS-18	E314.0	PERCHLORATE	4.3		UG/L				4 X
27MW0031B	27MW0031B-	04/20/2001	LF-1	E314.0	PERCHLORATE	17.7		UG/L				4 X
27MW0031B	27MW0031B-	07/05/2001	LF-1	E314.0	PERCHLORATE	15.1		UG/L				4 X
27MW0031B	27MW0031B-	01/03/2002	LF-1	E314.0	PERCHLORATE	9.3		UG/L				4 X
27MW0031B	27MW0031B-FD	01/03/2002	LF-1	E314.0	PERCHLORATE	8.8		UG/L				4 X
27MW0031B	27MW0031B-	03/29/2002	LF-1	E314.0	PERCHLORATE	8.3		UG/L				4 X
27MW0031B	27MW0031B-	07/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L				4 X
27MW0031B	27MW0031B-FD	07/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L				4 X
4036009DC	GLSKRKNK-A	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L				4 X
4036009DC	GLSKRKNK-D	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.51		UG/L				4 X
4036009DC	GLSKRKNK-A	01/08/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L				4 X
4036009DC	GLSKRKNK-D	01/08/2003	NW CORNER	E314.0	PERCHLORATE	5.99		UG/L				4 X
4036009DC	4036009DC-A	09/03/2003	NW CORNER	E314.0	PERCHLORATE	4.15		UG/L				4 X
4036009DC	4036009DC-A	11/24/2003	NW CORNER	E314.0	PERCHLORATE	4.88		UG/L				4 X
4036009DC	4036009DC-A	02/17/2004	NW CORNER	E314.0	PERCHLORATE	5.13		UG/L				4 X
4036009DC	4036009DC-A	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.36		UG/L				4 X
4036009DC	4036009DC-D	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.23		UG/L				4 X
4036009DC	4036009DC-A	08/18/2004	NW CORNER	E314.0	PERCHLORATE	5.63		UG/L				4 X
4036009DC	4036009DC-A	12/13/2004	NW CORNER	E314.0	PERCHLORATE	5.03		UG/L				4 X
90MW0022	90MW0022-A	09/21/2004	J-3 RANGE	E314.0	PERCHLORATE	4.3		UG/L	72.79	77.79		4 X
90MW0022	90MW0022-A	11/30/2004	J-3 RANGE	E314.0	PERCHLORATE	4	J	UG/L	72.79	77.79		4 X
90MW0054	90MW0054AA	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	9		UG/L	91.83	96.83		4 X
90MW0054	90MW0054AD	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	91.83	96.83		4 X
90MW0054	90MW0054	10/24/2001	J-3 RANGE	E314.0	PERCHLORATE	27.8		UG/L	91.83	96.83		4 X
90MW0054	90MW0054	12/13/2001	J-3 RANGE	E314.0	PERCHLORATE	32.1		UG/L	91.83	96.83		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
90MW0054	90MW0054	04/20/2002	J-3 RANGE	E314.0	PERCHLORATE	26.3	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	E314.0	PERCHLORATE	19	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.3	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	91.83	96.83		4 X
90PZ0211	90PZ0211A-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5		UG/L	76.85	76.85		4 X
90PZ0211	90PZ0211A-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	7.4		UG/L	76.85	76.85		4 X
90PZ0211	90PZ0211B-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.3		UG/L	86.85	86.85		4 X
90PZ0211	90PZ0211B-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	8.1		UG/L	86.85	86.85		4 X
90PZ0211	90PZ0211C-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	96.85	96.85		4 X
90PZ0211	90PZ0211C-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	9.4		UG/L	96.85	96.85		4 X
MW-114	W114M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	300		UG/L	39	49		4 X
MW-114	W114M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	260		UG/L	39	49		4 X
MW-114	W114M2A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	207		UG/L	39	49		4 X
MW-114	W114M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	127		UG/L	39	49		4 X
MW-114	W114M2A	05/29/2002	DEMO 1	E314.0	PERCHLORATE	72		UG/L	39	49		4 X
MW-114	W114M2A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	39	49		4 X
MW-114	W114M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	71		UG/L	39	49		4 X
MW-114	W114M2A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	56		UG/L	39	49		4 X
MW-114	W114M2A	10/01/2003	DEMO 1	E314.0	PERCHLORATE	52	J	UG/L	39	49		4 X
MW-114	W114M2A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	42.3		UG/L	39	49		4 X
MW-114	W114M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	37.7		UG/L	39	49		4 X
MW-114	W114M2A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	40.8		UG/L	39	49		4 X
MW-114	W114M1A	12/28/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106		4 X
MW-114	W114M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	13		UG/L	96	106		4 X
MW-114	W114M1A	06/18/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	96	106		4 X
MW-114	W114M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	96	106		4 X
MW-114	W114M1A	06/21/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	96	106		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-114	W114M1A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	96	106		4 X
MW-114	W114M1A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106		4 X
MW-114	W114M1A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	9.6		UG/L	96	106		4 X
MW-114	W114M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	7.7 J		UG/L	96	106		4 X
MW-114	W114M1A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	13.4		UG/L	96	106		4 X
MW-114	W114M1A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	9.67		UG/L	96	106		4 X
MW-114	W114M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	4.36		UG/L	96	106		4 X
MW-127	W127SSA	02/14/2001	J-1 RANGE	E314.0	PERCHLORATE	4 J		UG/L	0	10		4 X
MW-129	W129M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	46	56		4 X
MW-129	W129M2A	06/20/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	46	56		4 X
MW-129	W129M2A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.93 J		UG/L	46	56		4 X
MW-129	W129M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	13		UG/L	46	56		4 X
MW-129	W129M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	16		UG/L	46	56		4 X
MW-129	W129M2D	11/13/2002	DEMO 1	E314.0	PERCHLORATE	15		UG/L	46	56		4 X
MW-129	W129M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	14 J		UG/L	46	56		4 X
MW-129	W129M2A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	6.7 J		UG/L	46	56		4 X
MW-129	W129M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	5.13		UG/L	46	56		4 X
MW-129	W129M2A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	5.27		UG/L	46	56		4 X
MW-129	W129M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	4.74		UG/L	46	56		4 X
MW-129	W129M1A	01/02/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	66	76		4 X
MW-129	W129M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	9		UG/L	66	76		4 X
MW-129	W129M1A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	66	76		4 X
MW-129	W129M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	5.92 J		UG/L	66	76		4 X
MW-129	W129M1A	04/12/2002	DEMO 1	E314.0	PERCHLORATE	4.63		UG/L	66	76		4 X
MW-129	W129M1A	03/21/2003	DEMO 1	E314.0	PERCHLORATE	5.9 J		UG/L	66	76		4 X
MW-129	W129M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	8.5 J		UG/L	66	76		4 X
MW-129	W129M1A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	6.62		UG/L	66	76		4 X
MW-129	W129M1A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	6.54		UG/L	66	76		4 X
MW-130	W130SSA	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.21		UG/L	0	10		4 X
MW-130	W130SSD	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.1		UG/L	0	10		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-132	W132SSA	11/09/2000	J-3 RANGE	E314.0	PERCHLORATE	39	J	UG/L	0	10		4 X
MW-132	W132SSA	02/16/2001	J-3 RANGE	E314.0	PERCHLORATE	65		UG/L	0	10		4 X
MW-132	W132SSA	06/15/2001	J-3 RANGE	E314.0	PERCHLORATE	75		UG/L	0	10		4 X
MW-132	W132SSA	12/12/2001	J-3 RANGE	E314.0	PERCHLORATE	27.4		UG/L	0	10		4 X
MW-132	W132SSA	06/28/2002	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10		4 X
MW-132	W132SSA	09/20/2002	J-3 RANGE	E314.0	PERCHLORATE	13	J	UG/L	0	10		4 X
MW-132	W132SSA	12/10/2002	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	0	10		4 X
MW-132	W132SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	0	10		4 X
MW-132	W132SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	0	10		4 X
MW-132	W132SSA	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	17	J	UG/L	0	10		4 X
MW-132	W132SSA	05/18/2004	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	0	10		4 X
MW-132	W132SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	7.6		UG/L	0	10		4 X
MW-132	W132SSA	03/09/2005	J-3 RANGE	E314.0	PERCHLORATE	4.5		UG/L	0	10		4 X
MW-132	W132SSD	03/09/2005	J-3 RANGE	E314.0	PERCHLORATE	4.6		UG/L	0	10		4 X
MW-139	W139M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	8		UG/L	70	80		4 X
MW-139	W139M2A	03/15/2001	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	70	80		4 X
MW-139	W139M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	13		UG/L	70	80		4 X
MW-143	W143M3A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82		4 X
MW-143	W143M3D	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82		4 X
MW-143	W143M3A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	12		UG/L	77	82		4 X
MW-143	W143M3A	01/11/2005	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	77	82		4 X
MW-143	W143M2A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	87	92		4 X
MW-143	W143M2A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	87	92		4 X
MW-143	W143M2A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	87	92		4 X
MW-143	W143M2A	01/06/2005	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	87	92		4 X
MW-143	W143M1A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5	J	UG/L	114	124		4 X
MW-143	W143M1A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	114	124		4 X
MW-143	W143M1A	01/12/2005	J-3 RANGE	E314.0	PERCHLORATE	4		UG/L	114	124		4 X
MW-162	W162M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	4.4		UG/L	49.28	59.28		4 X
MW-162	W162M2A	04/16/2004	DEMO 1	E314.0	PERCHLORATE	4.11		UG/L	49.28	59.28		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-162	W162M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	6.2		UG/L	49.28	59.28		4 X
MW-162	W162M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	49.28	59.28		4 X
MW-163	W163SSA	06/14/2001	J-3 RANGE	E314.0	PERCHLORATE	67		UG/L	0	10		4 X
MW-163	W163SSA	10/10/2001	J-3 RANGE	E314.0	PERCHLORATE	39.6		UG/L	0	10		4 X
MW-163	W163SSA	02/05/2002	J-3 RANGE	E314.0	PERCHLORATE	17.9		UG/L	0	10		4 X
MW-163	W163SSA	03/07/2002	J-3 RANGE	E314.0	PERCHLORATE	33.1		UG/L	0	10		4 X
MW-163	W163SSA	07/02/2002	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	0	10		4 X
MW-163	W163SSA	01/08/2003	J-3 RANGE	E314.0	PERCHLORATE	62		UG/L	0	10		4 X
MW-163	W163SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	44		UG/L	0	10		4 X
MW-163	W163SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	0	10		4 X
MW-163	W163SSA	02/13/2004	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	0	10		4 X
MW-163	W163SSA	05/11/2004	J-3 RANGE	E314.0	PERCHLORATE	58	J	UG/L	0	10		4 X
MW-163	W163SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10		4 X
MW-163	W163SSA	03/10/2005	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	0	10		4 X
MW-165	W165M2A	05/08/2001	DEMO 1	E314.0	PERCHLORATE	122	J	UG/L	46	56		4 X
MW-165	W165M2A	08/16/2001	DEMO 1	E314.0	PERCHLORATE	102		UG/L	46	56		4 X
MW-165	W165M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	81.2		UG/L	46	56		4 X
MW-165	W165M2A	04/18/2002	DEMO 1	E314.0	PERCHLORATE	83.5		UG/L	46	56		4 X
MW-165	W165M2A	08/10/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	46	56		4 X
MW-165	W165M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	78		UG/L	46	56		4 X
MW-165	W165M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	110	J	UG/L	46	56		4 X
MW-165	W165M2A	09/11/2003	DEMO 1	E314.0	PERCHLORATE	57	J	UG/L	46	56		4 X
MW-165	W165M2D	09/11/2003	DEMO 1	E314.0	PERCHLORATE	58	J	UG/L	46	56		4 X
MW-165	W165M2A	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56		4 X
MW-165	W165M2D	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56		4 X
MW-165	W165M2A	04/09/2004	DEMO 1	E314.0	PERCHLORATE	39		UG/L	46	56		4 X
MW-165	W165M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	41.3		UG/L	46	56		4 X
MW-165	W165M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	94	J	UG/L	46	56		4 X
MW-165	W165M1A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	106	116		4 X
MW-172	W172M2A	02/08/2002	DEMO 1	E314.0	PERCHLORATE	5.45		UG/L	104	114		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-172	W172M2A	09/18/2002	DEMO 1	E314.0	PERCHLORATE	7.1		UG/L	104	114		4 X
MW-172	W172M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114		4 X
MW-172	W172M2A	03/28/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	104	114		4 X
MW-172	W172M2A	10/15/2003	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114		4 X
MW-172	W172M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.45		UG/L	104	114		4 X
MW-172	W172M2D	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.44		UG/L	104	114		4 X
MW-172	W172M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	4.39		UG/L	104	114		4 X
MW-172	W172M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	104	114		4 X
MW-19	W19SSA	08/08/2000	DEMO 1	E314.0	PERCHLORATE	104	J	UG/L	0	10		4 X
MW-19	W19SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	12		UG/L	0	10		4 X
MW-19	W19SSA	06/18/2001	DEMO 1	E314.0	PERCHLORATE	41		UG/L	0	10		4 X
MW-19	W19SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	8.49		UG/L	0	10		4 X
MW-19	W19SSA	12/27/2001	DEMO 1	E314.0	PERCHLORATE	18.6	J	UG/L	0	10		4 X
MW-19	W19SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	0	10		4 X
MW-19	W19SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	4.1	J	UG/L	0	10		4 X
MW-19	W19SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	7.8	J	UG/L	0	10		4 X
MW-193	W193M1A	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.02		UG/L	23.8	28.8		4 X
MW-193	W193M1D	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	23.8	28.8		4 X
MW-197	W197M3A	02/12/2002	J-3 RANGE	E314.0	PERCHLORATE	34.1		UG/L	39.4	44.4		4 X
MW-197	W197M3A	07/18/2002	J-3 RANGE	E314.0	PERCHLORATE	54	J	UG/L	39.4	44.4		4 X
MW-197	W197M3A	10/30/2002	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	39.4	44.4		4 X
MW-197	W197M2A	02/04/2004	J-3 RANGE	E314.0	PERCHLORATE	19		UG/L	59.3	64.3		4 X
MW-197	W197M2A	04/13/2004	J-3 RANGE	E314.0	PERCHLORATE	23.3		UG/L	59.3	64.3		4 X
MW-197	W197M2A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	59.3	64.3		4 X
MW-197	W197M2A	10/05/2004	J-3 RANGE	E314.0	PERCHLORATE	22		UG/L	59.3	64.3		4 X
MW-198	W198M4A	02/21/2002	J-3 RANGE	E314.0	PERCHLORATE	311		UG/L	48.4	53.4		4 X
MW-198	W198M4A	07/19/2002	J-3 RANGE	E314.0	PERCHLORATE	170	J	UG/L	48.4	53.4		4 X
MW-198	W198M4A	11/01/2002	J-3 RANGE	E314.0	PERCHLORATE	75.9		UG/L	48.4	53.4		4 X
MW-198	W198M4A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	60	J	UG/L	48.4	53.4		4 X
MW-198	W198M4A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	48.4	53.4		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-198	W198M4A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	100		UG/L	48.4	53.4		4 X
MW-198	W198M4A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	48.4	53.4		4 X
MW-198	W198M4A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	81.6		UG/L	48.4	53.4		4 X
MW-198	W198M4A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	48.4	53.4		4 X
MW-198	W198M3A	02/15/2002	J-3 RANGE	E314.0	PERCHLORATE	40.9		UG/L	78.5	83.5		4 X
MW-198	W198M3A	07/22/2002	J-3 RANGE	E314.0	PERCHLORATE	65	J	UG/L	78.5	83.5		4 X
MW-198	W198M3A	11/06/2002	J-3 RANGE	E314.0	PERCHLORATE	170		UG/L	78.5	83.5		4 X
MW-198	W198M3A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	200	J	UG/L	78.5	83.5		4 X
MW-198	W198M3A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5		4 X
MW-198	W198M3A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5		4 X
MW-198	W198M3D	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	320		UG/L	78.5	83.5		4 X
MW-198	W198M3A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	260		UG/L	78.5	83.5		4 X
MW-198	W198M3A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	92.9		UG/L	78.5	83.5		4 X
MW-198	W198M3A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	78.5	83.5		4 X
MW-198	W198M2A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	23		UG/L	98.4	103.4		4 X
MW-198	W198M2A	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	98.4	103.4		4 X
MW-198	W198M2A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	280		UG/L	98.4	103.4		4 X
MW-198	W198M2A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	494		UG/L	98.4	103.4		4 X
MW-198	W198M2A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	98.4	103.4		4 X
MW-210	W210M2A	06/06/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	54.69	64.69		4 X
MW-210	W210M2D	06/06/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	54.69	64.69		4 X
MW-210	W210M2A	10/28/2002	DEMO 1	E314.0	PERCHLORATE	9.93		UG/L	54.69	64.69		4 X
MW-210	W210M2A	02/28/2003	DEMO 1	E314.0	PERCHLORATE	12	J	UG/L	54.69	64.69		4 X
MW-210	W210M2A	02/05/2004	DEMO 1	E314.0	PERCHLORATE	19		UG/L	54.69	64.69		4 X
MW-210	W210M2A	03/11/2004	DEMO 1	E314.0	PERCHLORATE	23		UG/L	54.69	64.69		4 X
MW-210	W210M2A	05/20/2004	DEMO 1	E314.0	PERCHLORATE	44		UG/L	54.69	64.69		4 X
MW-210	W210M2D	05/20/2004	DEMO 1	E314.0	PERCHLORATE	43		UG/L	54.69	64.69		4 X
MW-210	W210M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	59	J	UG/L	54.69	64.69		4 X
MW-210	W210M2A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	56	J	UG/L	54.69	64.69		4 X
MW-211	W211M1A	02/04/2004	DEMO 1	E314.0	PERCHLORATE	5.6		UG/L	55	65		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-211	W211M1A	03/10/2004	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	55	65		4 X
MW-211	W211M1A	05/21/2004	DEMO 1	E314.0	PERCHLORATE	11		UG/L	55	65		4 X
MW-211	W211M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	13		UG/L	55	65		4 X
MW-211	W211M1A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	33 J		UG/L	55	65		4 X
MW-232	W232M1A	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.01		UG/L	34.94	39.94		4 X
MW-232	W232M1A-DA	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.32		UG/L	34.94	39.94		4 X
MW-247	W247M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	102.78	112.78		4 X
MW-247	W247M2D	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.4		UG/L	102.78	112.78		4 X
MW-247	W247M2A	03/20/2003	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	102.78	112.78		4 X
MW-247	W247M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	102.78	112.78		4 X
MW-247	W247M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	4.4		UG/L	102.78	112.78		4 X
MW-247	W247M2A	05/13/2004	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	102.78	112.78		4 X
MW-250	W250M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	134.82	144.82		4 X
MW-250	W250M2A	03/19/2003	J-3 RANGE	E314.0	PERCHLORATE	6.7		UG/L	134.82	144.82		4 X
MW-250	W250M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	6.2		UG/L	134.82	144.82		4 X
MW-250	W250M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	6.3		UG/L	134.82	144.82		4 X
MW-250	W250M2A	05/19/2004	J-3 RANGE	E314.0	PERCHLORATE	6.6		UG/L	134.82	144.82		4 X
MW-250	W250M2A	10/12/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82		4 X
MW-250	W250M2A	12/02/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82		4 X
MW-263	W263M2A	08/25/2003	J-2 RANGE	E314.0	PERCHLORATE	8.7		UG/L	8.66	18.66		4 X
MW-263	W263M2A	12/22/2003	J-2 RANGE	E314.0	PERCHLORATE	15 J		UG/L	8.66	18.66		4 X
MW-263	W263M2A	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4 J		UG/L	8.66	18.66		4 X
MW-263	W263M2D	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4.3 J		UG/L	8.66	18.66		4 X
MW-265	W265M3A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	4.41		UG/L	72.44	82.44		4 X
MW-265	W265M3A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	9.7		UG/L	72.44	82.44		4 X
MW-265	W265M3A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	10		UG/L	72.44	82.44		4 X
MW-265	W265M3A	10/05/2004	J-1 RANGE	E314.0	PERCHLORATE	8.9		UG/L	72.44	82.44		4 X
MW-265	W265M3A	02/16/2005	J-1 RANGE	E314.0	PERCHLORATE	7 J		UG/L	72.44	82.44		4 X
MW-265	W265M2A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	30.4		UG/L	97.6	107.6		4 X
MW-265	W265M2A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	33		UG/L	97.6	107.6		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-265	W265M2A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	30		UG/L	97.6	107.6		4 X
MW-265	W265M2A	09/27/2004	J-1 RANGE	E314.0	PERCHLORATE	23		UG/L	97.6	107.6		4 X
MW-265	W265M2A	02/16/2005	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	97.6	107.6		4 X
MW-270	W270M1A	06/16/2003	NW CORNER	E314.0	PERCHLORATE	8.9		UG/L	50.89	55.89		4 X
MW-270	W270M1D	06/16/2003	NW CORNER	E314.0	PERCHLORATE	9.1		UG/L	50.89	55.89		4 X
MW-270	W270M1A	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89		4 X
MW-270	W270M1D	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89		4 X
MW-270	W270M1A	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11	J	UG/L	50.89	55.89		4 X
MW-270	W270M1D	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11	J	UG/L	50.89	55.89		4 X
MW-270	W270M1A	04/29/2004	NW CORNER	E314.0	PERCHLORATE	8.94		UG/L	50.89	55.89		4 X
MW-270	W270M1A	09/10/2004	NW CORNER	E314.0	PERCHLORATE	9.7		UG/L	50.89	55.89		4 X
MW-270	W270M1A	02/10/2005	NW CORNER	E314.0	PERCHLORATE	10.3		UG/L	50.89	55.89		4 X
MW-277	W277SSA	07/10/2003	NW CORNER	E314.0	PERCHLORATE	6.68		UG/L	0	10		4 X
MW-277	W277SSA	12/12/2003	NW CORNER	E314.0	PERCHLORATE	5.27		UG/L	0	10		4 X
MW-277	W277SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.2		UG/L	0	10		4 X
MW-277	W277SSA	02/18/2004	NW CORNER	E314.0	PERCHLORATE	4.06		UG/L	0	10		4 X
MW-277	W277SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.18		UG/L	0	10		4 X
MW-278	W278SSA	07/18/2003	NW CORNER	E314.0	PERCHLORATE	19.3		UG/L	0	10		4 X
MW-278	W278M2A	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.1		UG/L	9.79	14.79		4 X
MW-278	W278M2D	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.4		UG/L	9.79	14.79		4 X
MW-278	W278M2A	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.4		UG/L	9.79	14.79		4 X
MW-279	W279SSA	07/30/2003	NW CORNER	E314.0	PERCHLORATE	16.7		UG/L	10	20		4 X
MW-279	W279SSA	12/10/2003	NW CORNER	E314.0	PERCHLORATE	15.7		UG/L	10	20		4 X
MW-279	W279SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20		4 X
MW-279	W279SSA	02/19/2004	NW CORNER	E314.0	PERCHLORATE	11.4		UG/L	10	20		4 X
MW-279	W279SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	11.2		UG/L	10	20		4 X
MW-279	W279SSA	04/15/2004	NW CORNER	E314.0	PERCHLORATE	9.84		UG/L	10	20		4 X
MW-279	W279SSA	05/14/2004	NW CORNER	E314.0	PERCHLORATE	11.9		UG/L	10	20		4 X
MW-279	W279SSA	06/09/2004	NW CORNER	E314.0	PERCHLORATE	11.1		UG/L	10	20		4 X
MW-279	W279SSA	07/07/2004	NW CORNER	E314.0	PERCHLORATE	10.5		UG/L	10	20		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-279	W279SSA	08/04/2004	NW CORNER	E314.0	PERCHLORATE	13.7		UG/L	10	20		4 X
MW-279	W279SSA	09/08/2004	NW CORNER	E314.0	PERCHLORATE	15.2		UG/L	10	20		4 X
MW-279	W279SSA	10/06/2004	NW CORNER	E314.0	PERCHLORATE	19.7		UG/L	10	20		4 X
MW-279	W279SSA	11/03/2004	NW CORNER	E314.0	PERCHLORATE	20.4		UG/L	10	20		4 X
MW-279	W279SSA	12/14/2004	NW CORNER	E314.0	PERCHLORATE	23.1		UG/L	10	20		4 X
MW-279	W279SSA	03/22/2005	NW CORNER	E314.0	PERCHLORATE	26.3		UG/L	10	20		4 X
MW-279	W279M2A	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L	26.8	31.8		4 X
MW-279	W279M2D	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	26.8	31.8		4 X
MW-279	W279M2A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.03		UG/L	26.8	31.8		4 X
MW-279	W279M2D	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.04		UG/L	26.8	31.8		4 X
MW-279	W279M2A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	4.51		UG/L	26.8	31.8		4 X
MW-279	W279M2A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	4.95		UG/L	26.8	31.8		4 X
MW-279	W279M2A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.84		UG/L	26.8	31.8		4 X
MW-279	W279M2D	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.87		UG/L	26.8	31.8		4 X
MW-279	W279M2A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.99		UG/L	26.8	31.8		4 X
MW-279	W279M2A	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.5		UG/L	26.8	31.8		4 X
MW-279	W279M2D	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	26.8	31.8		4 X
MW-279	W279M2A	10/06/2004	NW CORNER	E314.0	PERCHLORATE	5.12		UG/L	26.8	31.8		4 X
MW-279	W279M2A	11/02/2004	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L	26.8	31.8		4 X
MW-279	W279M2A	12/14/2004	NW CORNER	E314.0	PERCHLORATE	5.67		UG/L	26.8	31.8		4 X
MW-279	W279M2A	02/17/2005	NW CORNER	E314.0	PERCHLORATE	6.26		UG/L	26.8	31.8		4 X
MW-279	W279M1A	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.6		UG/L	37.4	47.4		4 X
MW-279	W279M1A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	37.4	47.4		4 X
MW-279	W279M1A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	5.17		UG/L	37.4	47.4		4 X
MW-279	W279M1A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.05		UG/L	37.4	47.4		4 X
MW-279	W279M1D	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.14		UG/L	37.4	47.4		4 X
MW-279	W279M1A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	37.4	47.4		4 X
MW-279	W279M1A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.61		UG/L	37.4	47.4		4 X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L				4 X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L				4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	110		UG/L				4 X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	63		UG/L	59.7	69.7		4 X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	64		UG/L	59.7	69.7		4 X
MW-289	W289M2A	02/17/2005	J-2 RANGE	E314.0	PERCHLORATE	50 J		UG/L	59.7	69.7		4 X
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	203	213		4 X
MW-289	MW-289M1-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L	203	213		4 X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	9.2		UG/L	203	213		4 X
MW-289	W289M1A	02/16/2005	J-2 RANGE	E314.0	PERCHLORATE	8.2 J		UG/L	203	213		4 X
MW-293	MW-293M2-	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L				4 X
MW-293	MW-293M2-FD	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L				4 X
MW-293	MW-293M2-	07/15/2004	J-2 RANGE	E314.0	PERCHLORATE	43		UG/L	90.22	100.22		4 X
MW-293	MW-293M2-	11/19/2004	J-2 RANGE	E314.0	PERCHLORATE	52		UG/L	90.22	100.22		4 X
MW-300	MW-300M2-	03/03/2004	J-2 RANGE	E314.0	PERCHLORATE	51		UG/L				4 X
MW-300	MW-300M2-	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-FD	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-FD	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38		4 X
MW-302	MW-302M2-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L				4 X
MW-302	MW-302M2-FD	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	7		UG/L				4 X
MW-302	MW-302M2-	07/12/2004	J-2 RANGE	E314.0	PERCHLORATE	9.3		UG/L	85	95		4 X
MW-302	MW-302M2-	11/15/2004	J-2 RANGE	E314.0	PERCHLORATE	11		UG/L	85	95		4 X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	E314.0	PERCHLORATE	31		UG/L				4 X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	E314.0	PERCHLORATE	29		UG/L	122	132		4 X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	E314.0	PERCHLORATE	20		UG/L	122	132		4 X
MW-305	MW-305M1-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	36		UG/L				4 X
MW-305	MW-305M1-	07/06/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82		4 X
MW-305	MW-305M1-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82		4 X
MW-307	MW-307M3-	04/27/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L				4 X
MW-307	MW-307M3-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	17.8	27.82		4 X
MW-307	MW-307M3-	02/22/2005	J-2 RANGE	E314.0	PERCHLORATE	21		UG/L	17.8	27.82		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31SSA	08/09/2000	DEMO 1	E314.0	PERCHLORATE	43	J	UG/L	13	18		4 X
MW-31	W31SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	30		UG/L	13	18		4 X
MW-31	W31SSA	05/02/2001	DEMO 1	E314.0	PERCHLORATE	20	J	UG/L	13	18		4 X
MW-31	W31SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	13	18		4 X
MW-31	W31SSA	01/04/2002	DEMO 1	E314.0	PERCHLORATE	12.5		UG/L	13	18		4 X
MW-31	W31SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	13	18		4 X
MW-31	W31SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2	J	UG/L	13	18		4 X
MW-31	W31SSA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	4.9		UG/L	13	18		4 X
MW-31	W31SSA	03/28/2003	DEMO 1	E314.0	PERCHLORATE	10		UG/L	13	18		4 X
MW-31	W31SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18		4 X
MW-31	W31SSD	09/27/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	13	18		4 X
MW-31	W31SSA	02/28/2004	DEMO 1	E314.0	PERCHLORATE	7.77	J	UG/L	13	18		4 X
MW-31	W31SSA	05/11/2004	DEMO 1	E314.0	PERCHLORATE	5.02		UG/L	13	18		4 X
MW-31	W31SSA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	4.7	J	UG/L	13	18		4 X
MW-31	W31M1A	08/09/2000	DEMO 1	E314.0	PERCHLORATE	46	J	UG/L	28	38		4 X
MW-31	W31MMA	05/23/2001	DEMO 1	E314.0	PERCHLORATE	19		UG/L	28	38		4 X
MW-31	W31MMA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	28	38		4 X
MW-31	W31MMA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	28	38		4 X
MW-31	W31MMA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	7.44	J	UG/L	28	38		4 X
MW-310	MW-310M1-	04/23/2004	J-2 RANGE	E314.0	PERCHLORATE	16		UG/L				4 X
MW-310	MW-310M1-	08/23/2004	J-2 RANGE	E314.0	PERCHLORATE	15		UG/L	86	96		4 X
MW-310	MW-310M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	17		UG/L	86	96		4 X
MW-310	MW-310M1-FD	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	18		UG/L	86	96		4 X
MW-313	MW-313M2-	06/29/2004	J-2 RANGE	E314.0	PERCHLORATE	8.2		UG/L				4 X
MW-313	MW-313M2-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	9.1		UG/L	93	103		4 X
MW-313	MW-313M2-	02/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.7		UG/L	93	103		4 X
MW-313	MW-313M2-FD	02/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.6		UG/L	93	103		4 X
MW-32	W32MMA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	4.14		UG/L	65	75		4 X
MW-32	W32MMA	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.21		UG/L	65	75		4 X
MW-32	W32MMD	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.03		UG/L	65	75		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-32	W32DDA	08/03/2004	DEMO 1	E314.0	PERCHLORATE	4.78		UG/L	85	90		4 X
MW-321	MW-321M1-	10/14/2004	J-2 RANGE	E314.0	PERCHLORATE	4.5		UG/L	70	80		4 X
MW-321	MW-321M1-	02/11/2005	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	70	80		4 X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	E314.0	PERCHLORATE	21		UG/L				4 X
MW-326	MW-326M2-	10/29/2004	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	75	85		4 X
MW-339	MW-339M1-	08/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.6		UG/L	125	135		4 X
MW-339	MW-339M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	125	135		4 X
MW-34	W34M2A	08/10/2000	DEMO 1	E314.0	PERCHLORATE	56 J		UG/L	53	63		4 X
MW-34	W34M2A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	34		UG/L	53	63		4 X
MW-34	W34M2A	05/01/2001	DEMO 1	E314.0	PERCHLORATE	28 J		UG/L	53	63		4 X
MW-34	W34M2A	07/30/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	53	63		4 X
MW-34	W34M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	5.85 J		UG/L	53	63		4 X
MW-34	W34M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	19.6		UG/L	53	63		4 X
MW-34	W34M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	17		UG/L	53	63		4 X
MW-34	W34M2A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	53	63		4 X
MW-34	W34M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	10 J		UG/L	53	63		4 X
MW-34	W34M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	53	63		4 X
MW-34	W34M2A	03/05/2004	DEMO 1	E314.0	PERCHLORATE	7.02		UG/L	53	63		4 X
MW-34	W34M2A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.23		UG/L	53	63		4 X
MW-34	W34M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	5.87 J		UG/L	53	63		4 X
MW-34	W34M1A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	109		UG/L	73	83		4 X
MW-34	W34M1A	05/05/2001	DEMO 1	E314.0	PERCHLORATE	46		UG/L	73	83		4 X
MW-34	W34M1A	07/31/2001	DEMO 1	E314.0	PERCHLORATE	30.8		UG/L	73	83		4 X
MW-34	W34M1D	07/31/2001	DEMO 1	E314.0	PERCHLORATE	31.4		UG/L	73	83		4 X
MW-34	W34M1A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	17.7		UG/L	73	83		4 X
MW-34	W34M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	7.9		UG/L	73	83		4 X
MW-34	W34M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.1 J		UG/L	73	83		4 X
MW-34	W34M1D	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	73	83		4 X
MW-34	W34M1A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	8		UG/L	73	83		4 X
MW-34	W34M1A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	8 J		UG/L	73	83		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-34	W34M1A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	6.9		UG/L	73	83		4 X
MW-34	W34M1A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.28		UG/L	73	83		4 X
MW-341	W341M4A	08/31/2004	DEMO 1	E314.0	PERCHLORATE	14.7		UG/L	22.66	27.66		4 X
MW-341	W341M3A	12/10/2004	DEMO 1	E314.0	PERCHLORATE	15.5		UG/L	50.66	60.66		4 X
MW-348	MW-348M2-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	38		UG/L	89.54	99.54		4 X
MW-348	MW-348M2-	03/23/2005	J-2 RANGE	E314.0	PERCHLORATE	61		UG/L	89.54	99.54		4 X
MW-35	W35M1A	05/04/2001	DEMO 1	E314.0	PERCHLORATE	4 J		UG/L	68	78		4 X
MW-35	W35M1A	08/03/2001	DEMO 1	E314.0	PERCHLORATE	5.4		UG/L	68	78		4 X
MW-35	W35M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.34 J		UG/L	68	78		4 X
MW-35	W35M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	6.44 J		UG/L	68	78		4 X
MW-35	W35M1A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	5		UG/L	68	78		4 X
MW-35	W35M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	68	78		4 X
MW-36	W36M2A	08/08/2002	DEMO 1	E314.0	PERCHLORATE	4 J		UG/L	54	64		4 X
MW-36	W36M2A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2 J		UG/L	54	64		4 X
MW-36	W36M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	4.8		UG/L	54	64		4 X
MW-73	W73SSD	12/19/2000	DEMO 1	E314.0	PERCHLORATE	6		UG/L	0	10		4 X
MW-73	W73SSA	06/14/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	0	10		4 X
MW-75	W75M2A	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9 J		UG/L	34	44		4 X
MW-75	W75M2D	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9 J		UG/L	34	44		4 X
MW-75	W75M2A	08/09/2001	DEMO 1	E314.0	PERCHLORATE	6.24		UG/L	34	44		4 X
MW-75	W75M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	4.08		UG/L	34	44		4 X
MW-75	W75M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.89		UG/L	34	44		4 X
MW-75	W75M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	6.8 J		UG/L	34	44		4 X
MW-75	W75M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	34	44		4 X
MW-76	W76SSA	12/07/2000	DEMO 1	E314.0	PERCHLORATE	5		UG/L	18	28		4 X
MW-76	W76SSA	05/07/2001	DEMO 1	E314.0	PERCHLORATE	7		UG/L	18	28		4 X
MW-76	W76SSA	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.3		UG/L	18	28		4 X
MW-76	W76SSA	12/28/2001	DEMO 1	E314.0	PERCHLORATE	41.2		UG/L	18	28		4 X
MW-76	W76SSA	04/24/2002	DEMO 1	E314.0	PERCHLORATE	175		UG/L	18	28		4 X
MW-76	W76SSA	08/20/2002	DEMO 1	E314.0	PERCHLORATE	88		UG/L	18	28		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76SSA	11/18/2002	DEMO 1	E314.0	PERCHLORATE	26	J	UG/L	18	28		4 X
MW-76	W76SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	19		UG/L	18	28		4 X
MW-76	W76SSA	02/24/2004	DEMO 1	E314.0	PERCHLORATE	19.1		UG/L	18	28		4 X
MW-76	W76SSA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	11.3		UG/L	18	28		4 X
MW-76	W76M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48		4 X
MW-76	W76M2A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	17		UG/L	38	48		4 X
MW-76	W76M2A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	38	48		4 X
MW-76	W76M2D	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.5		UG/L	38	48		4 X
MW-76	W76M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	126		UG/L	38	48		4 X
MW-76	W76M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	174		UG/L	38	48		4 X
MW-76	W76M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	250		UG/L	38	48		4 X
MW-76	W76M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	290		UG/L	38	48		4 X
MW-76	W76M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48		4 X
MW-76	W76M2D	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48		4 X
MW-76	W76M2A	12/03/2003	DEMO 1	E314.0	PERCHLORATE	210		UG/L	38	48		4 X
MW-76	W76M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	115		UG/L	38	48		4 X
MW-76	W76M2A	04/22/2004	DEMO 1	E314.0	PERCHLORATE	93.1		UG/L	38	48		4 X
MW-76	W76M2A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	57.2		UG/L	38	48		4 X
MW-76	W76M1A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	58	68		4 X
MW-76	W76M1A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	16		UG/L	58	68		4 X
MW-76	W76M1A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	30.6		UG/L	58	68		4 X
MW-76	W76M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	15.3		UG/L	58	68		4 X
MW-76	W76M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	58	68		4 X
MW-76	W76M1A	03/25/2003	DEMO 1	E314.0	PERCHLORATE	200	J	UG/L	58	68		4 X
MW-76	W76M1A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	97	J	UG/L	58	68		4 X
MW-76	W76M1A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	16.4		UG/L	58	68		4 X
MW-76	W76M1A	04/21/2004	DEMO 1	E314.0	PERCHLORATE	17.9		UG/L	58	68		4 X
MW-76	W76M1A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	47.3		UG/L	58	68		4 X
MW-77	W77M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	28		UG/L	38	48		4 X
MW-77	W77M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	16	J	UG/L	38	48		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-77	W77M2A	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.9		UG/L	38	48		4 X
MW-77	W77M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	12.3		UG/L	38	48		4 X
MW-77	W77M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	8.01		UG/L	38	48		4 X
MW-77	W77M2A	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2 J		UG/L	38	48		4 X
MW-77	W77M2A	11/19/2002	DEMO 1	E314.0	PERCHLORATE	7.2		UG/L	38	48		4 X
MW-77	W77M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	5.4 J		UG/L	38	48		4 X
MW-77	W77M2A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	9.1		UG/L	38	48		4 X
MW-77	W77M2A	02/12/2004	DEMO 1	E314.0	PERCHLORATE	5.32		UG/L	38	48		4 X
MW-77	W77M2A	04/05/2004	DEMO 1	E314.0	PERCHLORATE	5.7 J		UG/L	38	48		4 X
MW-77	W77M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48		4 X
MW-77	W77M2D	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48		4 X
MW-78	W78M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	19		UG/L	38	48		4 X
MW-78	W78M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	9 J		UG/L	38	48		4 X
MW-78	W78M2A	08/15/2001	DEMO 1	E314.0	PERCHLORATE	11.4		UG/L	38	48		4 X
MW-78	W78M2A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	4.43		UG/L	38	48		4 X
MW-78	W78M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.75		UG/L	38	48		4 X
MW-78	W78M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	6.3 J		UG/L	38	48		4 X
MW-78	W78M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	8.7		UG/L	38	48		4 X
MW-78	W78M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4.7 J		UG/L	38	48		4 X
MW-78	W78M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48		4 X
MW-78	W78M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.34		UG/L	38	48		4 X
MW-78	W78M2D	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.18 J		UG/L	38	48		4 X
MW-78	W78M2A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	8.2		UG/L	38	48		4 X
MW-78	W78M2A	08/12/2004	DEMO 1	E314.0	PERCHLORATE	6.48		UG/L	38	48		4 X
MW-78	W78M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	4.6 J		UG/L	58	68		4 X
MW-78	W78M1A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	58	68		4 X
MW-78	W78M1A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	4.9 J		UG/L	58	68		4 X
MW-78	W78M1A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	58	68		4 X
MW-78	W78M1A	02/23/2004	DEMO 1	E314.0	PERCHLORATE	4.83		UG/L	58	68		4 X
MW-78	W78M1A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	4.37		UG/L	58	68		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-91	W91SSA	01/20/2001	CIA	E314.0	PERCHLORATE	5	J	UG/L	0	10		4 X
MW-91	W91SSA	05/20/2002	CIA	E314.0	PERCHLORATE	4		UG/L	0	10		4 X
15MW0002	15MW0002	04/08/1999	J-2 RANGE	IM40MB	SODIUM	37600		UG/L	0	10	20000	X
90WT0010	90WT0010	06/05/2000	FS-12	IM40MB	SODIUM	23600		UG/L	2	12	20000	X
90WT0010	90WT0010-L	06/05/2000	FS-12	IM40MB	SODIUM	24200		UG/L	2	12	20000	X
90WT0015	90WT0015	04/23/1999	FS-12	IM40MB	SODIUM	34300		UG/L	0	10	20000	X
ASPWELL	ASPWELL	07/20/1999	OTHER	A3111B	SODIUM	33000	J	UG/L			20000	X
ASPWELL	ASPWELL	10/13/1999	OTHER	A3111B	SODIUM	38000		UG/L			20000	X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	SODIUM	24900		UG/L			20000	X
ASPWELL	ASPWELL	09/27/2001	OTHER	A3111B	SODIUM	21000		UG/L			20000	X
ASPWELL	ASPWELL	09/27/2001	OTHER	IM40MB	SODIUM	22600		UG/L			20000	X
ASPWELL	ASPWELL	12/19/2001	OTHER	IM40MB	SODIUM	28500		UG/L			20000	X
ASPWELL	ASPWELL-A	10/13/2004	OTHER	IM40MBM	SODIUM	29700		UG/L			20000	X
MW-144	W144SSA	06/18/2001	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	5	15	20000	X
MW-144	W144SSA	09/06/2002	J-3 RANGE	IM40MB	SODIUM	43000		UG/L	5	15	20000	X
MW-144	W144SSA	11/25/2002	J-3 RANGE	IM40MB	SODIUM	28100		UG/L	5	15	20000	X
MW-144	W144SSA	10/16/2003	J-3 RANGE	IM40MB	SODIUM	31400		UG/L	5	15	20000	X
MW-144	W144SSA	12/18/2003	J-3 RANGE	IM40MB	SODIUM	27800		UG/L	5	15	20000	X
MW-145	W145SSA	02/12/2001	J-3 RANGE	IM40MB	SODIUM	37000		UG/L	0	10	20000	X
MW-145	W145SSA	06/20/2001	J-3 RANGE	IM40MB	SODIUM	73600		UG/L	0	10	20000	X
MW-145	W145SSA	06/28/2002	J-3 RANGE	IM40MB	SODIUM	53300		UG/L	0	10	20000	X
MW-145	W145SSA	12/02/2002	J-3 RANGE	IM40MB	SODIUM	24100		UG/L	0	10	20000	X
MW-145	W145SSA	11/04/2003	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	0	10	20000	X
MW-148	W148SSA	10/18/2001	L RANGE	IM40MB	SODIUM	23500		UG/L	0	10	20000	X
MW-148	W148SSA	12/18/2003	L RANGE	IM40MB	SODIUM	27800		UG/L	0	10	20000	X
MW-16	W16SSA	11/17/1997	DEMO 2	IM40	SODIUM	20900		UG/L	0	10	20000	X
MW-16	W16SSL	11/17/1997	DEMO 2	IM40	SODIUM	20400		UG/L	0	10	20000	X
MW-187	W187DDA	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/11/2002	J-1 RANGE	IM40MB	SODIUM	27100		UG/L	199.5	209.5	20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-187	W187DDA	10/17/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/07/2003	J-1 RANGE	IM40MB	SODIUM	22700		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	11/21/2003	J-1 RANGE	IM40MB	SODIUM	24200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	03/05/2004	J-1 RANGE	IM40MB	SODIUM	24100		UG/L	199.5	209.5	20000	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	SODIUM	27200		UG/L	0	10	20000	X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	SODIUM	26300		UG/L	0	10	20000	X
MW-2	W02SSA	02/01/1999	CIA	IM40MB	SODIUM	20300		UG/L	0	10	20000	X
MW-2	W02SSL	02/01/1999	CIA	IM40MB	SODIUM	20100		UG/L	0	10	20000	X
MW-2	W02DDA	11/19/1997	CIA	IM40	SODIUM	21500		UG/L	218	223	20000	X
MW-2	W02DDL	11/19/1997	CIA	IM40	SODIUM	22600		UG/L	218	223	20000	X
MW-21	W21SSA	10/24/1997	OTHER	IM40	SODIUM	24000		UG/L	0	10	20000	X
MW-21	W21SSL	10/24/1997	OTHER	IM40	SODIUM	24200		UG/L	0	10	20000	X
MW-21	W21SSA	11/15/2000	OTHER	IM40MB	SODIUM	22500		UG/L	0	10	20000	X
MW-21	W21SSA	12/20/2001	OTHER	IM40MB	SODIUM	26400		UG/L	0	10	20000	X
MW-21	W21SSA	10/02/2003	OTHER	IM40MB	SODIUM	20200		UG/L	0	10	20000	X
MW-21	W21SSA	01/23/2004	OTHER	IM40MB	SODIUM	31600		UG/L	0	10	20000	X
MW-46	W46SSA	08/25/1999	WESTERN BOU	IM40MB	SODIUM	20600		UG/L	0	10	20000	X
MW-46	W46SSA	06/15/2000	WESTERN BOU	IM40MB	SODIUM	32200		UG/L	0	10	20000	X
MW-46	W46SSA	09/12/2000	WESTERN BOU	IM40MB	SODIUM	31300		UG/L	0	10	20000	X
MW-46	W46SSA	11/17/2000	WESTERN BOU	IM40MB	SODIUM	22500	J	UG/L	0	10	20000	X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	SODIUM	23300		UG/L	56	66	20000	X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	SODIUM	24400		UG/L	56	66	20000	X
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	SODIUM	33300		UG/L	0	10	20000	X
MW-57	W57M3A	10/07/2002	J-2 RANGE	IM40MB	SODIUM	21500		UG/L	31	41	20000	X
MW-57	W57M2A	12/21/1999	J-2 RANGE	IM40MB	SODIUM	23500		UG/L	62	72	20000	X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	SODIUM	24500		UG/L	62	72	20000	X
MW-57	W57M2A	06/30/2000	J-2 RANGE	IM40MB	SODIUM	25900		UG/L	62	72	20000	X
MW-57	W57M2A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	23200		UG/L	62	72	20000	X
MW-57	W57M1A	12/14/1999	J-2 RANGE	IM40MB	SODIUM	23700		UG/L	102	112	20000	X
MW-57	W57M1A	03/07/2000	J-2 RANGE	IM40MB	SODIUM	20900		UG/L	102	112	20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-57	W57M1A	07/05/2000	J-2 RANGE	IM40MB	SODIUM	22200		UG/L	102	112	20000	X
MW-57	W57M1A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	20100		UG/L	102	112	20000	X
MW-57	W57M1A	09/14/2004	J-2 RANGE	IM40MBM	SODIUM	21800		UG/L	102	112	20000	X
SDW261160	WG160L	01/07/1998	OTHER	IM40MB	SODIUM	20600		UG/L	10	20	20000	X
SDW261160	WG160A	01/13/1999	OTHER	IM40MB	SODIUM	27200		UG/L	10	20	20000	X
SDW261160	WG160L	01/13/1999	OTHER	IM40MB	SODIUM	28200		UG/L	10	20	20000	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	TERT-BUTYL METHYL ETHER	30		UG/L	199.5	209.5	20	X
03MW0007A	03MW0007A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	6		UG/L	21	26	5	X
03MW0014A	03MW0014A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	8		UG/L	38	43	5	X
03MW0020	03MW0020	04/14/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	12		UG/L	36	41	5	X
03MW0006	03MW0006	04/15/1999	CS-10	IM40MB	THALLIUM	2.6 J		UG/L	0	10	2	X
03MW0022A	03MW0022A	04/16/1999	CS-10	IM40MB	THALLIUM	3.9		UG/L	71	76	2	X
03MW0027A	03MW0027A	04/14/1999	CS-10	IM40MB	THALLIUM	2 J		UG/L	64	69	2	X
11MW0004	11MW0004	04/16/1999	OTHER	IM40MB	THALLIUM	2.3 J		UG/L	0	10	2	X
27MW0020Z	27MW0020Z	04/16/1999	LF-1	IM40MB	THALLIUM	2.7 J		UG/L	98	103	2	X
58MW0008E	H7C040115018X	03/03/1997	CS-19	C200.7	THALLIUM	6.5 J		UG/L			2	X
58MW0011D	H7D290122025X	04/28/1997	CS-19	C200.7	THALLIUM	3.9 J		UG/L	49.5	54.5	2	X
90MW0038	90MW0038	04/21/1999	L RANGE	IM40MB	THALLIUM	4.4 J		UG/L	29	34	2	X
90WT0010	WF10XA	01/16/1998	FS-12	IM40MB	THALLIUM	6.5 J		UG/L	2	12	2	X
LRWS1-4	WL14XA	01/06/1999	OTHER	IM40MB	THALLIUM	5.2 J		UG/L	107	117	2	X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	THALLIUM	2.9 J		UG/L	0	10	2	X
MW-127	W127SSA	11/15/2000	J-1 RANGE	IM40MB	THALLIUM	2.4 J		UG/L	0	10	2	X
MW-132	W132SSA	02/16/2001	J-3 RANGE	IM40MB	THALLIUM	2.1 J		UG/L	0	10	2	X
MW-145	W145SSA	10/18/2001	J-3 RANGE	IM40MB	THALLIUM	4.8 J		UG/L	0	10	2	X
MW-148	W148SSA	12/02/2002	L RANGE	IM40MB	THALLIUM	3.8 J		UG/L	0	10	2	X
MW-150	W150SSA	03/07/2001	PHASE 2b	IM40MB	THALLIUM	2.2 J		UG/L	1	11	2	X
MW-18	W18SSA	03/12/1999	J-2 RANGE	IM40MB	THALLIUM	2.3 J		UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	IM40MB	THALLIUM	3.8 J		UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	IM40MB	THALLIUM	4.2 J		UG/L	0	10	2	X
MW-19	W19DDL	02/11/1999	DEMO 1	IM40MB	THALLIUM	3.1 J		UG/L	254	259	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-191	W191M1A	07/25/2002	J-1 RANGE	IM40MB	THALLIUM	6.3		UG/L	25.2	30.2		2 X
MW-2	W02DDD	08/02/2000	CIA	IM40MB	THALLIUM	4.9	J	UG/L	218	223		2 X
MW-21	W21SSA	10/24/1997	OTHER	IM40	THALLIUM	6.9	J	UG/L	0	10		2 X
MW-21	W21M2A	11/01/1999	OTHER	IM40MB	THALLIUM	4	J	UG/L	58	68		2 X
MW-23	W23SSA	09/14/1999	PHASE 2b	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X
MW-25	W25SSA	09/14/1999	CIA	IM40MB	THALLIUM	5.3	J	UG/L	0	10		2 X
MW-3	W03DDA	12/20/2000	CIA	IM40MB	THALLIUM	3.3		UG/L	219	224		2 X
MW-35	W35SSA	12/18/2000	DEMO 1	IM40MB	THALLIUM	2.9	J	UG/L	0	10		2 X
MW-37	W37M2A	12/29/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	26	36		2 X
MW-38	W38M4A	08/18/1999	CIA	IM40MB	THALLIUM	2.8	J	UG/L	14	24		2 X
MW-38	W38M2A	05/11/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	69	79		2 X
MW-38	W38DDA	08/22/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	124	134		2 X
MW-39	W39M1A	12/21/2000	CIA	IM40MB	THALLIUM	4		UG/L	84	94		2 X
MW-41	W41M2A	04/02/1999	CIA	IM40MB	THALLIUM	2.5	J	UG/L	67	77		2 X
MW-42	W42M2A	11/19/1999	CIA	IM40MB	THALLIUM	4	J	UG/L	118	128		2 X
MW-44	W44SSA	08/24/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	0	10		2 X
MW-45	W45SSA	05/26/1999	L RANGE	IM40MB	THALLIUM	3	J	UG/L	0	10		2 X
MW-45	W45SSA	08/31/2000	L RANGE	IM40MB	THALLIUM	4.4	J	UG/L	0	10		2 X
MW-46	W46M1A	05/16/2000	WESTERN BOU	IM40MB	THALLIUM	5.3	J	UG/L	103	113		2 X
MW-46	W46DDA	11/02/1999	WESTERN BOU	IM40MB	THALLIUM	5.1	J	UG/L	136	146		2 X
MW-47	W47M3A	08/25/1999	OTHER	IM40MB	THALLIUM	3.2	J	UG/L	21	31		2 X
MW-47	W47M3A	05/31/2000	OTHER	IM40MB	THALLIUM	5	J	UG/L	21	31		2 X
MW-47	W47M2A	03/26/1999	WESTERN BOU	IM40MB	THALLIUM	3.2	J	UG/L	38	48		2 X
MW-47	W47M2A	08/25/1999	WESTERN BOU	IM40MB	THALLIUM	4	J	UG/L	38	48		2 X
MW-47	W47M2A	05/30/2000	WESTERN BOU	IM40MB	THALLIUM	4.5	J	UG/L	38	48		2 X
MW-47	W47M1A	08/24/1999	WESTERN BOU	IM40MB	THALLIUM	2.6	J	UG/L	75	85		2 X
MW-48	W48M3A	02/28/2000	J-2 RANGE	IM40MB	THALLIUM	4.2	J	UG/L	31	41		2 X
MW-48	W48DAA	06/26/2000	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	121	131		2 X
MW-49	W49SSA	11/19/1999	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X
MW-49	W49M3D	06/27/2000	J-2 RANGE	IM40MB	THALLIUM	4.3	J	UG/L	31	41		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-50	W50M1A	05/15/2000	CIA	IM40MB	THALLIUM	6.2	J	UG/L	89	99		2 X
MW-51	W51M3A	08/25/1999	CIA	IM40MB	THALLIUM	4.3	J	UG/L	28	38		2 X
MW-52	W52SSA	08/26/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	0	10		2 X
MW-52	W52SSA	11/18/1999	OTHER	IM40MB	THALLIUM	4.3	J	UG/L	0	10		2 X
MW-52	W52SSA	05/23/2000	OTHER	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	59	64		2 X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	218	228		2 X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	THALLIUM	2.6	J	UG/L	218	228		2 X
MW-52	W52DDA	08/30/1999	OTHER	IM40MB	THALLIUM	3.8	J	UG/L	218	228		2 X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.4	J	UG/L	99	109		2 X
MW-54	W54SSA	11/08/1999	OTHER	IM40MB	THALLIUM	7.4	J	UG/L	0	10		2 X
MW-54	W54SSA	06/06/2000	OTHER	IM40MB	THALLIUM	4.6	J	UG/L	0	10		2 X
MW-54	W54SSA	11/15/2000	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10		2 X
MW-54	W54M1A	08/30/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	79	89		2 X
MW-54	W54M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.9	J	UG/L	79	89		2 X
MW-55	W55M1A	08/31/1999	OTHER	IM40MB	THALLIUM	2.5	J	UG/L	89	99		2 X
MW-56	W56SSA	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4	J	UG/L	1	11		2 X
MW-56	W56M3A	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	6.1	J	UG/L	31	41		2 X
MW-56	W56M3D	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4.4	J	UG/L	31	41		2 X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	THALLIUM	4.1	J	UG/L	62	72		2 X
MW-58	W58SSA	05/11/2000	J-1 RANGE	IM40MB	THALLIUM	7.3	J	UG/L	0	10		2 X
MW-58	W58SSA	12/20/2000	J-1 RANGE	IM40MB	THALLIUM	2	J	UG/L	0	10		2 X
MW-61	W61SSA	08/22/2001	PHASE 2b	IM40MB	THALLIUM	3.7	J	UG/L	0	10		2 X
MW-64	W64M1A	02/07/2000	GUN & MORTA	IM40MB	THALLIUM	4.1	J	UG/L	38	48		2 X
MW-7	W07M2L	02/05/1998	CIA	IM40MB	THALLIUM	6.6	J	UG/L	65	70		2 X
MW-7	W07M2A	02/24/1999	CIA	IM40MB	THALLIUM	4.4	J	UG/L	65	70		2 X
MW-7	W07MMA	02/23/1999	CIA	IM40MB	THALLIUM	4.1	J	UG/L	135	140		2 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	THALLIUM	26.2		UG/L	135	140		2 X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	THALLIUM	12.7		UG/L	135	140		2 X
MW-72	W72SSA	05/27/1999	Small Arms Ran	IM40MB	THALLIUM	4		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-73	W73SSA	12/19/2000	DEMO 1	IM40MB	THALLIUM	4.3		UG/L	0	10		2 X
MW-73	W73SSD	12/19/2000	DEMO 1	IM40MB	THALLIUM	2	J	UG/L	0	10		2 X
MW-83	W83SSA	01/13/2000	WESTERN BOU	IM40MB	THALLIUM	3.6	J	UG/L	0	10		2 X
MW-84	W84SSA	10/21/1999	WESTERN BOU	IM40MB	THALLIUM	3.2	J	UG/L	17	27		2 X
MW-84	W84M3A	08/27/2001	WESTERN BOU	IM40MB	THALLIUM	5	J	UG/L	42	52		2 X
MW-84	W84DDA	08/23/2001	WESTERN BOU	IM40MB	THALLIUM	4	J	UG/L	153	163		2 X
MW-94	W94M2A	01/11/2001	CIA	IM40MB	THALLIUM	2	J	UG/L	16	26		2 X
MW-94	W94M2A	10/02/2001	CIA	IM40MB	THALLIUM	2.3	J	UG/L	16	26		2 X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10		2 X
SMR-2	WSMR2A	03/25/1999	J-2 RANGE	IM40MB	THALLIUM	2	J	UG/L	19	29		2 X
MW-45	W45SSA	11/16/1999	L RANGE	OC21V	TOLUENE	1000		UG/L	0	10	1000	X
MW-45	W45SSA	05/29/2000	L RANGE	OC21V	TOLUENE	1100		UG/L	0	10	1000	X
MW-45	W45SSA	12/27/2000	L RANGE	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
MW-45	W45SSA	12/14/2001	L RANGE	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
27MW0017B	27MW0017B	04/30/1999	LF-1;GUN & MO	OC21V	VINYL CHLORIDE	2		UG/L	21	26		2 X
95-15A	W9515A	10/17/1997	NW CORNER	IM40	ZINC	7210		UG/L	74.71	84.71	2000	X
95-15A	W9515L	10/17/1997	NW CORNER	IM40	ZINC	4620		UG/L	74.71	84.71	2000	X
LRMW0003	WL31XA	10/21/1997	OTHER	IM40	ZINC	2480		UG/L	69.68	94.68	2000	X
LRMW0003	WL31XL	10/21/1997	OTHER	IM40	ZINC	2410		UG/L	69.68	94.68	2000	X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	IM40	ZINC	3220		UG/L	66	91	2000	X
LRWS4-1	WL41XL	11/24/1997	J-2 RANGE	IM40	ZINC	3060		UG/L	66	91	2000	X
LRWS5-1	WL51DL	11/25/1997	PHASE 2b	IM40	ZINC	4410		UG/L	66	91	2000	X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	IM40	ZINC	4510		UG/L	66	91	2000	X
LRWS5-1	WL51XD	11/25/1997	PHASE 2b	IM40	ZINC	4390		UG/L	66	91	2000	X
LRWS5-1	WL51XL	11/25/1997	PHASE 2b	IM40	ZINC	3900		UG/L	66	91	2000	X
LRWS5-1	WL51XA	01/25/1999	PHASE 2b	IM40MB	ZINC	3980		UG/L	66	91	2000	X
LRWS5-1	WL51XL	01/25/1999	PHASE 2b	IM40MB	ZINC	3770		UG/L	66	91	2000	X
LRWS6-1	WL61XA	11/17/1997	OTHER	IM40	ZINC	3480		UG/L	184	199	2000	X
LRWS6-1	WL61XL	11/17/1997	OTHER	IM40	ZINC	2600		UG/L	184	199	2000	X
LRWS6-1	WL61XA	01/28/1999	OTHER	IM40MB	ZINC	2240		UG/L	184	199	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH APRIL 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
LRWS6-1	WL61XL	01/28/1999	OTHER	IM40MB	ZINC	2200		UG/L	184	199	2000	X
LRWS7-1	WL71XA	11/21/1997	J-2 RANGE	IM40	ZINC	4320		UG/L	186	201	2000	X
LRWS7-1	WL71XL	11/21/1997	J-2 RANGE	IM40	ZINC	3750		UG/L	186	201	2000	X
LRWS7-1	WL71XA	01/22/1999	J-2 RANGE	IM40MB	ZINC	4160		UG/L	186	201	2000	X
LRWS7-1	WL71XL	01/22/1999	J-2 RANGE	IM40MB	ZINC	4100		UG/L	186	201	2000	X
XX95-14	W9514A	09/28/1999	WESTERN BOU	IM40MB	ZINC	2430		UG/L	90	100	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS BELOW MCLs OR HEALTH ADVISORY
LIMITS NOT PREVIOUSLY DETECTED
DATA RECEIVED APRIL 2005

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-348	MW-348M2-	03/23/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.27		UG/L	89.54	99.54		2
MW-366	MW-366M2-	03/15/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.73		UG/L	79.6	89.6		2
MW-366	MW-366M2-FD	03/15/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.68		UG/L	79.6	89.6		2
MW-307	MW-307M1-	02/22/2005	J-2 RANGE	E314.0	PERCHLORATE	0.42	J	UG/L	188	198		4
MW-359	MW-359M2-	02/24/2005	J-3 RANGE	E314.0	PERCHLORATE	0.97	J	UG/L	53.62	63.62		4
MW-359	MW-359M2-FD	02/24/2005	J-3 RANGE	E314.0	PERCHLORATE	0.96	J	UG/L	53.62	63.62		4
MW-366	MW-366M3-	03/15/2005	J-2 RANGE	E314.0	PERCHLORATE	2.3		UG/L	49.6	59.6		4
MW-366	MW-366M2-	03/15/2005	J-2 RANGE	E314.0	PERCHLORATE	0.84	J	UG/L	79.6	89.6		4
MW-366	MW-366M2-FD	03/15/2005	J-2 RANGE	E314.0	PERCHLORATE	0.76	J	UG/L	79.6	89.6		4
MW-366	MW-366M1-	03/15/2005	J-2 RANGE	E314.0	PERCHLORATE	0.42	J	UG/L	119.6	129.6		4

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 04/01/05 - 04/30/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
4036009DC-A	4036009DC	04/04/2005	GROUNDWATER	NW CORNER	0	0			E314.0	PERCHLORATE	
RS003P-A	RS003P	04/07/2005	GROUNDWATER	J-2 RANGE	90	90			E314.0	PERCHLORATE	
FPR-INF-24A	FPR-INF	03/29/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-INF-24A	FPR-INF	03/29/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
FPR-INF-24A	FPR-INF	03/29/2005	PROCESS WATER		0	0			8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
FPR-INF-25A	FPR-INF	04/12/2005	PROCESS WATER		0	0			8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
FPR-INF-25A	FPR-INF	04/12/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
FPR-INF-25A	FPR-INF	04/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-24A	FPR-MID-1	03/29/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-25A	FPR-MID-1	04/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1B-24A	FPR-MID-1	03/29/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1B-25A	FPR-MID-1	04/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1C-24A	FPR-MID-1	03/29/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1C-25A	FPR-MID-1	04/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-26A	PR-INF	03/31/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-INF-26A	PR-INF	03/31/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-27A	PR-INF	04/14/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-INF-27A	PR-INF	04/14/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-27A	PR-INF	04/14/2005	PROCESS WATER		0	0			8330N	PICRIC ACID	NO
PR-MID-1-27A	PR-MID-1	04/14/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
MW-368-01	MW-368	04/12/2005	PROFILE		117	117	13.5	13.5	8260B	CHLOROFORM	
MW-368-01	MW-368	04/12/2005	PROFILE		117	117	13.5	13.5	8330N	4-AMINO-2,6-DINITROTOLUENE	NO
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	3-NITROTOLUENE	NO
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8260B	METHYL ETHYL KETONE (2-BUTANONE)	
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8260B	CHLOROFORM	
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	2-NITROTOLUENE	YES+
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	NITROGLYCERIN	NO

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 04/01/05 - 04/30/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
MW-368-03	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
MW-368-03FD	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	NITROGLYCERIN	NO
MW-368-03FD	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
MW-368-03FD	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8330N	3-NITROTOLUENE	NO
MW-368-03FD	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8260B	METHYL ETHYL KETONE (2-BUTANONE)	
MW-368-03FD	MW-368	04/13/2005	PROFILE		130	130	26.5	26.5	8260B	CHLOROFORM	
MW-368-04	MW-368	04/13/2005	PROFILE		140	140	36.5	36.5	8260B	METHYL ETHYL KETONE (2-BUTANONE)	
MW-368-04	MW-368	04/13/2005	PROFILE		140	140	36.5	36.5	8260B	CHLOROFORM	
MW-368-05	MW-368	04/13/2005	PROFILE		150	150	46.5	46.5	8260B	CHLOROFORM	
MW-368-05	MW-368	04/13/2005	PROFILE		150	150	46.5	46.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-05	MW-368	04/13/2005	PROFILE		150	150	46.5	46.5	8260B	METHYL ETHYL KETONE (2-BUTANONE)	
MW-368-06	MW-368	04/13/2005	PROFILE		160	160	56.5	56.5	8260B	CHLOROFORM	
MW-368-07	MW-368	04/13/2005	PROFILE		170	170	66.5	66.5	8260B	CHLOROFORM	
MW-368-09	MW-368	04/13/2005	PROFILE		190	190	86.5	86.5	8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
MW-368-09	MW-368	04/13/2005	PROFILE		190	190	86.5	86.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
MW-368-09	MW-368	04/13/2005	PROFILE		190	190	86.5	86.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-09	MW-368	04/13/2005	PROFILE		190	190	86.5	86.5	E314.0	PERCHLORATE	
MW-368-10	MW-368	04/13/2005	PROFILE		200	200	96.5	96.5	E314.0	PERCHLORATE	
MW-368-10	MW-368	04/13/2005	PROFILE		200	200	96.5	96.5	8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
MW-368-10	MW-368	04/13/2005	PROFILE		200	200	96.5	96.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
MW-368-11	MW-368	04/13/2005	PROFILE		210	210	106.5	106.5	E314.0	PERCHLORATE	
MW-368-11	MW-368	04/13/2005	PROFILE		210	210	106.5	106.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
MW-368-11	MW-368	04/13/2005	PROFILE		210	210	106.5	106.5	8260B	CHLOROFORM	
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	E314.0	PERCHLORATE	
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8330N	NITROGLYCERIN	NO
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8260B	METHYL ETHYL KETONE (2-BUTANONE)	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 04/01/05 - 04/30/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8260B	CHLOROFORM	
MW-368-13	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8260B	BENZENE	
MW-368-13FD	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	E314.0	PERCHLORATE	
MW-368-13FD	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8260B	CHLOROFORM	
MW-368-13FD	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8330N	NITROGLYCERIN	NO
MW-368-13FD	MW-368	04/14/2005	PROFILE		220	220	116.5	116.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
MW-368-14	MW-368	04/14/2005	PROFILE		240	240	136.5	136.5	8260B	CHLOROFORM	
MW-368-14	MW-368	04/14/2005	PROFILE		240	240	136.5	136.5	E314.0	PERCHLORATE	
MW-368-15	MW-368	04/14/2005	PROFILE		250	250	146.5	146.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-15	MW-368	04/14/2005	PROFILE		250	250	146.5	146.5	8260B	CHLOROFORM	
MW-368-15	MW-368	04/14/2005	PROFILE		250	250	146.5	146.5	E314.0	PERCHLORATE	
MW-368-16	MW-368	04/14/2005	PROFILE		260	260	156.5	156.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-16	MW-368	04/14/2005	PROFILE		260	260	156.5	156.5	8260B	CHLOROFORM	
MW-368-18	MW-368	04/15/2005	PROFILE		280	280	176.5	176.5	8260B	CHLOROFORM	
MW-368-19	MW-368	04/18/2005	PROFILE		290	290	186.5	186.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-21	MW-368	04/19/2005	PROFILE		300	300	196.5	196.5	8330N	NITROGLYCERIN	NO
MW-368-21	MW-368	04/19/2005	PROFILE		300	300	196.5	196.5	8330N	2-AMINO-4,6-DINITROTOLUENE	NO
MW-368-21	MW-368	04/19/2005	PROFILE		300	300	196.5	196.5	8260B	METHYL TERT-BUTYL ETHER	
MW-368-23	MW-368	04/21/2005	PROFILE		336	336	232.5	232.5	8260B	CARBON DISULFIDE	
MW-368-24	MW-368	04/21/2005	PROFILE		340	340	236.5	236.5	8260B	CARBON DISULFIDE	
MW-368-25FD	MW-368	04/21/2005	PROFILE		350	350	246.5	246.5	8260B	CHLOROFORM	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample