

**MONTHLY PROGRESS REPORT #94
FOR JANUARY 2005**

EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 and 1-2000-0014

**MASSACHUSETTS MILITARY RESERVATION
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from January 1 to January 31, 2005. Scheduled actions are for the six-week period ending March 18, 2005.

1. SUMMARY OF REMEDIATION ACTIONS

The following is a description of remediation actions taken as part of or in preparation for Rapid Response Action (RRA) Plans for various Areas of Concern at Camp Edwards through January 31, 2005. An RRA is an interim action that may be conducted prior to risk assessments or remedial investigations to address a known, ongoing threat of contamination to groundwater and/or soil.

Demo Area 1 Groundwater RRA

The Demo Area 1 Groundwater RRA consists of the removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. Extraction, treatment, and recharge systems (ETR) at Frank Perkins Road and Pew Road has been designed and include single extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater, and injection wells to return treated water to the aquifer.

The Pew Road ETR continues operation at a flow rate of 100 gallons per minute (gpm). Perchlorate and hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) have been detected in influent samples. Perchlorate was detected in mid-fluent samples collected after the first pair of Granular Activated Carbon (GAC) vessels. Perchlorate and RDX have not been detected in samples collected after the second pair of GAC vessels or in the effluent. The GAC media will be exchanged when breakthrough of perchlorate is detected after the second of the three pairs of GAC vessels. As of January 28, 2005, approximately 20 million gallons of water have been treated and re-injected at the Pew Road ETR System.

The Frank Perkins Road ETR continues operation at a flow rate of 220 gpm. Perchlorate, RDX, and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX) have been detected in influent samples. Perchlorate was detected in mid-fluent samples collected after the first pair of GAC vessels in each of the three treatment containers. The GAC vessels are followed by ion exchange (IX) vessels, which are designed for treatment of perchlorate. Perchlorate and RDX have not been detected in mid-fluent samples collected after the IX vessels or in effluent samples. As of January 28, 2005, approximately 38 million gallons of water had been treated and re-injected at the Frank Perkins Road ETR System.

Demo Area 1 Soil RRA

The Demo Area 1 Soil RRA consists of the removal of all geophysical anomalies within the perimeter road (7.4 acres) and the removal and thermal treatment of contaminated soil from in and around the Demo 1 kettle hole.

Conducted subsurface clearance and commenced excavation of EM-61 anomalies in Grids C-6, D-5 and D-6. As of January 28, 2005 the total amount of soil excavated at Demo Area 1 is 16,641 cubic yards, with an additional 150 cubic yards excavated at Demo Area 1 burn pits.

Impact Area Soil RRA

The Impact Area Soil RRA consists of the removal and treatment of contaminated soil and targets at Targets 23 and 42. Remaining target areas will be addressed in a supplemental plan. Soil will be removed from Targets 23 and 42, in area of approximately 15,700 square feet, to a depth of approximately 2 feet, for a total volume of removed soil of approximately 1,160 cubic yards of soil. To date, 590 cubic yards have been removed from Target 23 and 796 cubic yards have been removed from Target 42 and transferred to the Demo Area 1 staging area for treatment in the Thermal Treatment Unit (TTU).

J-2 Range Soil RRA

The J-2 Range Soil RRA consists of the removal and treatment of soil in six general areas within the J-2 Range that contain selected explosives and perchlorate. Soil will be removed from the Twin Berms Area, Berm 2, Berm 5, Fixed Firing Points 3 and 4 (FFP-3 and 4) and adjacent Range Road Burn Area (RRBA), Disposal Area 1, and Disposal Area 2. Based on modifications made during finalization of the RRA Workplan, the proposed removal and treatment scope increased to a total removal approximated at 93,835 square feet and 5,361 cubic yards to a maximum depth of 2.5 feet. Soil will be treated in the Thermal Treatment Unit.

Conducted UXO subsurface clearance at Berm 5, at Polygon 2, and the target control pits at the Twin Berms. A total of 6,236 cubic yards of soil has been excavated and transported to Demo Area 1 staging area for treatment in the Thermal Treatment Unit.

2. SUMMARY OF ACTIONS TAKEN

Drilling progress for the month of January is summarized in Table 1.

Table 1. Drilling progress as of January 31, 2005

Boring Number	Purpose of Boring/Well	Total Depth (ft bgs)	Depth to Water Table (ft bgs)	Completed Well Screens (ft bgs)
MW-356	J-3 Range (J3P-44)	296	103	
MW-360	J-1 Range (J1P-20)	311	97	102-112; 247-257
MW-362	J-2 Range (J2P-49)	326	94	170-180; 229-239
BH-363	Northwest Corner (NWP-21a)	246	85	
MW-364	J-3 Range (J3P-42)	309	109	147-157; 297-307
MW-365	J-2 Range (J2P-52)	316	91	
MW-366	J-2 Range (J2P-51)	30		

bgs = below ground surface

Completed well installation at MW-360 (J1P-20), MW-362 (J2P-49) and MW-364 (J3P-42). Completed drilling at BH-363 (NWP-21a) and MW-365 (J2P-51). Well screens will not be installed at BH-363. Commenced drilling at MW-366 (J2P-51). Well development continued for recently installed wells.

Samples collected during the reporting period are summarized in Table 2. Groundwater profile samples were collected from BH-363, listed in Table 2 as MW-363, and MW-365. Groundwater

samples were collected from Bourne water supply and monitoring wells, recently installed wells, residential wells, December 2004 Site-Wide Perchlorate wells, as part of the December round of the 2004 LTGM, and as part of the January quarterly round of the 2005 LTGM. Process water samples were collected from the Pew Road and Frank Perkins Road ETR systems. Post-BIP samples were collected from the Former K Range and the Former A Range. Soil samples were collected from the first and second (one foot) lifts at trenches and from soil piles of excavated material in the Former A Range and from the Engineering Training Site located downgradient of Demo Area 2.

The following are the notes from the January 13, 2005 Technical Team meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

Punchlist Items

There were no Punchlist items from the 12/9/04 Technical Team meeting.

BA-1 Update

Paul Nixon (IAGWSP) discussed the status of investigations at the BA-1 Training Area. Pictures of the previous (c. 2001-2002) investigation area were projected. Electronic components of radar systems were uncovered and placed in piles, which were covered with plastic. A draft workplan was developed to define the extent of bromoform contamination in soil. Hap Gonser (IAGWSP - not present at this time) wanted to discuss whether work should continue under the IAGWSP vs. under the IRP. The discussion was postponed until about noon or when Mr. Gonser would arrive.

A general discussion of work scheduling ensued. Mark Panni (MADEP) requested a list of sites that had been ranked as a lower priority, similar to BA-1, but would still require the team's attention. Lynn Jennings (EPA) indicated that EPA was preparing a letter to the Army asking that the Revised Combined Schedule (RCS) be updated consistent with the program budget. EPA will provide this letter within a few days, and will request that the updated RCS be provided by the end of January. Gina Kaso (USACE) and Ms. Jennings discussed the evolution of the RCS and how it is impacted by the comment/response process for documents.

CIA RRA Data Analysis Update

Bill Gallagher (IAGWSP) discussed the status of data analysis for the Central Impact Area Soil Rapid Response Action (RRA). Maps were projected and handed out showing mass densities of RDX in soil derived by the groundwater model under various scenarios. The intent of this mapping is to identify possible source areas for soil RRAs. Chris Abate (AMEC) described the groundwater modeling approach and how plumes are tracked back to their sources. Mark Panni (MADEP) and Mr. Gallagher discussed how direct measurements of RDX in soil compare to the modeled densities, and which data should be used in defining source areas. Lynn Jennings (USEPA) and Mr. Gallagher discussed the accuracy of the mass density polygons mapped by the model, compared to prior discussions of excavating "swaths" of soil along Turpentine Road and Tank Alley. Mr. Gallagher and Mr. Abate indicated that the model results suggest the peak RDX loading was present in soil about 15 years ago and has declined since that time, to the point where some areas along the roadways may no longer be significant sources of groundwater contamination. Ms. Jennings expressed concern with UXO presenting a future source based on corrosion of shell casings, which is not being considered by the groundwater modeling. She requested that magnetometry data for this area be considered so that the UXO loading is also evaluated in defining an RRA location. Mr. Gallagher and Ms. Jennings discussed how UXO should be considered in an RRA compared to an FS for a Comprehensive Remedy. Ms. Jennings requested the Army estimate the cost of UXO detection and removal in the roadway swaths as part of the RRA evaluations.

Mr. Gallagher handed out and projected a map of RDX detections near the water table. These detection areas, based on direct measurements, overlap with the model-derived suspected source areas. Mr. Gallagher and Mr. Abate discussed a series of four groundwater modeling scenarios that were now underway. These scenarios would show expected impacts on future groundwater quality due to removal of various suspected source areas. The suspected sources were defined based on both the current water table detections and the model-derived soil mass densities. Desiree Moyer (EPA) and Mr. Gallagher discussed the specifics of the four alternatives, two of which are based on the water table data and two of which are based on the model-derived suspected source areas. Mr. Gallagher will provide additional clarification of the four alternatives in an email early the week of January 17. Mr. Gallagher and Ms. Jennings discussed the scoping process for this modeling, how the regulatory agencies were notified, and how much work has been completed to date. Results for the four alternatives will be presented at the January 27 technical meeting.

J-2 Range North Groundwater RRA Well Field Design Presentation

Dave Hill (IAGWSP) introduced Mike Goydas (Jacobs Engineering) and briefly indicated that this presentation would describe the Army's proposed RRA for the J-2 Range north groundwater contamination. Mr. Goydas presented the slides and animations, copies of which were provided to the regulatory agencies on a compact disk. The presentation showed the extents of the RDX and perchlorate plumes, how these would be affected by various groundwater extraction and infiltration (or reinjection) systems, sensitivity test results, and the Army's recommended design. During the presentation, Jane Dolan (EPA) requested a tabular summary of model run scenarios. The recommended design includes two axial extraction wells pumping at a combined rate of 175 gpm, located in a line progressively downgradient of the source area at the end of the J-2 Range. This extraction system results in ~96% mass removal of RDX, and ~85% mass removal of perchlorate in the aquifer. The system is not expected to affect flow of adjacent plumes, and would prevent RDX from reaching the downgradient water supply well at detectable concentrations. Perchlorate would be expected to reach the supply well at concentrations of 1-5 ppb in the aquifer, unless a third extraction well was installed downgradient from the two proposed extraction wells. The Army does not propose a third extraction well at this time based on the status of perchlorate regulations and the objectives of the RRA. Treated water would be reintroduced to the aquifer via infiltration trenches. Remediation of a deeper, slow-moving pocket of RDX and perchlorate contamination that is not expected to impact the supply well was judged infeasible for the RRA.

Mr. Hill asked whether the recommended design should be inserted into the Project Note for regulatory approval. Lynn Jennings (EPA) indicated that the regulatory agencies would need some time to review this approach, and would need a complete and updated RI/FS schedule for this area prior to approval of the RRA. One EPA concern is whether more source area characterization is needed. In response to a question from Ms. Jennings, Hap Gonser (IAGWSP) reiterated that the Army cannot recommend a third downgradient extraction well for the sole purpose of containing low levels of perchlorate contamination as part of the RRA. The Army has discussed this issue with the Upper Cape Regional Water Supply Cooperative.

J-2 Range East Groundwater Investigation Update

Dave Hill (IAGWSP) and Jay Ehret (USACE) discussed the status of the off-post well locations to further evaluate the J-2 Range east groundwater plume. Well installation at the Route 130 location (J2P-49) is complete with no explosives detects. Drilling is underway at the J-2 East Wood Road swath (J2P-E11) location to a depth of ~150 feet below ground surface. The next location after this would be J2P-E10 between the east and north groundwater plumes. Based on drilling progress and the resident's desire to relocate landscaping, the sonic drill rig would

likely stay with AFCEE for another well, such that J2P-E7 drilling would start in early-to-mid February.

Len Pinaud (MADEP) asked about the Army's plans to drill J2P-E6 or -E6b. Mr. Hill replied that these locations were no longer planned since they were contingent on other results that were non-detect. Mr. Pinaud and Mr. Hill discussed the results of drilling in the area upgradient of Peters Pond Road, and whether it was possible that the residential detection of perchlorate had originated on Post. Mike Goydas (Jacobs Engineering) and Mr. Pinaud discussed how the J2P-E7 location would provide critical data between MW-355 and MW-362. There was further discussion of the expected residential well depth. Jane Dolan (EPA) requested information on well depths in the Peters Pond area. Ms. Dolan and Mr. Pinaud suggested the Army consider using drive points to collect groundwater data near Peters Pond, Route 130, and Quaker Meetinghouse Road.

Ms. Dolan and Mr. Hill discussed triggers for additional drilling. In response to a question from Ms. Dolan, Mr. Goydas indicated that identification of suspected source areas by groundwater modeling (similar to the CIA as discussed earlier) has been completed, and Mr. Hill indicated he will provide these results. Ms. Dolan indicated that the EPA would like to collect split samples from the next round of Peters Pond residential samples. Mr. Hill indicated that the extent of additional investigations near Peters Pond would depend on results of the next two borings in this area, including J2P-E7.

Soil RRA Status

Paul Nixon (IAGWSP) provided an update on the excavation status for Demo 1 (nearly complete) and Demo 2 (complete). Darrin Smith (USACE) and Dave Hill (IAGWSP) indicated that excavation is continuing in a few areas of the J-2 RRA, and some sampling results are still pending. An additional 1-ft lift will be excavated in the J-3 burn pit based on an RDX post-excavation sample of 250 ppb. Mr. Nixon indicated that GP-6 soils have been treated, and post-excavation results for this area are pending. Bill Gallagher (IAGWSP) indicated that Target 23 excavation was complete, while Target 42 had some remaining detections. Mr. Nixon indicated that the Thermal Treatment Unit completed operations last week and is now being decontaminated, with waste materials to be characterized for disposal.

Other Updates

Paul Nixon (IAGWSP) discussed the Demo 1 Groundwater RRA Treatment System lead-vessel breakthrough results. Perchlorate has broken through the lead GAC vessel, with influent and effluent concentrations similar. In response to a question from Jane Dolan (EPA), Mr. Nixon indicated that the number of bed volumes at breakthrough was consistent with findings of the Innovative Technology Evaluation study. Ms. Dolan requested an email with the calculated number of bed volumes at breakthrough.

Mr. Nixon provided information on decon pad sump sample results. Samples were collected for decon pad water and sediment from the Contractor Storage Area (CSA) decon pad and the Impact Area decon pad. Water samples contained perchlorate at concentrations of 3100-3500 ppb, and sediment samples had a flash point <140F (the RCRA hazardous characteristic criteria for ignitability). Twenty-nine drums of sediment will be disposed offsite. Mr. Nixon provided copies of the waste profile.

Ms. Dolan asked for an update on the status of the J-3 Range Groundwater RRA. Dave Hill (IAGWSP) indicated that the Army is awaiting approval to spend funds. Lynn Jennings (EPA) indicated that EPA would set a deadline for action by the Army. Mr. Hill, Ms. Dolan, and Paul Hunt (ECC) discussed shifting the in-plume extraction well due to issues associated with buried

utilities, impacts on natural resources, and the existing access road for MW-343. Mr. Hill will provide a technical justification for the change within a few days, for inclusion in the Project Note.

IART Meeting for January 2005

The EPA convened a meeting of the Impact Area Groundwater Review Team on January 25, 2005. The agenda included a Southeast Ranges update, Remediation and Investigation update and Contained Detonation Chamber (CDC) update.

3. SUMMARY OF DATA RECEIVED

Validated data were received during January 2005 for Sample Delivery Groups (SDGs): CE0408, CE0418, CE0420, CE0421, CE0425, CE0427, CE0428, CE0429, CE0430, CE0431, CE0432, CE0433, CE0434, CE0435, CE0435a, CE0435b, CE0436, CE0437, CE0438, CE0439, CE0440, CE0441, CE0442, CE0443, CE0444, CE0445, CE0446, CE0447, CE0448, CE0449, CE0453, CE0454, CE0456, CEI997, CEM057, CEM060, CEM061, CEM062, CEM063, CEM064, CEM065, CEM066, CEM067, CEM068, CEM069, CEM070, CEM071, CEM072, CEM074, CEM075, DCE030, DCE031, DCE032, DCM013, EC0103, EC0111, EC0121, GCE240, GCE241, GCE242, GCE243, GCE244, GCE245, GCE247, GCE248, GWA005, and MR1056.

These SDGs contain results for 306 groundwater samples from supply wells, sentry wells, monitoring wells, and residential wells; 65 process water samples from the Frank Perkins and Pew Road ETR systems; 253 soil grid and grab samples from the Former K Range, from HUTA I test plots, from the IBC Range and from excavated BIP craters in the Former A Range, J-2 Range, J-3 Range, Impact Area and other sites; 2 crater grid samples; and 3 surface water samples from Snake Pond.

Validated Data

Table 3 summarizes the detections that exceeded an EPA Maximum Contaminant Level (MCL) or Health Advisory (HA) for drinking water, or exceeded a 4 ppb concentration for perchlorate, sorted by analyte, since 1997. Table 3 is updated on a monthly basis; discussions in the text are updated on the same schedule as Figures 1 through 8, which are discussed later in this section.

Table 4 summarizes first-time validated detections of explosives below the MCL/HA for drinking water or of perchlorate below a 4 ppb concentration received from December 23, 2004 through January 28, 2005. First time validated detections of VOCs and SVOCs are included and discussed quarterly in the March, June, September, and December Monthly Progress Reports. Metals, chloroform, and BEHP are excluded from Table 4 for the following reasons: metals are a natural component of groundwater, particularly at levels below MCLs or HAs; detections of chloroform are pervasive throughout Cape Cod and are not likely the result of military training activities; and BEHP is believed to be largely an artifact of the investigation methods and introduced to the samples during collection or analysis.

Figures 1 through 8 depict the cumulative results of groundwater analyses for the period from the start of the Impact Area Groundwater Study (July 1997) to the present. Each figure depicts results for a different analyte class:

- Figure 1 shows the results of explosive analyses by EPA Method 8330. This figure is updated and included each month.
- Figure 2 shows the results of inorganic analyses (collectively referred to as "metals", though some analytes are not true metals) by methods E200.8, 300.0, 350.2M, 353M, 365.2, CYAN, IM40MB, and IM40HG. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 3 shows the results of Volatile Organic Compound (VOC) analyses by methods OC21V, OC21VM, 504, and 8021W, exclusive of chloroform detections. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 4 shows the chloroform results using the Volatile Organic Compound (VOC) analyses by method OC21V and OC21VM. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 5 shows the results of Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270, exclusive of detections of bis (2-ethylhexyl) phthalate (BEHP). This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 6 shows the BEHP results using the Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 7 shows the results of Pesticide (method OL21P) and Herbicide (method 8151) analyses. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 8 shows the results of Perchlorate analysis by method E314.0. This figure is updated and included each month.

The concentrations from these analyses are depicted in Figures 1 through 7 compared to Maximum Contaminant Levels (MCLs) or Health Advisories (HAs) published by EPA for drinking water. For Figures 1 through 7, a red circle is used to depict a well where the concentration of one or more analytes was greater than or equal to the lowest MCL or HA for the analyte(s). A yellow circle is used to depict a well where the concentration of all analytes was less than the lowest MCL or HA. A green circle is used to depict a well where the given analytes were not detected in groundwater samples. For Figure 8, a red circle is used to depict a well where the concentration of perchlorate was greater than or equal to 4 ppb. An orange circle is used to depict a well where the concentration of perchlorate is above 1 ppb and below 4 ppb. A yellow circle is used to depict a well where the concentration of perchlorate was less than 1 ppb. A green circle is used to depict a well where perchlorate was not detected in groundwater samples. For all figures, an open circle is used to depict a proposed well where the analytes in question for example, Explosives in Figure 1, have not yet been quantified. A black circle represents a well that has been sampled for analytes, but validated groundwater data is not yet available.

There are multiple labels listed for some wells in Figures 1 through 8, which indicate multiple well screens at different depths throughout the aquifer. The aquifer is approximately 200 to 300 feet thick in the study area. Well screens are positioned throughout this thickness based on various factors, including the results of groundwater profile samples, the geology, and projected locations of contaminants estimated by groundwater modeling. The screen labels are colored to indicate which of the depths had the chemical detected above MCLs/HAs/4 ppb concentration for perchlorate. Generally, groundwater entering the top of the aquifer will move deeper into the aquifer as it moves radially outward from the top of the water table mound. Light blue dashed lines in Figures 1 through 8 depict water table contours. Groundwater generally moves

perpendicular to these contours, starting at the center of the 70 foot contour (the top of the mound) and moving radially outward. The rate of vertical groundwater flow deeper into the aquifer slows as groundwater moves away from the mound.

The results presented in Figures 1 through 8 are cumulative, which provides a historical perspective on the data rather than a depiction of current conditions. Any detection at a well that equals or exceeds the MCL/HA/4 ppb concentration for perchlorate results in the well having a red symbol, regardless of later detections at lower concentrations, or later non-detects. The difference between historical and current conditions varies according to the type of analytes. There are little or no differences between historical and current exceedances of drinking water criteria for Explosives, Perchlorate, VOCs, Pesticides, and Herbicides; the minor differences are mentioned in the following paragraphs. There are significant differences between historical and current exceedances of drinking water criteria for Metals and SVOCs, as described further below.

Figure 1: Explosives in Groundwater Compared to MCLs/HAs

For data validated in January 2005, two wells, MW-38M4 (Impact Area) and MW-343M2 (J-3 Range) had first time validated detections of RDX above the HA of 2ppb. Five wells, MW-346M2 & M4 (J-1 Range), MW-302M2, MW-351M2 (J-2 Range) and MW-343M3 (J-3 Range) had first time validated detections of RDX below the HA of 2 ppb. One well, MW-343M2 (J-3 Range) had a first time validated detection of HMX below the HA of 400 ppb. One well, MW-196S (J-3 Range) had a first time validated detection of 2,4-dinitrotoluene (2,4-DNT) below the MCL/HA of 5 ppb. Two wells, 58MW0001 (CS-19) and MW-235M1 (Impact Area) had first time validated detection of hexahydro-1-mononitroso-3,5-dinitro-1,3,5-triazine (MNX). An MCL/HA has not been established for MNX. One well, MW-347M2 (J-3 Range) had a first time validated detection of 4-amino-2,6-dinitrotoluene (4A-DNT). An MCL/HA has not been established for 4A-DNT.

Exceedance of drinking water criteria for explosive compounds are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 34, 73, 76, 77, 114, 129, 165, 210);
- Demo Area 2 (wells 16, 160, and 262);
- The Impact Area and CS-19 (wells 58MW0001, 58MW0002, 58MW0009E, 58MW0011D, 58MW0016B, 58MW0016C, 58MW0018B; and wells 1, 2, 23, 25, 37, 38, 40, 43, 85, 86, 87, 88, 89, 90, 91, 93, 95, 98, 99, 100, 101, 105, 107, 111, 112, 113, 176, 178, 184, 201, 203, 204, 206, 207, 209, 223, 235, OW-1, OW-2, and OW-6);
- J Ranges and southeast of the J Ranges (wells 45, 58, 132, 147, 153, 163, 164, 166, 171, 191, 196, 198, 215, 218, 227, 234, 247, 265, 289, 303, 306, 324, 326, 343, and wells 90MW0022, 90MW0041, 90MW0054 and 90WT0013).
- Landfill Area 1 (wells 27MW0018A, 27MW0020A, and 27MW0020B); and
- Northwest Corner of Base Boundary (well 323)

Exceedances of drinking water criteria were measured for 2,4,6-trinitrotoluene (TNT) at Demo Area 1 (wells 19S, 31S, 31M, and 31D) and Southeast of the Ranges (196S). Exceedances of the HA for hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) were noted at all of the locations listed above except at MW-45, MW-196, and the LF-1 wells. Exceedances of drinking water criteria were measured for 2,6-dinitrotoluene (2,6-DNT) at MW-45S.

A magenta concentration contour line is used in Figure 1 and Inset A to show the extent of RDX exceeding the HA in these areas. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples). This extent also considers non-validated data, where the results have been confirmed using Photo Diode Array (PDA). Additional information regarding PDA is provided below under the heading "Rush (Non-Validated) Data". Concentration contours will be prepared for other areas, and refined for the above areas, when sufficient data are available.

Demo Area 1 has a single well-defined source area and extent of contamination. The estimated extent of RDX exceeding the HA at Demo Area 1 based on the most recent groundwater measurements is indicated by a magenta concentration contour line on Figure 1 and Inset A.

Demo Area 2 has three groundwater exceedances of the RDX HA at MW-16S, MW-160S, and MW-262M1. The extent of the contamination is currently under investigation.

The Impact Area has a plume defined by RDX concentrations above the HA of 2 ppb. The plume originates primarily along Turpentine Road and extends downgradient to the east, northeast. Another source of RDX in the Impact Area is CS-19. Portions of CS-19 are currently under investigation by the Air Force Center for Environmental Excellence (AFCEE) under the Superfund program. The extent of RDX has largely been defined in the Impact Area and the investigation phase of the project is nearing completion.

The J Ranges and downgradient areas have five groundwater plumes defined by concentrations of RDX above the HA of 2 ppb. The five plumes originate at the J-1 Range Interberm Area (northern plume in the vicinity of MW-58 and MW-265), the J-2 Range North plume (northern plume extending from MW-130), the J-2 Range East plume (eastern plume including MW-215), the J-3 Range Demolition Area (southern plume extending from MW-163 south to Snake Pond) and the L Range (in an area defined by MW-147 and MW-153 at Greenway Road). All the J ranges and the L Range are currently under investigation and the plumes will be updated and refined as new validated data is received.

The Northwest Corner of the base boundary has one validated detection of RDX in groundwater above the HA of 2 ppb at MW-323M2. The M1 screen in this location has a validated detection of RDX in groundwater below 2 ppb.

Figure 2: Metals in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for metals are scattered throughout the study area. Where two or more rounds of sampling data are available, the exceedances generally have not been replicated in consecutive sampling rounds. The exceedances have been measured for antimony, arsenic, cadmium, chromium, lead, molybdenum, sodium, thallium and zinc. Arsenic (well 7M1), cadmium (52M3), and chromium (7M1) each had one exceedance in a single sampling round in August-September 1999. Two of four lead exceedances (ASP well and 45S) was repeated in another sampling round and the remaining two lead exceedances (wells 2S and 7M1) have not been repeated in previous or subsequent results. Two of the eight molybdenum exceedances were repeated in consecutive sampling rounds (wells 53M1 and 54S). All of the molybdenum exceedances were observed in year 1998 and 1999 results. Six of the 18 sodium exceedances were repeated in consecutive sampling rounds (wells 2S, 46S, 57M2, 57M1, 145S, and SDW261160). Eight wells (21S, 57M1, 57M3, 144S, 145S, 148S, 187D, and the ASP well) had sodium exceedances in year 2002, 2003, and/or 2004 results.

Zinc exceeded the HA in seven wells, all of which are constructed of galvanized (zinc-coated) steel.

There have been few exceedances of drinking water limits for antimony and thallium since the introduction of the ICP/GFAA and ICP/MS methods, discussed in the next paragraph. None of the 12 antimony exceedances were repeated in consecutive sampling rounds, and only one exceedance (well 187D) was measured in year 2002 results. Eight of the 74 thallium exceedances were repeated in consecutive sampling rounds (wells 7M17M2, 47M2, 52S, 52D, 54S, 54M1, and 94M2). Only two wells (148S and 191M1) have had thallium exceedances in the year 2002. There have been no detections of thallium in 2003 or thus far in 2004.

Groundwater samples sent for metals analysis are analyzed for most metals by Inductively Coupled Plasma (ICP) in accordance with U.S. EPA Contract Laboratory Program Statement of Work ILM04.0. In May of 2001, the IAGWSP began analyzing for antimony and thallium using the GFAA (graphite furnace atomic adsorption) method in accordance with EPA Drinking Water Methods 204.2 (antimony) and 279.2 (thallium) in order to achieve lower detection limits for these metals. Both the ILM04.0 and GFAA methods are subject to false positive results at trace levels due to interferences. As a result, the IAGWSP changed to a new method to achieve lower detection limits for antimony and thallium in January of 2003. Groundwater samples are now analyzed for antimony and thallium by Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) in accordance with the EPA Method 6020. The ICP/MS Method 6020 has greater sensitivity and the added feature of selectivity for antimony and thallium. These additional methods achieve lower detection limits for these two metals and reduce the number of false positive results.

The distribution and lack of repeatability of the metals exceedances is not consistent with a contaminant source, nor do the detections appear to be correlated with the presence of explosives or other organic compounds. The IAGWSP has re-evaluated inorganic background concentrations using the expanded groundwater quality database of 1999, and has submitted a draft report describing background conditions. The population characteristics of the remaining eight metals were determined to be consistent with background. This figure was last included and updated in the December 2004 Monthly Report.

Figure 3: VOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for VOCs are indicated in six general areas: Northeast Corner (LRMW003), Monument Beach Field Well (02-12, 80M2), CS-10 (wells 03MW0007A, 03MW0014A, and 03MW0020), LF-1 (well 27MW0017B), FS-12 (wells MW-45S, 90MW0003, and ECMWSNP02D), and in the J-1 Range (187D). CS-10, LF-1, and FS-12 are sites located near the southern extent of the Training Ranges that are currently under investigation by AFCEE under the Superfund program. Exceedances of drinking water criteria were measured for tetrachloroethylene (PCE) at CS-10, for vinyl chloride at LF-1, and for toluene, 1,2-dichloroethane, and ethylene dibromide (EDB) at FS-12. These compounds are believed to be associated with the sites under investigation by AFCEE. Detections of benzene, tert-butyl methyl ether, and chloromethane at J-1 Range well 187D, and chloromethane at Western Boundary wells 02-12M1 and 80M2 and chloromethane at Northeast corner well LRMW003 are currently under investigation. This figure was last included and updated in the December 2004 Monthly Report.

Figure 4: Chloroform in Groundwater Compared to MCLs

Chloroform has been widely detected in groundwater across the Upper Cape as stated in a joint press release from USEPA, MADEP, IRP, and the Joint Programs Office. The Cape Cod Commission (2001) in their review of public water supply wells for 1999 found greater than 75% contained chloroform with an average concentration of 4.7 ug/L. The IRP has concluded chloroform is not the result of Air Force activities. A detailed discussion of the presence of chloroform is provided in the Final Central Impact Area Groundwater Report (06/01). To date, the source of the chloroform in the Upper Cape groundwater has not been identified. This figure was last included and updated in the December 2004 Monthly Report.

Figure 5: SVOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for SVOCs are scattered throughout the study area. All exceedances of drinking water criteria for SVOCs were measured for bis (2-ethylhexyl) phthalate (BEHP), with the exception of one well, MW-264M1 (J-3 Range), which had a detection of benzo(a)pyrene at concentrations of more than twice the HA. Detections of BEHP are presented separately in Figure 6. This figure was last included and updated in the December 2004 Monthly Report.

Figure 6: BEHP in Groundwater Compared to MCLs

Exceedances of drinking water criteria for bis (2-ethylhexyl) phthalate (BEHP) are scattered throughout the study area. BEHP is believed to be largely an artifact of the investigation methods, introduced to the samples during collection or analysis. However, the potential that some of the detections of BEHP are the result of activities conducted at MMR has not been ruled out.

A detailed discussion of the presence of BEHP is provided in the Draft Completion of Work Report (7/98) and subsequent responses to comments. The theory that BEHP mostly occurs as an artifact, and is not really present in the aquifer, is supported by the results of subsequent sampling rounds that show much lower levels of the chemical after additional precautions were taken to prevent cross-contamination during sample collection and analysis. Only four locations (out of 82) showed BEHP exceedances in consecutive sampling rounds: 28MW0106 (located near SD-5, a site under investigation by AFCEE), 58MW0006E (located at CS-19), and 90WT0013 (located at FS-12), and 146M1 (located at L Range). Subsequent sampling rounds at all these locations have had results below the MCL. Ten wells (27MW0705, 27MW2061, C2-B, C6-C, C7-B, 164M1, 168M1, 188M1, 196M1, and 198M1) had BEHP exceedances in the year 2002 and 2003 results. This figure was last included and updated in the December 2004 Monthly Report.

Figure 7: Herbicides and Pesticides in Groundwater Compared to MCLs/HAs

There has been one exceedance of drinking water criteria for pesticides, at well PPAWSMW-1. A contractor to the United States Air Force installed this monitoring well at the PAVE PAWS radar station in accordance with the Massachusetts Contingency Plan (MCP), in order to evaluate contamination from a fuel spill. The exceedance was for the pesticide dieldrin in a sample collected in June 1999. This well was sampled again in November 1999. The results of the November sample indicate no detectable pesticides although hydrocarbon interference was noted. It appears from the November sample that pesticides identified in the June sample were false positives. However, the June sample results cannot be changed when following the EPA

functional guidelines for data validation. The text of the validation report for the June sample has been revised to include an explanation of the hydrocarbon interference and the potential for false positives.

There has been one exceedance of drinking water criteria for herbicides, at well 41M1 (Impact Area). This response well was installed downgradient of the Impact Area. The exceedance was for the herbicide pentachlorophenol in a sample collected in May 2000. There were no detections above the MCL of this compound in the three previous sampling rounds in 1999, nor in the subsequent sampling rounds in 2000, 2001, and 2002. This figure was last included and updated in the December 2004 Monthly Report.

Figure 8: Perchlorate in Groundwater Compared to a 4 ppb Concentration

For data validated in January 2005, one well, MW-341M3 (Demo 1) had a first time validated detection of perchlorate above the concentration of 4 ppb. Eleven wells, MW-44S, MW-89M3 (Impact Area), MW-240M2, MW-341M2 (Demo 1), MW-249M3 (Former A Range), MW-343M1 & M2 (J-3 Range), MW-346M1, M2 & M4, and MW-349M2 (J-1 Range) had first time validated detections of perchlorate below the concentration of 4 ppb.

Sampling and analysis of groundwater for perchlorate was initiated at the end of the year 2000 as part of the IAGWSP. Exceedances of the 4 ppb concentration of perchlorate are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 32, 34, 35, 36, 73, 75, 76, 77, 78, 114, 129, 139, 162, 165, 172, 210, 211, and 341);
- Impact Area (well 91);
- J Ranges and southeast of the J Ranges (wells 127, 130, 132, 143, 163, 193, 197, 198, 232, 247, 250, 263, 265, 289, 293, 300, 302, 303, 305, 307, 310, 313, 321, 326, 339, 348 and wells 90PZ0211, 90MW0022 and 90MW0054);
- Landfill Area 1 (27MW0031B);
- CS-18 (well 16MW0001); and
- Northwest Corner of Base Boundary (wells 4036009DC, 270, 277, 278, and 279).

A magenta concentration contour line is used in Figure 8 and the inset to show the extent of perchlorate greater than a 4 ppb concentration of perchlorate. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples).

Demo Area 1 has a single well-defined source area and extent of contamination. The downgradient extent of the perchlorate plume has been determined with the installation of monitoring wells along the power line right-of-way east of Fredrickson Road.

The Impact Area has a single exceedance of the 4 ppb concentration of perchlorate at MW-91S.

Plumes have been identified in four areas in the J Ranges as shown on Figure 8. The J-1 Interberm perchlorate plume has several detections of greater than 4 ppb in downgradient locations MW-265, MW-303, and MW-326. The J-3 Range Demolition perchlorate plume has concentrations greater than 4 ppb in several wells immediately downgradient of the source area, which is centered at MW-198, and further downgradient centered around location 90MW0054. The J-2 Range North perchlorate plume has detections greater than 4 ppb at source area locations MW-130 and MW-263, and downgradient locations MW-289, MW-293, MW-300, MW-302, MW-305, and MW-313. The J-2 East perchlorate plumes are in the process of delineation

and include detections greater than 4 ppb at MW-307 and MW-310. Perchlorate detections at the L Range are below 4 ppb and a plume is not depicted on the figure.

The Northwest Corner has a perchlorate plume extending from Canal View Road at the base boundary to the Cape Cod Canal. This area is under investigation and the plume will be updated and refined as new data is received.

The LF-1 and CS-18 areas are under investigation by AFCEE in the Superfund Program.

Rush (Non-Validated) Data

Rush data are summarized in Table 5. These data are for analyses that are performed on a fast turnaround time, typically 1 to 10 days. Explosive analyses for monitoring wells, and explosive and VOC analyses for profile samples, are typically conducted in this timeframe. Other types of analyses may be rushed depending on the proposed use of the data. The rush data have not yet been validated, but are provided as an indication of the most recent preliminary results. Table 5 summarizes only detects, and does not show samples with non-detects.

The status of the detections with respect to confirmation using Photo Diode Array (PDA) spectra is indicated in Table 5. PDA is a procedure that has been implemented for the explosive analysis, to reduce the likelihood of false positive identifications. Where the PDA status is "YES" in Table 5, the detected compound is verified as properly identified. Where the status is "NO", the identification of an explosive has been determined to be a false positive. Where the status is blank, PDA has not yet been used to evaluate the detection, or PDA is not applicable because the analyte is a VOC. Most explosive detections verified by PDA are confirmed to be present upon completion of validation.

Table 5 includes the following detections:

J-2 Range

- A groundwater sample from RS003P had a detection of perchlorate. The result was similar to previous sampling rounds.
- Profile samples from MW-365 (J2P-52) had detections of explosives and VOCs. Of the explosives detections, RDX was confirmed by PDA spectra, but with interference, in one interval at 9 ft bwt and 2,6-DNT was confirmed by PDA spectra, but with interference, in two intervals at 9 ft and 189 ft bwt. Well screens will be set at the depth (3 to 13 ft bwt) corresponding to the shallowest detection of RDX, at the depth (115 to 125 ft bwt) corresponding to the center of the conceptualized plume in this area, and at the depth (184 to 194 ft bwt) corresponding to the deepest detection of 2,6-DNT.

Demo Area 1

- Process water samples collected from the Frank Perkins Road ETR system influent (FPR-INF) and mid-fluent (FPR-MID-1) had detections of perchlorate. Process water samples collected from the influent (FPR-INF) also had detections of RDX and HMX, which were confirmed by PDA spectra.

- Process water samples collected from the Pew Road ETR system influent (PR-INF) and mid-fluent (PR-MID-1) had detections of perchlorate. Process water samples collected from the influent (PR-INF) also had detections of RDX, which were confirmed by PDA spectra.

Northwest Corner

- Profile samples from BH-363 (NWP-21a) had detections of explosives and perchlorate and are listed in Table 5 as MW-363. Of the explosives detections, RDX was confirmed by PDA spectra in four intervals between 26 and 56 ft bwt and in four intervals between 106 and 146 ft bwt. HMX was confirmed by PDA spectra in two intervals at 126 and 136 ft bwt. Perchlorate was detected in three intervals between 106 and 156 ft bwt. Well screens will not be set at BH-363; the borehole was drilled for profile data only.

4. DELIVERABLES SUBMITTED

Deliverables submitted during the reporting period include the following:

Demo 1 Groundwater Operable Unit RRA SPIEM	01/06/2005
CIA Final Soil Sampling Plan for Delineation of Explosive Compounds and Perchlorate Within the HUTA II and SCAR Site	01/07/2005
Monthly Progress Report # 93 for December 2004	01/07/2005
Draft L Range Groundwater RI Report	01/07/2005
J-2 Range Supplemental Geophysical Anomaly Investigation Work Plan	01/11/2005
Interim Month Report for January 1 – January 14, 2005	01/21/2005
Demo 1 Groundwater Operable Unit Draft Remedial Design Work Plan	01/25/2005
J-3 Range Supplemental Groundwater Work Plan	01/28/2005

5. SCHEDULED ACTIONS

Figure 9 provides a Gantt chart updated to reflect progress and proposed work. The following documents are scheduled to be submitted in February and early March:

- Demo Area 1 Soil Draft RRA Completion Report
- Central Impact Area Targets 23 and 42 Soil Final Report
- Former A Range Final Data Summary Report
- Central Impact Area Soil Draft Feasibility Study

The following documents are being prepared or revised during February and early March:

- J-2 Range Groundwater Draft Report
- J-1 Range Groundwater Draft Report
- J-3 Range Groundwater Draft Report
- L Range Groundwater Final Report
- Demo Area 2 RRA Final Data Summary Report
- Demo Area 1 Soil Draft Final Feasibility Study Screening Report
- Central Impact Area Groundwater Final Feasibility Study
- Demo Area 1 Groundwater Draft Decision Document and Response Summary
- Central Impact Area Groundwater Draft Remedy Selection Plan

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
HDA12080401AA	A12080401		01/13/2005	CRATER GRID	0	0.25		
HDA12150401AA	A12150401		01/13/2005	CRATER GRID	0	0.25		
4036000-01G-A	4036000-01G	WESTERN BOU	01/18/2005	GROUNDWATER	38	69.8	6	12
4036000-01G-A	4036000-01G	WESTERN BOU	01/27/2005	GROUNDWATER	38	69.8	6	12
4036000-01G-A	4036000-01G	WESTERN BOU	01/10/2005	GROUNDWATER	38	69.8	6	12
4036000-01G-A	4036000-01G	WESTERN BOU	01/31/2005	GROUNDWATER	38	69.8	6	12
4036000-01G-A	4036000-01G	WESTERN BOU	01/03/2005	GROUNDWATER	38	69.8	6	12
4036000-03G-A	4036000-03G	WESTERN BOU	01/27/2005	GROUNDWATER	50	60	6	12
4036000-04G-A	4036000-04G	WESTERN BOU	01/31/2005	GROUNDWATER	54.6	64.6	6	12
4036000-04G-A	4036000-04G	WESTERN BOU	01/27/2005	GROUNDWATER	54.6	64.6	6	12
4036000-04G-A	4036000-04G	WESTERN BOU	01/18/2005	GROUNDWATER	54.6	64.6	6	12
4036000-04G-A	4036000-04G	WESTERN BOU	01/10/2005	GROUNDWATER	54.6	64.6	6	12
4036000-04G-A	4036000-04G	WESTERN BOU	01/03/2005	GROUNDWATER	54.6	64.6	6	12
4036000-06G-A	4036000-06G	WESTERN BOU	01/03/2005	GROUNDWATER	108	128	6	12
4036000-06G-A	4036000-06G	WESTERN BOU	01/10/2005	GROUNDWATER	108	128	6	12
4036000-06G-A	4036000-06G	WESTERN BOU	01/18/2005	GROUNDWATER	108	128	6	12
4036000-06G-A	4036000-06G	WESTERN BOU	01/27/2005	GROUNDWATER	108	128	6	12
4036000-06G-A	4036000-06G	WESTERN BOU	01/31/2005	GROUNDWATER	108	128	6	12
90PZ0201-A	90PZ0201	J-3 RANGE	01/13/2005	GROUNDWATER	78.2	107.1	65.3	94.2
90PZ0204-A	90PZ0204	J-3 RANGE	01/13/2005	GROUNDWATER	80	85	72.1	77.1
90PZ0208-A	90PZ0208	J-3 RANGE	01/13/2005	GROUNDWATER	90	95	72.8	77.8
90PZ0211A-A	90PZ0211	J-3 RANGE	01/13/2005	GROUNDWATER	83	83	76.85	76.85
90PZ0211B-A	90PZ0211	J-3 RANGE	01/13/2005	GROUNDWATER	93	93	86.85	86.85
90PZ0211C-A	90PZ0211	J-3 RANGE	01/13/2005	GROUNDWATER	103	103	96.85	96.85
90WT0004-A	90WT0004	J-3 RANGE	01/31/2005	GROUNDWATER	35	45	3	13
90WT0013-A	90WT0013	L RANGE	01/31/2005	GROUNDWATER	92	102	0	10
90WT0019-A	90WT0019	L RANGE; FS-12	01/31/2005	GROUNDWATER	96	106	0	10
97-2C-A	97-2C	WESTERN BOU	01/03/2005	GROUNDWATER	132	132	68	68
97-2D-A	97-2D	WESTERN BOU	01/04/2005	GROUNDWATER	115.4	115.4	82.9	82.9
97-2F-A	97-2F	WESTERN BOU	01/04/2005	GROUNDWATER	120	120	76.7	76.7
MW-315M1-	MW-315	J-1 RANGE	01/19/2005	GROUNDWATER	245.5	255.5	120.49	130.49
MW-315M1-FD	MW-315	J-1 RANGE	01/19/2005	GROUNDWATER	245.5	255.5	120.49	130.49
MW-315M2-	MW-315	J-1 RANGE	01/20/2005	GROUNDWATER	195.7	205.7	70.72	80.72
MW-319M2-	MW-319	J-2 RANGE	01/19/2005	GROUNDWATER	165.2	175.2	72.17	82.17
MW-319S-	MW-319	J-2 RANGE	01/19/2005	GROUNDWATER	92.68	102.7	-0.32	9.7
MW-325M1-	MW-325	L RANGE	01/13/2005	GROUNDWATER	172.4	182.4	94.42	104.42
MW-342M1-	MW-342	J-2 RANGE	01/13/2005	GROUNDWATER	194	204	112.5	122.5
MW-342M1-FD	MW-342	J-2 RANGE	01/13/2005	GROUNDWATER	194	204	112.5	122.5
MW-342M2-	MW-342	J-2 RANGE	01/13/2005	GROUNDWATER	164	174	82.5	92.5

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
MW-342S-	MW-342	J-2 RANGE	01/13/2005	GROUNDWATER	86.5	96.5	5	15
MW-361M1-	MW-361	J-3 RANGE	01/17/2005	GROUNDWATER	134	144	119.7	129.7
MW-361M2-	MW-361	J-3 RANGE	01/17/2005	GROUNDWATER	104	114	89.7	99.7
MW-361M3-	MW-361	J-3 RANGE	01/17/2005	GROUNDWATER	60	70	45.7	55.7
RS003P-A	RS003P	J-2 RANGE	01/25/2005	GROUNDWATER	90	90		
SDW263111-A	SDW263111	OTHER	01/05/2005	GROUNDWATER	99	109	0	10
SMR-3-A	SMR-3	OTHER	01/05/2005	GROUNDWATER	103	113	7	17
TW01-1-A	01-1	WESTERN BOU	01/03/2005	GROUNDWATER	62	67	55.21	60.21
TW1-88A-A	1-88	WESTERN BOU	01/03/2005	GROUNDWATER	102.9	102.9	67.4	67.4
USCGANTST-A	USCGANTST	OTHER	01/18/2005	GROUNDWATER	0	0		
W02-03M1A	02-03	WESTERN BOU	01/12/2005	GROUNDWATER	130	140	86.1	96.1
W02-03M2A	02-03	WESTERN BOU	01/12/2005	GROUNDWATER	92	102	48.15	58.15
W02-03M3A	02-03	WESTERN BOU	01/13/2005	GROUNDWATER	75	85	31.05	41.05
W02-04M1A	02-04	WESTERN BOU	01/12/2005	GROUNDWATER	123	133	73.97	83.97
W02-04M2A	02-04	WESTERN BOU	01/12/2005	GROUNDWATER	98	108	48.93	58.93
W02-04M3A	02-04	WESTERN BOU	01/12/2005	GROUNDWATER	83	93	34.01	44.01
W02-05M1A	02-05	WESTERN BOU	01/14/2005	GROUNDWATER	110	120	81.44	91.44
W02-05M2A	02-05	WESTERN BOU	01/14/2005	GROUNDWATER	92	102	63.41	73.41
W02-05M3A	02-05	WESTERN BOU	01/14/2005	GROUNDWATER	70	80	41.37	51.37
W02-05M3D	02-05	WESTERN BOU	01/14/2005	GROUNDWATER	70	80	41.37	51.37
W02-09SSA	02-09	WESTERN BOU	01/03/2005	GROUNDWATER	7	17	0	10
W02-13M1A	02-13	WESTERN BOU	01/21/2005	GROUNDWATER	98	108	58.33	68.33
W02-13M2A	02-13	WESTERN BOU	01/21/2005	GROUNDWATER	83	93	44.2	54.2
W02-13M3A	02-13	WESTERN BOU	01/20/2005	GROUNDWATER	68	78	28.3	38.3
W02-15M3A	02-15	WESTERN BOU	01/14/2005	GROUNDWATER	81	91	31.4	41.4
W100M1A	MW-100	CIA	01/11/2005	GROUNDWATER	179	189	45	55
W100M1A-QA	MW-100	CIA	01/11/2005	GROUNDWATER	179	189	45	55
W100M2A	MW-100	CIA	01/11/2005	GROUNDWATER	164	174	30	40
W136SSA	MW-136	J-1 RANGE	01/10/2005	GROUNDWATER	107	117	0	10
W143M1A	MW-143	J-3 RANGE	01/12/2005	GROUNDWATER	144	154	114	124
W143M1A-QA	MW-143	J-3 RANGE	01/12/2005	GROUNDWATER	144	154	114	124
W143M2A	MW-143	J-3 RANGE	01/06/2005	GROUNDWATER	117	122	87	92
W143M2A-QA	MW-143	J-3 RANGE	01/06/2005	GROUNDWATER	117	122	87	92
W143M3A	MW-143	J-3 RANGE	01/11/2005	GROUNDWATER	107	112	77	82
W143M3A-QA	MW-143	J-3 RANGE	01/11/2005	GROUNDWATER	107	112	77	82
W156SSA	MW-156	PHASE 2b	01/12/2005	GROUNDWATER	77	87	7	17
W159M1A	MW-159	CIA	01/19/2005	GROUNDWATER	178.5	188.5	53	63
W164M2A	MW-164	J-1 RANGE	01/07/2005	GROUNDWATER	157	167	49	59
W164M3A	MW-164	J-1 RANGE	01/07/2005	GROUNDWATER	117	127	9	19

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W166M1A	MW-166	J-1 RANGE	01/05/2005	GROUNDWATER	218	223	112	117
W166M2A	MW-166	J-1 RANGE	01/07/2005	GROUNDWATER	150	160	44	54
W170M1A	MW-170	J-2 RANGE	01/20/2005	GROUNDWATER	265	275	162	172
W170M2A	MW-170	FORMER K	01/20/2005	GROUNDWATER	198	208	95	105
W182M2A	MW-182	CIA	01/05/2005	GROUNDWATER	273	283	102.89	112.89
W203M2A	MW-203	CIA	01/14/2005	GROUNDWATER	176	186	32.58	42.58
W216M1A	MW-216	WESTERN BOU	01/20/2005	GROUNDWATER	253	263	51.19	61.19
W216M2A	MW-216	WESTERN BOU	01/20/2005	GROUNDWATER	236	246	34.17	44.17
W216SSA	MW-216	WESTERN BOU	01/20/2005	GROUNDWATER	199	209	0	7.13
W220DDA	MW-220	J-1 RANGE	01/10/2005	GROUNDWATER	299	309	171.83	181.83
W220M1A	MW-220	J-1 RANGE	01/10/2005	GROUNDWATER	248	258	120.85	130.85
W233M1A	MW-233	WESTERN BOU	01/19/2005	GROUNDWATER	356	366	157.8	167.8
W233M2A	MW-233	WESTERN BOU	01/19/2005	GROUNDWATER	331	341	132.8	142.8
W233M3A	MW-233	WESTERN BOU	01/19/2005	GROUNDWATER	231	241	32.8	42.8
W23M1A	MW-23	CIA	01/04/2005	GROUNDWATER	225	235	103	113
W241M1A	MW-241	L RANGE	01/31/2005	GROUNDWATER	97	107	2.75	12.75
W259M1A	MW-259	DEMO 2	01/14/2005	GROUNDWATER	189	199	7.62	17.62
W262M1A	MW-262	DEMO 2	01/14/2005	GROUNDWATER	226	236	9.42	19.42
W266M2A	MW-266	CIA/J-1 RANGE	01/20/2005	GROUNDWATER	239	249	92.26	102.26
W276M1A	MW-276	WESTERN BOU	01/10/2005	GROUNDWATER	295	305	114	124
W276M2A	MW-276	WESTERN BOU	01/10/2005	GROUNDWATER	234	244	52.88	62.88
W276M3A	MW-276	WESTERN BOU	01/10/2005	GROUNDWATER	185	195	0	10
W286M1A	MW-286	J-1 RANGE	01/14/2005	GROUNDWATER	259	269	135.61	145.61
W286M2A	MW-286	J-1 RANGE	01/14/2005	GROUNDWATER	205	215	81.42	91.42
W286SSA	MW-286	J-1 RANGE	01/14/2005	GROUNDWATER	122	132	0	10
W287M1A	MW-287	NW CORNER	01/14/2005	GROUNDWATER	160	170	25.45	35.45
W287M1D	MW-287	NW CORNER	01/14/2005	GROUNDWATER	160	170	25.45	35.45
W287SSA	MW-287	NW CORNER	01/14/2005	GROUNDWATER	133	143	0	10
W338M1A	MW-338	NW CORNER	01/21/2005	GROUNDWATER	189	199	115.62	125.62
W338M2A	MW-338	NW CORNER	01/21/2005	GROUNDWATER	119	129	45.75	55.75
W338SSA	MW-338	NW CORNER	01/21/2005	GROUNDWATER	72	82	0	8.76
W45M2A	MW-45	L RANGE	01/06/2005	GROUNDWATER	110	120	18	28
W45SSA	MW-45	L RANGE	01/06/2005	GROUNDWATER	89	99	0	10
W45SSX	MW-45	L RANGE	01/06/2005	GROUNDWATER	89	99	0	10
W47DDA	MW-47	WESTERN BOU	01/12/2005	GROUNDWATER	194	204	100	110
W50DDA	MW-50	CIA	01/05/2005	GROUNDWATER	237	247	119	129
W50M1A	MW-50	CIA	01/05/2005	GROUNDWATER	207	217	89	99
W50M2A	MW-50	CIA	01/05/2005	GROUNDWATER	177	187	59	69
W51M1A	MW-51	CIA	12/30/2004	GROUNDWATER	234	244	88	98

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W51M2A	MW-51	CIA	12/30/2004	GROUNDWATER	203	213	58	68
W51M2D	MW-51	CIA	12/30/2004	GROUNDWATER	203	213	58	68
W83DDA	MW-83	WESTERN BOU	01/10/2005	GROUNDWATER	142	152	109	119
W83M1A	MW-83	WESTERN BOU	01/10/2005	GROUNDWATER	110	120	77	87
W83M2A	MW-83	WESTERN BOU	01/10/2005	GROUNDWATER	85	95	52	62
W83M3A	MW-83	WESTERN BOU	01/10/2005	GROUNDWATER	60	70	27	37
W83SSA	MW-83	WESTERN BOU	01/10/2005	GROUNDWATER	33	43	0	10
W84DDA	MW-84	WESTERN BOU	01/19/2005	GROUNDWATER	190	200	153	163
W84M1A	MW-84	WESTERN BOU	01/19/2005	GROUNDWATER	140	150	103	113
W84M1D	MW-84	WESTERN BOU	01/19/2005	GROUNDWATER	140	150	103	113
W84M2A	MW-84	WESTERN BOU	01/19/2005	GROUNDWATER	104	114	67	77
W84M3A	MW-84	WESTERN BOU	01/19/2005	GROUNDWATER	79	89	42	52
W84SSA	MW-84	WESTERN BOU	01/20/2005	GROUNDWATER	54	64	17	27
W87M1A	MW-87	CIA	01/07/2005	GROUNDWATER	194	204	62	72
W87M2A	MW-87	CIA	01/07/2005	GROUNDWATER	169	179	37	47
W88M1A	MW-88	CIA	12/29/2004	GROUNDWATER	233	243	92	102
W88M2A	MW-88	CIA	12/29/2004	GROUNDWATER	213	223	72	82
W88M2D	MW-88	CIA	12/29/2004	GROUNDWATER	213	223	72	82
W95M1A	MW-95	CIA	12/30/2004	GROUNDWATER	202	212	78	88
W95M2A	MW-95	CIA	12/30/2004	GROUNDWATER	167	177	43	53
W96M1A	MW-96	CIA	01/07/2005	GROUNDWATER	206	216	70	80
W96M2A	MW-96	CIA	01/10/2005	GROUNDWATER	160	170	24	34
W97M2A	MW-97	CIA	12/29/2004	GROUNDWATER	185	195	62	72
FPR-EFF-18A	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-18D	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-19A	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-A-18A	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-A-18B	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-A-18D	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-A-19A	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-A-19B	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-B-18A	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-B-18B	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-B-18D	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-B-19A	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-B-19B	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-C-18A	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-C-18B	FPR-EFF		01/04/2005	PROCESS WATE	0	0		
FPR-EFF-C-18D	FPR-EFF		01/04/2005	PROCESS WATE	0	0		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
FPR-EFF-C-19A	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-EFF-C-19B	FPR-EFF		01/18/2005	PROCESS WATE	0	0		
FPR-INF-18A	FPR-INF		01/04/2005	PROCESS WATE	0	0		
FPR-INF-19A	FPR-INF		01/18/2005	PROCESS WATE	0	0		
FPR-INF-A-18AA	FPR-INF		01/12/2005	PROCESS WATE	0	0		
FPR-INF-A-18B	FPR-INF		01/04/2005	PROCESS WATE	0	0		
FPR-INF-A-19B	FPR-INF		01/18/2005	PROCESS WATE	0	0		
FPR-INF-B-18B	FPR-INF		01/04/2005	PROCESS WATE	0	0		
FPR-INF-B-19B	FPR-INF		01/18/2005	PROCESS WATE	0	0		
FPR-INF-C-18B	FPR-INF		01/04/2005	PROCESS WATE	0	0		
FPR-INF-C-19B	FPR-INF		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1A-18A	FPR-MID-1		01/04/2005	PROCESS WATE	0	0		
FPR-MID-1A-18AA	FPR-MID-1		01/12/2005	PROCESS WATE	0	0		
FPR-MID-1A-19A	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1A-19D	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1B-18A	FPR-MID-1		01/04/2005	PROCESS WATE	0	0		
FPR-MID-1B-19A	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1B-19D	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1C-18A	FPR-MID-1		01/04/2005	PROCESS WATE	0	0		
FPR-MID-1C-19A	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-1C-19D	FPR-MID-1		01/18/2005	PROCESS WATE	0	0		
FPR-MID-2A-18A	FPR-MID-2		01/04/2005	PROCESS WATE	0	0		
FPR-MID-2A-19A	FPR-MID-2		01/18/2005	PROCESS WATE	0	0		
FPR-MID-2B-18A	FPR-MID-2		01/04/2005	PROCESS WATE	0	0		
FPR-MID-2B-19A	FPR-MID-2		01/18/2005	PROCESS WATE	0	0		
FPR-MID-2C-18A	FPR-MID-2		01/04/2005	PROCESS WATE	0	0		
FPR-MID-2C-19A	FPR-MID-2		01/18/2005	PROCESS WATE	0	0		
PR-EFF-20A	PR-EFF		01/06/2005	PROCESS WATE	0	0		
PR-EFF-20D	PR-EFF		01/06/2005	PROCESS WATE	0	0		
PR-EFF-21A	PR-EFF		01/20/2005	PROCESS WATE	0	0		
PR-INF-20A	PR-INF		01/06/2005	PROCESS WATE	0	0		
PR-INF-20AA	PR-INF		01/12/2005	PROCESS WATE	0	0		
PR-INF-20D	PR-INF		01/06/2005	PROCESS WATE	0	0		
PR-INF-21A	PR-INF		01/20/2005	PROCESS WATE	0	0		
PR-INF-21AA	PR-INF		01/31/2005	PROCESS WATE	0	0		
PR-MID-1-20A	PR-MID-1		01/06/2005	PROCESS WATE	0	0		
PR-MID-1-20AA	PR-MID-1		01/12/2005	PROCESS WATE	0	0		
PR-MID-1-20D	PR-MID-1		01/06/2005	PROCESS WATE	0	0		
PR-MID-1-21A	PR-MID-1		01/20/2005	PROCESS WATE	0	0		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
PR-MID-1-21AA	PR-MID-1		01/31/2005	PROCESS WATE	0	0		
PR-MID-2-20A	PR-MID-2		01/06/2005	PROCESS WATE	0	0		
PR-MID-2-20D	PR-MID-2		01/06/2005	PROCESS WATE	0	0		
PR-MID-2-21A	PR-MID-2		01/20/2005	PROCESS WATE	0	0		
G363DGA	MW-363		01/03/2005	PROFILE	150	150	65.5	65.5
G363DHA	MW-363		01/03/2005	PROFILE	160	160	75.5	75.5
G363DIA	MW-363		01/03/2005	PROFILE	170	170	85.5	85.5
G363DJA	MW-363		01/04/2005	PROFILE	180	180	95.5	95.5
G363DJD	MW-363		01/04/2005	PROFILE	180	180	95.5	95.5
G363DKA	MW-363		01/04/2005	PROFILE	190	190	105.5	105.5
G363DLA	MW-363		01/04/2005	PROFILE	200	200	115.5	115.5
G363DMA	MW-363		01/04/2005	PROFILE	210	210	125.5	125.5
G363DNA	MW-363		01/04/2005	PROFILE	220	220	135.5	135.5
G363DOA	MW-363		01/04/2005	PROFILE	230	230	145.5	145.5
G363DPA	MW-363		01/04/2005	PROFILE	240	240	155.5	155.5
MW-365-01	MW-365		01/12/2005	PROFILE	100	100	9.7	9.7
MW-365-02	MW-365		01/12/2005	PROFILE	110	110	19.7	19.7
MW-365-03	MW-365		01/12/2005	PROFILE	120	120	29.7	29.7
MW-365-03FD	MW-365		01/12/2005	PROFILE	120	120	29.7	29.7
MW-365-04	MW-365		01/12/2005	PROFILE	130	130	39.7	39.7
MW-365-05	MW-365		01/12/2005	PROFILE	140	140	49.7	49.7
MW-365-06	MW-365		01/12/2005	PROFILE	150	150	59.7	59.7
MW-365-07	MW-365		01/12/2005	PROFILE	160	160	69.7	69.7
MW-365-08	MW-365		01/12/2005	PROFILE	170	170	79.7	79.7
MW-365-09	MW-365		01/13/2005	PROFILE	180	180	89.7	89.7
MW-365-10	MW-365		01/13/2005	PROFILE	190	190	99.7	99.7
MW-365-11	MW-365		01/13/2005	PROFILE	200	200	109.7	109.7
MW-365-12	MW-365		01/13/2005	PROFILE	210	210	119.7	119.7
MW-365-13	MW-365		01/13/2005	PROFILE	220	220	129.7	129.7
MW-365-13FD	MW-365		01/13/2005	PROFILE	220	220	129.7	129.7
MW-365-14	MW-365		01/13/2005	PROFILE	230	230	139.7	139.7
MW-365-15	MW-365		01/13/2005	PROFILE	240	240	149.7	149.7
MW-365-16	MW-365		01/13/2005	PROFILE	250	250	159.7	159.7
MW-365-17	MW-365		01/14/2005	PROFILE	260	260	169.7	169.7
MW-365-18	MW-365		01/14/2005	PROFILE	270	270	179.7	179.7
MW-365-19	MW-365		01/14/2005	PROFILE	280	280	189.7	189.7
MW-365-21	MW-365		01/17/2005	PROFILE	290	290	199.3	199.3
MW-365-22	MW-365		01/17/2005	PROFILE	310	310	219.3	219.3
MW-365-23	MW-365		01/18/2005	PROFILE	316	316	225.3	225.3

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
HD0110050104W1AA	AM01100501		01/12/2005	SOIL GRAB	0	0.25		
HD0110050223W1AA	AM01100502		01/12/2005	SOIL GRAB	0	0.25		
HD0110050313X1AA	AM01100503		01/12/2005	SOIL GRAB	0	0.25		
HD0110050404Y1AA	AM01100504		01/12/2005	SOIL GRAB	0	0.25		
HD0110050503Y1AA	AM01100505		01/12/2005	SOIL GRAB	0	0.25		
HD0110050503Y1AA	AM1100505		01/12/2005	SOIL GRAB	0	0.25		
HD0111050106X1AA	AM01110501		01/12/2005	SOIL GRAB	0	0.25		
HD0111050106X1AD	AM01110501		01/12/2005	SOIL GRAB	0	0.25		
HD0111050206Y1AA	AM01110502		01/12/2005	SOIL GRAB	0	0.25		
HD0119050101W1BA	AM01190501		01/21/2005	SOIL GRAB	0	0.25		
HD01190501202W1BA	AM01190501		01/21/2005	SOIL GRAB	0	0.25		
HD01190501301X1BA	AM01190501		01/21/2005	SOIL GRAB	0	0.25		
HD0119050202W1BA	AM01190502		01/21/2005	SOIL GRAB	0	0.25		
HD0119050301X1BA	AM01190503		01/21/2005	SOIL GRAB	0	0.25		
HD0119050402X1BA	AM01190504		01/21/2005	SOIL GRAB	0	0.25		
HD0120050101Y1BA	AM01200501		01/21/2005	SOIL GRAB	0	0.25		
HD0120050201Y1BA	AM01200502		01/21/2005	SOIL GRAB	0	0.25		
HD1213040136W1AA	AM12130401		01/12/2005	SOIL GRAB	0	0.25		
HD1213040207X1AA	AM12130402		01/12/2005	SOIL GRAB	0	0.25		
HC132W1SPA	132W		01/18/2005	SOIL GRID	0	0.25		
HC132W2AAA	132W		01/18/2005	SOIL GRID	0	0.25		
HC132X1SPA	132X		01/18/2005	SOIL GRID	0	0.25		
HC132X2AAA	132X		01/19/2005	SOIL GRID	0	0.25		
HC132Y1SPA	132Y		01/19/2005	SOIL GRID	0	0.25		
HC132Y2AAA	132Y		01/19/2005	SOIL GRID	0	0.25		
HC132Y2AAD	132Y		01/19/2005	SOIL GRID	0	0.25		
HC216A1AAA	216A		01/04/2005	SOIL GRID	0	0.25		
HC216A1AAD	216A		01/04/2005	SOIL GRID	0	0.25		
HC216A1BAA	216A		01/04/2005	SOIL GRID	0.25	0.5		
HC216A1CAA	216A		01/04/2005	SOIL GRID	0.5	1		
HD216B1AAA	216B		01/04/2005	SOIL GRID	0	0.25		
HD216B1BAA	216B		01/04/2005	SOIL GRID	0.25	0.5		
HD216B1CAA	216B		01/04/2005	SOIL GRID	0.5	1		
HD216C1AAA	216C		01/04/2005	SOIL GRID	0	0.25		
HD216C1BAA	216C		01/04/2005	SOIL GRID	0.25	0.5		
HD216C1CAA	216C		01/04/2005	SOIL GRID	0.5	1		
HC132W2AAA	132W		01/18/2005	TCLP LEACHATE	0	0.25		
HC132X1SPA	132X		01/18/2005	TCLP LEACHATE	0	0.25		
HC132X2AAA	132X		01/19/2005	TCLP LEACHATE	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate

Groundwater methods include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
01/01/2005 - 01/31/2005

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
HC132Y2AAA	132Y		01/19/2005	TCLP LEACHATE	0	0.25		
HC132Y2AAD	132Y		01/19/2005	TCLP LEACHATE	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
 Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
ECMWSNP02	ECMWSNP02D	09/13/1999	J-3 RANGE	504	1,2-DIBROMOETHANE (ETHYLENE DI)	0.11		UG/L	75.08	80.08	0.05	X
90MW0003	WF03MA	10/07/1999	L RANGE	OC21V	1,2-DICHLOROETHANE	5		UG/L	52.11	57.11	5	X
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	10	J	UG/L	0	10	2	X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2	X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2	X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	7.2	J	UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.6	J	UG/L	0	10	2	X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.7	J	UG/L	0	10	2	X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	0	10	2	X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2	J	UG/L	0	10	2	X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.3	J	UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.4		UG/L	0	10	2	X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.2	J	UG/L	0	10	2	X
MW-196	W196SSA	02/07/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2	X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	10		UG/L	0	5	2	X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	9.3		UG/L	0	5	2	X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	0	5	2	X
MW-196	W196SSA	11/07/2003	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2	X
MW-196	W196SSA	02/10/2004	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	14		UG/L	0	5	2	X
MW-196	W196SSA	10/28/2004	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	29		UG/L	0	5	2	X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.3		UG/L	13	18	2	X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	13	18	2	X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18	2	X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18	2	X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.4		UG/L	13	18	2	X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2	X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18	2	X
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2	X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18	2	X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.7		UG/L	13	18		2 X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	6.2		UG/L	13	18		2 X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	6.3		UG/L	13	18		2 X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	28	38		2 X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	48	53		2 X
MW-45	W45SSA	08/23/2001	L RANGE	8330N	2,6-DINITROTOLUENE	8.3	J	UG/L	0	10		5 X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	ANTIMONY	6.7	J	UG/L	0	10		6 X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	ANTIMONY	6	J	UG/L	199.5	209.5		6 X
MW-3	W03DDL	03/06/1998	CIA	IM40MB	ANTIMONY	13.8	J	UG/L	219	224		6 X
MW-34	W34M2A	08/16/1999	DEMO 1	IM40MB	ANTIMONY	6.6	J	UG/L	53	63		6 X
MW-35	W35SSA	08/19/1999	DEMO 1	IM40MB	ANTIMONY	6.9	J	UG/L	0	10		6 X
MW-35	W35SSD	08/19/1999	DEMO 1	IM40MB	ANTIMONY	13.8	J	UG/L	0	10		6 X
MW-36	W36SSA	08/17/1999	DEMO 1	IM40MB	ANTIMONY	6.7	J	UG/L	0	10		6 X
MW-38	W38SSA	08/18/1999	CIA	IM40MB	ANTIMONY	7.4		UG/L	0	10		6 X
MW-38	W38M3A	08/18/1999	CIA	IM40MB	ANTIMONY	6.6	J	UG/L	52	62		6 X
MW-38	W38DDA	08/17/1999	CIA	IM40MB	ANTIMONY	6.9	J	UG/L	124	134		6 X
MW-39	W39M1A	08/18/1999	CIA	IM40MB	ANTIMONY	7.5		UG/L	84	94		6 X
MW-50	W50M1A	05/15/2000	CIA	IM40MB	ANTIMONY	9.5		UG/L	89	99		6 X
PPAWSMW-3	PPAWSMW-3	08/12/1999	OTHER	IM40MB	ANTIMONY	6	J	UG/L	0	10		6 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	ARSENIC	52.8		UG/L	135	140		50 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	BENZENE	1000		UG/L	199.5	209.5		5 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	VPHMA	BENZENE	760	J	UG/L	199.5	209.5		5 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	BENZENE	1300		UG/L	199.5	209.5		5 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	BENZENE	1300		UG/L	199.5	209.5		5 X
MW-187	W187DDA	07/11/2002	J-1 RANGE	OC21V	BENZENE	530	J	UG/L	199.5	209.5		5 X
MW-187	W187DDA	10/17/2002	J-1 RANGE	OC21V	BENZENE	340		UG/L	199.5	209.5		5 X
MW-187	W187DDA	07/07/2003	J-1 RANGE	OC21V	BENZENE	150		UG/L	199.5	209.5		5 X
MW-187	W187DDA	11/21/2003	J-1 RANGE	OC21V	BENZENE	140		UG/L	199.5	209.5		5 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-187	W187DDA	03/05/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/13/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	09/01/2004	J-1 RANGE	OC21VM	BENZENE	110		UG/L	199.5	209.5	5	X
MW-264	W264M1A	12/09/2003	J-3 RANGE	SW8270	BENZO(A)PYRENE	0.5	J	UG/L	160.94	170.94	0.2	X
03MW0122A	WS122A	09/30/1999	CS-10	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	12		UG/L	1	11	6	X
11MW0003	WF143A	02/25/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L			6	X
11MW0003	WF143A	09/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L			6	X
15MW0004	15MW0004	04/09/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
15MW0008	15MW0008D	04/12/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	25	J	UG/L	0	10	6	X
27MW0705	27MW0705	01/08/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	7.5	J	UG/L	0	10	6	X
27MW2061	27MW2061	01/09/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	12	J	UG/L	0	10	6	X
28MW0106	WL28XA	02/19/1998	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18	J	UG/L	0	10	6	X
28MW0106	WL28XA	03/23/1999	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	26		UG/L	0	10	6	X
58MW0002	WC2XXA	02/26/1998	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	5	6	X
58MW0005E	WC5EXA	09/27/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6	X
58MW0006E	WC6EXA	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	10	6	X
58MW0006E	WC6EXD	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	57		UG/L	0	10	6	X
58MW0006E	WC6EXA	01/29/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
58MW0007C	WC7CXA	09/28/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	24	29	6	X
90MW0054	WF12XA	10/04/1999	J-3 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13	J	UG/L	91.83	96.83	6	X
90WT0003	WF03XA	09/30/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	58		UG/L	0	10	6	X
90WT0005	WF05XA	01/13/1998	FS-12	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	47		UG/L	0	10	6	X
90WT0013	WF13XA	01/16/1998	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	34		UG/L	0	10	6	X
90WT0013	WF13XA	01/14/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6	X
97-1	W9701A	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	54	J	UG/L	62	72	6	X
97-1	W9701D	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28	J	UG/L	62	72	6	X
97-2	W9702A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	53	63	6	X
97-3	W9703A	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	73	J	UG/L	36	46	6	X
97-5	W9705A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	76	86	6	X
BHW215083	WG083A	11/26/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	16.95	26.95	6	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
C2-B	C-2I	03/07/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	39.31	79.31		6 X
C6-C	C-6D	03/12/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	7.1		UG/L	100.04	140.04		6 X
C7-B	C-7I	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	93.89	133.89		6 X
C7-B	C-7ID	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	17		UG/L	93.89	133.89		6 X
LRWS1-4	WL14XA	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	78	J	UG/L	107	117		6 X
LRWS2-3	WL23XA	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20	J	UG/L	68	83		6 X
LRWS2-6	WL26XA	10/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	21		UG/L	75	90		6 X
LRWS2-6	WL26XA	10/04/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	75	90		6 X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	100		UG/L	66	91		6 X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	66	91		6 X
MW-10	W10SSA	09/16/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	39		UG/L	0	10		6 X
MW-11	W11SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	33	J	UG/L	0	10		6 X
MW-11	W11SSD	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	23	J	UG/L	0	10		6 X
MW-12	W12SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10		6 X
MW-14	W14SSA	11/04/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	0	10		6 X
MW-142	W142M2A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	100	110		6 X
MW-142	W142M1A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	185	195		6 X
MW-146	W146M1A	02/23/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.4		UG/L	75	80		6 X
MW-146	W146M1A	06/19/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.2		UG/L	75	80		6 X
MW-157	W157DDA	05/03/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.1		UG/L	199	209		6 X
MW-158	W158M2A	10/15/2001	J-2 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	34	J	UG/L	37	47		6 X
MW-16	W16SSA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10		6 X
MW-16	W16DDA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	43		UG/L	223	228		6 X
MW-164	W164M1A	09/05/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.6		UG/L	119	129		6 X
MW-168	W168M2A	06/05/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	116	126		6 X
MW-168	W168M1A	06/04/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.7		UG/L	174	184		6 X
MW-168	W168M1A	06/06/2003	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.8	J	UG/L	174	184		6 X
MW-17	W17SSD	11/10/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	120	J	UG/L	0	10		6 X
MW-17	W17DDA	11/11/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	42		UG/L	196	206		6 X
MW-18	W18SSA	10/10/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	10		6 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-18	W18DDA	09/10/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	222	232		6 X
MW-188	W188M1A	01/30/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.4		UG/L	41.1	51.1		6 X
MW-19	W19DDA	03/04/1998	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	254	259		6 X
MW-196	W196M1A	02/06/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	12	17		6 X
MW-198	W198M1A	10/31/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	127.8	132.8		6 X
MW-2	W02M2A	01/20/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	33	38		6 X
MW-2	W02M1A	01/21/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	75	80		6 X
MW-2	W02DDA	02/02/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	218	223		6 X
MW-20	W20SSA	11/07/1997	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	280		UG/L	0	10		6 X
MW-21	W21M2A	04/01/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	58	68		6 X
MW-22	W22SSA	11/24/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	96		UG/L	0	10		6 X
MW-22	W22SSA	09/20/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	0	10		6 X
MW-23	W23SSA	10/27/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	0	10		6 X
MW-23	W23M3A	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	34	39		6 X
MW-23	W23M3D	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	34	39		6 X
MW-24	W24SSA	11/14/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10		6 X
MW-27	W27SSA	09/17/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	0	10		6 X
MW-28	W28SSA	11/03/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	0	10		6 X
MW-28	W28SSA	09/17/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	150	J	UG/L	0	10		6 X
MW-28	W28M1A	01/12/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.7		UG/L	173	183		6 X
MW-29	W29SSA	11/03/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10		6 X
MW-29	W29SSA	09/17/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	0	10		6 X
MW-36	W36M2A	08/17/1999	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	54	64		6 X
MW-38	W38M3A	05/06/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	52	62		6 X
MW-4	W04SSA	11/04/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	0	10		6 X
MW-41	W41M2A	11/12/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	67	77		6 X
MW-43	W43M1A	05/26/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	90	100		6 X
MW-44	W44M1A	09/20/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	53	63		6 X
MW-45	W45M1A	05/24/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	37		UG/L	98	108		6 X
MW-46	W46M1A	11/01/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6	J	UG/L	103	113		6 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-46	W46DDA	11/02/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14	J	UG/L	136	146		6 X
MW-47	W47M2D	02/05/2003	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.6	J	UG/L	38	48		6 X
MW-47	W47M1A	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	75	85		6 X
MW-47	W47DDA	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	100	110		6 X
MW-49	W49SSA	03/01/2000	NW CORNER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	290		UG/L	0	10		6 X
MW-5	W05DDA	02/13/1998	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	223	228		6 X
MW-52	W52M3A	08/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7	J	UG/L	59	64		6 X
MW-53	W53M1A	08/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	31		UG/L	99	109		6 X
MW-53	W53DDA	02/18/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	158	168		6 X
MW-55	W55DDA	05/13/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	119	129		6 X
MW-55	W55DDA	07/31/2001	OTHER	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.4		UG/L	119	129		6 X
MW-57	W57SSA	12/21/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	3300	J	UG/L	0	10		6 X
MW-57	W57M2A	06/30/2000	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	62	72		6 X
MW-57	W57DDA	12/13/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	95		UG/L	127	137		6 X
MW-7	W07SSA	10/31/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	0	10		6 X
MW-70	W70M1A	10/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	129	139		6 X
MW-82	W82DDA	08/22/2001	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	97	107		6 X
MW-84	W84DDA	03/03/2000	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	153	163		6 X
RW-1	WRW1XA	02/18/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	9		6 X
RW-1	WRW1XD	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11	J	UG/L	0	9		6 X
XX95-14	W9514A	09/28/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	22		UG/L	90	100		6 X
MW-52	W52M3L	08/27/1999	OTHER	IM40MB	CADMIUM	12.2		UG/L	59	64		5 X
02-12	W02-12M1A	06/12/2002	WESTERN BOU	OC21V	CHLOROMETHANE	4		UG/L	58.35	68.35		3 X
LRMW0003	LRMW0003-A	05/17/2004	OTHER	OC21VM	CHLOROMETHANE	33	J	UG/L	69.68	94.68		3 X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	CHLOROMETHANE	75	J	UG/L	199.5	209.5		3 X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	CHLOROMETHANE	47	J	UG/L	199.5	209.5		3 X
MW-187	W187DDA	07/13/2004	J-1 RANGE	OC21VM	CHLOROMETHANE	11		UG/L	199.5	209.5		3 X
MW-80	W80M2A	04/08/2004	WESTERN BOU	OC21VM	CHLOROMETHANE	7		UG/L	56	66		3 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	CHROMIUM, TOTAL	114		UG/L	135	140		100 X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	OL21P	DIELDRIN	3		UG/L	0	10		0.5 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0001	58MW0001	05/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	0	5		2 X
58MW0001	58MW0001	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	5		2 X
58MW0001	58MW0001-D	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	5		2 X
58MW0001	58MW0001	01/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	0	5		2 X
58MW0001	58MW0001	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5		2 X
58MW0001	58MW0001-A	09/13/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5		2 X
58MW0001	58MW0001-A	12/06/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	5		2 X
58MW0001	58MW0001-A	08/08/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5		2 X
58MW0001	58MW0001-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	0	5		2 X
58MW0001	58MW0001-A	06/22/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	5		2 X
58MW0001	58MW0001-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5 J		UG/L	0	5		2 X
58MW0002	WC2XXA	02/26/1998	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	0	5		2 X
58MW0002	WC2XXA	01/14/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5		2 X
58MW0002	WC2XXA	10/08/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	0	5		2 X
58MW0002	58MW0002	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5		2 X
58MW0002	58MW0002	09/19/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5		2 X
58MW0002	58MW0002	12/14/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5		2 X
58MW0002	58MW0002	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	5		2 X
58MW0002	58MW0002-A	09/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5		2 X
58MW0002	58MW0002-A	12/05/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5		2 X
58MW0002	58MW0002-A	10/10/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5		2 X
58MW0002	58MW0002-A	03/02/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	0	5		2 X
58MW0002	58MW0002-A	04/28/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	5		2 X
58MW0002	58MW0002-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14 J		UG/L	0	5		2 X
58MW0009E	WC9EXA	10/02/1997	CS-19	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXA	01/26/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXA	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5		2 X
58MW0009E	WC9EXD	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0009E	58MW0009E	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	08/26/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	05/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-A	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	6.5	11.5		2 X
58MW0009E	58MW0009E-D	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	6.5	11.5		2 X
58MW0011D	58MW0011D	05/24/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.3		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	09/26/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	08/27/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	49.5	54.5		2 X
58MW0011D	58MW0011D-A	06/09/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	49.5	54.5		2 X
58MW0016	58MW0016C	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
58MW0016	58MW0016C	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
58MW0016	58MW0016C	06/04/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
58MW0016	58MW0016C-A	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
58MW0016	58MW0016C-D	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10		2 X
58MW0016	58MW0016C-A	04/30/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
58MW0016	58MW0016C-A	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10		2 X
58MW0016	58MW0016C-D	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	0	10		2 X
58MW0016	58MW0016B	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	28.5	38.5		2 X
58MW0018	58MW0018B	12/13/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	34.55	44.55		2 X
90MW0022	WF22XA	01/26/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	72.79	77.79		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
90MW0022	WF22XA	02/16/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	72.79	77.79		2 X
90MW0022	WF22XA	09/30/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	72.79	77.79		2 X
90MW0041	90MW0041-D	01/13/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	31.5	36.5		2 X
90MW0054	90MW0054	12/08/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83		2 X
90MW0054	90MW0054	04/20/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83		2 X
90MW0054	90MW0054-A	05/17/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	91.83	96.83		2 X
90WT0013	WF13XA	01/16/1998	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10		2 X
MW-1	W01SSA	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10		2 X
MW-1	W01SSD	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X
MW-1	W01SSA	02/22/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
MW-1	W01SSA	09/07/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10		2 X
MW-1	W01SSA	05/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1	J	UG/L	0	10		2 X
MW-1	W01SSA	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8	J	UG/L	0	10		2 X
MW-1	W01SSA	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	0	10		2 X
MW-1	W01SSA	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1	J	UG/L	0	10		2 X
MW-1	W01SSD	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10		2 X
MW-1	W01SSA	08/16/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	0	10		2 X
MW-1	W01SSA	01/10/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10		2 X
MW-1	W01SSA	05/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	0	10		2 X
MW-1	W01SSA	11/14/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10		2 X
MW-1	W01SSA	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10		2 X
MW-1	W01MMA	09/29/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	44	49		2 X
MW-1	W01M2A	03/01/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	44	49		2 X
MW-1	W01M2A	05/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	44	49		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-1	W01M2A	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	44	49		2 X
MW-1	W01M2A	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	44	49		2 X
MW-1	W01M2D	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	44	49		2 X
MW-1	W01M2A	05/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	44	49		2 X
MW-1	W01M2A	08/15/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	44	49		2 X
MW-1	W01M2A	11/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	44	49		2 X
MW-1	W01M2A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	44	49		2 X
MW-1	W01M2A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	44	49		2 X
MW-1	W01M2A	05/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	44	49		2 X
MW-1	W01M2A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	44	49		2 X
MW-1	W01M2A	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	44	49		2 X
MW-1	W01M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	44	49		2 X
MW-100	W100M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55		2 X
MW-100	W100M1D	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55		2 X
MW-100	W100M1A	10/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55		2 X
MW-100	W100M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55		2 X
MW-100	W100M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55		2 X
MW-100	W100M1D	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55		2 X
MW-100	W100M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	45	55		2 X
MW-100	W100M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55		2 X
MW-100	W100M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	45	55		2 X
MW-101	W101M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	27	37		2 X
MW-101	W101M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	27	37		2 X
MW-101	W101M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	27	37		2 X
MW-101	W101M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	27	37		2 X
MW-101	W101M1A	09/19/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	27	37		2 X
MW-101	W101M1A	11/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37		2 X
MW-101	W101M1A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37		2 X
MW-101	W101M1D	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37		2 X
MW-101	W101M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	27	37		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-101	W101M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37		2 X
MW-105	W105M1A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	78	88		2 X
MW-105	W105M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	78	88		2 X
MW-105	W105M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	78	88		2 X
MW-105	W105M1A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1 J		UG/L	78	88		2 X
MW-105	W105M1A	11/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	78	88		2 X
MW-105	W105M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	78	88		2 X
MW-107	W107M2A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	5	15		2 X
MW-107	W107M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	5	15		2 X
MW-107	W107M2A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15		2 X
MW-107	W107M2A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2 J		UG/L	5	15		2 X
MW-107	W107M2D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2 J		UG/L	5	15		2 X
MW-107	W107M2A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	5	15		2 X
MW-107	W107M2A	11/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	5	15		2 X
MW-107	W107M2A	04/09/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2 J		UG/L	5	15		2 X
MW-107	W107M2A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15		2 X
MW-107	W107M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	5	15		2 X
MW-111	W111M3A	10/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	33	43		2 X
MW-112	W112M2A	04/25/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	26	36		2 X
MW-112	W112M2A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-112	W112M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-112	W112M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	26	36		2 X
MW-113	W113M2A	09/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	48	58		2 X
MW-113	W113M2A	01/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	48	58		2 X
MW-113	W113M2A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	48	58		2 X
MW-113	W113M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48	58		2 X
MW-113	W113M2A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48	58		2 X
MW-113	W113M2A	09/17/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	48	58		2 X
MW-113	W113M2A	11/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	48	58		2 X
MW-113	W113M2A	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	48	58		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-113	W113M2D	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	48	58		2 X
MW-113	W113M2A	11/18/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	48	58		2 X
MW-113	W113M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48	58		2 X
MW-113	W113M2D	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	48	58		2 X
MW-113	W113M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	48	58		2 X
MW-113	W113M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	48	58		2 X
MW-113	W113M2A	11/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	48	58		2 X
MW-114	W114M2A	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X
MW-114	W114M2D	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X
MW-114	W114M2A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120J		UG/L	39	49		2 X
MW-114	W114M2A	06/19/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49		2 X
MW-114	W114M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	39	49		2 X
MW-114	W114M2A	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	39	49		2 X
MW-114	W114M2A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49		2 X
MW-114	W114M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49		2 X
MW-114	W114M2A	05/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	39	49		2 X
MW-114	W114M2A	10/01/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49		2 X
MW-114	W114M2A	02/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49		2 X
MW-114	W114M2A	04/19/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	180		UG/L	39	49		2 X
MW-114	W114M2A	07/30/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	39	49		2 X
MW-114	W114M1A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2J		UG/L	96	106		2 X
MW-114	W114M1A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	96	106		2 X
MW-114	W114M1A	06/21/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	96	106		2 X
MW-114	W114M1A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	96	106		2 X
MW-129	W129M2A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-129	W129M2A	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	46	56		2 X
MW-129	W129M2D	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56		2 X
MW-129	W129M2A	07/10/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56		2 X
MW-129	W129M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	46	56		2 X
MW-129	W129M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13J		UG/L	46	56		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-129	W129M2D	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-129	W129M2A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-129	W129M2A	10/02/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	46	56		2 X
MW-129	W129M2A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56		2 X
MW-129	W129M2A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	46	56		2 X
MW-129	W129M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56		2 X
MW-129	W129M1A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	66	76		2 X
MW-129	W129M1A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	66	76		2 X
MW-132	W132SSA	11/09/2000	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5	J	UG/L	0	10		2 X
MW-132	W132SSA	02/16/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4	J	UG/L	0	10		2 X
MW-132	W132SSA	12/12/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10		2 X
MW-147	W147M2A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	77	87		2 X
MW-147	W147M2A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	77	87		2 X
MW-147	W147M2A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87		2 X
MW-147	W147M2D	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87		2 X
MW-147	W147M1A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	94	104		2 X
MW-147	W147M1A	06/19/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	94	104		2 X
MW-147	W147M1A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	94	104		2 X
MW-147	W147M1A	09/05/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	94	104		2 X
MW-153	W153M1A	03/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	108	118		2 X
MW-153	W153M1A	07/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	108	118		2 X
MW-153	W153M1A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	108	118		2 X
MW-153	W153M1A	04/26/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7	J	UG/L	108	118		2 X
MW-153	W153M1A	09/30/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	108	118		2 X
MW-153	W153M1A	12/02/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	108	118		2 X
MW-153	W153M1A	06/24/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	108	118		2 X
MW-153	W153M1A	10/30/2003	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	108	118		2 X
MW-153	W153M1A	12/19/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	108	118		2 X
MW-153	W153M1A	06/14/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	108	118		2 X
MW-153	W153M1A	09/23/2004	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	108	118		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-153	W153M1A	12/03/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	108	118		2 X
MW-16	W16SSA	10/03/2003	DEMO 2	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10		2 X
MW-160	W160SSA	01/23/2002	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15		2 X
MW-163	W163SSA	06/14/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	0	10		2 X
MW-163	W163SSA	10/10/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	0	10		2 X
MW-163	W163SSA	02/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X
MW-163	W163SSA	03/07/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	10		2 X
MW-163	W163SSA	07/02/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X
MW-163	W163SSA	01/08/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X
MW-163	W163SSA	03/27/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6	J	UG/L	0	10		2 X
MW-163	W163SSA	11/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X
MW-163	W163SSA	02/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10		2 X
MW-163	W163SSA	10/01/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7	J	UG/L	0	10		2 X
MW-164	W164M2A	05/25/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	49	59		2 X
MW-164	W164M2A	08/21/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	49	59		2 X
MW-164	W164M2A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49	59		2 X
MW-164	W164M2A	06/20/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	49	59		2 X
MW-164	W164M2A	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	49	59		2 X
MW-164	W164M2D	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	49	59		2 X
MW-164	W164M2A	01/08/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8	J	UG/L	49	59		2 X
MW-164	W164M2A	06/06/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	49	59		2 X
MW-165	W165M2A	05/08/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	60		UG/L	46	56		2 X
MW-165	W165M2A	08/16/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	46	56		2 X
MW-165	W165M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27	J	UG/L	46	56		2 X
MW-165	W165M2A	04/18/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	46	56		2 X
MW-165	W165M2A	08/10/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	46	56		2 X
MW-165	W165M2A	11/26/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	46	56		2 X
MW-165	W165M2A	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	35		UG/L	46	56		2 X
MW-165	W165M2A	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56		2 X
MW-165	W165M2D	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-165	W165M2A	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-165	W165M2D	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56		2 X
MW-165	W165M2A	04/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-165	W165M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56		2 X
MW-166	W166M3A	06/01/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19	29		2 X
MW-166	W166M3A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	19	29		2 X
MW-166	W166M3A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	19	29		2 X
MW-166	W166M3A	07/02/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	19	29		2 X
MW-166	W166M1A	05/31/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117		2 X
MW-166	W166M1A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	112	117		2 X
MW-166	W166M1A	01/16/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	112	117		2 X
MW-166	W166M1A	07/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	112	117		2 X
MW-166	W166M1A	11/11/2003	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	112	117		2 X
MW-166	W166M1A	02/20/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	112	117		2 X
MW-166	W166M1A	06/29/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	112	117		2 X
MW-166	W166M1A	09/30/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117		2 X
MW-171	W171M2A	05/31/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	83	88		2 X
MW-171	W171M2A	12/21/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	83	88		2 X
MW-176	W176M1A	10/08/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	158.55	168.55		2 X
MW-176	W176M1A	01/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	158.55	168.55		2 X
MW-176	W176M1A	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	158.55	168.55		2 X
MW-176	W176M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	158.55	168.55		2 X
MW-176	W176M1D	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	158.55	168.55		2 X
MW-178	W178M1A	10/31/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	117	127		2 X
MW-178	W178M1A	03/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6	J	UG/L	117	127		2 X
MW-178	W178M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	117	127		2 X
MW-178	W178M1A	01/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	117	127		2 X
MW-178	W178M1A	06/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	117	127		2 X
MW-178	W178M1A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	117	127		2 X
MW-178	W178M1A	12/24/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	117	127		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-178	W178M1A	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	117	127		2 X
MW-178	W178M1D	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	117	127		2 X
MW-178	W178M1A	08/12/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	117	127		2 X
MW-184	W184M1A	01/24/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	58.2	68.2		2 X
MW-184	W184M1A	06/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1A	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1D	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1A	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1D	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2		2 X
MW-184	W184M1A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	58.2	68.2		2 X
MW-184	W184M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	58.2	68.2		2 X
MW-184	W184M1A	05/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2		2 X
MW-184	W184M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2		2 X
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	0	10		2 X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10		2 X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10		2 X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	250		UG/L	0	10		2 X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	240		UG/L	0	10		2 X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150	J	UG/L	0	10		2 X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	0	10		2 X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	290		UG/L	0	10		2 X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10		2 X
MW-19	W19SSA	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10		2 X
MW-19	W19SSD	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	0	10		2 X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10		2 X
MW-19	W19SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	99		UG/L	0	10		2 X
MW-19	W19SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	80		UG/L	0	10		2 X
MW-19	W19SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	65		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-19	W19SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	73		UG/L	0	10		2 X
MW-191	W191M2A	01/25/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	8.4	18.4		2 X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6	J	UG/L	0	5		2 X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4	J	UG/L	0	5		2 X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6	J	UG/L	0	5		2 X
MW-198	W198M4A	02/21/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48.4	53.4		2 X
MW-198	W198M4A	07/19/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48.4	53.4		2 X
MW-198	W198M4A	11/01/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	48.4	53.4		2 X
MW-198	W198M4A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	48.4	53.4		2 X
MW-198	W198M4A	05/26/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	48.4	53.4		2 X
MW-198	W198M3A	02/15/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5		2 X
MW-198	W198M3A	07/22/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	78.5	83.5		2 X
MW-198	W198M3A	11/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5		2 X
MW-198	W198M3A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5		2 X
MW-198	W198M3A	06/04/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5		2 X
MW-198	W198M3A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5		2 X
MW-198	W198M3D	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5		2 X
MW-198	W198M3A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	78.5	83.5		2 X
MW-198	W198M3A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	78.5	83.5		2 X
MW-198	W198M2A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.4	103.4		2 X
MW-198	W198M2A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	98.4	103.4		2 X
MW-2	W02M2A	01/20/1998	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	33	38		2 X
MW-2	W02M2A	02/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	33	38		2 X
MW-2	W02M2A	09/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	33	38		2 X
MW-2	W02M2A	05/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3	J	UG/L	33	38		2 X
MW-2	W02M2A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	05/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	33	38		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-2	W02M2A	08/21/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	33	38		2 X
MW-2	W02M2A	11/19/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	33	38		2 X
MW-2	W02M2A	05/01/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4 J		UG/L	33	38		2 X
MW-2	W02M2A	09/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	33	38		2 X
MW-2	W02M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38		2 X
MW-2	W02M2D	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38		2 X
MW-2	W02M2A	07/18/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	33	38		2 X
MW-2	W02M2A	11/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38		2 X
MW-2	W02M2A	02/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5 J		UG/L	33	38		2 X
MW-2	W02M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	33	38		2 X
MW-2	W02M2A	10/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8 J		UG/L	33	38		2 X
MW-2	W02M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	33	38		2 X
MW-2	W02M1A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	75	80		2 X
MW-201	W201M2A	03/13/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1 J		UG/L	86.9	96.9		2 X
MW-201	W201M2A	07/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	86.9	96.9		2 X
MW-201	W201M2A	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	86.9	96.9		2 X
MW-201	W201M2D	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	86.9	96.9		2 X
MW-201	W201M2A	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9		2 X
MW-201	W201M2D	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9		2 X
MW-201	W201M2A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	86.9	96.9		2 X
MW-201	W201M2A	01/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	86.9	96.9		2 X
MW-201	W201M2A	07/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	86.9	96.9		2 X
MW-201	W201M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	86.9	96.9		2 X
MW-201	W201M2A	11/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	86.9	96.9		2 X
MW-203	W203M2A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	32.58	42.58		2 X
MW-204	W204M2A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	17.2	27.2		2 X
MW-204	W204M2A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	17.2	27.2		2 X
MW-204	W204M1A	04/10/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	81	91		2 X
MW-204	W204M1A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	81	91		2 X
MW-204	W204M1D	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	81	91		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-204	W204M1A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	81	91		2 X
MW-204	W204M1A	06/26/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	81	91		2 X
MW-204	W204M1A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	81	91		2 X
MW-204	W204M1A	01/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	81	91		2 X
MW-204	W204M1A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	81	91		2 X
MW-204	W204M1A	09/07/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	81	91		2 X
MW-206	W206M1A	07/18/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	19.57	29.57		2 X
MW-206	W206M1A	10/15/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19.57	29.57		2 X
MW-206	W206M1A	02/05/2003	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	19.57	29.57		2 X
MW-206	W206M1A	02/03/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	19.57	29.57		2 X
MW-206	W206M1A	03/09/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	19.57	29.57		2 X
MW-206	W206M1A	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	19.57	29.57		2 X
MW-206	W206M1D	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	19.57	29.57		2 X
MW-206	W206M1A	09/29/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	19.57	29.57		2 X
MW-207	W207M1A	04/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1D	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	10/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52		2 X
MW-207	W207M1A	06/05/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52		2 X
MW-207	W207M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	100.52	110.52		2 X
MW-207	W207M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52		2 X
MW-207	W207M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	100.52	110.52		2 X
MW-207	W207M1A	08/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	100.52	110.52		2 X
MW-209	W209M1A	04/30/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	121	131		2 X
MW-209	W209M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	121	131		2 X
MW-209	W209M1A	10/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	121	131		2 X
MW-209	W209M1A	06/12/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	121	131		2 X
MW-209	W209M1A	10/29/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	121	131		2 X
MW-209	W209M1A	02/13/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	121	131		2 X
MW-209	W209M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	121	131		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-209	W209M1A	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	121	131		2 X
MW-210	W210M2A	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	54.69	64.69		2 X
MW-210	W210M2D	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	54.69	64.69		2 X
MW-210	W210M2A	08/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	54.69	64.69		2 X
MW-215	W215M2A	08/01/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	98.9	108.9		2 X
MW-215	W215M2A	10/28/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9		2 X
MW-215	W215M2A	03/03/2003	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	98.9	108.9		2 X
MW-215	W215M2A	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	98.9	108.9		2 X
MW-215	W215M2D	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9		2 X
MW-215	W215M2A	09/09/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9		2 X
MW-215	W215M2D	09/09/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9		2 X
MW-218	W218M2A	03/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	93	98		2 X
MW-218	W218M2A	02/02/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98		2 X
MW-218	W218M2A	03/15/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	93	98		2 X
MW-218	W218M2A	05/06/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98		2 X
MW-223	W223M2A	11/05/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93.31	103.31		2 X
MW-223	W223M2A	02/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	93.31	103.31		2 X
MW-223	W223M2A	01/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	93.31	103.31		2 X
MW-223	W223M2A	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31		2 X
MW-223	W223M2D	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31		2 X
MW-227	W227M2A	08/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	56.38	66.38		2 X
MW-227	W227M2A	11/04/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	56.38	66.38		2 X
MW-227	W227M2A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9		UG/L	56.38	66.38		2 X
MW-227	W227M2A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	56.38	66.38		2 X
MW-227	W227M2A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	56.38	66.38		2 X
MW-227	W227M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	56.38	66.38		2 X
MW-227	W227M2A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	56.38	66.38		2 X
MW-227	W227M1A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	76.38	86.38		2 X
MW-227	W227M1D	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	76.38	86.38		2 X
MW-227	W227M1A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	76.38	86.38		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-227	W227M1A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	76.38	86.38		2 X
MW-227	W227M1A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	76.38	86.38		2 X
MW-227	W227M1A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	76.38	86.38		2 X
MW-23	W23M1A	11/07/1997	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	103	113		2 X
MW-23	W23M1A	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	103	113		2 X
MW-23	W23M1D	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	103	113		2 X
MW-23	W23M1A	09/13/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	103	113		2 X
MW-23	W23M1A	05/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6	J	UG/L	103	113		2 X
MW-23	W23M1A	08/08/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	103	113		2 X
MW-23	W23M1A	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	103	113		2 X
MW-23	W23M1D	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	103	113		2 X
MW-23	W23M1A	04/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	103	113		2 X
MW-23	W23M1A	07/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113		2 X
MW-23	W23M1A	12/06/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113		2 X
MW-23	W23M1A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113		2 X
MW-23	W23M1D	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113		2 X
MW-23	W23M1A	08/15/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	103	113		2 X
MW-23	W23M1A	01/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113		2 X
MW-23	W23M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	103	113		2 X
MW-23	W23M1A	10/07/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	103	113		2 X
MW-23	W23M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	103	113		2 X
MW-23	W23M1A	07/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113		2 X
MW-23	W23M1A	08/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	103	113		2 X
MW-234	W234M1A	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3		2 X
MW-234	W234M1D	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3		2 X
MW-234	W234M1A	08/02/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	25.3	35.3		2 X
MW-234	W234M1A	10/19/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	25.3	35.3		2 X
MW-235	W235M1A	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.1		UG/L	25.3	35.3		2 X
MW-235	W235M1D	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	25.3	35.3		2 X
MW-235	W235M1A	03/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11	J	UG/L	25.3	35.3		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-235	W235M1A	06/27/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	25.3	35.3		2 X
MW-235	W235M1A	04/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	25.3	35.3		2 X
MW-235	W235M1A	05/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	30		UG/L	25.3	35.3		2 X
MW-235	W235M1A	10/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	40		UG/L	25.3	35.3		2 X
MW-247	W247M2A	04/22/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	102.78	112.78		2 X
MW-247	W247M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	102.78	112.78		2 X
MW-247	W247M2A	10/12/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78		2 X
MW-247	W247M2A	12/02/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78		2 X
MW-25	W25SSA	10/16/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	0	10		2 X
MW-25	W25SSA	03/17/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	0	10		2 X
MW-262	W262M1A	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	9.42	19.42		2 X
MW-262	W262M1D	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	9.42	19.42		2 X
MW-265	W265M2A	05/15/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	97.6	107.6		2 X
MW-265	W265M2A	12/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6		2 X
MW-265	W265M2A	03/03/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	97.6	107.6		2 X
MW-265	W265M2A	09/27/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	97.6	107.6		2 X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L				2 X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L				2 X
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L				2 X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	59.7	69.7		2 X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	59.7	69.7		2 X
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	203	213		2 X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	203	213		2 X
MW-303	MW-303M3-	03/25/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L				2 X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	32		UG/L				2 X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	122	132		2 X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	122	132		2 X
MW-306	MW-306M2-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	41	51		2 X
MW-306	MW-306M2-	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	41	51		2 X
MW-306	MW-306M2-FD	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	41	51		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-306	MW-306M2-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	41	51		2 X
MW-306	MW-306M1-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	61	71		2 X
MW-306	MW-306M1-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	61	71		2 X
MW-31	W31SSA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	64		UG/L	13	18		2 X
MW-31	W31SSA	02/01/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	13	18		2 X
MW-31	W31SSA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	13	18		2 X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	13	18		2 X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	13	18		2 X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	13	18		2 X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	81		UG/L	13	18		2 X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	88		UG/L	13	18		2 X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	13	18		2 X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	13	18		2 X
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	85		UG/L	13	18		2 X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	13	18		2 X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	86		UG/L	13	18		2 X
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	13	18		2 X
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	62		UG/L	13	18		2 X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	13	18		2 X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	72		UG/L	13	18		2 X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13 J		UG/L	13	18		2 X
MW-31	W31MMA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	280		UG/L	28	38		2 X
MW-31	W31MMA	02/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	370		UG/L	28	38		2 X
MW-31	W31MMA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	28	38		2 X
MW-31	W31M1A	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	28	38		2 X
MW-31	W31M1A	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	28	38		2 X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	70		UG/L	28	38		2 X
MW-31	W31MMA	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	28	38		2 X
MW-31	W31MMD	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.2		UG/L	28	38		2 X
MW-31	W31MMA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	28	38		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31MMA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	28	38		2 X
MW-31	W31MMA	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	28	38		2 X
MW-31	W31MMA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	28	38		2 X
MW-31	W31MMA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50 J		UG/L	28	38		2 X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	48	53		2 X
MW-323	W323M2A	04/19/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	46.05	56.05		2 X
MW-323	W323M2A	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	46.05	56.05		2 X
MW-323	W323M2D	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	46.05	56.05		2 X
MW-323	W323M2A	10/08/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	46.05	56.05		2 X
MW-324	MW-324M2-	07/07/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	82	92		2 X
MW-324	MW-324M2-	10/20/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	82	92		2 X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L				2 X
MW-34	W34M2A	02/19/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	53	63		2 X
MW-34	W34M2A	05/18/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	53	63		2 X
MW-34	W34M2A	08/10/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	53	63		2 X
MW-34	W34M2A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	53	63		2 X
MW-34	W34M2A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	53	63		2 X
MW-34	W34M2A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	53	63		2 X
MW-34	W34M2A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	53	63		2 X
MW-34	W34M1A	05/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	73	83		2 X
MW-34	W34M1A	08/11/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	73	83		2 X
MW-34	W34M1A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	73	83		2 X
MW-34	W34M1A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	73	83		2 X
MW-34	W34M1A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	73	83		2 X
MW-34	W34M1A	03/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	73	83		2 X
MW-34	W34M1A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	73	83		2 X
MW-34	W34M1A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	73	83		2 X
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	74	84		2 X
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	74	84		2 X
MW-37	W37M3A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	11	21		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-37	W37M2A	09/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	26	36		2 X
MW-37	W37M2A	12/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	26	36		2 X
MW-37	W37M2A	03/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36		2 X
MW-37	W37M2A	08/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	26	36		2 X
MW-37	W37M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-37	W37M2D	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36		2 X
MW-37	W37M2A	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36		2 X
MW-37	W37M2D	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36		2 X
MW-37	W37M2A	08/13/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6	J	UG/L	26	36		2 X
MW-37	W37M2A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	26	36		2 X
MW-37	W37M2A	04/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36		2 X
MW-37	W37M2A	10/01/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	26	36		2 X
MW-37	W37M2A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-38	W38M4A	11/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	14	24		2 X
MW-38	W38M3A	05/06/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	52	62		2 X
MW-38	W38M3A	08/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62		2 X
MW-38	W38M3A	11/10/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	52	62		2 X
MW-38	W38M3A	05/16/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9	J	UG/L	52	62		2 X
MW-38	W38M3A	08/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62		2 X
MW-38	W38M3A	11/20/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	52	62		2 X
MW-38	W38M3A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	52	62		2 X
MW-38	W38M3A	08/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	52	62		2 X
MW-38	W38M3A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	52	62		2 X
MW-38	W38M3D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2	J	UG/L	52	62		2 X
MW-40	W40M1A	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	13	23		2 X
MW-40	W40M1D	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	13	23		2 X
MW-40	W40M1A	12/30/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3	J	UG/L	13	23		2 X
MW-40	W40M1A	04/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2	J	UG/L	13	23		2 X
MW-40	W40M1A	09/01/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	13	23		2 X
MW-40	W40M1A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	13	23		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-40	W40M1A	06/02/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	13	23		2 X
MW-40	W40M1A	08/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	13	23		2 X
MW-40	W40M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	13	23		2 X
MW-43	W43M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	67	77		2 X
MW-43	W43M2A	09/21/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77		2 X
MW-58	W58SSA	11/23/1999	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	0	10		2 X
MW-58	W58SSA	02/15/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	0	10		2 X
MW-58	W58SSA	05/11/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4	J	UG/L	0	10		2 X
MW-58	W58SSA	09/05/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10		2 X
MW-58	W58SSA	12/20/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	0	10		2 X
MW-58	W58SSA	06/14/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	0	10		2 X
MW-58	W58SSA	08/22/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10		2 X
MW-58	W58SSA	12/12/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10		2 X
MW-73	W73SSA	07/09/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50	J	UG/L	0	10		2 X
MW-73	W73SSA	09/16/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	0	10		2 X
MW-73	W73SSA	11/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	57		UG/L	0	10		2 X
MW-73	W73SSA	06/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	44		UG/L	0	10		2 X
MW-73	W73SSA	09/05/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10		2 X
MW-73	W73SSA	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	0	10		2 X
MW-73	W73SSD	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10		2 X
MW-73	W73SSA	06/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	0	10		2 X
MW-73	W73SSA	01/11/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	0	10		2 X
MW-73	W73SSA	08/20/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34	J	UG/L	0	10		2 X
MW-73	W73SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-73	W73SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	10		2 X
MW-73	W73SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10		2 X
MW-76	W76SSA	01/20/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	18	28		2 X
MW-76	W76SSA	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5	J	UG/L	18	28		2 X
MW-76	W76SSA	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	18	28		2 X
MW-76	W76SSA	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	18	28		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76SSA	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	18	28		2 X
MW-76	W76SSA	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	18	28		2 X
MW-76	W76SSA	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	25		UG/L	18	28		2 X
MW-76	W76SSA	08/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31	J	UG/L	18	28		2 X
MW-76	W76SSA	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	18	28		2 X
MW-76	W76SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	18	28		2 X
MW-76	W76SSA	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	18	28		2 X
MW-76	W76SSA	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	18	28		2 X
MW-76	W76SSA	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	18	28		2 X
MW-76	W76M2A	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48		2 X
MW-76	W76M2D	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48		2 X
MW-76	W76M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37	J	UG/L	38	48		2 X
MW-76	W76M2A	08/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48		2 X
MW-76	W76M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	46		UG/L	38	48		2 X
MW-76	W76M2A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	56		UG/L	38	48		2 X
MW-76	W76M2A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	38	48		2 X
MW-76	W76M2D	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	48		UG/L	38	48		2 X
MW-76	W76M2A	01/07/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	92		UG/L	38	48		2 X
MW-76	W76M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	38	48		2 X
MW-76	W76M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160	J	UG/L	38	48		2 X
MW-76	W76M2A	11/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48		2 X
MW-76	W76M2D	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48		2 X
MW-76	W76M2A	12/03/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48		2 X
MW-76	W76M2A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	04/22/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48		2 X
MW-76	W76M2A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	38	48		2 X
MW-76	W76M1A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	58	68		2 X
MW-76	W76M1A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	58	68		2 X
MW-76	W76M1A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	90		UG/L	58	68		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76M1A	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68		2 X
MW-76	W76M1A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	58	68		2 X
MW-76	W76M1A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14 J		UG/L	58	68		2 X
MW-76	W76M1A	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	58	68		2 X
MW-76	W76M1A	03/25/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68		2 X
MW-76	W76M1A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	58	68		2 X
MW-76	W76M1A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	58	68		2 X
MW-76	W76M1A	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	38		UG/L	58	68		2 X
MW-76	W76M1A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	59		UG/L	58	68		2 X
MW-77	W77M2A	01/25/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48		2 X
MW-77	W77M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	100 J		UG/L	38	48		2 X
MW-77	W77M2A	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	97 J		UG/L	38	48		2 X
MW-77	W77M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	93		UG/L	38	48		2 X
MW-77	W77M2A	05/10/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	39		UG/L	38	48		2 X
MW-77	W77M2A	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48		2 X
MW-77	W77M2A	12/26/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	38	48		2 X
MW-77	W77M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	38	48		2 X
MW-77	W77M2A	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	38	48		2 X
MW-77	W77M2A	11/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	38	48		2 X
MW-77	W77M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	38	48		2 X
MW-77	W77M2A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48		2 X
MW-77	W77M2A	02/12/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48		2 X
MW-77	W77M2A	04/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48		2 X
MW-77	W77M2A	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	38	48		2 X
MW-77	W77M2D	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48		2 X
MW-85	W85M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	22	32		2 X
MW-85	W85M1A	02/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	22	32		2 X
MW-85	W85M1A	06/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	22	32		2 X
MW-85	W85M1A	09/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	22	32		2 X
MW-85	W85M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	22	32		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-85	W85M1A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	22	32		2 X
MW-85	W85M1A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	22	32		2 X
MW-85	W85M1A	04/01/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	22	32		2 X
MW-85	W85M1A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	22	32		2 X
MW-85	W85M1D	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	22	32		2 X
MW-86	W86SSA	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5 J		UG/L	1	11		2 X
MW-86	W86SSA	08/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7 J		UG/L	1	11		2 X
MW-86	W86SSA	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	1	11		2 X
MW-86	W86SSA	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	1	11		2 X
MW-86	W86M2A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26		2 X
MW-86	W86M2A	11/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-86	W86M2A	05/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	16	26		2 X
MW-87	W87M1A	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5 J		UG/L	62	72		2 X
MW-87	W87M1A	09/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72		2 X
MW-87	W87M1A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	62	72		2 X
MW-87	W87M1A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72		2 X
MW-87	W87M1A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72		2 X
MW-87	W87M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72		2 X
MW-87	W87M1A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	62	72		2 X
MW-87	W87M1A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	62	72		2 X
MW-87	W87M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	62	72		2 X
MW-87	W87M1A	10/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	62	72		2 X
MW-87	W87M1A	08/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	62	72		2 X
MW-88	W88M2A	05/24/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	72	82		2 X
MW-88	W88M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	72	82		2 X
MW-88	W88M2A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-88	W88M2A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	72	82		2 X
MW-88	W88M2A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	72	82		2 X
MW-88	W88M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	72	82		2 X
MW-88	W88M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-88	W88M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	72	82		2 X
MW-88	W88M2A	04/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	72	82		2 X
MW-88	W88M2A	10/16/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	72	82		2 X
MW-88	W88M2A	01/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	72	82		2 X
MW-88	W88M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82		2 X
MW-88	W88M2D	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82		2 X
MW-88	W88M2A	08/20/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	72	82		2 X
MW-89	W89M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82		2 X
MW-89	W89M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82		2 X
MW-89	W89M2A	01/11/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5		UG/L	72	82		2 X
MW-89	W89M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-89	W89M2D	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	72	82		2 X
MW-89	W89M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X
MW-89	W89M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82		2 X
MW-89	W89M2A	04/17/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	72	82		2 X
MW-89	W89M2A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	72	82		2 X
MW-89	W89M2A	01/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82		2 X
MW-89	W89M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82		2 X
MW-89	W89M2A	10/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	72	82		2 X
MW-89	W89M1A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	92	102		2 X
MW-89	W89M1A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	92	102		2 X
MW-89	W89M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	92	102		2 X
MW-89	W89M1A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	92	102		2 X
MW-90	W90SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	0	10		2 X
MW-90	W90SSA	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	0	10		2 X
MW-90	W90M1A	10/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	27	37		2 X
MW-91	W91SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-91	W91SSA	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	10/09/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	10		2 X
MW-91	W91SSA	12/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	10		2 X
MW-91	W91SSA	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10		2 X
MW-91	W91SSA	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10		2 X
MW-91	W91SSA	05/21/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	10		2 X
MW-91	W91SSA	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10		2 X
MW-91	W91SSA	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	0	10		2 X
MW-91	W91SSA	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10		2 X
MW-91	W91SSA	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10		2 X
MW-91	W91M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	45	55		2 X
MW-91	W91M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55		2 X
MW-91	W91M1D	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55		2 X
MW-91	W91M1A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	45	55		2 X
MW-91	W91M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13	J	UG/L	45	55		2 X
MW-91	W91M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10	J	UG/L	45	55		2 X
MW-91	W91M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	45	55		2 X
MW-91	W91M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	45	55		2 X
MW-91	W91M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	45	55		2 X
MW-91	W91M1A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	45	55		2 X
MW-91	W91M1A	05/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	45	55		2 X
MW-91	W91M1A	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	45	55		2 X
MW-91	W91M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	45	55		2 X
MW-91	W91M1D	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	45	55		2 X
MW-91	W91M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	45	55		2 X
MW-91	W91M1A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55		2 X
MW-91	W91M1A	11/10/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55		2 X
MW-93	W93M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	16	26		2 X
MW-93	W93M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	16	26		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-93	W93M2A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1	J	UG/L	16	26		2 X
MW-93	W93M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	16	26		2 X
MW-93	W93M2A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	16	26		2 X
MW-93	W93M2A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	16	26		2 X
MW-93	W93M2A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5	J	UG/L	16	26		2 X
MW-93	W93M2A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M2D	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M2A	03/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	16	26		2 X
MW-93	W93M2A	10/23/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	16	26		2 X
MW-93	W93M2A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	16	26		2 X
MW-93	W93M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26		2 X
MW-93	W93M2A	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26		2 X
MW-93	W93M1A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	56	66		2 X
MW-93	W93M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66		2 X
MW-93	W93M1A	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	56	66		2 X
MW-93	W93M1D	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	56	66		2 X
MW-93	W93M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66		2 X
MW-93	W93M1A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	56	66		2 X
MW-93	W93M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	56	66		2 X
MW-93	W93M1A	09/24/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	56	66		2 X
MW-93	W93M1A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	56	66		2 X
MW-93	W93M1A	03/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	56	66		2 X
MW-93	W93M1A	10/22/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	56	66		2 X
MW-93	W93M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66		2 X
MW-93	W93M1A	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	56	66		2 X
MW-93	W93M1D	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66		2 X
MW-95	W95M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88		2 X
MW-95	W95M1A	10/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88		2 X
MW-95	W95M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	78	88		2 X
MW-95	W95M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	78	88		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-95	W95M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	78	88		2 X
MW-95	W95M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	78	88		2 X
MW-95	W95M1A	02/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	78	88		2 X
MW-95	W95M1A	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	78	88		2 X
MW-95	W95M1D	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	78	88		2 X
MW-95	W95M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88		2 X
MW-95	W95M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88		2 X
MW-95	W95M1A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88		2 X
MW-95	W95M1A	08/27/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88		2 X
MW-98	W98M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36		2 X
MW-99	W99M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70		2 X
MW-99	W99M1D	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70		2 X
MW-99	W99M1A	09/29/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	60	70		2 X
MW-99	W99M1A	01/13/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	60	70		2 X
MW-99	W99M1A	06/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	60	70		2 X
MW-99	W99M1A	10/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	60	70		2 X
OW-1	WOW-1A	11/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
OW-1	WOW-1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10		2 X
OW-1	WOW-1D	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	0	10		2 X
OW-1	OW-1-A	09/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10		2 X
OW-1	OW-1-A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10		2 X
OW-1	OW-1-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	0	10		2 X
OW-1	OW-1-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10		2 X
OW-1	OW-1-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10		2 X
OW-2	WOW-2A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	48.78	58.78		2 X
OW-2	WOW-2A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	08/30/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78		2 X
OW-2	OW-2-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	48.78	58.78		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
OW-2	OW-2-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	48.78	58.78	2	X
OW-6	WOW-6A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	46.8	56.8	2	X
ASPWELL	ASPWELL	07/20/1999	OTHER	E200.8	LEAD	53		UG/L			15	X
ASPWELL	ASPWELL	12/12/2000	OTHER	IM40PB	LEAD	20.9		UG/L			15	X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	LEAD	30.4		UG/L			15	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	LEAD	20.1		UG/L	0	10	15	X
MW-45	W45SSA	08/23/2001	L RANGE	IM40MB	LEAD	42.2		UG/L	0	10	15	X
MW-45	W45SSA	12/14/2001	L RANGE	IM40MB	LEAD	42.8		UG/L	0	10	15	X
MW-45	W45SSA	06/09/2003	L RANGE	IM40MB	LEAD	619		UG/L	0	10	15	X
MW-45	W45SSL	06/09/2003	L RANGE	IM40MB	LEAD	516		UG/L	0	10	15	X
MW-45	W45SSA	07/28/2003	L RANGE	IM40MB	LEAD	326		UG/L	0	10	15	X
MW-45	W45SSA	01/21/2004	L RANGE	IM40MB	LEAD	50.7		UG/L	0	10	15	X
MW-45	W45SSA	06/30/2004	L RANGE	IM40MBM	LEAD	35.2		UG/L	0	10	15	X
MW-45	W45SSA	09/29/2004	L RANGE	IM40MBM	LEAD	35.7		UG/L	0	10	15	X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	LEAD	40.2		UG/L	135	140	15	X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	LEAD	18.3		UG/L	135	140	15	X
MW-45	W45SSA	06/09/2003	L RANGE	OC21V	METHYLENE CHLORIDE	5J		UG/L	0	10	5	X
MW-45	W45SSA	07/28/2003	L RANGE	OC21V	METHYLENE CHLORIDE	8J		UG/L	0	10	5	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	MOLYBDENUM	72.1		UG/L	0	10	40	X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	MOLYBDENUM	63.3		UG/L	0	10	40	X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	48.9		UG/L	56	66	40	X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	51		UG/L	56	66	40	X
MW-47	W47M3A	03/29/1999	OTHER	IM40MB	MOLYBDENUM	43.1		UG/L	21	31	40	X
MW-47	W47M3L	03/29/1999	OTHER	IM40MB	MOLYBDENUM	40.5		UG/L	21	31	40	X
MW-52	W52M3A	04/07/1999	OTHER	IM40MB	MOLYBDENUM	72.6		UG/L	59	64	40	X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	MOLYBDENUM	67.6		UG/L	59	64	40	X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	MOLYBDENUM	51.1		UG/L	218	228	40	X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	MOLYBDENUM	48.9		UG/L	218	228	40	X
MW-53	W53M1A	05/03/1999	OTHER	IM40MB	MOLYBDENUM	122		UG/L	99	109	40	X
MW-53	W53M1L	05/03/1999	OTHER	IM40MB	MOLYBDENUM	132		UG/L	99	109	40	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-53	W53M1A	08/30/1999	OTHER	IM40MB	MOLYBDENUM	55.2		UG/L	99	109		40 X
MW-53	W53M1L	08/30/1999	OTHER	IM40MB	MOLYBDENUM	54.1		UG/L	99	109		40 X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	MOLYBDENUM	41.2		UG/L	99	109		40 X
MW-54	W54SSA	04/30/1999	OTHER	IM40MB	MOLYBDENUM	56.7		UG/L	0	10		40 X
MW-54	W54SSL	04/30/1999	OTHER	IM40MB	MOLYBDENUM	66.2		UG/L	0	10		40 X
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	MOLYBDENUM	61.4		UG/L	0	10		40 X
MW-54	W54M2A	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.7		UG/L	59	69		40 X
MW-54	W54M2L	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.2		UG/L	59	69		40 X
MW-41	W41M1A	05/18/2000	CIA	8151	PENTACHLOROPHENOL	1.8	J	UG/L	108	118		1 X
4036009DC	GLSKRKNK-A	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L				4 X
4036009DC	GLSKRKNK-D	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.51		UG/L				4 X
4036009DC	GLSKRKNK-A	01/08/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L				4 X
4036009DC	GLSKRKNK-D	01/08/2003	NW CORNER	E314.0	PERCHLORATE	5.99		UG/L				4 X
4036009DC	4036009DC-A	09/03/2003	NW CORNER	E314.0	PERCHLORATE	4.15		UG/L				4 X
4036009DC	4036009DC-A	11/24/2003	NW CORNER	E314.0	PERCHLORATE	4.88		UG/L				4 X
4036009DC	4036009DC-A	02/17/2004	NW CORNER	E314.0	PERCHLORATE	5.13		UG/L				4 X
4036009DC	4036009DC-A	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.36		UG/L				4 X
4036009DC	4036009DC-D	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.23		UG/L				4 X
4036009DC	4036009DC-A	08/18/2004	NW CORNER	E314.0	PERCHLORATE	5.63		UG/L				4 X
4036009DC	4036009DC-A	12/13/2004	NW CORNER	E314.0	PERCHLORATE	5.03		UG/L				4 X
90MW0022	90MW0022-A	09/21/2004	J-3 RANGE	E314.0	PERCHLORATE	4.3		UG/L	72.79	77.79		4 X
90MW0054	90MW0054AA	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	9		UG/L	91.83	96.83		4 X
90MW0054	90MW0054AD	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	91.83	96.83		4 X
90MW0054	90MW0054	10/24/2001	J-3 RANGE	E314.0	PERCHLORATE	27.8		UG/L	91.83	96.83		4 X
90MW0054	90MW0054	12/13/2001	J-3 RANGE	E314.0	PERCHLORATE	32.1		UG/L	91.83	96.83		4 X
90MW0054	90MW0054	04/20/2002	J-3 RANGE	E314.0	PERCHLORATE	26.3	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	E314.0	PERCHLORATE	19	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.3	J	UG/L	91.83	96.83		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	91.83	96.83		4 X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	91.83	96.83		4 X
90PZ0211	90PZ0211A-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5		UG/L	76.85	76.85		4 X
90PZ0211	90PZ0211A-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	7.4		UG/L	76.85	76.85		4 X
90PZ0211	90PZ0211B-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.3		UG/L	86.85	86.85		4 X
90PZ0211	90PZ0211B-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	8.1		UG/L	86.85	86.85		4 X
90PZ0211	90PZ0211C-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	96.85	96.85		4 X
90PZ0211	90PZ0211C-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	9.4		UG/L	96.85	96.85		4 X
MW-114	W114M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	300		UG/L	39	49		4 X
MW-114	W114M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	260		UG/L	39	49		4 X
MW-114	W114M2A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	207		UG/L	39	49		4 X
MW-114	W114M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	127		UG/L	39	49		4 X
MW-114	W114M2A	05/29/2002	DEMO 1	E314.0	PERCHLORATE	72		UG/L	39	49		4 X
MW-114	W114M2A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	39	49		4 X
MW-114	W114M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	71		UG/L	39	49		4 X
MW-114	W114M2A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	56		UG/L	39	49		4 X
MW-114	W114M2A	10/01/2003	DEMO 1	E314.0	PERCHLORATE	52	J	UG/L	39	49		4 X
MW-114	W114M2A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	42.3		UG/L	39	49		4 X
MW-114	W114M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	37.7		UG/L	39	49		4 X
MW-114	W114M2A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	40.8		UG/L	39	49		4 X
MW-114	W114M1A	12/28/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106		4 X
MW-114	W114M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	13		UG/L	96	106		4 X
MW-114	W114M1A	06/18/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	96	106		4 X
MW-114	W114M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	96	106		4 X
MW-114	W114M1A	06/21/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	96	106		4 X
MW-114	W114M1A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	96	106		4 X
MW-114	W114M1A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106		4 X
MW-114	W114M1A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	9.6		UG/L	96	106		4 X
MW-114	W114M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	7.7	J	UG/L	96	106		4 X
MW-114	W114M1A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	13.4		UG/L	96	106		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-114	W114M1A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	9.67		UG/L	96	106		4 X
MW-114	W114M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	4.36		UG/L	96	106		4 X
MW-127	W127SSA	02/14/2001	J-1 RANGE	E314.0	PERCHLORATE	4	J	UG/L	0	10		4 X
MW-129	W129M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	46	56		4 X
MW-129	W129M2A	06/20/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	46	56		4 X
MW-129	W129M2A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.93	J	UG/L	46	56		4 X
MW-129	W129M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	13		UG/L	46	56		4 X
MW-129	W129M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	16		UG/L	46	56		4 X
MW-129	W129M2D	11/13/2002	DEMO 1	E314.0	PERCHLORATE	15		UG/L	46	56		4 X
MW-129	W129M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	14	J	UG/L	46	56		4 X
MW-129	W129M2A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	6.7	J	UG/L	46	56		4 X
MW-129	W129M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	5.13		UG/L	46	56		4 X
MW-129	W129M2A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	5.27		UG/L	46	56		4 X
MW-129	W129M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	4.74		UG/L	46	56		4 X
MW-129	W129M1A	01/02/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	66	76		4 X
MW-129	W129M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	9		UG/L	66	76		4 X
MW-129	W129M1A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	66	76		4 X
MW-129	W129M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	5.92	J	UG/L	66	76		4 X
MW-129	W129M1A	04/12/2002	DEMO 1	E314.0	PERCHLORATE	4.63		UG/L	66	76		4 X
MW-129	W129M1A	03/21/2003	DEMO 1	E314.0	PERCHLORATE	5.9	J	UG/L	66	76		4 X
MW-129	W129M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	8.5	J	UG/L	66	76		4 X
MW-129	W129M1A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	6.62		UG/L	66	76		4 X
MW-129	W129M1A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	6.54		UG/L	66	76		4 X
MW-130	W130SSA	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.21		UG/L	0	10		4 X
MW-130	W130SSD	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.1		UG/L	0	10		4 X
MW-132	W132SSA	11/09/2000	J-3 RANGE	E314.0	PERCHLORATE	39	J	UG/L	0	10		4 X
MW-132	W132SSA	02/16/2001	J-3 RANGE	E314.0	PERCHLORATE	65		UG/L	0	10		4 X
MW-132	W132SSA	06/15/2001	J-3 RANGE	E314.0	PERCHLORATE	75		UG/L	0	10		4 X
MW-132	W132SSA	12/12/2001	J-3 RANGE	E314.0	PERCHLORATE	27.4		UG/L	0	10		4 X
MW-132	W132SSA	06/28/2002	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-132	W132SSA	09/20/2002	J-3 RANGE	E314.0	PERCHLORATE	13	J	UG/L	0	10		4 X
MW-132	W132SSA	12/10/2002	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	0	10		4 X
MW-132	W132SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	0	10		4 X
MW-132	W132SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	0	10		4 X
MW-132	W132SSA	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	17	J	UG/L	0	10		4 X
MW-132	W132SSA	05/18/2004	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	0	10		4 X
MW-132	W132SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	7.6		UG/L	0	10		4 X
MW-139	W139M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	8		UG/L	70	80		4 X
MW-139	W139M2A	03/15/2001	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	70	80		4 X
MW-139	W139M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	13		UG/L	70	80		4 X
MW-143	W143M3A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82		4 X
MW-143	W143M3D	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82		4 X
MW-143	W143M3A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	12		UG/L	77	82		4 X
MW-143	W143M2A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	87	92		4 X
MW-143	W143M2A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	87	92		4 X
MW-143	W143M2A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	87	92		4 X
MW-143	W143M1A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5	J	UG/L	114	124		4 X
MW-143	W143M1A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	114	124		4 X
MW-162	W162M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	4.4		UG/L	49.28	59.28		4 X
MW-162	W162M2A	04/16/2004	DEMO 1	E314.0	PERCHLORATE	4.11		UG/L	49.28	59.28		4 X
MW-162	W162M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	6.2		UG/L	49.28	59.28		4 X
MW-162	W162M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	49.28	59.28		4 X
MW-163	W163SSA	06/14/2001	J-3 RANGE	E314.0	PERCHLORATE	67		UG/L	0	10		4 X
MW-163	W163SSA	10/10/2001	J-3 RANGE	E314.0	PERCHLORATE	39.6		UG/L	0	10		4 X
MW-163	W163SSA	02/05/2002	J-3 RANGE	E314.0	PERCHLORATE	17.9		UG/L	0	10		4 X
MW-163	W163SSA	03/07/2002	J-3 RANGE	E314.0	PERCHLORATE	33.1		UG/L	0	10		4 X
MW-163	W163SSA	07/02/2002	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	0	10		4 X
MW-163	W163SSA	01/08/2003	J-3 RANGE	E314.0	PERCHLORATE	62		UG/L	0	10		4 X
MW-163	W163SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	44		UG/L	0	10		4 X
MW-163	W163SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	0	10		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-163	W163SSA	02/13/2004	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	0	10		4 X
MW-163	W163SSA	05/11/2004	J-3 RANGE	E314.0	PERCHLORATE	58	J	UG/L	0	10		4 X
MW-163	W163SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10		4 X
MW-165	W165M2A	05/08/2001	DEMO 1	E314.0	PERCHLORATE	122	J	UG/L	46	56		4 X
MW-165	W165M2A	08/16/2001	DEMO 1	E314.0	PERCHLORATE	102		UG/L	46	56		4 X
MW-165	W165M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	81.2		UG/L	46	56		4 X
MW-165	W165M2A	04/18/2002	DEMO 1	E314.0	PERCHLORATE	83.5		UG/L	46	56		4 X
MW-165	W165M2A	08/10/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	46	56		4 X
MW-165	W165M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	78		UG/L	46	56		4 X
MW-165	W165M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	110	J	UG/L	46	56		4 X
MW-165	W165M2A	09/11/2003	DEMO 1	E314.0	PERCHLORATE	57	J	UG/L	46	56		4 X
MW-165	W165M2D	09/11/2003	DEMO 1	E314.0	PERCHLORATE	58	J	UG/L	46	56		4 X
MW-165	W165M2A	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56		4 X
MW-165	W165M2D	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56		4 X
MW-165	W165M2A	04/09/2004	DEMO 1	E314.0	PERCHLORATE	39		UG/L	46	56		4 X
MW-165	W165M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	41.3		UG/L	46	56		4 X
MW-165	W165M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	94	J	UG/L	46	56		4 X
MW-165	W165M1A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	106	116		4 X
MW-172	W172M2A	02/08/2002	DEMO 1	E314.0	PERCHLORATE	5.45		UG/L	104	114		4 X
MW-172	W172M2A	09/18/2002	DEMO 1	E314.0	PERCHLORATE	7.1		UG/L	104	114		4 X
MW-172	W172M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114		4 X
MW-172	W172M2A	03/28/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	104	114		4 X
MW-172	W172M2A	10/15/2003	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114		4 X
MW-172	W172M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.45		UG/L	104	114		4 X
MW-172	W172M2D	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.44		UG/L	104	114		4 X
MW-172	W172M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	4.39		UG/L	104	114		4 X
MW-172	W172M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	104	114		4 X
MW-19	W19SSA	08/08/2000	DEMO 1	E314.0	PERCHLORATE	104	J	UG/L	0	10		4 X
MW-19	W19SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	12		UG/L	0	10		4 X
MW-19	W19SSA	06/18/2001	DEMO 1	E314.0	PERCHLORATE	41		UG/L	0	10		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-19	W19SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	8.49		UG/L	0	10		4 X
MW-19	W19SSA	12/27/2001	DEMO 1	E314.0	PERCHLORATE	18.6	J	UG/L	0	10		4 X
MW-19	W19SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	0	10		4 X
MW-19	W19SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	4.1	J	UG/L	0	10		4 X
MW-19	W19SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	7.8	J	UG/L	0	10		4 X
MW-193	W193M1A	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.02		UG/L	23.8	28.8		4 X
MW-193	W193M1D	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	23.8	28.8		4 X
MW-197	W197M3A	02/12/2002	J-3 RANGE	E314.0	PERCHLORATE	34.1		UG/L	39.4	44.4		4 X
MW-197	W197M3A	07/18/2002	J-3 RANGE	E314.0	PERCHLORATE	54	J	UG/L	39.4	44.4		4 X
MW-197	W197M3A	10/30/2002	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	39.4	44.4		4 X
MW-197	W197M2A	02/04/2004	J-3 RANGE	E314.0	PERCHLORATE	19		UG/L	59.3	64.3		4 X
MW-197	W197M2A	04/13/2004	J-3 RANGE	E314.0	PERCHLORATE	23.3		UG/L	59.3	64.3		4 X
MW-197	W197M2A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	59.3	64.3		4 X
MW-197	W197M2A	10/05/2004	J-3 RANGE	E314.0	PERCHLORATE	22		UG/L	59.3	64.3		4 X
MW-198	W198M4A	02/21/2002	J-3 RANGE	E314.0	PERCHLORATE	311		UG/L	48.4	53.4		4 X
MW-198	W198M4A	07/19/2002	J-3 RANGE	E314.0	PERCHLORATE	170	J	UG/L	48.4	53.4		4 X
MW-198	W198M4A	11/01/2002	J-3 RANGE	E314.0	PERCHLORATE	75.9		UG/L	48.4	53.4		4 X
MW-198	W198M4A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	60	J	UG/L	48.4	53.4		4 X
MW-198	W198M4A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	48.4	53.4		4 X
MW-198	W198M4A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	100		UG/L	48.4	53.4		4 X
MW-198	W198M4A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	48.4	53.4		4 X
MW-198	W198M4A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	81.6		UG/L	48.4	53.4		4 X
MW-198	W198M4A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	48.4	53.4		4 X
MW-198	W198M3A	02/15/2002	J-3 RANGE	E314.0	PERCHLORATE	40.9		UG/L	78.5	83.5		4 X
MW-198	W198M3A	07/22/2002	J-3 RANGE	E314.0	PERCHLORATE	65	J	UG/L	78.5	83.5		4 X
MW-198	W198M3A	11/06/2002	J-3 RANGE	E314.0	PERCHLORATE	170		UG/L	78.5	83.5		4 X
MW-198	W198M3A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	200	J	UG/L	78.5	83.5		4 X
MW-198	W198M3A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5		4 X
MW-198	W198M3A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5		4 X
MW-198	W198M3D	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	320		UG/L	78.5	83.5		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-198	W198M3A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	260		UG/L	78.5	83.5		4 X
MW-198	W198M3A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	92.9		UG/L	78.5	83.5		4 X
MW-198	W198M3A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	78.5	83.5		4 X
MW-198	W198M2A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	23		UG/L	98.4	103.4		4 X
MW-198	W198M2A	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	98.4	103.4		4 X
MW-198	W198M2A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	280		UG/L	98.4	103.4		4 X
MW-198	W198M2A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	494		UG/L	98.4	103.4		4 X
MW-198	W198M2A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	98.4	103.4		4 X
MW-210	W210M2A	06/06/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	54.69	64.69		4 X
MW-210	W210M2D	06/06/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	54.69	64.69		4 X
MW-210	W210M2A	10/28/2002	DEMO 1	E314.0	PERCHLORATE	9.93		UG/L	54.69	64.69		4 X
MW-210	W210M2A	02/28/2003	DEMO 1	E314.0	PERCHLORATE	12J		UG/L	54.69	64.69		4 X
MW-210	W210M2A	02/05/2004	DEMO 1	E314.0	PERCHLORATE	19		UG/L	54.69	64.69		4 X
MW-210	W210M2A	03/11/2004	DEMO 1	E314.0	PERCHLORATE	23		UG/L	54.69	64.69		4 X
MW-210	W210M2A	05/20/2004	DEMO 1	E314.0	PERCHLORATE	44		UG/L	54.69	64.69		4 X
MW-210	W210M2D	05/20/2004	DEMO 1	E314.0	PERCHLORATE	43		UG/L	54.69	64.69		4 X
MW-210	W210M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	59J		UG/L	54.69	64.69		4 X
MW-210	W210M2A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	56J		UG/L	54.69	64.69		4 X
MW-211	W211M1A	02/04/2004	DEMO 1	E314.0	PERCHLORATE	5.6		UG/L	55	65		4 X
MW-211	W211M1A	03/10/2004	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	55	65		4 X
MW-211	W211M1A	05/21/2004	DEMO 1	E314.0	PERCHLORATE	11		UG/L	55	65		4 X
MW-211	W211M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	13		UG/L	55	65		4 X
MW-211	W211M1A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	33J		UG/L	55	65		4 X
MW-232	W232M1A	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.01		UG/L	34.94	39.94		4 X
MW-232	W232M1A-DA	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.32		UG/L	34.94	39.94		4 X
MW-247	W247M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	102.78	112.78		4 X
MW-247	W247M2D	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.4		UG/L	102.78	112.78		4 X
MW-247	W247M2A	03/20/2003	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	102.78	112.78		4 X
MW-247	W247M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	102.78	112.78		4 X
MW-247	W247M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	4.4		UG/L	102.78	112.78		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-247	W247M2A	05/13/2004	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	102.78	112.78		4 X
MW-250	W250M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	134.82	144.82		4 X
MW-250	W250M2A	03/19/2003	J-3 RANGE	E314.0	PERCHLORATE	6.7		UG/L	134.82	144.82		4 X
MW-250	W250M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	6.2		UG/L	134.82	144.82		4 X
MW-250	W250M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	6.3		UG/L	134.82	144.82		4 X
MW-250	W250M2A	05/19/2004	J-3 RANGE	E314.0	PERCHLORATE	6.6		UG/L	134.82	144.82		4 X
MW-250	W250M2A	10/12/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82		4 X
MW-250	W250M2A	12/02/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82		4 X
MW-263	W263M2A	08/25/2003	J-2 RANGE	E314.0	PERCHLORATE	8.7		UG/L	8.66	18.66		4 X
MW-263	W263M2A	12/22/2003	J-2 RANGE	E314.0	PERCHLORATE	15 J		UG/L	8.66	18.66		4 X
MW-263	W263M2A	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4 J		UG/L	8.66	18.66		4 X
MW-263	W263M2D	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4.3 J		UG/L	8.66	18.66		4 X
MW-265	W265M3A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	4.41		UG/L	72.44	82.44		4 X
MW-265	W265M3A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	9.7		UG/L	72.44	82.44		4 X
MW-265	W265M3A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	10		UG/L	72.44	82.44		4 X
MW-265	W265M3A	10/05/2004	J-1 RANGE	E314.0	PERCHLORATE	8.9		UG/L	72.44	82.44		4 X
MW-265	W265M2A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	30.4		UG/L	97.6	107.6		4 X
MW-265	W265M2A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	33		UG/L	97.6	107.6		4 X
MW-265	W265M2A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	30		UG/L	97.6	107.6		4 X
MW-265	W265M2A	09/27/2004	J-1 RANGE	E314.0	PERCHLORATE	23		UG/L	97.6	107.6		4 X
MW-270	W270M1A	06/16/2003	NW CORNER	E314.0	PERCHLORATE	8.9		UG/L	50.89	55.89		4 X
MW-270	W270M1D	06/16/2003	NW CORNER	E314.0	PERCHLORATE	9.1		UG/L	50.89	55.89		4 X
MW-270	W270M1A	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89		4 X
MW-270	W270M1D	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89		4 X
MW-270	W270M1A	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11 J		UG/L	50.89	55.89		4 X
MW-270	W270M1D	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11 J		UG/L	50.89	55.89		4 X
MW-270	W270M1A	04/29/2004	NW CORNER	E314.0	PERCHLORATE	8.94		UG/L	50.89	55.89		4 X
MW-270	W270M1A	09/10/2004	NW CORNER	E314.0	PERCHLORATE	9.7		UG/L	50.89	55.89		4 X
MW-277	W277SSA	07/10/2003	NW CORNER	E314.0	PERCHLORATE	6.68		UG/L	0	10		4 X
MW-277	W277SSA	12/12/2003	NW CORNER	E314.0	PERCHLORATE	5.27		UG/L	0	10		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-277	W277SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.2		UG/L	0	10		4 X
MW-277	W277SSA	02/18/2004	NW CORNER	E314.0	PERCHLORATE	4.06		UG/L	0	10		4 X
MW-277	W277SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.18		UG/L	0	10		4 X
MW-278	W278SSA	07/18/2003	NW CORNER	E314.0	PERCHLORATE	19.3		UG/L	0	10		4 X
MW-278	W278M2A	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.1		UG/L	9.79	14.79		4 X
MW-278	W278M2D	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.4		UG/L	9.79	14.79		4 X
MW-278	W278M2A	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.4		UG/L	9.79	14.79		4 X
MW-279	W279SSA	07/30/2003	NW CORNER	E314.0	PERCHLORATE	16.7		UG/L	10	20		4 X
MW-279	W279SSA	12/10/2003	NW CORNER	E314.0	PERCHLORATE	15.7		UG/L	10	20		4 X
MW-279	W279SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20		4 X
MW-279	W279SSA	02/19/2004	NW CORNER	E314.0	PERCHLORATE	11.4		UG/L	10	20		4 X
MW-279	W279SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	11.2		UG/L	10	20		4 X
MW-279	W279SSA	04/15/2004	NW CORNER	E314.0	PERCHLORATE	9.84		UG/L	10	20		4 X
MW-279	W279SSA	05/14/2004	NW CORNER	E314.0	PERCHLORATE	11.9		UG/L	10	20		4 X
MW-279	W279SSA	06/09/2004	NW CORNER	E314.0	PERCHLORATE	11.1		UG/L	10	20		4 X
MW-279	W279SSA	07/07/2004	NW CORNER	E314.0	PERCHLORATE	10.5		UG/L	10	20		4 X
MW-279	W279SSA	08/04/2004	NW CORNER	E314.0	PERCHLORATE	13.7		UG/L	10	20		4 X
MW-279	W279SSA	09/08/2004	NW CORNER	E314.0	PERCHLORATE	15.2		UG/L	10	20		4 X
MW-279	W279SSA	10/06/2004	NW CORNER	E314.0	PERCHLORATE	19.7		UG/L	10	20		4 X
MW-279	W279SSA	11/03/2004	NW CORNER	E314.0	PERCHLORATE	20.4		UG/L	10	20		4 X
MW-279	W279M2A	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L	26.8	31.8		4 X
MW-279	W279M2D	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	26.8	31.8		4 X
MW-279	W279M2A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.03		UG/L	26.8	31.8		4 X
MW-279	W279M2D	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.04		UG/L	26.8	31.8		4 X
MW-279	W279M2A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	4.51		UG/L	26.8	31.8		4 X
MW-279	W279M2A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	4.95		UG/L	26.8	31.8		4 X
MW-279	W279M2A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.84		UG/L	26.8	31.8		4 X
MW-279	W279M2D	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.87		UG/L	26.8	31.8		4 X
MW-279	W279M2A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.99		UG/L	26.8	31.8		4 X
MW-279	W279M2A	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.5		UG/L	26.8	31.8		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-279	W279M2D	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	26.8	31.8		4 X
MW-279	W279M2A	10/06/2004	NW CORNER	E314.0	PERCHLORATE	5.12		UG/L	26.8	31.8		4 X
MW-279	W279M2A	11/02/2004	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L	26.8	31.8		4 X
MW-279	W279M1A	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.6		UG/L	37.4	47.4		4 X
MW-279	W279M1A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	37.4	47.4		4 X
MW-279	W279M1A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	5.17		UG/L	37.4	47.4		4 X
MW-279	W279M1A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.05		UG/L	37.4	47.4		4 X
MW-279	W279M1D	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.14		UG/L	37.4	47.4		4 X
MW-279	W279M1A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	37.4	47.4		4 X
MW-279	W279M1A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.61		UG/L	37.4	47.4		4 X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L				4 X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L				4 X
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	110		UG/L				4 X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	63		UG/L	59.7	69.7		4 X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	64		UG/L	59.7	69.7		4 X
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	203	213		4 X
MW-289	MW-289M1-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L	203	213		4 X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	9.2		UG/L	203	213		4 X
MW-293	MW-293M2-	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L				4 X
MW-293	MW-293M2-FD	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L				4 X
MW-293	MW-293M2-	07/15/2004	J-2 RANGE	E314.0	PERCHLORATE	43		UG/L	90.22	100.22		4 X
MW-293	MW-293M2-	11/19/2004	J-2 RANGE	E314.0	PERCHLORATE	52		UG/L	90.22	100.22		4 X
MW-300	MW-300M2-	03/03/2004	J-2 RANGE	E314.0	PERCHLORATE	51		UG/L				4 X
MW-300	MW-300M2-	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-FD	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38		4 X
MW-300	MW-300M2-FD	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38		4 X
MW-302	MW-302M2-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L				4 X
MW-302	MW-302M2-FD	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	7		UG/L				4 X
MW-302	MW-302M2-	07/12/2004	J-2 RANGE	E314.0	PERCHLORATE	9.3		UG/L	85	95		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-302	MW-302M2-	11/15/2004	J-2 RANGE	E314.0	PERCHLORATE	11		UG/L	85	95		4 X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	E314.0	PERCHLORATE	31		UG/L				4 X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	E314.0	PERCHLORATE	29		UG/L	122	132		4 X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	E314.0	PERCHLORATE	20		UG/L	122	132		4 X
MW-305	MW-305M1-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	36		UG/L				4 X
MW-305	MW-305M1-	07/06/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82		4 X
MW-305	MW-305M1-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82		4 X
MW-307	MW-307M3-	04/27/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L				4 X
MW-307	MW-307M3-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	17.8	27.82		4 X
MW-31	W31SSA	08/09/2000	DEMO 1	E314.0	PERCHLORATE	43 J		UG/L	13	18		4 X
MW-31	W31SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	30		UG/L	13	18		4 X
MW-31	W31SSA	05/02/2001	DEMO 1	E314.0	PERCHLORATE	20 J		UG/L	13	18		4 X
MW-31	W31SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	13	18		4 X
MW-31	W31SSA	01/04/2002	DEMO 1	E314.0	PERCHLORATE	12.5		UG/L	13	18		4 X
MW-31	W31SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	13	18		4 X
MW-31	W31SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2 J		UG/L	13	18		4 X
MW-31	W31SSA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	4.9		UG/L	13	18		4 X
MW-31	W31SSA	03/28/2003	DEMO 1	E314.0	PERCHLORATE	10		UG/L	13	18		4 X
MW-31	W31SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18		4 X
MW-31	W31SSD	09/27/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	13	18		4 X
MW-31	W31SSA	02/28/2004	DEMO 1	E314.0	PERCHLORATE	7.77 J		UG/L	13	18		4 X
MW-31	W31SSA	05/11/2004	DEMO 1	E314.0	PERCHLORATE	5.02		UG/L	13	18		4 X
MW-31	W31SSA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	4.7 J		UG/L	13	18		4 X
MW-31	W31M1A	08/09/2000	DEMO 1	E314.0	PERCHLORATE	46 J		UG/L	28	38		4 X
MW-31	W31MMA	05/23/2001	DEMO 1	E314.0	PERCHLORATE	19		UG/L	28	38		4 X
MW-31	W31MMA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	10 J		UG/L	28	38		4 X
MW-31	W31MMA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	28	38		4 X
MW-31	W31MMA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	7.44 J		UG/L	28	38		4 X
MW-310	MW-310M1-	04/23/2004	J-2 RANGE	E314.0	PERCHLORATE	16		UG/L				4 X
MW-310	MW-310M1-	08/23/2004	J-2 RANGE	E314.0	PERCHLORATE	15		UG/L	86	96		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-310	MW-310M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	17		ug/L	86	96		4 X
MW-310	MW-310M1-FD	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	18		ug/L	86	96		4 X
MW-313	MW-313M2-	06/29/2004	J-2 RANGE	E314.0	PERCHLORATE	8.2		UG/L				4 X
MW-313	MW-313M2-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	9.1		UG/L	93	103		4 X
MW-32	W32MMA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	4.14		UG/L	65	75		4 X
MW-32	W32MMA	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.21		UG/L	65	75		4 X
MW-32	W32MMD	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.03		UG/L	65	75		4 X
MW-32	W32DDA	08/03/2004	DEMO 1	E314.0	PERCHLORATE	4.78		UG/L	85	90		4 X
MW-321	MW-321M1-	10/14/2004	J-2 RANGE	E314.0	PERCHLORATE	4.5		UG/L	70	80		4 X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	E314.0	PERCHLORATE	21		UG/L				4 X
MW-326	MW-326M2-	10/29/2004	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	75	85		4 X
MW-339	MW-339M1-	08/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.6		UG/L	125	135		4 X
MW-339	MW-339M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.2		ug/L	125	135		4 X
MW-34	W34M2A	08/10/2000	DEMO 1	E314.0	PERCHLORATE	56 J		UG/L	53	63		4 X
MW-34	W34M2A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	34		UG/L	53	63		4 X
MW-34	W34M2A	05/01/2001	DEMO 1	E314.0	PERCHLORATE	28 J		UG/L	53	63		4 X
MW-34	W34M2A	07/30/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	53	63		4 X
MW-34	W34M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	5.85 J		UG/L	53	63		4 X
MW-34	W34M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	19.6		UG/L	53	63		4 X
MW-34	W34M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	17		UG/L	53	63		4 X
MW-34	W34M2A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	53	63		4 X
MW-34	W34M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	10 J		UG/L	53	63		4 X
MW-34	W34M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	53	63		4 X
MW-34	W34M2A	03/05/2004	DEMO 1	E314.0	PERCHLORATE	7.02		UG/L	53	63		4 X
MW-34	W34M2A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.23		UG/L	53	63		4 X
MW-34	W34M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	5.87 J		UG/L	53	63		4 X
MW-34	W34M1A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	109		UG/L	73	83		4 X
MW-34	W34M1A	05/05/2001	DEMO 1	E314.0	PERCHLORATE	46		UG/L	73	83		4 X
MW-34	W34M1A	07/31/2001	DEMO 1	E314.0	PERCHLORATE	30.8		UG/L	73	83		4 X
MW-34	W34M1D	07/31/2001	DEMO 1	E314.0	PERCHLORATE	31.4		UG/L	73	83		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-34	W34M1A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	17.7		UG/L	73	83		4 X
MW-34	W34M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	7.9		UG/L	73	83		4 X
MW-34	W34M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.1	J	UG/L	73	83		4 X
MW-34	W34M1D	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	73	83		4 X
MW-34	W34M1A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	8		UG/L	73	83		4 X
MW-34	W34M1A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	8	J	UG/L	73	83		4 X
MW-34	W34M1A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	6.9		UG/L	73	83		4 X
MW-34	W34M1A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.28		UG/L	73	83		4 X
MW-341	W341M4A	08/31/2004	DEMO 1	E314.0	PERCHLORATE	14.7		UG/L	22.66	27.66		4 X
MW-341	W341M3A	12/10/2004	DEMO 1	E314.0	PERCHLORATE	15.5		UG/L	50.66	60.66		4 X
MW-348	MW-348M2-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	38		UG/L	89.54	99.54		4 X
MW-35	W35M1A	05/04/2001	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	68	78		4 X
MW-35	W35M1A	08/03/2001	DEMO 1	E314.0	PERCHLORATE	5.4		UG/L	68	78		4 X
MW-35	W35M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.34	J	UG/L	68	78		4 X
MW-35	W35M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	6.44	J	UG/L	68	78		4 X
MW-35	W35M1A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	5		UG/L	68	78		4 X
MW-35	W35M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	68	78		4 X
MW-36	W36M2A	08/08/2002	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	54	64		4 X
MW-36	W36M2A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2	J	UG/L	54	64		4 X
MW-36	W36M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	4.8		UG/L	54	64		4 X
MW-73	W73SSD	12/19/2000	DEMO 1	E314.0	PERCHLORATE	6		UG/L	0	10		4 X
MW-73	W73SSA	06/14/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	0	10		4 X
MW-75	W75M2A	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	34	44		4 X
MW-75	W75M2D	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	34	44		4 X
MW-75	W75M2A	08/09/2001	DEMO 1	E314.0	PERCHLORATE	6.24		UG/L	34	44		4 X
MW-75	W75M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	4.08		UG/L	34	44		4 X
MW-75	W75M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.89		UG/L	34	44		4 X
MW-75	W75M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	34	44		4 X
MW-75	W75M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	34	44		4 X
MW-76	W76SSA	12/07/2000	DEMO 1	E314.0	PERCHLORATE	5		UG/L	18	28		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76SSA	05/07/2001	DEMO 1	E314.0	PERCHLORATE	7		UG/L	18	28		4 X
MW-76	W76SSA	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.3		UG/L	18	28		4 X
MW-76	W76SSA	12/28/2001	DEMO 1	E314.0	PERCHLORATE	41.2		UG/L	18	28		4 X
MW-76	W76SSA	04/24/2002	DEMO 1	E314.0	PERCHLORATE	175		UG/L	18	28		4 X
MW-76	W76SSA	08/20/2002	DEMO 1	E314.0	PERCHLORATE	88		UG/L	18	28		4 X
MW-76	W76SSA	11/18/2002	DEMO 1	E314.0	PERCHLORATE	26 J		UG/L	18	28		4 X
MW-76	W76SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	19		UG/L	18	28		4 X
MW-76	W76SSA	02/24/2004	DEMO 1	E314.0	PERCHLORATE	19.1		UG/L	18	28		4 X
MW-76	W76SSA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	11.3		UG/L	18	28		4 X
MW-76	W76M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48		4 X
MW-76	W76M2A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	17		UG/L	38	48		4 X
MW-76	W76M2A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	38	48		4 X
MW-76	W76M2D	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.5		UG/L	38	48		4 X
MW-76	W76M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	126		UG/L	38	48		4 X
MW-76	W76M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	174		UG/L	38	48		4 X
MW-76	W76M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	250		UG/L	38	48		4 X
MW-76	W76M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	290		UG/L	38	48		4 X
MW-76	W76M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500 J		UG/L	38	48		4 X
MW-76	W76M2D	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500 J		UG/L	38	48		4 X
MW-76	W76M2A	12/03/2003	DEMO 1	E314.0	PERCHLORATE	210		UG/L	38	48		4 X
MW-76	W76M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	115		UG/L	38	48		4 X
MW-76	W76M2A	04/22/2004	DEMO 1	E314.0	PERCHLORATE	93.1		UG/L	38	48		4 X
MW-76	W76M2A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	57.2		UG/L	38	48		4 X
MW-76	W76M1A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	58	68		4 X
MW-76	W76M1A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	16		UG/L	58	68		4 X
MW-76	W76M1A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	30.6		UG/L	58	68		4 X
MW-76	W76M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	15.3		UG/L	58	68		4 X
MW-76	W76M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	11 J		UG/L	58	68		4 X
MW-76	W76M1A	03/25/2003	DEMO 1	E314.0	PERCHLORATE	200 J		UG/L	58	68		4 X
MW-76	W76M1A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	97 J		UG/L	58	68		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76M1A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	16.4		UG/L	58	68		4 X
MW-76	W76M1A	04/21/2004	DEMO 1	E314.0	PERCHLORATE	17.9		UG/L	58	68		4 X
MW-76	W76M1A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	47.3		UG/L	58	68		4 X
MW-77	W77M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	28		UG/L	38	48		4 X
MW-77	W77M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	16	J	UG/L	38	48		4 X
MW-77	W77M2A	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.9		UG/L	38	48		4 X
MW-77	W77M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	12.3		UG/L	38	48		4 X
MW-77	W77M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	8.01		UG/L	38	48		4 X
MW-77	W77M2A	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2	J	UG/L	38	48		4 X
MW-77	W77M2A	11/19/2002	DEMO 1	E314.0	PERCHLORATE	7.2		UG/L	38	48		4 X
MW-77	W77M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	5.4	J	UG/L	38	48		4 X
MW-77	W77M2A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	9.1		UG/L	38	48		4 X
MW-77	W77M2A	02/12/2004	DEMO 1	E314.0	PERCHLORATE	5.32		UG/L	38	48		4 X
MW-77	W77M2A	04/05/2004	DEMO 1	E314.0	PERCHLORATE	5.7	J	UG/L	38	48		4 X
MW-77	W77M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48		4 X
MW-77	W77M2D	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48		4 X
MW-78	W78M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	19		UG/L	38	48		4 X
MW-78	W78M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	38	48		4 X
MW-78	W78M2A	08/15/2001	DEMO 1	E314.0	PERCHLORATE	11.4		UG/L	38	48		4 X
MW-78	W78M2A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	4.43		UG/L	38	48		4 X
MW-78	W78M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.75		UG/L	38	48		4 X
MW-78	W78M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	6.3	J	UG/L	38	48		4 X
MW-78	W78M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	8.7		UG/L	38	48		4 X
MW-78	W78M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4.7	J	UG/L	38	48		4 X
MW-78	W78M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48		4 X
MW-78	W78M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.34		UG/L	38	48		4 X
MW-78	W78M2D	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.18	J	UG/L	38	48		4 X
MW-78	W78M2A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	8.2		UG/L	38	48		4 X
MW-78	W78M2A	08/12/2004	DEMO 1	E314.0	PERCHLORATE	6.48		UG/L	38	48		4 X
MW-78	W78M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	4.6	J	UG/L	58	68		4 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-78	W78M1A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	58	68		4 X
MW-78	W78M1A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	4.9	J	UG/L	58	68		4 X
MW-78	W78M1A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	58	68		4 X
MW-78	W78M1A	02/23/2004	DEMO 1	E314.0	PERCHLORATE	4.83		UG/L	58	68		4 X
MW-78	W78M1A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	4.37		UG/L	58	68		4 X
MW-91	W91SSA	01/20/2001	CIA	E314.0	PERCHLORATE	5	J	UG/L	0	10		4 X
MW-91	W91SSA	05/20/2002	CIA	E314.0	PERCHLORATE	4		UG/L	0	10		4 X
15MW0002	15MW0002	04/08/1999	J-2 RANGE	IM40MB	SODIUM	37600		UG/L	0	10	20000	X
90WT0010	90WT0010	06/05/2000	FS-12	IM40MB	SODIUM	23600		UG/L	2	12	20000	X
90WT0010	90WT0010-L	06/05/2000	FS-12	IM40MB	SODIUM	24200		UG/L	2	12	20000	X
90WT0015	90WT0015	04/23/1999	FS-12	IM40MB	SODIUM	34300		UG/L	0	10	20000	X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	SODIUM	24900		UG/L			20000	X
ASPWELL	ASPWELL	09/27/2001	OTHER	A3111B	SODIUM	21000		UG/L			20000	X
ASPWELL	ASPWELL	09/27/2001	OTHER	IM40MB	SODIUM	22600		UG/L			20000	X
ASPWELL	ASPWELL	12/19/2001	OTHER	IM40MB	SODIUM	28500		UG/L			20000	X
ASPWELL	ASPWELL-A	10/13/2004	OTHER	IM40MBM	SODIUM	29700		UG/L			20000	X
MW-144	W144SSA	06/18/2001	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	5	15	20000	X
MW-144	W144SSA	09/06/2002	J-3 RANGE	IM40MB	SODIUM	43000		UG/L	5	15	20000	X
MW-144	W144SSA	11/25/2002	J-3 RANGE	IM40MB	SODIUM	28100		UG/L	5	15	20000	X
MW-144	W144SSA	10/16/2003	J-3 RANGE	IM40MB	SODIUM	31400		UG/L	5	15	20000	X
MW-144	W144SSA	12/18/2003	J-3 RANGE	IM40MB	SODIUM	27800		UG/L	5	15	20000	X
MW-145	W145SSA	02/12/2001	J-3 RANGE	IM40MB	SODIUM	37000		UG/L	0	10	20000	X
MW-145	W145SSA	06/20/2001	J-3 RANGE	IM40MB	SODIUM	73600		UG/L	0	10	20000	X
MW-145	W145SSA	06/28/2002	J-3 RANGE	IM40MB	SODIUM	53300		UG/L	0	10	20000	X
MW-145	W145SSA	12/02/2002	J-3 RANGE	IM40MB	SODIUM	24100		UG/L	0	10	20000	X
MW-145	W145SSA	11/04/2003	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	0	10	20000	X
MW-148	W148SSA	10/18/2001	L RANGE	IM40MB	SODIUM	23500		UG/L	0	10	20000	X
MW-148	W148SSA	12/18/2003	L RANGE	IM40MB	SODIUM	27800		UG/L	0	10	20000	X
MW-16	W16SSA	11/17/1997	DEMO 2	IM40	SODIUM	20900		UG/L	0	10	20000	X
MW-16	W16SSL	11/17/1997	DEMO 2	IM40	SODIUM	20400		UG/L	0	10	20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-187	W187DDA	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/11/2002	J-1 RANGE	IM40MB	SODIUM	27100		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	10/17/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/07/2003	J-1 RANGE	IM40MB	SODIUM	22700		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	11/21/2003	J-1 RANGE	IM40MB	SODIUM	24200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	03/05/2004	J-1 RANGE	IM40MB	SODIUM	24100		UG/L	199.5	209.5	20000	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	SODIUM	27200		UG/L	0	10	20000	X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	SODIUM	26300		UG/L	0	10	20000	X
MW-2	W02SSA	02/01/1999	CIA	IM40MB	SODIUM	20300		UG/L	0	10	20000	X
MW-2	W02SSL	02/01/1999	CIA	IM40MB	SODIUM	20100		UG/L	0	10	20000	X
MW-2	W02DDA	11/19/1997	CIA	IM40	SODIUM	21500		UG/L	218	223	20000	X
MW-2	W02DDL	11/19/1997	CIA	IM40	SODIUM	22600		UG/L	218	223	20000	X
MW-21	W21SSA	10/24/1997	OTHER	IM40	SODIUM	24000		UG/L	0	10	20000	X
MW-21	W21SSL	10/24/1997	OTHER	IM40	SODIUM	24200		UG/L	0	10	20000	X
MW-21	W21SSA	11/15/2000	OTHER	IM40MB	SODIUM	22500		UG/L	0	10	20000	X
MW-21	W21SSA	12/20/2001	OTHER	IM40MB	SODIUM	26400		UG/L	0	10	20000	X
MW-21	W21SSA	10/02/2003	OTHER	IM40MB	SODIUM	20200		UG/L	0	10	20000	X
MW-21	W21SSA	01/23/2004	OTHER	IM40MB	SODIUM	31600		UG/L	0	10	20000	X
MW-46	W46SSA	08/25/1999	WESTERN BOU	IM40MB	SODIUM	20600		UG/L	0	10	20000	X
MW-46	W46SSA	06/15/2000	WESTERN BOU	IM40MB	SODIUM	32200		UG/L	0	10	20000	X
MW-46	W46SSA	09/12/2000	WESTERN BOU	IM40MB	SODIUM	31300		UG/L	0	10	20000	X
MW-46	W46SSA	11/17/2000	WESTERN BOU	IM40MB	SODIUM	22500	J	UG/L	0	10	20000	X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	SODIUM	23300		UG/L	56	66	20000	X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	SODIUM	24400		UG/L	56	66	20000	X
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	SODIUM	33300		UG/L	0	10	20000	X
MW-57	W57M3A	10/07/2002	J-2 RANGE	IM40MB	SODIUM	21500		UG/L	31	41	20000	X
MW-57	W57M2A	12/21/1999	J-2 RANGE	IM40MB	SODIUM	23500		UG/L	62	72	20000	X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	SODIUM	24500		UG/L	62	72	20000	X
MW-57	W57M2A	06/30/2000	J-2 RANGE	IM40MB	SODIUM	25900		UG/L	62	72	20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-57	W57M2A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	23200		UG/L	62	72	20000	X
MW-57	W57M1A	12/14/1999	J-2 RANGE	IM40MB	SODIUM	23700		UG/L	102	112	20000	X
MW-57	W57M1A	03/07/2000	J-2 RANGE	IM40MB	SODIUM	20900		UG/L	102	112	20000	X
MW-57	W57M1A	07/05/2000	J-2 RANGE	IM40MB	SODIUM	22200		UG/L	102	112	20000	X
MW-57	W57M1A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	20100		UG/L	102	112	20000	X
MW-57	W57M1A	09/14/2004	J-2 RANGE	IM40MBM	SODIUM	21800		UG/L	102	112	20000	X
SDW261160	WG160L	01/07/1998	OTHER	IM40MB	SODIUM	20600		UG/L	10	20	20000	X
SDW261160	WG160A	01/13/1999	OTHER	IM40MB	SODIUM	27200		UG/L	10	20	20000	X
SDW261160	WG160L	01/13/1999	OTHER	IM40MB	SODIUM	28200		UG/L	10	20	20000	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	TERT-BUTYL METHYL ETHER	30		UG/L	199.5	209.5	20	X
03MW0007A	03MW0007A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	6		UG/L	21	26	5	X
03MW0014A	03MW0014A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	8		UG/L	38	43	5	X
03MW0020	03MW0020	04/14/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	12		UG/L	36	41	5	X
03MW0006	03MW0006	04/15/1999	CS-10	IM40MB	THALLIUM	2.6	J	UG/L	0	10	2	X
03MW0022A	03MW0022A	04/16/1999	CS-10	IM40MB	THALLIUM	3.9		UG/L	71	76	2	X
03MW0027A	03MW0027A	04/14/1999	CS-10	IM40MB	THALLIUM	2	J	UG/L	64	69	2	X
11MW0004	11MW0004	04/16/1999	OTHER	IM40MB	THALLIUM	2.3	J	UG/L	0	10	2	X
27MW0020Z	27MW0020Z	04/16/1999	LF-1	IM40MB	THALLIUM	2.7	J	UG/L	98	103	2	X
90MW0038	90MW0038	04/21/1999	L RANGE	IM40MB	THALLIUM	4.4	J	UG/L	29	34	2	X
90WT0010	WF10XA	01/16/1998	FS-12	IM40MB	THALLIUM	6.5	J	UG/L	2	12	2	X
LRWS1-4	WL14XA	01/06/1999	OTHER	IM40MB	THALLIUM	5.2	J	UG/L	107	117	2	X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	THALLIUM	2.9	J	UG/L	0	10	2	X
MW-127	W127SSA	11/15/2000	J-1 RANGE	IM40MB	THALLIUM	2.4	J	UG/L	0	10	2	X
MW-132	W132SSA	02/16/2001	J-3 RANGE	IM40MB	THALLIUM	2.1	J	UG/L	0	10	2	X
MW-145	W145SSA	10/18/2001	J-3 RANGE	IM40MB	THALLIUM	4.8	J	UG/L	0	10	2	X
MW-148	W148SSA	12/02/2002	L RANGE	IM40MB	THALLIUM	3.8	J	UG/L	0	10	2	X
MW-150	W150SSA	03/07/2001	PHASE 2b	IM40MB	THALLIUM	2.2	J	UG/L	1	11	2	X
MW-18	W18SSA	03/12/1999	J-2 RANGE	IM40MB	THALLIUM	2.3	J	UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	IM40MB	THALLIUM	3.8	J	UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	IM40MB	THALLIUM	4.2	J	UG/L	0	10	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-19	W19DDL	02/11/1999	DEMO 1	IM40MB	THALLIUM	3.1	J	UG/L	254	259		2 X
MW-191	W191M1A	07/25/2002	J-1 RANGE	IM40MB	THALLIUM	6.3		UG/L	25.2	30.2		2 X
MW-2	W02DDD	08/02/2000	CIA	IM40MB	THALLIUM	4.9	J	UG/L	218	223		2 X
MW-21	W21SSA	10/24/1997	OTHER	IM40	THALLIUM	6.9	J	UG/L	0	10		2 X
MW-21	W21M2A	11/01/1999	OTHER	IM40MB	THALLIUM	4	J	UG/L	58	68		2 X
MW-23	W23SSA	09/14/1999	PHASE 2b	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X
MW-25	W25SSA	09/14/1999	CIA	IM40MB	THALLIUM	5.3	J	UG/L	0	10		2 X
MW-3	W03DDA	12/20/2000	CIA	IM40MB	THALLIUM	3.3		UG/L	219	224		2 X
MW-35	W35SSA	12/18/2000	DEMO 1	IM40MB	THALLIUM	2.9	J	UG/L	0	10		2 X
MW-37	W37M2A	12/29/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	26	36		2 X
MW-38	W38M4A	08/18/1999	CIA	IM40MB	THALLIUM	2.8	J	UG/L	14	24		2 X
MW-38	W38M2A	05/11/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	69	79		2 X
MW-38	W38DDA	08/22/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	124	134		2 X
MW-39	W39M1A	12/21/2000	CIA	IM40MB	THALLIUM	4		UG/L	84	94		2 X
MW-41	W41M2A	04/02/1999	CIA	IM40MB	THALLIUM	2.5	J	UG/L	67	77		2 X
MW-42	W42M2A	11/19/1999	CIA	IM40MB	THALLIUM	4	J	UG/L	118	128		2 X
MW-44	W44SSA	08/24/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	0	10		2 X
MW-45	W45SSA	05/26/1999	L RANGE	IM40MB	THALLIUM	3	J	UG/L	0	10		2 X
MW-45	W45SSA	08/31/2000	L RANGE	IM40MB	THALLIUM	4.4	J	UG/L	0	10		2 X
MW-46	W46M1A	05/16/2000	WESTERN BOU	IM40MB	THALLIUM	5.3	J	UG/L	103	113		2 X
MW-46	W46DDA	11/02/1999	WESTERN BOU	IM40MB	THALLIUM	5.1	J	UG/L	136	146		2 X
MW-47	W47M3A	08/25/1999	OTHER	IM40MB	THALLIUM	3.2	J	UG/L	21	31		2 X
MW-47	W47M3A	05/31/2000	OTHER	IM40MB	THALLIUM	5	J	UG/L	21	31		2 X
MW-47	W47M2A	03/26/1999	WESTERN BOU	IM40MB	THALLIUM	3.2	J	UG/L	38	48		2 X
MW-47	W47M2A	08/25/1999	WESTERN BOU	IM40MB	THALLIUM	4	J	UG/L	38	48		2 X
MW-47	W47M2A	05/30/2000	WESTERN BOU	IM40MB	THALLIUM	4.5	J	UG/L	38	48		2 X
MW-47	W47M1A	08/24/1999	WESTERN BOU	IM40MB	THALLIUM	2.6	J	UG/L	75	85		2 X
MW-48	W48M3A	02/28/2000	J-2 RANGE	IM40MB	THALLIUM	4.2	J	UG/L	31	41		2 X
MW-48	W48DAA	06/26/2000	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	121	131		2 X
MW-49	W49SSA	11/19/1999	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-49	W49M3D	06/27/2000	J-2 RANGE	IM40MB	THALLIUM	4.3	J	UG/L	31	41		2 X
MW-50	W50M1A	05/15/2000	CIA	IM40MB	THALLIUM	6.2	J	UG/L	89	99		2 X
MW-51	W51M3A	08/25/1999	CIA	IM40MB	THALLIUM	4.3	J	UG/L	28	38		2 X
MW-52	W52SSA	08/26/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	0	10		2 X
MW-52	W52SSA	11/18/1999	OTHER	IM40MB	THALLIUM	4.3	J	UG/L	0	10		2 X
MW-52	W52SSA	05/23/2000	OTHER	IM40MB	THALLIUM	4.7	J	UG/L	0	10		2 X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	59	64		2 X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	218	228		2 X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	THALLIUM	2.6	J	UG/L	218	228		2 X
MW-52	W52DDA	08/30/1999	OTHER	IM40MB	THALLIUM	3.8	J	UG/L	218	228		2 X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.4	J	UG/L	99	109		2 X
MW-54	W54SSA	11/08/1999	OTHER	IM40MB	THALLIUM	7.4	J	UG/L	0	10		2 X
MW-54	W54SSA	06/06/2000	OTHER	IM40MB	THALLIUM	4.6	J	UG/L	0	10		2 X
MW-54	W54SSA	11/15/2000	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10		2 X
MW-54	W54M1A	08/30/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	79	89		2 X
MW-54	W54M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.9	J	UG/L	79	89		2 X
MW-55	W55M1A	08/31/1999	OTHER	IM40MB	THALLIUM	2.5	J	UG/L	89	99		2 X
MW-56	W56SSA	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4	J	UG/L	1	11		2 X
MW-56	W56M3A	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	6.1	J	UG/L	31	41		2 X
MW-56	W56M3D	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4.4	J	UG/L	31	41		2 X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	THALLIUM	4.1	J	UG/L	62	72		2 X
MW-58	W58SSA	05/11/2000	J-1 RANGE	IM40MB	THALLIUM	7.3	J	UG/L	0	10		2 X
MW-58	W58SSA	12/20/2000	J-1 RANGE	IM40MB	THALLIUM	2	J	UG/L	0	10		2 X
MW-61	W61SSA	08/22/2001	PHASE 2b	IM40MB	THALLIUM	3.7	J	UG/L	0	10		2 X
MW-64	W64M1A	02/07/2000	GUN & MORTA	IM40MB	THALLIUM	4.1	J	UG/L	38	48		2 X
MW-7	W07M2L	02/05/1998	CIA	IM40MB	THALLIUM	6.6	J	UG/L	65	70		2 X
MW-7	W07M2A	02/24/1999	CIA	IM40MB	THALLIUM	4.4	J	UG/L	65	70		2 X
MW-7	W07MMA	02/23/1999	CIA	IM40MB	THALLIUM	4.1	J	UG/L	135	140		2 X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	THALLIUM	26.2		UG/L	135	140		2 X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	THALLIUM	12.7		UG/L	135	140		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-72	W72SSA	05/27/1999	Small Arms Ran	IM40MB	THALLIUM	4		UG/L	0	10		2 X
MW-73	W73SSA	12/19/2000	DEMO 1	IM40MB	THALLIUM	4.3		UG/L	0	10		2 X
MW-73	W73SSD	12/19/2000	DEMO 1	IM40MB	THALLIUM	2 J		UG/L	0	10		2 X
MW-83	W83SSA	01/13/2000	WESTERN BOU	IM40MB	THALLIUM	3.6 J		UG/L	0	10		2 X
MW-84	W84SSA	10/21/1999	WESTERN BOU	IM40MB	THALLIUM	3.2 J		UG/L	17	27		2 X
MW-84	W84M3A	08/27/2001	WESTERN BOU	IM40MB	THALLIUM	5 J		UG/L	42	52		2 X
MW-84	W84DDA	08/23/2001	WESTERN BOU	IM40MB	THALLIUM	4 J		UG/L	153	163		2 X
MW-94	W94M2A	01/11/2001	CIA	IM40MB	THALLIUM	2 J		UG/L	16	26		2 X
MW-94	W94M2A	10/02/2001	CIA	IM40MB	THALLIUM	2.3 J		UG/L	16	26		2 X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	IM40MB	THALLIUM	3.1 J		UG/L	0	10		2 X
SMR-2	WSMR2A	03/25/1999	J-2 RANGE	IM40MB	THALLIUM	2 J		UG/L	19	29		2 X
MW-45	W45SSA	11/16/1999	L RANGE	OC21V	TOLUENE	1000		UG/L	0	10	1000	X
MW-45	W45SSA	05/29/2000	L RANGE	OC21V	TOLUENE	1100		UG/L	0	10	1000	X
MW-45	W45SSA	12/27/2000	L RANGE	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
MW-45	W45SSA	12/14/2001	L RANGE	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
27MW0017B	27MW0017B	04/30/1999	LF-1;GUN & MO	OC21V	VINYL CHLORIDE	2		UG/L	21	26		2 X
95-15A	W9515A	10/17/1997	NW CORNER	IM40	ZINC	7210		UG/L	74.71	84.71	2000	X
95-15A	W9515L	10/17/1997	NW CORNER	IM40	ZINC	4620		UG/L	74.71	84.71	2000	X
LRMW0003	WL31XA	10/21/1997	OTHER	IM40	ZINC	2480		UG/L	69.68	94.68	2000	X
LRMW0003	WL31XL	10/21/1997	OTHER	IM40	ZINC	2410		UG/L	69.68	94.68	2000	X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	IM40	ZINC	3220		UG/L	66	91	2000	X
LRWS4-1	WL41XL	11/24/1997	J-2 RANGE	IM40	ZINC	3060		UG/L	66	91	2000	X
LRWS5-1	WL51DL	11/25/1997	PHASE 2b	IM40	ZINC	4410		UG/L	66	91	2000	X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	IM40	ZINC	4510		UG/L	66	91	2000	X
LRWS5-1	WL51XD	11/25/1997	PHASE 2b	IM40	ZINC	4390		UG/L	66	91	2000	X
LRWS5-1	WL51XL	11/25/1997	PHASE 2b	IM40	ZINC	3900		UG/L	66	91	2000	X
LRWS5-1	WL51XA	01/25/1999	PHASE 2b	IM40MB	ZINC	3980		UG/L	66	91	2000	X
LRWS5-1	WL51XL	01/25/1999	PHASE 2b	IM40MB	ZINC	3770		UG/L	66	91	2000	X
LRWS6-1	WL61XA	11/17/1997	OTHER	IM40	ZINC	3480		UG/L	184	199	2000	X
LRWS6-1	WL61XL	11/17/1997	OTHER	IM40	ZINC	2600		UG/L	184	199	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 3
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH JANUARY 2005

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
LRWS6-1	WL61XA	01/28/1999	OTHER	IM40MB	ZINC	2240		UG/L	184	199	2000	X
LRWS6-1	WL61XL	01/28/1999	OTHER	IM40MB	ZINC	2200		UG/L	184	199	2000	X
LRWS7-1	WL71XA	11/21/1997	J-2 RANGE	IM40	ZINC	4320		UG/L	186	201	2000	X
LRWS7-1	WL71XL	11/21/1997	J-2 RANGE	IM40	ZINC	3750		UG/L	186	201	2000	X
LRWS7-1	WL71XA	01/22/1999	J-2 RANGE	IM40MB	ZINC	4160		UG/L	186	201	2000	X
LRWS7-1	WL71XL	01/22/1999	J-2 RANGE	IM40MB	ZINC	4100		UG/L	186	201	2000	X
XX95-14	W9514A	09/28/1999	WESTERN BOU	IM40MB	ZINC	2430		UG/L	90	100	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS BELOW MCLs OR HEALTH ADVISORY
LIMITS NOT PREVIOUSLY DETECTED
DATA RECEIVED JANUARY 2005

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-196	W196SSA	10/28/2004	J-3 RANGE	8330NX	2,4-DINITROTOLUENE	0.37	J	UG/L	0	5		5
MW-347	MW-347M2-	12/13/2004	J-3 RANGE	SW8330	4-AMINO-2,6-DINITROTOLUENE	0.29	J	UG/L	38.3	48.3		
MW-302	MW-302M2-	11/15/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.28		UG/L	85	95		2
MW-343	MW-343M3-	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.25		UG/L	17	27		2
MW-346	MW-346M4-	12/09/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.31		UG/L	25	35		2
MW-346	MW-346M2-	12/09/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.3		UG/L	90	100		2
MW-351	MW-351M2-	11/18/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	1.9		UG/L	132.67	142.67		2
58MW0001	58MW0001-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1-MONONITROSO-3,5-D	0.29		UG/L	0	5		
MW-235	W235M1A	10/18/2004	CIA	8330NX	HEXAHYDRO-1-MONONITROSO-3,5-D	0.79		UG/L	25.3	35.3		
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	SW8330	OCTAHYDRO-1,3,5,7-TETRANITRO-1,	0.55		UG/L	74	84	400	
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	SW8330	OCTAHYDRO-1,3,5,7-TETRANITRO-1,	0.54		UG/L	74	84	400	
MW-240	W240M2A	12/09/2004	DEMO 1	E314.0	PERCHLORATE	0.36	J	UG/L	26.45	36.45		4
MW-249	W249M3D	11/09/2004	FORMER A	E314.0	PERCHLORATE	0.44	J	UG/L	12.9	22.9		4
MW-341	W341M2A	12/10/2004	DEMO 1	E314.0	PERCHLORATE	0.43	J	UG/L	105.66	110.66		4
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	E314.0	PERCHLORATE	1.2		UG/L	74	84		4
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	E314.0	PERCHLORATE	1.2		UG/L	74	84		4
MW-343	MW-343M1-	11/22/2004	J-3 RANGE	E314.0	PERCHLORATE	2.9		UG/L	122	132		4
MW-346	MW-346M4-	12/09/2004	J-1 RANGE	E314.0	PERCHLORATE	0.78	J	UG/L	25	35		4
MW-346	MW-346M2-	12/09/2004	J-1 RANGE	E314.0	PERCHLORATE	3		UG/L	90	100		4
MW-346	MW-346M1-	12/09/2004	J-1 RANGE	E314.0	PERCHLORATE	2.8		UG/L	130	140		4
MW-349	MW-349M2-FD	12/09/2004	J-1 RANGE	E314.0	PERCHLORATE	0.48	J	UG/L	75.7	85.7		4
MW-44	W44SSA	11/10/2004	CIA	E314.0	PERCHLORATE	0.79	J	UG/L	0	10		4
MW-89	W89M3A	11/22/2004	CIA	E314.0	PERCHLORATE	0.39	J	UG/L	32	42		4

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 01/01/05 - 01/31/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
RS003P-A	RS003P	12/28/2004	GROUNDWATER	J-2 RANGE	90	90			E314.0	PERCHLORATE	
FPR-INF-18A	FPR-INF	01/04/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
FPR-INF-18A	FPR-INF	01/04/2005	PROCESS WATER		0	0			8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
FPR-INF-18A	FPR-INF	01/04/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-INF-19A	FPR-INF	01/18/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
FPR-INF-19A	FPR-INF	01/18/2005	PROCESS WATER		0	0			8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
FPR-INF-19A	FPR-INF	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-INF-A-17AA	FPR-INF	12/29/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-INF-A-18AA	FPR-INF	01/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-17A	FPR-MID-1	12/29/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-18A	FPR-MID-1	01/04/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-18A	FPR-MID-1	01/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-19A	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1A-19D	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1B-18A	FPR-MID-1	01/04/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1B-19A	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1B-19D	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1C-18A	FPR-MID-1	01/04/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1C-19A	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
FPR-MID-1C-19D	FPR-MID-1	01/18/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-19A	PR-INF	12/22/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-19A	PR-INF	12/22/2004	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-INF-19AA	PR-INF	12/29/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-20A	PR-INF	01/06/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-20A	PR-INF	01/06/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-INF-20AA	PR-INF	01/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-INF-20D	PR-INF	01/06/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 01/01/05 - 01/31/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
PR-INF-20D	PR-INF	01/06/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-INF-21A	PR-INF	01/20/2005	PROCESS WATER		0	0			8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
PR-MID-1-19A	PR-MID-1	12/22/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-MID-1-19AA	PR-MID-1	12/29/2004	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-MID-1-20A	PR-MID-1	01/06/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-MID-1-20AA	PR-MID-1	01/12/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
PR-MID-1-20D	PR-MID-1	01/06/2005	PROCESS WATER		0	0			E314.0	PERCHLORATE	
G363DGA	MW-363	01/03/2005	PROFILE		150	150	65.5	65.5	8330N	NITROGLYCERIN	NO
G363DHA	MW-363	01/03/2005	PROFILE		160	160	75.5	75.5	8330N	NITROGLYCERIN	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	2,4-DINITROTOLUENE	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	NITROGLYCERIN	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	PICRIC ACID	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	2,6-DINITROTOLUENE	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	2-NITROTOLUENE	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	3-NITROTOLUENE	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	2,4,6-TRINITROTOLUENE	NO
G363DIA	MW-363	01/03/2005	PROFILE		170	170	85.5	85.5	8330N	4-NITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2,6-DINITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2,4-DINITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	3-NITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	4-NITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2-NITROTOLUENE	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	PICRIC ACID	NO
G363DJ	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	NITROGLYCERIN	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2,4,6-TRINITROTOLUENE	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	3-NITROTOLUENE	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2-NITROTOLUENE	NO

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 01/01/05 - 01/31/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2,4-DINITROTOLUENE	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	PICRIC ACID	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	NITROGLYCERIN	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	4-NITROTOLUENE	NO
G363DJD	MW-363	01/04/2005	PROFILE		180	180	95.5	95.5	8330N	2,6-DINITROTOLUENE	NO
G363DKA	MW-363	01/04/2005	PROFILE		190	190	105.5	105.5	E314.0	PERCHLORATE	
G363DKA	MW-363	01/04/2005	PROFILE		190	190	105.5	105.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	yes
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	3-NITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	NITROGLYCERIN	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	2,6-DINITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	4-NITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	PICRIC ACID	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	2,4,6-TRINITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	2-NITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	2,4-DINITROTOLUENE	NO
G363DLA	MW-363	01/04/2005	PROFILE		200	200	115.5	115.5	8330N	2,4-DIAMINO-6-NITROTOLUENE	NO
G363DMA	MW-363	01/04/2005	PROFILE		210	210	125.5	125.5	8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
G363DMA	MW-363	01/04/2005	PROFILE		210	210	125.5	125.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
G363DNA	MW-363	01/04/2005	PROFILE		220	220	135.5	135.5	E314.0	PERCHLORATE	
G363DNA	MW-363	01/04/2005	PROFILE		220	220	135.5	135.5	8330N	OCTAHYDRO-1,3,5,7-TETRANITRO-1,3,5,7-TET	YES
G363DNA	MW-363	01/04/2005	PROFILE		220	220	135.5	135.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
G363DNA	MW-363	01/04/2005	PROFILE		220	220	135.5	135.5	8330N	NITROGLYCERIN	NO
G363DOA	MW-363	01/04/2005	PROFILE		230	230	145.5	145.5	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES
G363DOA	MW-363	01/04/2005	PROFILE		230	230	145.5	145.5	E314.0	PERCHLORATE	
G363DPA	MW-363	01/04/2005	PROFILE		240	240	155.5	155.5	8330N	NITROGLYCERIN	NO
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8260B	BENZENE	
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8260B	CHLOROFORM	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 01/01/05 - 01/31/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	YES+
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8330N	NITROGLYCERIN	NO
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8330N	PICRIC ACID	NO
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8260B	CHLOROETHANE	
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8330N	2,6-DINITROTOLUENE	YES+
MW-365-01	MW-365	01/12/2005	PROFILE		100	100	9.3	9.3	8260B	CHLOROMETHANE	
MW-365-02	MW-365	01/12/2005	PROFILE		110	110	19.3	19.3	8260B	CHLOROFORM	
MW-365-02	MW-365	01/12/2005	PROFILE		110	110	19.3	19.3	8260B	CARBON DISULFIDE	
MW-365-03	MW-365	01/12/2005	PROFILE		120	120	29.3	29.3	8260B	TETRACHLOROETHENE	
MW-365-03	MW-365	01/12/2005	PROFILE		120	120	29.3	29.3	8260B	CHLOROFORM	
MW-365-03FD	MW-365	01/12/2005	PROFILE		120	120	29.3	29.3	8260B	TETRACHLOROETHENE	
MW-365-03FD	MW-365	01/12/2005	PROFILE		120	120	29.3	29.3	8260B	CHLOROFORM	
MW-365-04	MW-365	01/12/2005	PROFILE		130	130	39.3	39.3	8260B	CHLOROFORM	
MW-365-04	MW-365	01/12/2005	PROFILE		130	130	39.3	39.3	8260B	TETRACHLOROETHENE	
MW-365-05	MW-365	01/12/2005	PROFILE		140	140	49.3	49.3	8260B	CHLOROFORM	
MW-365-06	MW-365	01/12/2005	PROFILE		150	150	59.3	59.3	8260B	CHLOROFORM	
MW-365-07	MW-365	01/12/2005	PROFILE		160	160	69.3	69.3	8260B	CHLOROFORM	
MW-365-07	MW-365	01/12/2005	PROFILE		160	160	69.3	69.3	8260B	BENZENE	
MW-365-08	MW-365	01/12/2005	PROFILE		170	170	79.3	79.3	8260B	CHLOROFORM	
MW-365-09	MW-365	01/13/2005	PROFILE		180	180	89.3	89.3	8260B	CHLOROFORM	
MW-365-10	MW-365	01/13/2005	PROFILE		190	190	99.3	99.3	8260B	METHYL T-BUTYL ETHER	
MW-365-10	MW-365	01/13/2005	PROFILE		190	190	99.3	99.3	8260B	CHLOROFORM	
MW-365-10	MW-365	01/13/2005	PROFILE		190	190	99.3	99.3	8260B	TETRACHLOROETHENE	
MW-365-11	MW-365	01/13/2005	PROFILE		200	200	109.3	109.3	8260B	CHLOROFORM	
MW-365-12	MW-365	01/13/2005	PROFILE		210	210	119.3	119.3	8260B	CHLOROFORM	
MW-365-13	MW-365	01/13/2005	PROFILE		220	220	129.3	129.3	8260B	CHLOROFORM	
MW-365-13	MW-365	01/13/2005	PROFILE		220	220	129.3	129.3	8260B	CHLOROETHANE	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample

TABLE 5
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 01/01/05 - 01/31/05

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
MW-365-13FD	MW-365	01/13/2005	PROFILE		220	220	129.3	129.3	8260B	CHLOROFORM	
MW-365-13FD	MW-365	01/13/2005	PROFILE		220	220	129.3	129.3	8260B	CHLOROETHANE	
MW-365-14	MW-365	01/13/2005	PROFILE		230	230	139.3	139.3	8260B	METHYL T-BUTYL ETHER	
MW-365-14	MW-365	01/13/2005	PROFILE		230	230	139.3	139.3	8260B	CHLOROFORM	
MW-365-14	MW-365	01/13/2005	PROFILE		230	230	139.3	139.3	8260B	CHLOROETHANE	
MW-365-15	MW-365	01/13/2005	PROFILE		240	240	149.3	149.3	8260B	METHYL T-BUTYL ETHER	
MW-365-15	MW-365	01/13/2005	PROFILE		240	240	149.3	149.3	8260B	TOLUENE	
MW-365-15	MW-365	01/13/2005	PROFILE		240	240	149.3	149.3	8260B	CHLOROETHANE	
MW-365-15	MW-365	01/13/2005	PROFILE		240	240	149.3	149.3	8260B	CHLOROFORM	
MW-365-16	MW-365	01/13/2005	PROFILE		250	250	159.3	159.3	8330N	PICRIC ACID	NO
MW-365-16	MW-365	01/13/2005	PROFILE		250	250	159.3	159.3	8260B	CHLOROFORM	
MW-365-17	MW-365	01/14/2005	PROFILE		260	260	169.3	169.3	8260B	CHLOROFORM	
MW-365-18	MW-365	01/14/2005	PROFILE		270	270	179.3	179.3	8260B	CHLOROFORM	
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8260B	CARBON DISULFIDE	
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	NITROBENZENE	NO
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	2,6-DINITROTOLUENE	YES+
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	PICRIC ACID	NO
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	PENTAERYTHRITOL TETRANITRATE	NO
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	3-NITROTOLUENE	NO
MW-365-19	MW-365	01/14/2005	PROFILE		280	280	189.3	189.3	8330N	4-NITROTOLUENE	NO
MW-365-21	MW-365	01/17/2005	PROFILE		290	290	199.3	199.3	8260B	CARBON DISULFIDE	
MW-365-21	MW-365	01/17/2005	PROFILE		290	290	199.3	199.3	8260B	TOLUENE	
MW-365-21	MW-365	01/17/2005	PROFILE		290	290	199.3	199.3	8260B	CHLOROFORM	

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample