

**MONTHLY PROGRESS REPORT #104
FOR NOVEMBER 2005**

EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 and 1-2000-0014

**MASSACHUSETTS MILITARY RESERVATION
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from November 1 to November 30, 2005. Scheduled actions are for the six-week period ending January 13, 2006.

1. SUMMARY OF REMEDIATION ACTIONS

The following is a description of remediation actions taken as part of or in preparation for Rapid Response Action (RRA) Plans for various Areas of Concern at Camp Edwards through November 30, 2005. An RRA is an interim action that may be conducted prior to risk assessments or remedial investigations to address a known, ongoing threat of contamination to groundwater and/or soil.

Demo Area 1 Groundwater RRA

The Demo Area 1 Groundwater RRA consists of the removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. Extraction, treatment, and recharge systems (ETR) at Frank Perkins Road and Pew Road include single extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater, and injection wells to return treated water to the aquifer.

The Pew Road ETR continues operation at a flow rate of 100 gallons per minute (gpm). Perchlorate and hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) have been detected in influent samples. The Granular Activated Carbon (GAC) media was exchanged in the first and second pair of treatment vessels on March 9, 2005 and again on August 1, 2005. Perchlorate breakthrough was detected after the first pair of GAC vessels and has not been detected after the second pair of GAC vessels. RDX has not been detected in any mid-fluent samples. Perchlorate and RDX have not been detected in samples collected from the effluent. As of November 25, 2005, approximately 61 million gallons of water have been treated and re-injected at the Pew Road ETR System.

The Frank Perkins Road ETR continues operation at a flow rate of 220 gpm. Perchlorate, RDX, and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazocine (HMX) have been detected in influent samples. Perchlorate was detected in mid-fluent samples collected after the first pair of GAC vessels in each of the three treatment containers. The GAC vessels are followed by ion exchange (IX) vessels, which are designed for treatment of perchlorate. Perchlorate and RDX have not been detected in mid-fluent samples collected after the IX vessels or in effluent samples. As of November 25, 2005, approximately 131 million gallons of water had been treated and re-injected at the Frank Perkins Road ETR System.

Demo Area 1 Soil RRA

The Demo Area 1 Soil RRA consisted of the removal of all geophysical anomalies within the perimeter road (7.4 acres) and the removal and thermal treatment of contaminated soil from in and around the Demo 1 kettle hole. A total of 16,641 cubic yards of soil was excavated at Demo Area 1, with an additional 195 cubic yards excavated at Demo Area 1 burn pits.

Site restoration was completed, including placing topsoil outside the 120-foot contour and completion of the access road to the kettle bowl.

J-2 Range Soil RRA

The J-2 Range Soil RRA consists of the removal and treatment of soil in six general areas within the J-2 Range that contain explosives and perchlorate. Soil removal locations include Twin Berms Area, Berm 2, Berm 5, Fixed Firing Points 3 and 4 (FFP-3 and 4) and adjacent Range Road Burn Area (RRBA), Disposal Area 1, and Disposal Area 2. A total of 6,500 cubic yards of soil was excavated and treated at the Thermal Treatment Unit. Table 1 shows a grid summary of the excavations and munitions recovered as of November 24, 2005.

Soil excavated from the J-2 Range was disposed off-site.

J-3 Range Soil RRA

The J-3 Range Soil RRA consists of the removal and treatment of contaminated soil from the Demolition Area and Melt/Pour Building Area. A total of 1,085 cubic yards of soil was excavated from the Demolition Area. A total of 1,146 cubic yards of soil was excavated from the Melt/Pour Building Area. Soil has been treated in the Thermal Treatment Unit or containerized for off-site disposal.

Completed drilling extraction wells J-3 EW0032 and EWIP1.

2. SUMMARY OF ACTIONS TAKEN

Drilling progress for the month of November is summarized in Table 2.

Boring Number	Purpose of Boring/Well	Total Depth (ft bgs)	Depth to Water Table (ft bgs)	Completed Well Screens (ft bgs)
MW-392	J-3 Range (J3P-40)	327	101	150-160; 315-325
MW-402	J-1 Range (J1P-36)	215	71	155-165; 190 -200
MW-404	Demo 2 (D2P-8)	240	184	181-191; 200-210; 219-229
DP-405	Northwest Corner (NWP-21/GP-19)	121	81	
MW-406	Demo 2 (D2P-10)	230	178	
DP-395	Northwest Corner (CP-32E1)			
DP-407	Snake Pond (SSP-DP2A)	154	12	
DP-426	Impact Area (CIA-DP19)			

ft bgs = ft below ground surface

Completed well installation at MW-392 (J3P-40), MW-402 (J1P-36) and MW-404 (D2P-8), and completed drilling at DP-405 (NWP-21), MW-406 (D2P-10), and DP-407 (SSP-DP2A). Commenced drilling at DP-395 (CP-32E1) and DP-426 (CIA DP19), but water was not encountered at either location. Well development of recently installed wells continued.

Samples collected during the reporting period are summarized in Table 3. Groundwater profile samples were collected from MW-402, DP-405, MW-406 and DP-407. Groundwater samples were collected from recently installed wells, from residential wells, and as part of the August round of the 2005 Long-Term Groundwater Monitoring (LTGM) Plan. The October Quarterly round of the LTGM Plan was completed on November 9, 2005. Process water samples were

collected from the Pew Road and Frank Perkins Road ETR systems. Surface water samples were collected near a public beach, a private beach, and near the spit at Snake Pond. Pore water samples were collected from lysimeters in the Impact Area at Targets 23 and 42 and HUTA I Test Plots 4 and 6. The pore water samples were collected in October, but not included in the October monthly progress report.

Blown-in-Place (BIP) items at the J-1 Range: November 3, 2005 - One (1) 81MM Projectile (at Grid K-41), November 18, 2005 - One (1) 105MM Projectile (at Grid K-40) and one (1) 81 MM Projectile (at Grid K-40), one (1) 105 MM Projectile (at J1P-30 well pad), and one (1) 30 MM Projectile (at J1P-30 well pad). BIP items at the J-2 Range: November 8, 2005 - One (1) 40 MM Projectile (at Grid O-32). BIP samples were collected in accordance with the sampling protocol.

Anomaly investigation in Grids K-37, K-38, K-40, K-41, K-42, K-43, L-40, H-0, I-0, J-0, and eight polygons at the J-1 Range firing line was completed as part of the J-1 Range Supplemental Geophysical Anomaly Investigation. Investigation of Priority 1 grids is complete. Investigation of a BIP excavation burial pit located in grids M-19 and M-20 resumed. Investigation of the support area adjacent to burial pit M20-BLP-001 commenced. Table 4 shows a grid sheet summary for excavations and munitions recovered for the J-1 Range Geophysical Investigation as of November 24, 2005.

During the month of November, a total of 15,657 munitions and explosives of concern (MEC) items were destroyed in the controlled detonation chamber (CDC).

IART Meeting for November 2005

The Impact Area Groundwater Review Team (IART) meeting scheduled for October 25, 2005 was not held as was reported in the Monthly Progress Report for October 2005. The next IART meeting is scheduled for December 13, 2005.

The following are the notes from the November 17, 2005 Technical Team meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

J-1 South, Next Steps

- Dave Hill (IAGWSP) provided an update on the J-1 South groundwater investigations. Development at the last of three monitoring wells on Little Acorn Road is underway. The other two wells have been sampled. After synoptic results are available, a proposal for the next locations to be investigated will be provided (approximately mid-December).
- Darrin Smith (USACE) provided an update on the J-1 Range geophysical anomaly investigation. Some anomalies were encountered along the tree line at polygon J1-18. Mr. Smith stated that findings to date have not been potential RDX sources; however, he will verify this. Currently UXO crews are working in grid K-40 and polygon J1-19.

Updated "All-Plume Map" – Review and Comment

- A draft copy of an updated All-Plume Map was provided for review and comment. Kris Curley (IAGWSP) described that the map was developed using the most recent approved plume shells for each area of concern (AOC), and that the goal is to update the map on a semi-annual basis. It was noted that in some cases, the most recent approved plume shell may be a couple years old (e.g., CIA). Lynne Jennings (EPA) questioned why updating plume shells cannot occur on a more frequent basis. Dave Hill (IAGWSP) stated that it may be possible to use data from annual groundwater monitoring reports for plume shell updates. EPA also stated that it would be useful to know the database and/or report used to

generate each AOC plume on the All-Plume Map. The 1-4 ppb perchlorate plume needs to be darkened and/or outlined to be more apparent on the map. In addition, EPA would like to see the text revision which accompanies the All-Plume Map update. Len Pinaud (MADEP) suggested that a text box be added to the map indicating that other plumes may be present and not shown.

- Mr. Pinaud asked that the Demolition Area 1 plume be checked for accuracy, as it doesn't appear to agree with the most current version. Desiree Moyer (EPA) questioned the accuracy of the northwest corner plume. IAGWSP will verify that the data used to develop the map for these AOCs is the most current. For CIA, IAGWSP will compare recent groundwater results to historical results to verify that significant plume changes are not occurring.
- A discussion of the impending groundwater monitoring plans ensued. For FY06, the site wide long term groundwater monitoring plan (LTGM) will be replaced with specific operable unit (OU) plans. The nomenclature used for the plans will be consistent with AFCEE designations: System Performance and Ecological Impact Monitoring (SPIEM) will be used for sites with active treatment systems and an ecological monitoring component, Performance Monitoring and Evaluation Plan (PME) will be used for sites with an active treatment system, not requiring ecological monitoring, and Groundwater Monitoring Plan (GMP) will be used for sites with no active treatment system.
- EPA expressed concern with the current J-2 Range (north) groundwater PME, which begins in March 2007. This timeframe allows approximately one and a half years without groundwater data collection. Mr. Hill stated he believes that an appropriate amount of data has been collected in this area, but concerns, such as this, can be brought up in the comment resolution process for the PME. Diffusion bag sampling may be considered for some groundwater monitoring plans. A comparison report, prepared by USGS, comparing low flow and diffusion bag sampling is forthcoming.

Site Close-Out – FY06 and FY07 – Review and Comment

- Ben Gregson (IAGWSP) presented a slide showing the anticipated OUs designated for close-out in FY06 and FY07. Those listed for FY06 include: Demo Area 1 – Soil, L Range – Soil, Western Boundary, Demo Area 2 – Soil, Former K Range, Phase IIIb Sites, and the Ammunition Supply Point (ASP). Those listed for FY07 include: Demo Area 1 – Groundwater, J-3 Range – Soil, L Range – Groundwater, Northwest Corner, Demo Area 2 – Groundwater, Small Arms Range, and Former A Range.

A discussion on the proposed FY06 close-outs ensued.

- For Demo Area 1 – Soil, the Rapid Response Action (RRA) Completion of Work Report is scheduled for submittal on 12/2/05. EPA stated that a decision document may be required for close-out of this OU.
- For L Range Soil, a Remedial Investigation (RI) Report will be finalized in February 2006. EPA cautioned that UXO is an important issue at this OU, and that potential groundwater sources need to be considered. Ben Gregson suggested that regulatory review of the report should include an evaluation of the completeness of the investigation of the soil as a potential source. Mr. Gregson agreed that this may need to be addressed as a safety and potential source issue, requiring a feasibility study (FS).

- The draft Western Boundary RI report addressing soil and groundwater is scheduled for submittal in February 2006. EPA has reviewed the Project Note, but is reluctant to agree that no further work is needed in this area and also stated that an explanation of the potential source is needed. A decision document is also required for this site. Carol Keating (EPA) stated that EPA is close to consensus with the Army on the long term groundwater monitoring approach at this site, which is anticipated to begin in April 2006. The Army will revise the Project Note based on EPA comments. Data will be consolidated into the RI, and, once complete, the LTGM plan will be finalized. The LTGM will be more focused on identified contaminants of concern (COC).
- The Demo Area 2 Soil RRA Completion of Work Report comment resolution meeting is scheduled for today's tech meeting (see below). The groundwater portion of this site will go through the RI process. Paul Nixon (IAGWSP) stated that all soil removals have been completed, and all final post-excavation samples are free of contamination.
- The Former K Range RI report has been submitted. No impacts to groundwater have been detected at this OU.
- The draft Phase IIb report was submitted in March 2003. This report should be reviewed by the regulators and IAGWSP and updated as necessary. If necessary, OUs which fall in the Phase IIb category and have undergone sufficient investigation for close-out can be consolidated in an updated RI report. OUs still under investigation (e.g., Former K Range, Former A Range) have been carved out and are being handled separately.
- The Draft Ammunition Supply Point (ASP) RRA Work Plan is scheduled for submittal this month. The work plan includes excavation of previously identified anomalies (based on geophysical investigation performed in 2003 by TetraTech) and removal of a lead contaminated area. Field work is expected to be completed in 2006. No groundwater impacts have been detected. Desiree Moyer (EPA) stated that the groundwater component needs to be addressed in the work plan.
- Lynne Jennings (EPA) stated that she would like to re-visit this topic at the next tech meeting. EPA will look into the required documentation process (including applicability of decision documents to various OUs) and verify that compliance with the site administrative orders is followed. EPA also cautioned that sites slated for closure have been investigated to an adequate extent to represent full characterization. Ms. Moyer stated that the BA-1 Training Area might be added to the site close-out list for FY06.

RCS – December Update – Proposed Review Schedule

- Ben Gregson (IAGWSP) stated that the next quarterly update of the Revised Combined Schedule (RCS) will be provided at the next tech meeting (12/8/05).

Demo 2 Soil RRA Completion of Work Report – Comment Resolution Meeting

- Paul Nixon (IAGWSP) and Ben Rice (AMEC) led a discussion on comment resolution of remaining EPA and MADEP comments on the Demo 2 Soil RRA Completion of Work Report. A copy of the Response to Comments was distributed. Bob Lim (EPA) asked for clarification on where the response to EPA Specific Comment #1 would be added to the report. It was agreed that the response text would be added to the "Background" section of the report. EPA also asked that a sentence (stating that "determination on site closure will be provided by EPA upon finalization of the report") be added in response to EPA Specific

Comments #2 and #3. It was agreed that this sentence will be added into the text of the specified paragraph revisions.

- Len Pinaud (MADEP) expressed appreciation and agreement with the response to MADEP Comment #1 regarding reference to meeting the substantive cleanup standards in the Massachusetts Contingency Plan (MCP).
- A memorandum of resolution (MOR) will be written based on these comments. Investigation into necessity for additional documentation (e.g., decision document) for site close-out for this OU will be undertaken by EPA and the Army.

Other: Meeting Schedule, Decision Document

- Ben Gregson (IAGWSP) summarized the tentative schedule for upcoming tech meetings as 12/8/05, 1/12/06, and 1/26/06. The tech meeting on 12/22/05 will probably not be held, unless deemed necessary. The next scheduled IART meeting is 1/24/06.
- Mr. Gregson stated that the Demo 1 Remedy Selection Decision Document will be provided to EPA for review imminently. The document has changed significantly since submittal of the draft version.

Miscellaneous

- Jane Dolan (EPA) asked for an update on the drilling status at the Southeast Ranges. Jay Ehret (USACE) stated that drilling at J1P-30 is scheduled for installation from 11/30/05 – 12/14/05, using the sonic rig. Drilling at the approved Snake Pond location (SSP-DP2A) is underway. There is no new information on approval for other Snake Pond proposed locations.

3. SUMMARY OF DATA RECEIVED

Validated data were received during November 2005 for Sample Delivery Groups (SDGs): E112205, SG0008, SG0017, SG0018, SG0019, SG0021, SG0022, SG0023, SG0024, SG0025, SG0026, SG0027, SG0029, SG0031, SG0032, SG0033, SG0034, SG0035, SG0036, SG0037, SG0038, SG0040, SG0041, SG0042, SG0047, SG0057, SG0061, SG0062 and SG0067.

These SDGs contain results for 245 groundwater samples from supply; residential and monitoring wells; 4 process water samples from the Pew Road ETR system; 15 soil moisture samples from lysimeters installed in the Central Impact Area; and 3 surface water samples from Snake Pond.

Validated Data

Table 5 (sorted by analyte) summarizes the detections, since 1997, that equaled or exceeded an EPA Maximum Contaminant Level (MCL) or Health Advisory (HA) for drinking water, or equaled or exceeded a 4 ppb concentration for perchlorate. Table 5 is updated on a monthly basis; discussions in the text are updated on the same schedule as Figures 1 through 8, which are discussed later in this section.

Table 6 summarizes first-time validated detections of explosives below the MCL/HA for drinking water or of perchlorate below a 4 ppb concentration received from October 28, 2005 through November 23, 2005. First-time validated detections of VOCs, SVOCs, herbicides and pesticides are included and discussed quarterly in the March, June, September, and December

Monthly Progress Reports. Metals, chloroform, and BEHP are excluded from Table 6 for the following reasons: metals are a natural component of groundwater, particularly at levels below MCLs or HAs; detections of chloroform are pervasive throughout Cape Cod and are not likely the result of military training activities; and BEHP is believed to be largely an artifact of the investigation methods and introduced to the samples during collection or analysis.

Figures 1 through 8 depict the cumulative results of groundwater analyses for the period from the start of the Impact Area Groundwater Study (July 1997) to the present. Each figure depicts results for a different analyte class:

- Figure 1 shows the results of explosive analyses by EPA Method 8330. This figure is updated and included each month.
- Figure 2 shows the results of inorganic analyses (collectively referred to as “metals”, though some analytes are not true metals) by methods E200.8, 300.0, 350.2M, 353M, 365.2, CYAN, IM40MB, and IM40HG. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 3 shows the results of Volatile Organic Compound (VOC) analyses by methods OC21V, OC21VM, 504, 8021W, and SW8260 exclusive of chloroform detections. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 4 shows the chloroform results using the Volatile Organic Compound (VOC) analyses by method OC21V and OC21VM. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 5 shows the results of Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270, exclusive of detections of bis (2-ethylhexyl) phthalate (BEHP). This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 6 shows the BEHP results using the Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 7 shows the results of Pesticide (method OL21P) and Herbicide (method 8151) analyses. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 8 shows the results of Perchlorate analysis by method E314.0. This figure is updated and included each month.

The concentrations from these analyses are depicted in Figures 1 through 7 compared to Maximum Contaminant Levels (MCLs) or Health Advisories (HAs) published by EPA for drinking water. For Figures 1 through 7, a red circle is used to depict a well where the concentration of one or more analytes was greater than or equal to the lowest MCL or HA for the analyte(s). A yellow circle is used to depict a well where the concentration of all analytes was less than the lowest MCL or HA. A green circle is used to depict a well where the given analytes were not detected in groundwater samples. For Figure 8, a red circle is used to depict a well where the concentration of perchlorate was greater than or equal to 4 ppb. An orange circle is used to depict a well where the concentration of perchlorate is above 1 ppb and below 4 ppb. A yellow circle is used to depict a well where the concentration of perchlorate was less than 1 ppb. A green circle is used to depict a well where perchlorate was not detected in groundwater samples. For all figures, an open circle is used to depict a proposed well where the analytes in question for example, Explosives in Figure 1, have not yet been quantified. A black circle represents a well that has been sampled for analytes, but validated groundwater data is not yet available.

There are multiple labels listed for some wells in Figures 1 through 8, which indicate multiple well screens at different depths throughout the aquifer. The aquifer is approximately 200 to 300 feet thick in the study area. Well screens are positioned throughout this thickness based on various factors, including the results of groundwater profile samples, the geology, and projected locations of contaminants estimated by groundwater modeling. The screen labels are colored to indicate which of the depths had the chemical detected above MCLs/HAs/4 ppb concentration for perchlorate. Generally, groundwater entering the top of the aquifer will move deeper into the aquifer as it moves radially outward from the top of the water table mound. Light blue dashed lines in Figures 1 through 8 depict water table contours. Groundwater generally moves perpendicular to these contours, starting at the center of the 70-foot contour (the top of the mound) and moving radially outward. The rate of vertical groundwater flow deeper into the aquifer slows as groundwater moves away from the mound.

The results presented in Figures 1 through 8 are cumulative, which provides a historical perspective on the data rather than a depiction of current conditions. Any detection at a well that equals or exceeds the MCL/HA/4 ppb concentration for perchlorate results in the well having a red symbol, regardless of later detections at lower concentrations, or later non-detects. The difference between historical and current conditions varies according to the type of analytes. There are little or no differences between historical and current exceedances of drinking water criteria for Explosives, Perchlorate, VOCs, Pesticides, and Herbicides; the minor differences are mentioned in the following paragraphs. There are significant differences between historical and current exceedances of drinking water criteria for Metals and SVOCs, as described further below.

Figure 1: Explosives in Groundwater Compared to MCLs/HAs

For data validated in November 2005, one well, MW-207M2 (Impact Area), had a first-time validated detection of RDX above the HA of 2 ppb. One well, MW-50D (Impact Area), had a first-time validated detection of RDX below the HA of 2 ppb. One well, MW-112M2 (Impact Area), had a first-time validated detection of HMX below the HA of 400 ppb.

Exceedances of drinking water criteria for explosive compounds are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 34, 73, 76, 77, 114, 129, 165, 210, and 211);
- Demo Area 2 (wells 16, 160, 259 and 262);
- The Impact Area and CS-19 (wells 58MW0001, 58MW0002, 58MW0009E, 58MW0011D, 58MW0016B, 58MW0016C, 58MW0018B; and wells 1, 2, 23, 25, 37, 38, 40, 43, 85, 86, 87, 88, 89, 90, 91, 93, 95, 98, 99, 100, 101, 105, 107, 111, 112, 113, 176, 178, 184, 201, 203, 204, 206, 207, 209, 223, 235, OW-1, OW-2, and OW-6);
- J Ranges and southeast of the J Ranges (wells 45, 58, 130, 132, 147, 153, 163, 164, 166, 171, 191, 196, 198, 215, 218, 227, 234, 247, 265, 289, 303, 306, 324, 326, 343, 346, 360, 368, and wells 90MW0022, 90MW0041, 90MW0054 and 90WT0013).
- Landfill Area 1 (wells 27MW0018A, 27MW0020A, and 27MW0020B); and
- Northwest Corner of Base Boundary (well 323)

Exceedances of drinking water criteria were measured for TNT at Demo Area 1 (wells 19S, 31S, 31M, and 31D) and Southeast of the Ranges (196S). Exceedances of the HA for RDX were noted at all of the locations listed above except at MW-45, MW-196, and the LF-1 wells. Exceedances of drinking water criteria were measured for 2,6-dinitrotoluene (2,6-DNT) at MW-

45S. Exceedances of drinking water criteria were measured for 1,3-dinitrobenzene at LF-1 wells 27MW0018A, 27MW0020A and 27MW0020B.

A magenta concentration contour line is used in Figure 1 and Inset A to show the extent of RDX exceeding the HA in these areas. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples). This extent also considers non-validated data, where the results have been confirmed using Photo Diode Array (PDA). Additional information regarding PDA is provided below under the heading "Rush (Non-Validated) Data". Concentration contours will be prepared for other areas, and refined for the above areas, when sufficient data are available.

Demo Area 1 has a single well-defined source area and extent of contamination. The estimated extent of RDX exceeding the HA at Demo Area 1 based on the most recent groundwater measurements is indicated by a magenta concentration contour line on Figure 1 and Inset A.

Demo Area 2 has four groundwater exceedances of the RDX HA at MW-16S, MW-160S, MW-259, and MW-262M1. The extent of the contamination is currently under investigation.

The Impact Area has a plume defined by RDX concentrations above the HA of 2 ppb. The plume originates primarily along Turpentine Road and extends downgradient to the east, northeast. Another source of RDX in the Impact Area is CS-19. Portions of CS-19 are currently under investigation by the Air Force Center for Environmental Excellence (AFCEE) under the Superfund program. The extent of RDX has largely been defined in the Impact Area and the investigation phase of the project is nearing completion.

The J Ranges and downgradient areas have five groundwater plumes defined by concentrations of RDX above the HA of 2 ppb. The five plumes originate at the J-1 Range Interberm Area (northern plume in the vicinity of MW-58 and MW-265), the J-2 Range North plume (northern plume extending from MW-130), the J-2 Range East plume (eastern plume including MW-215), the J-3 Range Demolition Area (southern plume extending from MW-163 south to Snake Pond) and the L Range (in an area defined by MW-147 and MW-153 at Greenway Road). All the J ranges and the L Range are currently under investigation and the plumes will be updated and refined as new validated data is received.

The Northwest Corner of the base boundary has one validated detection of RDX in groundwater above the HA of 2 ppb at MW-323M2. The M1 screen in this location has a validated detection of RDX in groundwater below 2 ppb.

Figure 2: Metals in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for metals are scattered throughout the study area. Where two or more rounds of sampling data are available, the exceedances generally have not been replicated in consecutive sampling rounds. The exceedances have been measured for antimony, arsenic, cadmium, chromium, lead, molybdenum, sodium, thallium and zinc. Arsenic (well 7M1), cadmium (52M3), and chromium (7M1) each had one exceedance in a single sampling round in August-September 1999. Two of four lead exceedances (ASP well and 45S) were repeated in another sampling round and the remaining two lead exceedances (wells 2S and 7M1) have not been repeated in previous or subsequent results. Two of the eight molybdenum exceedances were repeated in consecutive sampling rounds (wells 53M1 and 54S). All of the molybdenum exceedances were observed in year 1998 and 1999 results. Seven of the 19 sodium exceedances were repeated in consecutive sampling rounds (wells 2S,

46S, 57M2, 57M1, 145S, ASP well and SDW261160). Eight wells (21S, 57M1, 57M3, 144S, 145S, 148S, 187D, and the ASP well) had sodium exceedances in year 2002, 2003, and/or 2004 results. Zinc exceeded the HA in seven wells, all of which are constructed of galvanized (zinc-coated) steel.

There have been few exceedances of drinking water limits for antimony and thallium since the introduction of the ICP/GFAA and ICP/MS methods, discussed in the next paragraph. None of the 12 antimony exceedances were repeated in consecutive sampling rounds, and only one exceedance (well 187D) was measured in year 2002 results. Eight of the 71 thallium exceedances were repeated in consecutive sampling rounds (wells 7M1, 7M2, 47M2, 52S, 52D, 54S, 54M1, and 94M2). Only two wells (148S and 191M1) have had thallium exceedances in the year 2002. There have been no exceedances of thallium in 2003, 2004 or thus far in 2005.

Groundwater samples sent for metals analysis are analyzed for most metals by Inductively Coupled Plasma (ICP) in accordance with U.S. EPA Contract Laboratory Program Statement of Work ILM04.0. In May of 2001, the IAGWSP began analyzing for antimony and thallium using the GFAA (graphite furnace atomic adsorption) method in accordance with EPA Drinking Water Methods 204.2 (antimony) and 279.2 (thallium) in order to achieve lower detection limits for these metals. Both the ILM04.0 and GFAA methods are subject to false positive results at trace levels due to interferences. As a result, the IAGWSP changed to a new method to achieve lower detection limits for antimony and thallium in January of 2003. Groundwater samples are now analyzed for antimony and thallium by Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) in accordance with the EPA Method 6020. The ICP/MS Method 6020 has greater sensitivity and the added feature of selectivity for antimony and thallium. These additional methods achieve lower detection limits for these two metals and reduce the number of false positive results.

The distribution and lack of repeatability of the metals exceedances is not consistent with a contaminant source, nor do the detections appear to be correlated with the presence of explosives or other organic compounds. The IAGWSP has re-evaluated inorganic background concentrations using the expanded groundwater quality database of 1999, and has submitted a draft report describing background conditions. The population characteristics of the remaining eight metals were determined to be consistent with background.

Figure 3: VOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for VOCs are indicated in six general areas: Northeast Corner (LRMW003), CS-10 (wells 03MW0007A, 03MW0014A, and 03MW0020), LF-1 (well 27MW0017B), FS-12 (wells MW-45S, 90MW0003, and ECMWSNP02D), and in the J-1 Range (187D). CS-10, LF-1, and FS-12 are sites located near the southern extent of the Training Ranges that are currently under investigation by AFCEE under the Superfund program. Exceedances of drinking water criteria were measured for tetrachloroethylene (PCE) at CS-10, for vinyl chloride at LF-1, and for methylene chloride, toluene, 1,2-dichloroethane, and ethylene dibromide (EDB) at FS-12. These compounds are believed to be associated with the sites under investigation by AFCEE. Detections of benzene, tert-butyl methyl ether, and chloromethane at J-1 Range well 187D and chloromethane at Northeast Corner well LRMW003 are currently under investigation.

Figure 4: Chloroform in Groundwater Compared to MCLs

Chloroform has been widely detected in groundwater across the Upper Cape as stated in a joint press release from USEPA, MADEP, IRP, and the Joint Programs Office. The Cape Cod Commission (2001) in their review of public water supply wells for 1999 found greater than 75% contained chloroform with an average concentration of 4.7 ug/L. The IRP has concluded chloroform is not the result of Air Force activities. A detailed discussion of the presence of chloroform is provided in the Final Central Impact Area Groundwater Report (06/01). To date, the source of the chloroform in the Upper Cape groundwater has not been identified.

Figure 5: SVOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for SVOCs are scattered throughout the study area. All exceedances of drinking water criteria for SVOCs were measured for bis (2-ethylhexyl) phthalate (BEHP), with the exception of two wells. MW-264M1 (J-3 Range) had a detection of benzo(a)pyrene at concentrations of more than twice the HA and MW-241M1 (L Range) had a detection of naphthalene above the HA of 100 ppb. Detections of BEHP are presented separately in Figure 6 and discussed in the next paragraph.

Figure 6: BEHP in Groundwater Compared to MCLs

Exceedances of drinking water criteria for bis (2-ethylhexyl) phthalate (BEHP) are scattered throughout the study area. BEHP is believed to be largely an artifact of the investigation methods, introduced to the samples during collection or analysis. However, the potential that some of the detections of BEHP are the result of activities conducted at MMR has not been ruled out.

A detailed discussion of the presence of BEHP is provided in the Draft Completion of Work Report (7/98) and subsequent responses to comments. The theory that BEHP mostly occurs as an artifact, and is not really present in the aquifer, is supported by the results of subsequent sampling rounds that show much lower levels of the chemical after additional precautions were taken to prevent cross-contamination during sample collection and analysis. Only four locations (out of 90) showed BEHP exceedances in consecutive sampling rounds: 28MW0106 (located near SD-5, a site under investigation by AFCEE), 58MW0006E (located at CS-19), and 90WT0013 (located at FS-12), and 146M1 (located at L Range). Subsequent sampling rounds at all these locations have had results below the MCL. Eleven wells (27MW0705, 27MW2061, C2-B, C6-C, C7-B, 47M2, 164M1, 168M1, 188M1, 196M1, and 198M1) had BEHP exceedances in the year 2002 and 2003 results. There have been no exceedances of BEHP in 2004 or thus far in 2005.

Figure 7: Herbicides and Pesticides in Groundwater Compared to MCLs/HAs

There has been one exceedance of drinking water criteria for pesticides, at well PPAWSMW-1. A contractor to the United States Air Force installed this monitoring well at the PAVE PAWS radar station in accordance with the Massachusetts Contingency Plan (MCP), in order to evaluate contamination from a fuel spill. The exceedance was for the pesticide dieldrin in a sample collected in June 1999. This well was sampled again in November 1999. The results of the November sample indicate no detectable pesticides although hydrocarbon interference was noted. It appears from the November sample that pesticides identified in the June sample were false positives. However, the June sample results cannot be changed when following the EPA functional guidelines for data validation. The text of the validation report for the June sample

has been revised to include an explanation of the hydrocarbon interference and the potential for false positives.

There has been one exceedance of drinking water criteria for herbicides, at well 41M1 (Impact Area). This response well was installed downgradient of the Impact Area. The exceedance was for the herbicide pentachlorophenol in a sample collected in May 2000. There were no detections above the MCL of this compound in the three previous sampling rounds in 1999, nor in the subsequent sampling rounds in 2000, 2001, 2002, and 2003.

Figure 8: Perchlorate in Groundwater Compared to a 4 ppb Concentration

For data validated in November 2005, no wells had first-time validated detections of perchlorate above the concentration of 4 ppb. No wells had first-time validated detections of perchlorate below the concentration of 4 ppb.

Sampling and analysis of groundwater for perchlorate was initiated at the end of the year 2000 as part of the IAGWSP. Exceedances of the 4 ppb concentration of perchlorate are indicated in six general areas:

- Demo Area 1 (wells 19, 31, 32, 34, 35, 36, 73, 75, 76, 77, 78, 114, 129, 139, 162, 165, 172, 210, 211, 225, 258 and 341);
- Impact Area (well 91);
- J Ranges and southeast of the J Ranges (wells 127, 130, 132, 143, 163, 193, 197, 198, 232, 243, 247, 250, 263, 265, 286, 289, 293, 300, 302, 303, 305, 307, 310, 313, 321, 326, 339, 346, 348, 368, 370, and wells 90PZ0211, 90MW0022 and 90MW0054);
- Landfill Area 1 (27MW0031B);
- CS-18 (well 16MW0001); and
- Northwest Corner of Base Boundary (wells 4036009DC, 270, 277, 278, 279, 284, and 309).

A magenta concentration contour line is used in Figure 8 and the inset to show the extent of perchlorate greater than a 4 ppb concentration of perchlorate. This extent is based on samples from monitoring wells and samples collected during the drilling process ("profile" samples).

Demo Area 1 has a single well-defined source area and extent of contamination. The downgradient extent of the perchlorate plume has been determined with the installation of monitoring wells along the power line right-of-way east of Fredrickson Road.

The Impact Area has a single exceedance of the 4 ppb concentration of perchlorate at MW-91S.

Plumes have been identified in four areas in the J Ranges as shown on Figure 8. The J-1 Interberm perchlorate plume has several detections of greater than 4 ppb in downgradient locations MW-265, MW-286, MW-303, MW-326, MW-346, and MW-370. The J-3 Range Demolition perchlorate plume has concentrations greater than 4 ppb in several wells immediately downgradient of the source area, which is centered at MW-198, and further downgradient centered around location 90MW0054. The J-2 Range North perchlorate plume has detections greater than 4 ppb at source area locations MW-130 and MW-263, and downgradient locations MW-289, MW-293, MW-300, MW-302, MW-305, and MW-313. The J-2 East perchlorate plumes are in the process of delineation and include detections greater than 4 ppb at MW-307, MW-310 and MW-368. Perchlorate detections at the L Range are below 4 ppb and a plume is not depicted on the figure.

The Northwest Corner has a perchlorate plume extending from Canal View Road at the base boundary to the Cape Cod Canal. This area is under investigation and the plume will be updated and refined as new data is received.

The LF-1 and CS-18 areas are under investigation by AFCEE in the Superfund Program.

Rush (Non-Validated) Data

Rush data are summarized in Table 7. These data are for analyses that are performed on a fast turnaround time, typically 1 to 10 days. Explosive analyses for monitoring wells, and explosive and VOC analyses for profile samples, are typically conducted in this timeframe. Other types of analyses may be rushed depending on the proposed use of the data. The rush data have not yet been validated, but are provided as an indication of the most recent preliminary results. Table 7 summarizes only detects, and does not show samples with non-detects.

The status of the detections with respect to confirmation using Photo Diode Array (PDA) spectra is indicated in Table 7. PDA is a procedure that has been implemented for the explosive analysis, to reduce the likelihood of false positive identifications. Where the PDA status is "YES" in Table 7, the detected compound is verified as properly identified. Where the status is "NO", the identification of an explosive has been determined to be a false positive. Where the status is blank, PDA has not yet been used to evaluate the detection, or PDA is not applicable because the analyte is a VOC. Most explosive detections verified by PDA are confirmed to be present upon completion of validation.

Table 7 includes the following detections:

Demo 2

- Profile samples from MW-406 (D2P-10) had detections of explosives. Of the explosive detections, 2,6-DNT was confirmed by PDA spectra, but with interference in two intervals at 32 ft and 52 ft bwt. RDX was detected in two intervals, at 32 ft and 52 ft bwt, but was not confirmed by PDA spectra. Well screens will be set at the depth (25 to 35 ft bwt) corresponding to the shallow RDX detection and at the depth (47 to 52 ft bwt) corresponding to the deeper RDX detection.

Northwest Corner

- Profile samples from DP-405 (NWP-21) were non-detect for explosives and perchlorate in all sampled intervals.

J-1 Range

- Profile samples from MW-402 (J1P-36) were non-detect for explosives and perchlorate in all sampled intervals. Well screens will be set at the depth (84 to 94 ft bwt) corresponding to the depth of modeled forward particle tracks from high detections at the base boundary and at the depth (119 to 129 ft bwt) corresponding to the depth below modeled forward particle tracks from the deepest detections at the base boundary. A piezometer will be set at the water table for synoptic measurements.

Snake Pond

- Profile samples from DP-407 (SSP-DP2A) were analyzed for explosives and perchlorate. RDX was detected in one interval at 9 to 14 ft bwt but the detection was not confirmed by PDA spectra.

4. DELIVERABLES SUBMITTED

Deliverables submitted during the reporting period include the following:

Draft Former K Range Remedial Investigation Report	11/03/2005
Final Demolition Area 1 Groundwater RRA Completion of Work Report	11/04/2005
Monthly Progress Report # 103 for October 2005	11/09/2005
Draft Demolition Area 2 Interim Groundwater Monitoring Plan (GMP) Project Note	11/16/2005
Draft Gun & Mortar Positions Interim GMP Project Note	11/17/2005
Interim Month Report for November 1-11, 2005	11/18/2005
Draft J-2 Range Soil RRA Completion of Work Report	11/21/2005
Final J-3 Range Soil RRA Completion Report	11/23/2005
Final L Range Groundwater Remedial Investigation Report	11/23/2005
Draft J-1 Range North Groundwater Interim Monitoring Plan	11/23/2005

5. SCHEDULED ACTIONS

Figure 9 provides a Gantt chart updated to reflect progress and proposed work. The following documents are scheduled to be submitted in December and early January:

- Central Impact Area Targets 23 and 42 Final Rapid Response Action Completion of Work Report
- Central Impact Area Final Post Screening Investigation Source Area Workplan
- Gun and Mortar Soil Draft Remedial Investigation Workplan
- Gun and Mortar Soil Final GP-6 Letter Report
- Generic Camp Edwards Final Wide Area Source Assessment Workplan

The following documents are being prepared or revised during December and early January:

- Demo 1 Soil Final Rapid Response Action Completion of Work Report
- J-2 Range Soil Final Rapid Response Action Completion of Work Report
- J-2 Range Groundwater Draft Remedial Investigation Report
- J-3 Range Soil Draft Remedial Investigation Report
- J-3 Range Groundwater Draft Remedial Investigation Report
- L Range Soil Final Remedial Investigation Report
- L Range Groundwater Draft Risk Assessment Report
- Central Impact Area Soil Final Remedial Investigation Report
- Central Impact Area Soil Revised Draft Focused Investigation Report
- Central Impact Area Soil and Groundwater Final Feasibility Study Screening Report
- Western Boundary Draft Remedial Investigation Report
- Northwest Corner Draft Remedial Investigation Report
- Demo 2 Groundwater Draft Remedial Investigation Report
- Gun and Mortar Groundwater Final Remedial Investigation Workplan
- Former A Range Draft Remedial Investigation Report
- Former K Range Final Remedial Investigation Report
- Former K Range Final Rapid Response Action Workplan
- Phase 2b Sites Final Remedial Investigation Report
- Ammunition Supply Point Final Rapid Response Action Workplan
- BA-1 Training Area Soil Final Completion of Work Letter Report

TABLE 1
J-2 RRA UXO PROGRESS
GRID SHEET SUMMARY (period ending 11-24-05)

Grid	Location	Date	Number of Excavations	# of Munitions Recovered	Items	MEC CDC	MEC BIP	MD (lbs)	RRD (lbs)
O15	FFP-4	09/07/2004	525	0		0	0	32	73
Total			525	0		0	0	32	73
N15	FFP-3	10/07/2004	880	0		0	0	32	83
Total			880	0		0	0	32	83
N23	Disposal Area 1	09/23/2004	156	2	81mm mortar	1	1	15	300
Total			156	2		1	1	15	300
O24-25	Berm 2	10/07/2004	1385	3	30mm projectile	0	3	238	189
				1	66mm rocket warhead		1		
				1	fuze grenade	1			
				1	PD fuze	1			
				1	3.5" rkt motor	1			
				1	CAD	1			
Total			1385	8		4	4	238	189
P 15 - P16, O16	Twin Berms	01/06/2005	3056	38	thermal batteries (special disposition - off site)	0	0	186	834
				1	66mm rocket warhead		1		
Total			3056	39		0	1	186	834
L29-30, M29-30	Berm 5	01/13/2005	4170	1	40mm grenade		1	642	213
				3	30mm projectile		3		
				1	60mm mortar		1		
				3	81mm mortar	2	1		
Total			4170	8		2	6	642	213
N16	RRBA	09/07/2004	223	0		0	0	6	88
Total			223	0		0	0	6	88
N31-34, O31-34	Polygon 2	09/29/2005	28099	354	fuzes	354		8260	4039
				3350	SSA	3350			
				1	drouge gun	1			
				22	propellent	22			
				256	M550 fuze/ escapement	256			
				14	rocket primers	14			
				3	primer unk	3			
				14	primer block	14			

FFP = Fixed Firing Point
RRBA = Range Raod Burn Area
MEC = Munitions and Explosives of Concern
CDC = Controlled Detonation Chamber
BIP = Blown in Place
MD = Munitions Debris
RRD = Range Related Debris

TABLE 1
J-2 RRA UXO PROGRESS
GRID SHEET SUMMARY (period ending 11-24-05)

Grid	Location	Date	Number of Excavations	# of Munitions Recovered	Items	MEC CDC	MEC BIP	MD (lbs)	RRD (lbs)
	Polygon 2 Continued			248	ignition charges	248			
				6	engine starter carts	6			
				14	explosive devices	14			
				44	impulse carts	44			
				6	carts	6			
				11	sound underwater signal	11			
				23	thermal batteries (special disposition - off site)	23			
				3	flare composition	3			
				4	MK11 20 mm	4			
				3	M56A3 20mm	3			
				423	20mm projectiles	423			
				385	.38 cal small arms	385			
				1	.38 cal ctg case	1			
				70	sm arms carts	70			
				10	M41 .38 cal dtg ball	10			
				28	MK13 flares/pyro	28			
				1	pencil flare	1			
				1	rifle grenade flare(pyro)	1			
				3	M49A1 flares	3			
				1	M48A1 .50 cal	1			
				108	M23 .50 cal	108			
				15	5.56mm small arms	15			
				2	5.56mm ctg cases	2			
				7	7.62mm ctg cases	7			
				1	M2 .30 cal ctg ball	1			
				7	M8 .50 cal API	7			
				1	50 cal spotter	1			
				8	electric blasting caps	8			
				110	primers	110			
				1	M71 primer	1			

FFP = Fixed Firing Point
RRBA = Range Raod Burn Area
MEC = Munitions and Explosives of Concern
CDC = Controlled Detonation Chamber
BIP = Blown in Place
MD = Munitions Debris
RRD = Range Related Debris

TABLE 1
J-2 RRA UXO PROGRESS
GRID SHEET SUMMARY (period ending 11-24-05)

Grid	Location	Date	Number of Excavations	# of Munitions Recovered	Items	MEC CDC	MEC BIP	MD (lbs)	RRD (lbs)
	Polygon 2 Continued			1	pressure bottle	1			
				27	explosive bolts	27			
				4	electronic detonators	4			
				8	detonators	8			
				5	electrically activated device	5			
				1	BDU-33	1			
				4	cartridge activated device	4			
				1	25lbs of MK 13 Flare residue/metal	1			
				14	squibs	14			
				7	M557 PD fuzes	7			
				2	M551 PD fuze	2			
				177	M935 PD fuze	177			
				30	M51 series fuze	30			
				1	PD fuze model unk	1			
				1	M150 O/E Actuator	1			
				24	explosive actuator	24			
				1	3.5" rocket fuze	1			
				11	M2 Fuze igniter	11			
				1	Misc. O/E	1			
				1	81mm Mortar		1		
				265	M918 40mm	265			
				64	40mm projectiles	40	24		
				4	60mm projectile	2	2		
				1	60mm 840 series	1			
				10	PD Fuze M50 Series	10			
				36	CAD	36			
				10	rocket propellant	10			
				1	grenade fuze	1			
				1	2.36" rocket motor	1			
				2	firing devices	2			
				2	14.5" sub cal	2			

FFP = Fixed Firing Point
RRBA = Range Raod Burn Area
MEC = Munitions and Explosives of Concern
CDC = Controlled Detonation Chamber
BIP = Blown in Place
MD = Munitions Debris
RRD = Range Related Debris

TABLE 1
J-2 RRA UXO PROGRESS
GRID SHEET SUMMARY (period ending 11-24-05)

Grid	Location	Date	Number of Excavations	# of Munitions Recovered	Items	MEC CDC	MEC BIP	MD (lbs)	RRD (lbs)
	Polygon 2 Continued			1	smoke grenade residue (1oz)	1			
				5	30mm projectile	4	1		
				1	MK13 signal smoke mixture	1			
				1	MK13 smk comp 5 lbs	1			
				1	M18 5 sm grenade	1			
				2	M159 flare	2			
				19	PD Fuze	19			
				3	pyro device	3			
				96	small arms ammo	96			
				61	small arms misc	61			
				1	bomb destructor	1			
				1	AN/MK23 prac bomb	1			
				7	signal model unk	7			
				1	M559 fuze detonator	1			
				17	40mm fuze M550 dets	17			
				14	40mm various fuze parts	14			
				1	practice mine fuze	1			
				1	M125 booster	1			
				2	IRKT motor igniter	2			
				8	CCU/44B impulse ctg	8			
				1	smkls powdr	1			
				49	M550 fuze	49			
				1	Fuze, MT	1			
				1	M552 fuze	1			
Total			28099	6571		6543	28	8260	4039

FFP = Fixed Firing Point
RRBA = Range Raod Burn Area
MEC = Munitions and Explosives of Concern
CDC = Controlled Detonation Chamber
BIP = Blown in Place
MD = Munitions Debris
RRD = Range Related Debris

TABLE 1
J-2 RRA UXO PROGRESS
GRID SHEET SUMMARY (period ending 11-24-05)

Grid	Location	Date	Number of Excavations	# of Munitions Recovered	Items	MEC CDC	MEC BIP	MD (lbs)	RRD (lbs)
M 32-33, N33	Polygon 1	09/09/2004	2220	1	flare	1		341	89
				4	81mm Mortar		4		
				1	40mm grenade		1		
				1	PD Fuze M50 Series	1			
				1	M2 Fuze igniter	1			
				11	20mm projectiles	11			
				2	PD Fuzes	2			
				1	CAD	1			
				1	60mm mortar		1		
Total			2220	23		17	6	341	89
P34	North of Polygon 2	12/30/2004	3825	2	20mm projectiles	2		208	35
				1	40mm grenade	1			
				1	CAD	1			
				2	S.U.S. charge	2			
				1	60mm fuze	1			
				Total			3825	7	7
K33-34, L33-34	West of Polygon 1	11/11/2004	1102	1	60mm mortar		1	90	107
				1	Unknown MEC	1			
Total			1102	2	1	1	90	107	
Cumulative Total			45641	6660		6575	47	10050	6050

FFP = Fixed Firing Point
RRBA = Range Raod Burn Area
MEC = Munitions and Explosives of Concern
CDC = Controlled Detonation Chamber
BIP = Blown in Place
MD = Munitions Debris
RRD = Range Related Debris

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
ECC082404J205 (post)	SSJ2O32006	J-2 RANGE	11/08/2005	CRATER GRAB	0	0.25		
ECC110105J1SUP01 (pos)	SSJ1K41002	J-1 RANGE	11/03/2005	CRATER GRAB	0	0.25		
ECC110405J101 (post)	SSJ1P30001	J-1 RANGE	11/18/2005	CRATER GRAB	0	0.25		
ECC111005J101 (post)	SSJ1P30002	J-1 RANGE	11/18/2005	CRATER GRAB	0	0.25		
ECC111605J1SUP01 (pos)	SSJ1K40001	J-1 RANGE	11/18/2005	CRATER GRAB	0	0.25		
ECC111605J1SUP02 (pos)	SSJ1K40002	J-1 RANGE	11/18/2005	CRATER GRAB	0	0.25		
27MW0015B-A	27MW0015B	LF-1;GUN & MO	11/14/2005	GROUNDWATER	101	106	24.6	29.6
27MW0015C-A	27MW0015C	LF-1;GUN & MO	11/14/2005	GROUNDWATER	68.1	78.1	0	10
27MW0015C-D	27MW0015C	LF-1;GUN & MO	11/14/2005	GROUNDWATER	68.1	78.1	0	10
27MW0017A-A	27MW0017A	LF-1;PHASE 2b	11/08/2005	GROUNDWATER	134	139	65	70
27MW0017A-A-QA	27MW0017A	LF-1;PHASE 2b	11/08/2005	GROUNDWATER	134	139	65	70
27MW0017B-A	27MW0017B	LF-1;GUN & MO	11/08/2005	GROUNDWATER	104	109	21	26
27MW0017B-A-QA	27MW0017B	LF-1;GUN & MO	11/08/2005	GROUNDWATER	104	109	21	26
27MW0705-A	27MW0705	LF-1;GUN & MO	11/14/2005	GROUNDWATER	73.7	83.9	0	10
27MW2061-A	27MW2061	LF-1;GUN & MO	11/09/2005	GROUNDWATER	66	76	0	10
27MW2061-A-QA	27MW2061	LF-1;GUN & MO	11/09/2005	GROUNDWATER	66	76	0	10
27MW2071-A	27MW2071	LF-1;GUN & MO	11/09/2005	GROUNDWATER	72	82	0	10
27MW2071-A-QA	27MW2071	LF-1;GUN & MO	11/09/2005	GROUNDWATER	72	82	0	10
4036009-1105	4036009	NW CORNER	11/21/2005	GROUNDWATER	0	0		
4261000-02G-A	4261000-02G	WATER SUPPL	11/08/2005	GROUNDWATER	53	63		
4261000-03G-A	4261000-03G	WATER SUPPL	11/08/2005	GROUNDWATER	50	60		
4261000-04G-A	4261000-04G	WATER SUPPL	11/08/2005	GROUNDWATER	101	116		
4261000-05G-A	4261000-05G	WATER SUPPL	11/08/2005	GROUNDWATER	58	68		
4261000-06G-A	4261000-06G	WATER SUPPL	11/08/2005	GROUNDWATER	85	105		
4261000-09G-A	4261000-09G	WATER SUPPL	11/08/2005	GROUNDWATER	62	77		
4261000-09G-D	4261000-09G	WATER SUPPL	11/08/2005	GROUNDWATER	62	77		
4261000-10G-A	4261000-10G	WATER SUPPL	11/08/2005	GROUNDWATER	115	135		
4261000-11G-A	4261000-11G	WATER SUPPL	11/08/2005	GROUNDWATER	98	118		
4261020-01G-A	4261020-01G	WATER SUPPL	11/09/2005	GROUNDWATER	0	0		
58MW0007E-A	58MW0007E	CS-19	11/09/2005	GROUNDWATER	134	139	8	13
58MW0009C-A	58MW0009C	CS-19	11/01/2005	GROUNDWATER	168.2	173.2	41	47
58MW0009C-A-QA	58MW0009C	CS-19	11/01/2005	GROUNDWATER	168.2	173.2	41	47
58MW0009E-A	58MW0009E	CS-19	11/01/2005	GROUNDWATER	133.4	138.4	6.5	11.5
58MW0009E-A-QA	58MW0009E	CS-19	11/01/2005	GROUNDWATER	133.4	138.4	6.5	11.5
58MW0010B-A	58MW0010B	CS-19	11/02/2005	GROUNDWATER	219.8	224.8	90.15	95.15
58MW0010B-D	58MW0010B	CS-19	11/02/2005	GROUNDWATER	219.8	224.8	90.15	95.15
58MW0011D-A	58MW0011D	CS-19	11/01/2005	GROUNDWATER	175.4	180.4	49.5	54.5
58MW0011D-A-QA	58MW0011D	CS-19	11/01/2005	GROUNDWATER	175.4	180.4	49.5	54.5
58MW0011E-A	58MW0011E	CS-19	11/02/2005	GROUNDWATER	145	150	15.7	20.7

Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
58MW0011E-D	58MW0011E	CS-19	11/02/2005	GROUNDWATER	145	150	15.7	20.7
58MW0016A-A	58MW0016	CS-19	11/02/2005	GROUNDWATER	175.9	185.1	54.22	63.22
58MW0020B-A	58MW0020B	CS-19	11/09/2005	GROUNDWATER	205	205	43	43
58MW0020B-D	58MW0020B	CS-19	11/09/2005	GROUNDWATER	205	205	43	43
90MP0060C-A	90MP0060	J-3 RANGE	11/11/2005	GROUNDWATER	126.5	129.0	111.52	114.02
90MP0060D-A	90MP0060	J-3 RANGE	11/11/2005	GROUNDWATER	102.0	104.5	87.02	89.52
90MP0060F-A	90MP0060	J-3 RANGE	11/11/2005	GROUNDWATER	47.02	49.52		
90MP0060F-D	90MP0060	J-3 RANGE	11/11/2005	GROUNDWATER	47.02	49.52		
90MW0006-A	90MW0006	L RANGE	11/18/2005	GROUNDWATER	129	134	52.85	57.85
90MW0011-A	90MW0011	J-3 RANGE	11/18/2005	GROUNDWATER	46.5	51.5	34.8	39.8
90MW0011-D	90MW0011	J-3 RANGE	11/18/2005	GROUNDWATER	46.5	51.5	34.8	39.8
90MW0014-A	90MW0014	J-3 RANGE	11/19/2005	GROUNDWATER	103	108	78	83
90MW0014-D	90MW0014	J-3 RANGE	11/19/2005	GROUNDWATER	103	108	78	83
90MW0017-A	90MW0017	L RANGE	11/23/2005	GROUNDWATER	149	154	68.62	73.62
90MW0054-A	90MW0054	J-3 RANGE	11/19/2005	GROUNDWATER	107	112	91.83	96.83
90MW0054-A-QA	90MW0054	J-3 RANGE	11/19/2005	GROUNDWATER	107	112	91.83	96.83
90MW0061-A	90MW0061	L RANGE	11/23/2005	GROUNDWATER	150	155	58.65	63.65
90MW0080-A	90MW0080	J-3 RANGE	11/28/2005	GROUNDWATER	139	144	87.2	92.2
90MW0101A-A	90MW0101A	J-3 RANGE	11/11/2005	GROUNDWATER	112.7	117.5	104.4	109.4
90MW0101A-D	90MW0101A	J-3 RANGE	11/11/2005	GROUNDWATER	112.7	117.5	104.4	109.4
90MW0102A-A	90MW0102A	J-3 RANGE	11/12/2005	GROUNDWATER	112.9	117.7	108.2	113.2
95-6A-A	95-6A	NW CORNER	11/03/2005	GROUNDWATER	167.5	177.5	142.5	152.5
95-6B-A	95-6B	NW CORNER	11/03/2005	GROUNDWATER	119	129	94	104
97-2E-A	97-2E	WESTERN BOU	11/11/2005	GROUNDWATER	94.5	94.5	49.8	49.8
BHW215083A-A	BHW215083	WESTERN BOU	11/15/2005	GROUNDWATER	200	210	143.35	153.35
BHW215083B-A	BHW215083	OTHER	11/16/2005	GROUNDWATER	74	84	16.95	26.95
BHW215083C-A	BHW215083	WESTERN BOU	11/16/2005	GROUNDWATER	65	75	8.75	18.75
BHW215083C-D	BHW215083	WESTERN BOU	11/16/2005	GROUNDWATER	65	75	8.75	18.75
BHW215083D-A	BHW215083	WESTERN BOU	11/17/2005	GROUNDWATER	137	147	80.05	90.05
HW-2-A	HW-2	NW CORNER	11/12/2005	GROUNDWATER	21	31	0	10
MW-360M1-	MW-360	J-1 RANGE	11/29/2005	GROUNDWATER	247	257	150	160
MW-360M2-	MW-360	J-1 RANGE	11/29/2005	GROUNDWATER	102	112	5	15
MW-362M1-	MW-362	J-2 RANGE	11/29/2005	GROUNDWATER	229	239	135.4	145.4
MW-362M2-	MW-362	J-2 RANGE	11/29/2005	GROUNDWATER	170	180	76.4	86.4
MW-364D-	MW-364	J-3 RANGE	11/22/2005	GROUNDWATER	297	307	188	198
MW-364M1-	MW-364	J-3 RANGE	11/22/2005	GROUNDWATER	147	157	38	48
MW-366M1-	MW-366	J-2 RANGE	11/18/2005	GROUNDWATER	215	225	119.6	129.6
MW-366M2-	MW-366	J-2 RANGE	11/18/2005	GROUNDWATER	175	185	79.6	89.6
MW-366M2-FD	MW-366	J-2 RANGE	11/18/2005	GROUNDWATER	175	185	79.6	89.6

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
MW-366M3-	MW-366	J-2 RANGE	11/18/2005	GROUNDWATER	145	155	49.6	59.6
MW-369M1-	MW-369	J-1 RANGE	11/08/2005	GROUNDWATER	254.1	264.1	137.87	147.87
MW-369M2-	MW-369	J-1 RANGE	11/08/2005	GROUNDWATER	216	226	99.8	109.8
MW-369M2-FD	MW-369	J-1 RANGE	11/08/2005	GROUNDWATER	216	226	99.8	109.8
MW-369M3-	MW-369	J-1 RANGE	11/08/2005	GROUNDWATER	175.3	185.3	59.12	69.12
MW-370M1-	MW-370	J-1 RANGE	11/07/2005	GROUNDWATER	245.6	255.6	123.62	133.62
MW-370M2-	MW-370	J-1 RANGE	11/07/2005	GROUNDWATER	215.5	225.5	93.54	103.54
MW-370M3-	MW-370	J-1 RANGE	11/07/2005	GROUNDWATER	175	185	52.96	62.96
MW-372D-	MW-372	J-2 RANGE	11/14/2005	GROUNDWATER	300.6	310.6	192.59	202.59
MW-372M1-	MW-372	J-2 RANGE	11/14/2005	GROUNDWATER	273.1	283.1	165.05	175.05
MW-399M1-	MW-399	J-1 RANGE	11/02/2005	GROUNDWATER	237	247	139	149
MW-399M2-	MW-399	J-1 RANGE	11/02/2005	GROUNDWATER	125	135	27	37
MW-400M1-	MW-400	J-1 RANGE	10/31/2005	GROUNDWATER	195	205	127.5	137.5
MW-400M2-	MW-400	J-1 RANGE	10/31/2005	GROUNDWATER	140	150	72.5	82.5
MW-401M1-	MW-401	J-1 RANGE	11/21/2005	GROUNDWATER	255	265	126.5	136.5
MW-401M2-	MW-401	J-1 RANGE	11/21/2005	GROUNDWATER	140	150	11.5	21.5
MW-403M1-	MW-403	J-1 RANGE	11/21/2005	GROUNDWATER	159	169	80.8	90.8
MW-403M2-	MW-403	J-1 RANGE	11/21/2005	GROUNDWATER	127	137	48.8	58.8
OW00-1D-A	00-1D	WESTERN BOU	11/17/2005	GROUNDWATER	91	97	48.3	54.3
OW-1-A	OW-1	CIA	11/21/2005	GROUNDWATER	126	136	0	10
OW-2-A	OW-2	CIA	11/21/2005	GROUNDWATER	175	185	48.78	58.78
RSNW04-A	RSNW04	NW CORNER	11/10/2005	GROUNDWATER	0	0		
RSNW05-A	RSNW05	NW CORNER	11/10/2005	GROUNDWATER	0	0		
RSNW05-D	RSNW05	NW CORNER	11/10/2005	GROUNDWATER	0	0		
RSNW06-A	RSNW06	NW CORNER	11/10/2005	GROUNDWATER	0	0		
SDW261160-A	SDW261160	OTHER	11/28/2005	GROUNDWATER	150	160	10	20
SMR-2-A	SMR-2	J-2 RANGE	11/05/2005	GROUNDWATER	121	131	19	29
SMR-4-A	SMR-4	OTHER	11/21/2005	GROUNDWATER	102	112	9	19
SPRING1-A	SPRING1	WESTERN BOU	11/02/2005	GROUNDWATER	0	0	0	0
SPRING1-D	SPRING1	WESTERN BOU	11/02/2005	GROUNDWATER	0	0	0	0
TW00-2D-A	00-2	WESTERN BOU	11/17/2005	GROUNDWATER	71	77	43.95	49.95
USCGANTST-A	USCGANTST	OTHER	11/02/2005	GROUNDWATER	0	0		
USCGANTST-D	USCGANTST	OTHER	11/02/2005	GROUNDWATER	0	0		
W02-07M1A	02-07	WESTERN BOU	11/30/2005	GROUNDWATER	135	145	101.14	111.14
W02-07M2A	02-07	WESTERN BOU	11/30/2005	GROUNDWATER	107	117	72.86	82.86
W02-07M3A	02-07	WESTERN BOU	11/30/2005	GROUNDWATER	47	57	13	23
W05DDA	MW-5	J-2 RANGE	11/16/2005	GROUNDWATER	335	340	223	228
W05M1A	MW-5	J-2 RANGE	11/17/2005	GROUNDWATER	210	215	98	103
W05M2A	MW-5	J-2 RANGE	11/16/2005	GROUNDWATER	170	175	58	63

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W09SSA	MW-9	CIA	11/01/2005	GROUNDWATER	113	123	0	10
W113M1A	MW-113	CIA	11/28/2005	GROUNDWATER	240	250	98	108
W113M1D	MW-113	CIA	11/28/2005	GROUNDWATER	240	250	98	108
W113M2A	MW-113	CIA	11/28/2005	GROUNDWATER	190	200	48	58
W125SSA	MW-125	J-3 RANGE	11/21/2005	GROUNDWATER	50	60	0	10
W126M1A	MW-126	J-1 RANGE	11/22/2005	GROUNDWATER	118	128	19	29
W126M1D	MW-126	J-1 RANGE	11/22/2005	GROUNDWATER	118	128	19	29
W128SSA	MW-128	J-3 RANGE	11/17/2005	GROUNDWATER	87	97	0	10
W130DDA	MW-130	J-2 RANGE	11/05/2005	GROUNDWATER	320	330	217	227
W130M1A	MW-130	J-2 RANGE	11/05/2005	GROUNDWATER	160	170	57	67
W130SSA	MW-130	J-2 RANGE	11/05/2005	GROUNDWATER	103	113	0	10
W130SSA-QA	MW-130	J-2 RANGE	11/05/2005	GROUNDWATER	103	113	0	10
W134M2A	MW-134	CIA	11/10/2005	GROUNDWATER	170	180	25	35
W144M1A	MW-144	J-3 RANGE	11/30/2005	GROUNDWATER	195	205	168	172
W144M2A	MW-144	J-3 RANGE	11/30/2005	GROUNDWATER	130	140	109	119
W144SSA	MW-144	J-3 RANGE	11/30/2005	GROUNDWATER	26	36	5	15
W147M1A	MW-147	L RANGE	11/28/2005	GROUNDWATER	167	177	94	104
W147M2A	MW-147	L RANGE	11/28/2005	GROUNDWATER	150	160	77	87
W147M3A	MW-147	L RANGE	11/28/2005	GROUNDWATER	82	92	9	19
W148M1A	MW-148	L RANGE	11/29/2005	GROUNDWATER	90	100	29	39
W148SSA	MW-148	L RANGE	11/29/2005	GROUNDWATER	61	71	0	10
W153M1A	MW-153	L RANGE	11/29/2005	GROUNDWATER	199	209	108	118
W153M1D	MW-153	L RANGE	11/29/2005	GROUNDWATER	199	209	108	118
W153M2A	MW-153	L RANGE	11/29/2005	GROUNDWATER	144	154	53	63
W153M3A	MW-153	L RANGE	11/30/2005	GROUNDWATER	124	134	33	43
W155M1A	MW-155	J-3 RANGE	11/29/2005	GROUNDWATER	124	134	99	109
W155M2A	MW-155	J-3 RANGE	11/29/2005	GROUNDWATER	45	55	20	30
W163SSA	MW-163	J-3 RANGE	11/09/2005	GROUNDWATER	38	48	0	10
W163SSA-QA	MW-163	J-3 RANGE	11/09/2005	GROUNDWATER	38	48	0	10
W167M3A	MW-167	PHASE 2b	11/10/2005	GROUNDWATER	100	110	21	31
W169M1A	MW-169	J-3 RANGE	11/12/2005	GROUNDWATER	154	159	154	159
W169M2A	MW-169	J-3 RANGE	11/12/2005	GROUNDWATER	113.5	118.5	113	118
W179DDA	MW-179	CIA	11/30/2005	GROUNDWATER	329	339	188.1	198.1
W179M1A	MW-179	CIA	11/30/2005	GROUNDWATER	187	197	46.1	56.1
W181SSA	MW-181	J-3 RANGE	11/23/2005	GROUNDWATER	32.25	42.25	0	10
W181SSD	MW-181	J-3 RANGE	11/23/2005	GROUNDWATER	32.25	42.25	0	10
W184M1A	MW-184	CIA	11/01/2005	GROUNDWATER	186	196	58.2	68.2
W184M2A	MW-184	CIA	11/01/2005	GROUNDWATER	126	136	0	10
W184M2D	MW-184	CIA	11/01/2005	GROUNDWATER	126	136	0	10

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W190M2A	MW-190	J-3 RANGE	11/22/2005	GROUNDWATER	110	120	9.3	19.3
W190M2D	MW-190	J-3 RANGE	11/22/2005	GROUNDWATER	110	120	9.3	19.3
W192M3A	MW-192	J-2 RANGE	11/14/2005	GROUNDWATER	115	125	14.19	24.19
W193M1A	MW-193	J-3 RANGE	11/16/2005	GROUNDWATER	57	62	23.8	28.8
W193SSA	MW-193	J-3 RANGE	11/16/2005	GROUNDWATER	31	36	0	5
W193SSA-QA	MW-193	J-3 RANGE	11/16/2005	GROUNDWATER	31	36	0	5
W194M1A	MW-194	J-3 RANGE	11/17/2005	GROUNDWATER	85	90	39.1	44.1
W194M1D	MW-194	J-3 RANGE	11/17/2005	GROUNDWATER	85	90	39.1	44.1
W195SSA	MW-195	J-3 RANGE	11/17/2005	GROUNDWATER	34	39	0	5
W196SSA	MW-196	J-3 RANGE	11/17/2005	GROUNDWATER	32	37	0	5
W196SSA-QA	MW-196	J-3 RANGE	11/17/2005	GROUNDWATER	32	37	0	5
W197M1A	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	120	125	99.6	104.6
W197M1A-QA	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	120	125	99.6	104.6
W197M2A	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	80	85	59.3	64.3
W197M2A-QA	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	80	85	59.3	64.3
W197M3A	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	60	65	39.4	44.4
W197M3A-QA	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	60	65	39.4	44.4
W197M3D	MW-197	J-3 RANGE	11/04/2005	GROUNDWATER	60	65	39.4	44.4
W198M1A	MW-198	J-3 RANGE	11/02/2005	GROUNDWATER	150	155	127.8	132.8
W198M1A-QA	MW-198	J-3 RANGE	11/02/2005	GROUNDWATER	150	155	127.8	132.8
W198M2A	MW-198	J-3 RANGE	11/02/2005	GROUNDWATER	120	125	98.4	103.4
W198M2A-QA	MW-198	J-3 RANGE	11/02/2005	GROUNDWATER	120	125	98.4	103.4
W204M1A	MW-204	CIA	11/30/2005	GROUNDWATER	141	151	81	91
W204M2A	MW-204	CIA	11/30/2005	GROUNDWATER	76	86	17.2	27.2
W204M2D	MW-204	CIA	11/30/2005	GROUNDWATER	76	86	17.2	27.2
W209M1A	MW-209	CIA	11/08/2005	GROUNDWATER	240	250	121	131
W209M2A	MW-209	CIA	11/09/2005	GROUNDWATER	220	230	110	120
W209M2D	MW-209	CIA	11/09/2005	GROUNDWATER	220	230	110	120
W220DDA	MW-220	J-1 RANGE	11/22/2005	GROUNDWATER	299	309	171.83	181.83
W220DDD	MW-220	J-1 RANGE	11/22/2005	GROUNDWATER	299	309	171.83	181.83
W220M1A	MW-220	J-1 RANGE	11/22/2005	GROUNDWATER	248	258	120.85	130.85
W220SSA	MW-220	CIA	11/22/2005	GROUNDWATER	126	136	0	10
W222M2A	MW-222	CIA	11/29/2005	GROUNDWATER	185	195	68.58	78.58
W224M1A	MW-224	CIA	11/22/2005	GROUNDWATER	142	152	24.71	34.71
W224SSA	MW-224	CIA/J-1 RANGE	11/22/2005	GROUNDWATER	115	125	0	10
W224SSD	MW-224	CIA/J-1 RANGE	11/22/2005	GROUNDWATER	115	125	0	10
W227M1A	MW-227	J-3 RANGE	11/29/2005	GROUNDWATER	130	140	76.38	86.38
W227M2A	MW-227	J-3 RANGE	11/29/2005	GROUNDWATER	110	120	56.38	66.38
W227M2D	MW-227	J-3 RANGE	11/29/2005	GROUNDWATER	110	120	56.38	66.38

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W227M3A	MW-227	J-3 RANGE	11/29/2005	GROUNDWATER	65	75	11.39	21.39
W230M1A	MW-230	J-2 RANGE	11/14/2005	GROUNDWATER	130	140	23.82	33.82
W230M1A-QA	MW-230	J-2 RANGE	11/14/2005	GROUNDWATER	130	140	23.82	33.82
W230M2A	MW-230	J-2 RANGE	11/15/2005	GROUNDWATER	110	120	3.76	13.76
W230M2A-QA	MW-230	J-2 RANGE	11/15/2005	GROUNDWATER	110	120	3.76	13.76
W230M2D	MW-230	J-2 RANGE	11/15/2005	GROUNDWATER	110	120	3.76	13.76
W232M1A	MW-232	J-3 RANGE	11/21/2005	GROUNDWATER	77.5	82.5	34.94	39.94
W232M2A	MW-232	J-3 RANGE	11/21/2005	GROUNDWATER	61	66	18.41	23.41
W234M1A	MW-234	J-2 RANGE	11/07/2005	GROUNDWATER	130	140	25.3	35.3
W234M1A-QA	MW-234	J-2 RANGE	11/07/2005	GROUNDWATER	130	140	25.3	35.3
W234M2A	MW-234	J-2 RANGE	11/07/2005	GROUNDWATER	110	120	1.6	11.6
W234M2A-QA	MW-234	J-2 RANGE	11/07/2005	GROUNDWATER	110	120	1.6	11.6
W236SSA	MW-236	L RANGE	11/07/2005	GROUNDWATER	96	106	0	10
W237M1A	MW-237	J-3 RANGE	11/23/2005	GROUNDWATER	80	90	28.5	38.5
W237SSA	MW-237	J-3 RANGE	11/23/2005	GROUNDWATER	49	59	0	10
W241M1A	MW-241	L RANGE	11/07/2005	GROUNDWATER	97	107	2.75	12.75
W241M1A-QA	MW-241	L RANGE	11/07/2005	GROUNDWATER	97	107	2.75	12.75
W241M1D	MW-241	L RANGE	11/07/2005	GROUNDWATER	97	107	2.75	12.75
W244M1A	MW-244	J-1 RANGE	11/03/2005	GROUNDWATER	270	280	150.73	160.73
W244SSA	MW-244	CIA	11/03/2005	GROUNDWATER	118	128	0	10
W245M1A	MW-245	J-1 RANGE	11/22/2005	GROUNDWATER	244	254	120.04	130.04
W247M1A	MW-247	J-3 RANGE	11/11/2005	GROUNDWATER	180	190	157.72	167.72
W247M1A-QA	MW-247	J-3 RANGE	11/11/2005	GROUNDWATER	180	190	157.72	167.72
W247M2A	MW-247	J-3 RANGE	11/11/2005	GROUNDWATER	125	135	102.78	112.78
W247M2A-QA	MW-247	J-3 RANGE	11/11/2005	GROUNDWATER	125	135	102.78	112.78
W247M3A	MW-247	J-3 RANGE	11/19/2005	GROUNDWATER	95	105	72.8	82.8
W247M3A-QA	MW-247	J-3 RANGE	11/19/2005	GROUNDWATER	95	105	72.8	82.8
W249M1A	MW-249	CIA	11/09/2005	GROUNDWATER	243	253	101.95	111.95
W249M2A	MW-249	FORMER A	11/08/2005	GROUNDWATER	174	184	32.9	42.9
W249M3A	MW-249	FORMER A	11/08/2005	GROUNDWATER	154	164	12.9	22.9
W25SSA	MW-25	CIA	11/23/2005	GROUNDWATER	108	118	0	10
W263M1A	MW-263	J-2 RANGE	11/07/2005	GROUNDWATER	190	200	83.63	93.63
W263M1A-QA	MW-263	J-2 RANGE	11/07/2005	GROUNDWATER	190	200	83.63	93.63
W263M2A	MW-263	J-2 RANGE	11/07/2005	GROUNDWATER	115	125	8.66	18.66
W263M2A-QA	MW-263	J-2 RANGE	11/07/2005	GROUNDWATER	115	125	8.66	18.66
W288M1A	MW-288	L RANGE	11/21/2005	GROUNDWATER	190	200	102.19	112.19
W288M1A-QA	MW-288	L RANGE	11/21/2005	GROUNDWATER	190	200	102.19	112.19
W288M1D	MW-288	L RANGE	11/21/2005	GROUNDWATER	190	200	102.19	112.19
W290M1A	MW-290	L RANGE	11/18/2005	GROUNDWATER	245	255	150.2	160.2

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W290M2A	MW-290	L RANGE	11/18/2005	GROUNDWATER	215	225	120.18	130.18
W290M3A	MW-290	L RANGE	11/18/2005	GROUNDWATER	145	155	50.2	60.2
W290M3D	MW-290	L RANGE	11/18/2005	GROUNDWATER	145	155	50.2	60.2
W290SSA	MW-290	L RANGE	11/18/2005	GROUNDWATER	100	110	5.2	15.2
W291M1A	MW-291	L RANGE	11/21/2005	GROUNDWATER	185	195	91.91	101.94
W291M2A	MW-291	L RANGE	11/21/2005	GROUNDWATER	125	135	31.82	41.83
W291M2D	MW-291	L RANGE	11/21/2005	GROUNDWATER	125	135	31.82	41.83
W293M1A	MW-293	J-2 RANGE	11/04/2005	GROUNDWATER	296	306	190.07	200.07
W293M2A	MW-293	J-2 RANGE	11/04/2005	GROUNDWATER	196	206	90.22	100.22
W293M2D	MW-293	J-2 RANGE	11/04/2005	GROUNDWATER	196	206	90.22	100.22
W293SSA	MW-293	J-2 RANGE	11/04/2005	GROUNDWATER	110	120	3.91	13.91
W294M1A	MW-294	J-3 RANGE	11/18/2005	GROUNDWATER	127	137	65.25	75.25
W295M1A	MW-295	J-3 RANGE	11/29/2005	GROUNDWATER	145	155	49.5	59.5
W295M2A	MW-295	J-3 RANGE	11/29/2005	GROUNDWATER	117	127	21.6	31.6
W305M1A	MW-305	J-2 RANGE	11/04/2005	GROUNDWATER	203	213	99.82	109.82
W306M2A	MW-306	J-1 RANGE	11/02/2005	GROUNDWATER	165	175	61	71
W310M1A	MW-310	J-2 RANGE	11/07/2005	GROUNDWATER	171	181	86	96
W315M1A	MW-315	J-1 RANGE	11/21/2005	GROUNDWATER	245	255	120	130
W315M2A	MW-315	J-1 RANGE	11/21/2005	GROUNDWATER	195	205	70	80
W315M2D	MW-315	J-1 RANGE	11/21/2005	GROUNDWATER	195	205	70	80
W321M1A	MW-321	J-2 RANGE	11/22/2005	GROUNDWATER	175	185	70	80
W321M2A	MW-321	J-2 RANGE	11/22/2005	GROUNDWATER	156	166	50	60
W321M2D	MW-321	J-2 RANGE	11/22/2005	GROUNDWATER	156	166	50	60
W322M1A	MW-322	J-2 RANGE	11/04/2005	GROUNDWATER	245	255	126	136
W322SSA	MW-322	J-2 RANGE	11/04/2005	GROUNDWATER	119	129	0	10
W325M1A	MW-325	L RANGE	11/28/2005	GROUNDWATER	172	182	94.42	104.42
W326M1A	MW-326	J-1 RANGE	11/18/2005	GROUNDWATER	250	260	129	139
W326M2A	MW-326	J-1 RANGE	11/18/2005	GROUNDWATER	196	206	75	85
W326M3A	MW-326	J-1 RANGE	11/18/2005	GROUNDWATER	165	175	44	54
W327M3A	MW-327	J-2 RANGE	11/04/2005	GROUNDWATER	220	230	107	117
W329M1A	MW-329	J-3 RANGE	11/28/2005	GROUNDWATER	180	190	154.66	164.66
W329M1D	MW-329	J-3 RANGE	11/28/2005	GROUNDWATER	180	190	154.66	164.66
W329M2A	MW-329	J-3 RANGE	11/28/2005	GROUNDWATER	150	160	124.75	134.75
W331M1A	MW-331	J-2 RANGE	11/22/2005	GROUNDWATER	235	245	81	91
W331M1D	MW-331	J-2 RANGE	11/22/2005	GROUNDWATER	235	245	81	91
W331M2A	MW-331	J-2 RANGE	11/22/2005	GROUNDWATER	195	205	81	91
W335M1A	MW-335	J-2 RANGE	11/04/2005	GROUNDWATER	255	265	145.2	155.2
W335M2A	MW-335	J-2 RANGE	11/03/2005	GROUNDWATER	215	225	105.25	115.25
W335M3A	MW-335	J-2 RANGE	11/28/2005	GROUNDWATER	120	130	9.87	19.87

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
W339M1A	MW-339	J-2 RANGE	11/07/2005	GROUNDWATER	233	243	125	135
W339M1D	MW-339	J-2 RANGE	11/07/2005	GROUNDWATER	233	243	125	135
W339M2A	MW-339	J-2 RANGE	11/07/2005	GROUNDWATER	213	223	105	115
W342M1A	MW-342	J-2 RANGE	11/10/2005	GROUNDWATER	194	204	112.5	122.5
W342M2A	MW-342	J-2 RANGE	11/10/2005	GROUNDWATER	164	174	82.5	92.5
W342SSA	MW-342	J-2 RANGE	11/10/2005	GROUNDWATER	86.5	96.5	5	15
W38SSA	MW-38	CIA	11/02/2005	GROUNDWATER	115	125	0	10
W38SSD	MW-38	CIA	11/02/2005	GROUNDWATER	115	125	0	10
W40SSA	MW-40	CIA	11/03/2005	GROUNDWATER	115.5	125.5	0	10
W41M1A	MW-41	CIA	11/22/2005	GROUNDWATER	235	245	108	118
W41M2A	MW-41	CIA	11/23/2005	GROUNDWATER	194	204	67	77
W41M3A	MW-41	CIA	11/23/2005	GROUNDWATER	124	134	0	10
W41M3D	MW-41	CIA	11/23/2005	GROUNDWATER	124	134	0	10
W71M1A	MW-71	GUN & MORTA	11/09/2005	GROUNDWATER	180	190	22	32
W71SSA	MW-71	GUN & MORTA	11/09/2005	GROUNDWATER	158	168	0	10
W91M1A	MW-91	CIA	11/10/2005	GROUNDWATER	170	180	45	55
W91M1A-QA	MW-91	CIA	11/10/2005	GROUNDWATER	170	180	45	55
W91SSA	MW-91	CIA	11/15/2005	GROUNDWATER	124	134	0	10
W91SSA-QA	MW-91	CIA	11/15/2005	GROUNDWATER	124	134	0	10
W92SSA	MW-92	CIA	11/30/2005	GROUNDWATER	139	149	0	10
W93M1A	MW-93	CIA	11/03/2005	GROUNDWATER	185	195	56	66
W93M1A-QA	MW-93	CIA	11/03/2005	GROUNDWATER	185	195	56	66
W93M2A	MW-93	CIA	11/03/2005	GROUNDWATER	145	155	16	26
W93M2A-QA	MW-93	CIA	11/03/2005	GROUNDWATER	145	155	16	26
W94M1A	MW-94	CIA	11/01/2005	GROUNDWATER	160	170	36	46
W94M2A	MW-94	CIA	11/01/2005	GROUNDWATER	140	150	16	26
W94SSA	MW-94	CIA	11/01/2005	GROUNDWATER	124	134	0	10
W94SSD	MW-94	CIA	11/01/2005	GROUNDWATER	124	134	0	10
XXM973-A	97-3	WESTERN BOU	11/08/2005	GROUNDWATER	75	85	36	46
LY115CB3R	LY115CB3R		10/12/2005	PORE WATER	0	0	0	0
LY125CB3R	LY125CB3R		10/21/2005	PORE WATER	0	0	0	0
LY125CC3	LY125CC3		10/12/2005	PORE WATER	0	0	0	0
LY209B1	LY209B1		10/03/2005	PORE WATER	0	0	0	0
LY209B1 FD	LY209B1		10/03/2005	PORE WATER	0	0	0	0
LY211A2	LY211A2		10/03/2005	PORE WATER	0	0	0	0
LY211A3	LY211A3		10/03/2005	PORE WATER	0	0	0	0
LY211B2	LY211B2		10/03/2005	PORE WATER	0	0	0	0
FPR-EFF-36A	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-37A	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
FPR-EFF-A-36A	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-A-36B	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-A-37A	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-EFF-A-37B	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-EFF-B-36A	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-B-36B	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-B-36D	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-B-37A	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-EFF-B-37B	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-EFF-C-36A	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-C-36B	FPR-EFF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-EFF-C-37A	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-EFF-C-37B	FPR-EFF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-INF-A-36A	FPR-INF		11/08/2005	PROCESS WATE	0	0	0	0
FPR-INF-A-37A	FPR-INF		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-1A-36A	FPR-MID-1		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-1A-37A	FPR-MID-1		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-1A-37D	FPR-MID-1		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-1B-36A	FPR-MID-1		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-1B-36D	FPR-MID-1		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-1B-37A	FPR-MID-1		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-1C-37A	FPR-MID-1		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-2A-36A	FPR-MID-2		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-2A-37A	FPR-MID-2		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-2B-36A	FPR-MID-2		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-2B-37A	FPR-MID-2		11/29/2005	PROCESS WATE	0	0	0	0
FPR-MID-2C-36A	FPR-MID-2		11/08/2005	PROCESS WATE	0	0	0	0
FPR-MID-2C-37A	FPR-MID-2		11/29/2005	PROCESS WATE	0	0	0	0
PR-EFF-37A	PR-EFF		11/22/2005	PROCESS WATE	0	0	0	0
PR-INF-37A	PR-INF		11/22/2005	PROCESS WATE	0	0	0	0
PR-INF-37D	PR-INF		11/22/2005	PROCESS WATE	0	0	0	0
PR-MID-1-37A	PR-MID-1		11/22/2005	PROCESS WATE	0	0	0	0
PR-MID-2-37A	PR-MID-2		11/22/2005	PROCESS WATE	0	0	0	0
DP-405-01	DP-405	NORTHWEST C	11/03/2005	PROFILE	78	83	-2.5	2.5
DP-405-02	DP-405	NORTHWEST C	11/03/2005	PROFILE	88	93	7.5	12.5
DP-405-03	DP-405	NORTHWEST C	11/03/2005	PROFILE	98	103	17.5	22.5
DP-405-04	DP-405	NORTHWEST C	11/04/2005	PROFILE	108	113	27.5	32.5
DP-407-01	DP-407	J-3 RANGE	11/14/2005	PROFILE	10	15	-1.16	3.84
DP-407-02	DP-407	J-3 RANGE	11/14/2005	PROFILE	20	25	8.84	13.84

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

**TABLE 3
SAMPLING PROGRESS
10/03/2005 - 11/30/2005**

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
DP-407-03	DP-407	J-3 RANGE	11/14/2005	PROFILE	30	35	18.84	23.84
DP-407-03FD	DP-407	J-3 RANGE	11/14/2005	PROFILE	30	35	18.84	23.84
DP-407-04	DP-407	J-3 RANGE	11/14/2005	PROFILE	40	45	28.84	33.84
DP-407-05	DP-407	J-3 RANGE	11/15/2005	PROFILE	50	55	38.84	43.84
DP-407-06	DP-407	J-3 RANGE	11/15/2005	PROFILE	60	65	48.84	53.84
DP-407-07	DP-407	J-3 RANGE	11/15/2005	PROFILE	70	75	58.84	63.84
DP-407-08	DP-407	J-3 RANGE	11/15/2005	PROFILE	80	85	68.84	73.84
DP-407-09	DP-407	J-3 RANGE	11/15/2005	PROFILE	90	95	78.84	83.84
DP-407-10	DP-407	J-3 RANGE	11/15/2005	PROFILE	100	105	88.84	93.84
DP-407-11	DP-407	J-3 RANGE	11/16/2005	PROFILE	110	115	98.84	103.84
DP-407-12	DP-407	J-3 RANGE	11/16/2005	PROFILE	120	125	108.84	113.84
DP-407-13	DP-407	J-3 RANGE	11/16/2005	PROFILE	130	135	118.84	123.84
DP-407-13FD	DP-407	J-3 RANGE	11/16/2005	PROFILE	130	135	118.84	123.84
DP-407-14	DP-407	J-3 RANGE	11/16/2005	PROFILE	140	145	128.84	133.84
DP-407-15	DP-407	J-3 RANGE	11/16/2005	PROFILE	149	154	137.84	142.84
MW-402-15	MW-402	J-1 RANGE	10/31/2005	PROFILE	220	225	149	154
MW-402-17	MW-402	J-1 RANGE	11/01/2005	PROFILE	230	235	159	164
MW-402-18	MW-402	J-1 RANGE	11/01/2005	PROFILE	240	245	169	174
MW-402-19	MW-402	J-1 RANGE	11/02/2005	PROFILE	250	255	179	184
MW-402-20	MW-402	J-1 RANGE	11/03/2005	PROFILE	290	295	219	224
MW-406-01	MW-406	DEMO-2	11/09/2005	PROFILE	185	185	7	7
MW-406-02	MW-406	DEMO-2	11/09/2005	PROFILE	190	190	12	12
MW-406-03	MW-406	DEMO-2	11/09/2005	PROFILE	200	200	22	22
MW-406-04	MW-406	DEMO-2	11/09/2005	PROFILE	210	210	32	32
MW-406-05	MW-406	DEMO-2	11/09/2005	PROFILE	220	220	42	42
MW-406-06	MW-406	DEMO-2	11/09/2005	PROFILE	230	230	52	52
ECC110105J1SUP01 (pre)	SSJ1K41002	J-1 RANGE	11/03/2005	SOIL GRID	0	0.25		
ECC110405J101 (pre)	SSJ1P30001	J-1 RANGE	11/17/2005	SOIL GRID	0	0.25		
ECC111005J101 (pre)	SSJ1P30002	J-1 RANGE	11/17/2005	SOIL GRID	0	0.25		
ECC111605J1SUP01 (pre)	SSJ1K40001	J-1 RANGE	11/17/2005	SOIL GRID	0	0.25		
ECC111605J1SUP02 (pre)	SSJ1K40002	J-1 RANGE	11/17/2005	SOIL GRID	0	0.25		
LKSNK0005AAA	LKSNK0005		11/18/2005	SURFACE WATE	0	1		
LKSNK0006AAA	LKSNK0006		11/18/2005	SURFACE WATE	0	1		
LKSNK0007AAA	LKSNK0007		11/18/2005	SURFACE WATE	0	1		

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods include: Volatiles, Semivolatiles, Explosives,
Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry
Other Sample Types methods are variable**

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
J-1 RANGE GEOPHYSICAL INVESTIGATION SUPPLEMENTAL
GRID SHEET SUMMARY TABLE
(period ending 11-24-05)

Grid/ Location	Date	Number of Excavations	Items	MEC CDC	MEC BIP	MD	MD (lbs)	RRD (lbs)
I-30	07/21/2005	12	Mortar, 81mm		5	0	30	
Total		12		0	5	0	30	0
I-37	10/27/2005	7	105mm HE, M1 Fuze		1	5	491	4
Total		7		0	1	5	491	4
I-38	11/04/2005	3					47	4178
Total		3		0	0	0	47	4178
J-12	07/21/2005	2	Mortar, 81mm* Warhead, 66mm *= items have been processed by the EDS		1	153 9	1530	0
Total		2		0	1	162	1530	0
J-36	10/21/2005	7	Small Arms Primer, Percussion, M82 Fuze, M935 Flash tube	2 8		17 6 44	262	233
Total		7		10	0	67	262	233
J-37	10/21/2005	8					80	27
Total		8		0	0	0	80	27
K-34	07/28/2005	11	Mortar, 81mm 105mm Cartridge case	4	1		592	695
Total		11		4	1	47	592	695

TABLE 4
J-1 RANGE GEOPHYSICAL INVESTIGATION SUPPLEMENTAL
GRID SHEET SUMMARY TABLE
 (period ending 11-24-05)

Grid/ Location	Date	Number of Excavations	Items	MEC CDC	MEC BIP	MD	MD (lbs)	RRD (lbs)
K-36	10/06/2005	172	propellant (lbs) 14.5" projectile burster tube drums MEC/soil 90mm TP 105mm Cartridge case Fuze, M51 series Suspect EED Mortar, 81mm M374	24 7 5 8 154 1	 1	 5 2 31 28 47	6661	965
Total		172		199	1	113	6661	965
K-37	11/10/2005	5					183	62
Total		5		0	0	0	183	62
K-38	11/10/2005	4	High Explosive Pellets	24			141	288
Total		4		24	0	0	141	288
K-40	11/17/2005	6					860	9644
Total		6		0	0	0	860	9644

TABLE 4
J-1 RANGE GEOPHYSICAL INVESTIGATION SUPPLEMENTAL
GRID SHEET SUMMARY TABLE
(period ending 11-24-05)

Grid/ Location	Date	Number of Excavations	Items	MEC CDC	MEC BIP	MD	MD (lbs)	RRD (lbs)
K-41	11/10/2005	12	Mortar, 81mm M374 5 in Warhead Flash tube Mortar, 81mm, illum 4.2in Mortar Mortar, 60mm	1	2	1 3 1 1 1	157	1776
Total		12		1	2	7	157	1776
H-0	11/10/2005	2						31
Total		2		0	0	0	0	31
I-0	11/10/2005	32					31	185
Total		32		0	0	0	31	185
I-01	11/17/2005	2						238
Total		2		0	0	0	0	238
I-02	11/17/2005	2	Propellant Rkt Mtr (1/2 lb) 81mm mortar Law Rkt Mtr Law Rkt Mtr 2.75 Rkt Mtr	1		1 132 6 7	239	90
Total		2		1	0	146	239	90

TABLE 4
J-1 RANGE GEOPHYSICAL INVESTIGATION SUPPLEMENTAL
GRID SHEET SUMMARY TABLE
 (period ending 11-24-05)

Grid/ Location	Date	Number of Excavations	Items	MEC CDC	MEC BIP	MD	MD (lbs)	RRD (lbs)
J-0	11/10/2005	1						200
Total		1		0	0	0	0	200
J-01	11/17/2005	3						446
Total		3		0	0	0	0	446
J-02	11/17/2005	4						3120
Total		4		0	0	0	0	3120
K-02	11/17/2005	1						105
Total		1		0	0	0	0	105
L-40	11/17/2005	2					8	127
Total		2		0	0	0	8	127
MW-44	11/17/2005						1000	
Total		0		0	0	0	1000	0

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
ECMWSNP02	ECMWSNP02D	09/13/1999	J-3 RANGE; FS-	504	1,2-DIBROMOETHANE (ETHYLENE DI	0.11		UG/L	75.08	80.08	0.05	X
90MW0003	WF03MA	10/07/1999	L RANGE; FS-1	OC21V	1,2-DICHLOROETHANE	5		UG/L	52.11	57.11	5	X
27MW0018A	CHPI00006-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.7		UG/L			1	X
27MW0020A	CHPI10007-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1		UG/L			1	X
27MW0020B	CHPI00008-A010	04/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.1		UG/L			1	X
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	10	J	UG/L	0	10		2 X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10		2 X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10		2 X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	7.2	J	UG/L	0	10		2 X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.6	J	UG/L	0	10		2 X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.7	J	UG/L	0	10		2 X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	0	10		2 X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2	J	UG/L	0	10		2 X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.3	J	UG/L	0	10		2 X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.4		UG/L	0	10		2 X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.2	J	UG/L	0	10		2 X
MW-196	W196SSA	02/07/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	12		UG/L	0	5		2 X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	10		UG/L	0	5		2 X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	9.3		UG/L	0	5		2 X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	0	5		2 X
MW-196	W196SSA	11/07/2003	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	12		UG/L	0	5		2 X
MW-196	W196SSA	02/10/2004	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	14		UG/L	0	5		2 X
MW-196	W196SSA	10/28/2004	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	29		UG/L	0	5		2 X
MW-196	W196SSA	06/16/2005	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	17		UG/L	0	5		2 X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.3		UG/L	13	18		2 X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	13	18		2 X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18		2 X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.4		UG/L	13	18		2 X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18		2 X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18		2 X
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18		2 X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18		2 X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18		2 X
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18		2 X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18	2	X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.7		UG/L	13	18	2	X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	6.2		UG/L	13	18	2	X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	6.3		UG/L	13	18	2	X
MW-31	W31SSA	04/30/2005	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2	X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	28	38	2	X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	48	53	2	X
MW-45	W45SSA	08/23/2001	L RANGE; FS-1	8330N	2,6-DINITROTOLUENE	8.3	J	UG/L	0	10	5	X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	ANTIMONY	6.7	J	UG/L	0	10	6	X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	ANTIMONY	6	J	UG/L	199.5	209.5	6	X
MW-3	W03DDL	03/06/1998	CIA	IM40MB	ANTIMONY	13.8	J	UG/L	219	224	6	X
MW-34	W34M2A	08/16/1999	DEMO 1	IM40MB	ANTIMONY	6.6	J	UG/L	53	63	6	X
MW-35	W35SSA	08/19/1999	DEMO 1	IM40MB	ANTIMONY	6.9	J	UG/L	0	10	6	X
MW-35	W35SSD	08/19/1999	DEMO 1	IM40MB	ANTIMONY	13.8	J	UG/L	0	10	6	X
MW-36	W36SSA	08/17/1999	DEMO 1	IM40MB	ANTIMONY	6.7	J	UG/L	0	10	6	X
MW-38	W38SSA	08/18/1999	CIA	IM40MB	ANTIMONY	7.4		UG/L	0	10	6	X
MW-38	W38M3A	08/18/1999	CIA	IM40MB	ANTIMONY	6.6	J	UG/L	52	62	6	X
MW-38	W38DDA	08/17/1999	CIA	IM40MB	ANTIMONY	6.9	J	UG/L	124	134	6	X
MW-39	W39M1A	08/18/1999	CIA	IM40MB	ANTIMONY	7.5		UG/L	84	94	6	X
MW-50	W50M1A	05/15/2000	CIA	IM40MB	ANTIMONY	9.5		UG/L	89	99	6	X
PPAWSMW-3	PPAWSMW-3	08/12/1999	OTHER	IM40MB	ANTIMONY	6	J	UG/L	0	10	6	X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	ARSENIC	52.8		UG/L	135	140	50	X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	BENZENE	1000		UG/L	199.5	209.5	5	X
MW-187	W187DDA	01/23/2002	J-1 RANGE	VPHMA	BENZENE	760	J	UG/L	199.5	209.5	5	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	BENZENE	1300		UG/L	199.5	209.5	5	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	BENZENE	1300		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/11/2002	J-1 RANGE	OC21V	BENZENE	530	J	UG/L	199.5	209.5	5	X
MW-187	W187DDA	10/17/2002	J-1 RANGE	OC21V	BENZENE	340		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/07/2003	J-1 RANGE	OC21V	BENZENE	150		UG/L	199.5	209.5	5	X
MW-187	W187DDA	11/21/2003	J-1 RANGE	OC21V	BENZENE	140		UG/L	199.5	209.5	5	X
MW-187	W187DDA	03/05/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	07/13/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5	X
MW-187	W187DDA	09/01/2004	J-1 RANGE	OC21VM	BENZENE	110		UG/L	199.5	209.5	5	X
MW-187	W187DDA	02/01/2005	J-1 RANGE	OC21VM	BENZENE	91		UG/L	199.5	209.5	5	X
MW-187	W187DDA	05/24/2005	J-1 RANGE	OC21VM	BENZENE	67		UG/L	199.5	209.5	5	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-264	W264M1A	12/09/2003	J-3 RANGE	SW8270	BENZO(A)PYRENE	0.5	J	UG/L	160.94	170.94	0.2	X
03MW0122A	WS122A	09/30/1999	CS-10	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	12		UG/L	1	11	6	X
11MW0003	WF143A	02/25/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L			6	X
11MW0003	WF143A	09/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L			6	X
15MW0004	15MW0004	04/09/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
15MW0008	15MW0008D	04/12/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	25	J	UG/L	0	10	6	X
27MW0705	27MW0705	01/08/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	7.5	J	UG/L	0	10	6	X
27MW2061	27MW2061	01/09/2002	LF-1;GUN & MO	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	12	J	UG/L	0	10	6	X
28MW0106	WL28XA	02/19/1998	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18	J	UG/L	0	10	6	X
28MW0106	WL28XA	03/23/1999	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	26		UG/L	0	10	6	X
58MW0002	WC2XXA	02/26/1998	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	5	6	X
58MW0005E	WC5EXA	09/27/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6	X
58MW0006E	WC6EXA	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	10	6	X
58MW0006E	WC6EXD	10/03/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	57		UG/L	0	10	6	X
58MW0006E	WC6EXA	01/29/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6	X
58MW0007C	WC7CXA	09/28/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	24	29	6	X
58MW0010A	58MW0010A-01	04/16/1997	CS-19	CSVOL	bis(2-ETHYLHEXYL) PHTHALATE	7.3	J	UG/L	140	145	6	X
90MW0054	WF12XA	10/04/1999	J-3 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13	J	UG/L	91.83	96.83	6	X
90WT0003	WF03XA	09/30/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	58		UG/L	0	10	6	X
90WT0005	WF05XA	01/13/1998	FS-12	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	47		UG/L	0	10	6	X
90WT0013	WF13XA	01/16/1998	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	34		UG/L	0	10	6	X
90WT0013	WF13XA	01/14/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6	X
97-1	W9701A	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	54	J	UG/L	62	72	6	X
97-1	W9701D	11/19/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28	J	UG/L	62	72	6	X
97-2	W9702A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	53	63	6	X
97-3	W9703A	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	73	J	UG/L	36	46	6	X
97-5	W9705A	11/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	76	86	6	X
BHW215083	WG083A	11/26/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	16.95	26.95	6	X
C2-B	C-2I	03/07/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	39.31	79.31	6	X
C6-C	C-6D	03/12/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	7.1		UG/L	100.04	140.04	6	X
C7-B	C-7I	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	93.89	133.89	6	X
C7-B	C-7ID	03/08/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	17		UG/L	93.89	133.89	6	X
LRWS1-4	WL14XA	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	78	J	UG/L	107	117	6	X
LRWS2-3	WL23XA	11/21/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20	J	UG/L	68	83	6	X
LRWS2-6	WL26XA	10/20/1997	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	21		UG/L	75	90	6	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
LRWS2-6	WL26XA	10/04/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	75	90	6	X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	100		UG/L	66	91	6	X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	66	91	6	X
MW-10	W10SSA	09/16/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	39		UG/L	0	10	6	X
MW-11	W11SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	33	J	UG/L	0	10	6	X
MW-11	W11SSD	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	23	J	UG/L	0	10	6	X
MW-12	W12SSA	11/06/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10	6	X
MW-14	W14SSA	11/04/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	0	10	6	X
MW-142	W142M2A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	100	110	6	X
MW-142	W142M1A	01/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	185	195	6	X
MW-146	W146M1A	02/23/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.4		UG/L	75	80	6	X
MW-146	W146M1A	06/19/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.2		UG/L	75	80	6	X
MW-157	W157DDA	05/03/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.1		UG/L	199	209	6	X
MW-158	W158M2A	10/15/2001	J-2 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	34	J	UG/L	37	47	6	X
MW-16	W16SSA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10	6	X
MW-16	W16DDA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	43		UG/L	223	228	6	X
MW-164	W164M1A	09/05/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.6		UG/L	119	129	6	X
MW-168	W168M2A	06/05/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	116	126	6	X
MW-168	W168M1A	06/04/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.7		UG/L	174	184	6	X
MW-168	W168M1A	06/06/2003	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.8	J	UG/L	174	184	6	X
MW-17	W17SSD	11/10/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	120	J	UG/L	0	10	6	X
MW-17	W17DDA	11/11/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	42		UG/L	196	206	6	X
MW-18	W18SSA	10/10/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	10	6	X
MW-18	W18DDA	09/10/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	222	232	6	X
MW-188	W188M1A	01/30/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.4		UG/L	41.1	51.1	6	X
MW-19	W19DDA	03/04/1998	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	254	259	6	X
MW-196	W196M1A	02/06/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	12	17	6	X
MW-198	W198M1A	10/31/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	127.8	132.8	6	X
MW-2	W02M2A	01/20/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	33	38	6	X
MW-2	W02M1A	01/21/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	75	80	6	X
MW-2	W02DDA	02/02/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	218	223	6	X
MW-20	W20SSA	11/07/1997	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	280		UG/L	0	10	6	X
MW-21	W21M2A	04/01/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	58	68	6	X
MW-22	W22SSA	11/24/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	96		UG/L	0	10	6	X
MW-22	W22SSA	09/20/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	0	10	6	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-23	W23SSA	10/27/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	0	10	6	X
MW-23	W23M3A	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	34	39	6	X
MW-23	W23M3D	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	34	39	6	X
MW-24	W24SSA	11/14/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6	X
MW-27	W27SSA	09/17/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	0	10	6	X
MW-28	W28SSA	11/03/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	0	10	6	X
MW-28	W28SSA	09/17/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	150	J	UG/L	0	10	6	X
MW-28	W28M1A	01/12/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.7		UG/L	173	183	6	X
MW-29	W29SSA	11/03/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6	X
MW-29	W29SSA	09/17/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	0	10	6	X
MW-356	MW-356M1-FD	06/17/2005	J-3 RANGE	SW8270C	BIS(2-ETHYLHEXYL) PHTHALATE	37	J	UG/L	82.4	92.4	6	X
MW-36	W36M2A	08/17/1999	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	54	64	6	X
MW-38	W38M3A	05/06/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	52	62	6	X
MW-4	W04SSA	11/04/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	0	10	6	X
MW-41	W41M2A	11/12/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	67	77	6	X
MW-43	W43M1A	05/26/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	90	100	6	X
MW-44	W44M1A	09/20/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	53	63	6	X
MW-45	W45M1A	05/24/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	37		UG/L	98	108	6	X
MW-46	W46M1A	11/01/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6	J	UG/L	103	113	6	X
MW-46	W46DDA	11/02/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14	J	UG/L	136	146	6	X
MW-47	W47M2D	02/05/2003	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.6	J	UG/L	38	48	6	X
MW-47	W47M1A	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	75	85	6	X
MW-47	W47DDA	08/24/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	100	110	6	X
MW-49	W49SSA	03/01/2000	NW CORNER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	290		UG/L	0	10	6	X
MW-5	W05DDA	02/13/1998	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	223	228	6	X
MW-52	W52M3A	08/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7	J	UG/L	59	64	6	X
MW-53	W53M1A	08/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	31		UG/L	99	109	6	X
MW-53	W53DDA	02/18/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	158	168	6	X
MW-55	W55DDA	05/13/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	119	129	6	X
MW-55	W55DDA	07/31/2001	OTHER	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.4		UG/L	119	129	6	X
MW-57	W57SSA	12/21/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	3300	J	UG/L	0	10	6	X
MW-57	W57M2A	06/30/2000	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	62	72	6	X
MW-57	W57DDA	12/13/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	95		UG/L	127	137	6	X
MW-7	W07SSA	10/31/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	0	10	6	X
MW-70	W70M1A	10/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	129	139	6	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-82	W82DDA	08/22/2001	WESTERN BOU	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	97	107	6	X
MW-84	W84DDA	03/03/2000	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	153	163	6	X
RW-1	WRW1XA	02/18/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	9	6	X
RW-1	WRW1XD	10/06/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11	J	UG/L	0	9	6	X
XX95-14	W9514A	09/28/1999	WESTERN BOU	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	22		UG/L	90	100	6	X
MW-52	W52M3L	08/27/1999	OTHER	IM40MB	CADMIUM	12.2		UG/L	59	64	5	X
LRMW0003	LRMW0003-A	05/17/2004	OTHER	OC21VM	CHLOROMETHANE	33	J	UG/L	69.68	94.68	30	X
MW-187	W187DDA	01/23/2002	J-1 RANGE	OC21V	CHLOROMETHANE	75	J	UG/L	199.5	209.5	30	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	OC21V	CHLOROMETHANE	47	J	UG/L	199.5	209.5	30	X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	CHROMIUM, TOTAL	114		UG/L	135	140	100	X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	OL21P	DIELDRIN	3		UG/L	0	10	0.5	X
58MW0001	58MW001-01	11/07/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	0	5	2	X
58MW0001	58MW0001-	02/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1	J	UG/L	0	5	2	X
58MW0001	58MW0001-FD	02/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3	J	UG/L	0	5	2	X
58MW0001	58MW0001	05/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	0	5	2	X
58MW0001	58MW0001	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	0	5	2	X
58MW0001	58MW0001-D	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	0	5	2	X
58MW0001	58MW0001	01/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	0	5	2	X
58MW0001	58MW0001	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	0	5	2	X
58MW0001	58MW0001-A	09/13/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	0	5	2	X
58MW0001	58MW0001-A	12/06/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	0	5	2	X
58MW0001	58MW0001-A	08/08/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	0	5	2	X
58MW0001	58MW0001-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.9		UG/L	0	5	2	X
58MW0001	58MW0001-A	06/22/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.7		UG/L	0	5	2	X
58MW0001	58MW0001-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.5	J	UG/L	0	5	2	X
58MW0001	58MW0001-A	04/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.8		UG/L	0	5	2	X
58MW0002	58MW0002-01	11/07/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	0	5	2	X
58MW0002	WC2XXA	02/26/1998	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	0	5	2	X
58MW0002	WC2XXA	01/14/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	20		UG/L	0	5	2	X
58MW0002	WC2XXA	10/08/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.8		UG/L	0	5	2	X
58MW0002	58MW0002-	03/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	5	2	X
58MW0002	58MW0002	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	5	2	X
58MW0002	58MW0002	09/19/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	0	5	2	X
58MW0002	58MW0002	12/14/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	0	5	2	X
58MW0002	58MW0002	05/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	16		UG/L	0	5	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0002	58MW0002-A	09/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	5	2	X
58MW0002	58MW0002-A	12/05/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	0	5	2	X
58MW0002	58MW0002-A	10/10/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	20		UG/L	0	5	2	X
58MW0002	58MW0002-A	03/02/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	21		UG/L	0	5	2	X
58MW0002	58MW0002-A	04/28/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	0	5	2	X
58MW0002	58MW0002-A	11/04/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14	J	UG/L	0	5	2	X
58MW0002	58MW0002-A	04/25/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	5	2	X
58MW0002	58MW0002-A	08/05/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	5	2	X
58MW0009E	58MW0009E-05	04/16/1997	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	6.5	11.5	2	X
58MW0009E	WC9EXA	10/02/1997	CS-19	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.7		UG/L	6.5	11.5	2	X
58MW0009E	WC9EXA	01/26/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	6.5	11.5	2	X
58MW0009E	WC9EXA	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	6.5	11.5	2	X
58MW0009E	WC9EXD	09/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-	03/06/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E	05/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.4		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E	08/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	08/26/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-D	07/03/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.6		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-D	03/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.8		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	05/05/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.1		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-D	08/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	02/18/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	6.5	11.5	2	X
58MW0009E	58MW0009E-A	05/19/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	6.5	11.5	2	X
58MW0011D	58MW0011D-	03/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D	05/24/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.3		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D	09/26/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D	06/03/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	49.5	54.5	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
58MW0011D	58MW0011D-A	08/27/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D-A	12/09/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	49.5	54.5	2	X
58MW0011D	58MW0011D-A	06/09/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	49.5	54.5	2	X
58MW0016	58MW0016C-	03/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	0	10	2	X
58MW0016	58MW0016C	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	0	10	2	X
58MW0016	58MW0016C	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	0	10	2	X
58MW0016	58MW0016C	06/04/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	0	10	2	X
58MW0016	58MW0016C-A	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	0	10	2	X
58MW0016	58MW0016C-D	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	0	10	2	X
58MW0016	58MW0016C-A	04/30/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	0	10	2	X
58MW0016	58MW0016C-A	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	0	10	2	X
58MW0016	58MW0016C-D	11/05/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	0	10	2	X
58MW0016	58MW0016C-A	04/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	0	10	2	X
58MW0016	58MW0016C-D	04/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	0	10	2	X
58MW0016	58MW0016C-A	09/02/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	0	10	2	X
58MW0016	58MW0016B-	03/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	28.5	38.5	2	X
58MW0016	58MW0016B	08/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	28.5	38.5	2	X
58MW0018	58MW0018B-	03/20/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	34.55	44.55	2	X
58MW0018	58MW0018B	12/13/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	34.55	44.55	2	X
90MW0022	WF22XA	01/26/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	72.79	77.79	2	X
90MW0022	WF22XA	02/16/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	72.79	77.79	2	X
90MW0022	WF22XA	09/30/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	72.79	77.79	2	X
90MW0041	90MW0041-D	01/13/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	31.5	36.5	2	X
90MW0054	90MW0054	12/08/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	91.83	96.83	2	X
90MW0054	90MW0054	04/20/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	91.83	96.83	2	X
90MW0054	90MW0054-A	05/17/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	91.83	96.83	2	X
90WT0013	WF13XA	01/16/1998	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2	J	UG/L	0	10	2	X
MW-1	71MW0001M2-	03/14/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L			2	X
MW-1	W01SSA	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	0	10	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-1	W01SSD	09/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	0	10	2	X
MW-1	W01SSA	02/22/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	0	10	2	X
MW-1	W01SSA	09/07/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	0	10	2	X
MW-1	W01SSA	05/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1	J	UG/L	0	10	2	X
MW-1	W01SSA	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8	J	UG/L	0	10	2	X
MW-1	W01SSA	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	0	10	2	X
MW-1	W01SSA	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1	J	UG/L	0	10	2	X
MW-1	W01SSD	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	0	10	2	X
MW-1	W01SSA	08/16/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	0	10	2	X
MW-1	W01SSA	01/10/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2	J	UG/L	0	10	2	X
MW-1	W01SSA	05/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	0	10	2	X
MW-1	W01SSA	11/14/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	0	10	2	X
MW-1	W01SSA	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	0	10	2	X
MW-1	W01MMA	09/29/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	44	49	2	X
MW-1	W01M2A	03/01/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	44	49	2	X
MW-1	W01M2A	05/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	44	49	2	X
MW-1	W01M2A	07/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4	J	UG/L	44	49	2	X
MW-1	W01M2A	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.1		UG/L	44	49	2	X
MW-1	W01M2D	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	44	49	2	X
MW-1	W01M2A	05/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.8		UG/L	44	49	2	X
MW-1	W01M2A	08/15/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	44	49	2	X
MW-1	W01M2A	11/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.9		UG/L	44	49	2	X
MW-1	W01M2A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	44	49	2	X
MW-1	W01M2A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	44	49	2	X
MW-1	W01M2A	05/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	44	49	2	X
MW-1	W01M2A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.4		UG/L	44	49	2	X
MW-1	W01M2A	02/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	44	49	2	X
MW-1	W01M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.3		UG/L	44	49	2	X
MW-1	W01M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5	J	UG/L	44	49	2	X
MW-1	W01M2A	04/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	44	49	2	X
MW-100	W100M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	45	55	2	X
MW-100	W100M1D	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	45	55	2	X
MW-100	W100M1A	10/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	45	55	2	X
MW-100	W100M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	45	55	2	X
MW-100	W100M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	45	55	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-100	W100M1D	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	45	55	2	X
MW-100	W100M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	45	55	2	X
MW-100	W100M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	45	55	2	X
MW-100	W100M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	45	55	2	X
MW-100	W100M1A	01/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	45	55	2	X
MW-100	W100M1A	05/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	45	55	2	X
MW-100	W100M1D	05/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	45	55	2	X
MW-100	W100M1A	08/22/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	45	55	2	X
MW-101	W101M1A	06/06/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	27	37	2	X
MW-101	W101M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	27	37	2	X
MW-101	W101M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	27	37	2	X
MW-101	W101M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	27	37	2	X
MW-101	W101M1A	09/19/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	27	37	2	X
MW-101	W101M1A	11/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	27	37	2	X
MW-101	W101M1A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	27	37	2	X
MW-101	W101M1D	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	27	37	2	X
MW-101	W101M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	27	37	2	X
MW-101	W101M1A	09/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	27	37	2	X
MW-101	W101M1A	11/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	27	37	2	X
MW-105	W105M1A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	78	88	2	X
MW-105	W105M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	78	88	2	X
MW-105	W105M1A	01/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	78	88	2	X
MW-105	W105M1A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	78	88	2	X
MW-105	W105M1A	11/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	78	88	2	X
MW-105	W105M1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	78	88	2	X
MW-105	W105M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	78	88	2	X
MW-105	W105M1A	05/02/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	78	88	2	X
MW-105	W105M1A	08/02/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	78	88	2	X
MW-107	W107M2A	06/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	5	15	2	X
MW-107	W107M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	5	15	2	X
MW-107	W107M2A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	5	15	2	X
MW-107	W107M2A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	5	15	2	X
MW-107	W107M2D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	5	15	2	X
MW-107	W107M2A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	5	15	2	X
MW-107	W107M2A	11/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	5	15	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-107	W107M2A	04/09/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	5	15	2	X
MW-107	W107M2A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	5	15	2	X
MW-107	W107M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	5	15	2	X
MW-107	W107M2A	04/27/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	5	15	2	X
MW-107	W107M2D	04/27/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	5	15	2	X
MW-111	W111M3A	10/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	33	43	2	X
MW-112	W112M2A	04/25/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	26	36	2	X
MW-112	W112M2A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	26	36	2	X
MW-112	W112M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	26	36	2	X
MW-112	W112M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	26	36	2	X
MW-112	W112M2A	03/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	26	36	2	X
MW-112	W112M2A	08/29/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	26	36	2	X
MW-113	W113M2A	09/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2		UG/L	48	58	2	X
MW-113	W113M2A	01/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	48	58	2	X
MW-113	W113M2A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	48	58	2	X
MW-113	W113M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	48	58	2	X
MW-113	W113M2A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7		UG/L	48	58	2	X
MW-113	W113M2A	09/17/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	48	58	2	X
MW-113	W113M2A	11/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	48	58	2	X
MW-113	W113M2A	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.9		UG/L	48	58	2	X
MW-113	W113M2D	04/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	48	58	2	X
MW-113	W113M2A	11/18/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.6		UG/L	48	58	2	X
MW-113	W113M2A	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.6		UG/L	48	58	2	X
MW-113	W113M2D	02/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.3		UG/L	48	58	2	X
MW-113	W113M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.5		UG/L	48	58	2	X
MW-113	W113M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.4		UG/L	48	58	2	X
MW-113	W113M2A	11/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	48	58	2	X
MW-113	W113M2A	03/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.6		UG/L	48	58	2	X
MW-113	W113M2A	08/08/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.8	J	UG/L	48	58	2	X
MW-114	W114M2A	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	39	49	2	X
MW-114	W114M2D	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	39	49	2	X
MW-114	W114M2A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120	J	UG/L	39	49	2	X
MW-114	W114M2A	06/19/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	39	49	2	X
MW-114	W114M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	170		UG/L	39	49	2	X
MW-114	W114M2A	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	190		UG/L	39	49	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-114	W114M2A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	210		UG/L	39	49	2	X
MW-114	W114M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	220		UG/L	39	49	2	X
MW-114	W114M2A	05/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	200		UG/L	39	49	2	X
MW-114	W114M2A	10/01/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	220		UG/L	39	49	2	X
MW-114	W114M2A	02/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	210		UG/L	39	49	2	X
MW-114	W114M2A	04/19/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	180		UG/L	39	49	2	X
MW-114	W114M2A	07/30/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160		UG/L	39	49	2	X
MW-114	W114M2A	04/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	39	49	2	X
MW-114	W114M1A	03/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2	J	UG/L	96	106	2	X
MW-114	W114M1A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	96	106	2	X
MW-114	W114M1A	06/21/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	96	106	2	X
MW-114	W114M1A	08/09/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	96	106	2	X
MW-129	W129M2A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	46	56	2	X
MW-129	W129M2A	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.6		UG/L	46	56	2	X
MW-129	W129M2D	06/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.9		UG/L	46	56	2	X
MW-129	W129M2A	07/10/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.9		UG/L	46	56	2	X
MW-129	W129M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.4		UG/L	46	56	2	X
MW-129	W129M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13	J	UG/L	46	56	2	X
MW-129	W129M2D	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	46	56	2	X
MW-129	W129M2A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	46	56	2	X
MW-129	W129M2A	10/02/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	46	56	2	X
MW-129	W129M2A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	46	56	2	X
MW-129	W129M2A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	46	56	2	X
MW-129	W129M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	46	56	2	X
MW-129	W129M2A	04/05/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	46	56	2	X
MW-129	W129M1A	02/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	66	76	2	X
MW-129	W129M1A	04/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	66	76	2	X
MW-130	W130SSA	05/31/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	0	10	2	X
MW-132	W132SSA	11/09/2000	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5	J	UG/L	0	10	2	X
MW-132	W132SSA	02/16/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4	J	UG/L	0	10	2	X
MW-132	W132SSA	12/12/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	0	10	2	X
MW-147	W147M2A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	77	87	2	X
MW-147	W147M2A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	77	87	2	X
MW-147	W147M2A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	77	87	2	X
MW-147	W147M2D	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	77	87	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-147	W147M1A	02/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	94	104	2	X
MW-147	W147M1A	06/19/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	94	104	2	X
MW-147	W147M1A	04/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	94	104	2	X
MW-147	W147M1A	09/05/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	94	104	2	X
MW-153	W153M1A	03/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2		UG/L	108	118	2	X
MW-153	W153M1A	07/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.8		UG/L	108	118	2	X
MW-153	W153M1A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.8		UG/L	108	118	2	X
MW-153	W153M1A	04/26/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.7	J	UG/L	108	118	2	X
MW-153	W153M1A	09/30/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5		UG/L	108	118	2	X
MW-153	W153M1A	12/02/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	108	118	2	X
MW-153	W153M1A	06/24/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	108	118	2	X
MW-153	W153M1A	10/30/2003	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	108	118	2	X
MW-153	W153M1A	12/19/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	108	118	2	X
MW-153	W153M1A	06/14/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	108	118	2	X
MW-153	W153M1A	09/23/2004	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	108	118	2	X
MW-153	W153M1A	12/03/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	108	118	2	X
MW-153	W153M1A	05/24/2005	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	108	118	2	X
MW-16	W16SSA	10/03/2003	DEMO 2	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	0	10	2	X
MW-160	W160SSA	01/23/2002	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	5	15	2	X
MW-163	W163SSA	06/14/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	0	10	2	X
MW-163	W163SSA	10/10/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	0	10	2	X
MW-163	W163SSA	02/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	0	10	2	X
MW-163	W163SSA	03/07/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	0	10	2	X
MW-163	W163SSA	07/02/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	10	2	X
MW-163	W163SSA	01/08/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	0	10	2	X
MW-163	W163SSA	03/27/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6	J	UG/L	0	10	2	X
MW-163	W163SSA	11/04/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	0	10	2	X
MW-163	W163SSA	02/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	0	10	2	X
MW-163	W163SSA	10/01/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.7	J	UG/L	0	10	2	X
MW-163	W163SSA	03/10/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	33		UG/L	0	10	2	X
MW-163	W163SSA	06/08/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	26		UG/L	0	10	2	X
MW-164	W164M2A	05/25/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	49	59	2	X
MW-164	W164M2A	08/21/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	49	59	2	X
MW-164	W164M2A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	49	59	2	X
MW-164	W164M2A	06/20/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.1		UG/L	49	59	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-164	W164M2A	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	49	59	2	X
MW-164	W164M2D	09/05/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7		UG/L	49	59	2	X
MW-164	W164M2A	01/08/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8	J	UG/L	49	59	2	X
MW-164	W164M2A	06/06/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	49	59	2	X
MW-164	W164M2A	05/25/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	49	59	2	X
MW-164	W164M2A	09/22/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.9		UG/L	49	59	2	X
MW-165	W165M2A	05/08/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	60		UG/L	46	56	2	X
MW-165	W165M2A	08/16/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	50		UG/L	46	56	2	X
MW-165	W165M2A	01/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	27	J	UG/L	46	56	2	X
MW-165	W165M2A	04/18/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	26		UG/L	46	56	2	X
MW-165	W165M2A	08/10/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	23		UG/L	46	56	2	X
MW-165	W165M2A	11/26/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	46	56	2	X
MW-165	W165M2A	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	35		UG/L	46	56	2	X
MW-165	W165M2A	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	46	56	2	X
MW-165	W165M2D	09/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	46	56	2	X
MW-165	W165M2A	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	46	56	2	X
MW-165	W165M2D	03/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	46	56	2	X
MW-165	W165M2A	04/09/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	46	56	2	X
MW-165	W165M2A	08/06/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	46	56	2	X
MW-165	W165M2A	12/07/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	130		UG/L	46	56	2	X
MW-165	W165M2A	04/14/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	23		UG/L	46	56	2	X
MW-166	W166M3A	06/01/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	19	29	2	X
MW-166	W166M3A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	19	29	2	X
MW-166	W166M3A	01/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	19	29	2	X
MW-166	W166M3A	07/02/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	19	29	2	X
MW-166	W166M3A	08/13/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	19	29	2	X
MW-166	W166M1A	05/31/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	112	117	2	X
MW-166	W166M1A	10/04/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	112	117	2	X
MW-166	W166M1A	01/16/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	112	117	2	X
MW-166	W166M1A	07/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	112	117	2	X
MW-166	W166M1A	11/11/2003	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	112	117	2	X
MW-166	W166M1A	02/20/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	112	117	2	X
MW-166	W166M1A	06/29/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	112	117	2	X
MW-166	W166M1A	09/30/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	112	117	2	X
MW-166	W166M1A	01/05/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	112	117	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-166	W166M1A	06/09/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	112	117	2	X
MW-166	W166M1A	08/13/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	112	117	2	X
MW-171	W171M2A	05/31/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	83	88	2	X
MW-171	W171M2A	12/21/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	83	88	2	X
MW-176	W176M1A	11/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.1		UG/L	117.6	127.6	2	X
MW-176	W176M1A	10/08/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	158.55	168.55	2	X
MW-176	W176M1A	01/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	158.55	168.55	2	X
MW-176	W176M1A	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	158.55	168.55	2	X
MW-176	W176M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	158.55	168.55	2	X
MW-176	W176M1D	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	158.55	168.55	2	X
MW-176	W176M1A	04/04/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.9		UG/L	158.55	168.55	2	X
MW-178	W178M1A	10/31/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	117	127	2	X
MW-178	W178M1A	03/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6	J	UG/L	117	127	2	X
MW-178	W178M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	117	127	2	X
MW-178	W178M1A	01/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	117	127	2	X
MW-178	W178M1A	06/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	117	127	2	X
MW-178	W178M1A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	117	127	2	X
MW-178	W178M1A	12/24/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	117	127	2	X
MW-178	W178M1A	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	117	127	2	X
MW-178	W178M1D	05/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	117	127	2	X
MW-178	W178M1A	08/12/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	117	127	2	X
MW-178	W178M1A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	117	127	2	X
MW-178	W178M1A	05/02/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	117	127	2	X
MW-184	W184M1A	01/24/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	23		UG/L	58.2	68.2	2	X
MW-184	W184M1A	06/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	58.2	68.2	2	X
MW-184	W184M1A	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	58.2	68.2	2	X
MW-184	W184M1D	09/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	58.2	68.2	2	X
MW-184	W184M1A	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	58.2	68.2	2	X
MW-184	W184M1D	05/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	58.2	68.2	2	X
MW-184	W184M1A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	22		UG/L	58.2	68.2	2	X
MW-184	W184M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	21		UG/L	58.2	68.2	2	X
MW-184	W184M1A	05/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	58.2	68.2	2	X
MW-184	W184M1A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	58.2	68.2	2	X
MW-184	W184M1A	02/09/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	58.2	68.2	2	X
MW-184	W184M1A	05/12/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	58.2	68.2	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-19	W19SSA	03/05/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	190		UG/L	0	10	2	X
MW-19	W19S2A	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	260		UG/L	0	10	2	X
MW-19	W19S2D	07/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	260		UG/L	0	10	2	X
MW-19	W19SSA	02/12/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	250		UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	240		UG/L	0	10	2	X
MW-19	W19SSA	05/12/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	150	J	UG/L	0	10	2	X
MW-19	W19SSA	05/23/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160		UG/L	0	10	2	X
MW-19	W19SSA	08/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	290		UG/L	0	10	2	X
MW-19	W19SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	200		UG/L	0	10	2	X
MW-19	W19SSA	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	200		UG/L	0	10	2	X
MW-19	W19SSD	06/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	210		UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120		UG/L	0	10	2	X
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120		UG/L	0	10	2	X
MW-19	W19SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120		UG/L	0	10	2	X
MW-19	W19SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	99		UG/L	0	10	2	X
MW-19	W19SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	80		UG/L	0	10	2	X
MW-19	W19SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	65		UG/L	0	10	2	X
MW-19	W19SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	73		UG/L	0	10	2	X
MW-19	W19SSA	08/08/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	0	10	2	X
MW-191	W191M2A	01/25/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	8.4	18.4	2	X
MW-196	W196SSA	07/12/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.6	J	UG/L	0	5	2	X
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4	J	UG/L	0	5	2	X
MW-196	W196SSA	08/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6	J	UG/L	0	5	2	X
MW-198	W198M4A	02/21/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	48.4	53.4	2	X
MW-198	W198M4A	07/19/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7		UG/L	48.4	53.4	2	X
MW-198	W198M4A	11/01/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	48.4	53.4	2	X
MW-198	W198M4A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	48.4	53.4	2	X
MW-198	W198M4A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	48.4	53.4	2	X
MW-198	W198M4A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	48.4	53.4	2	X
MW-198	W198M4A	05/26/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.7		UG/L	48.4	53.4	2	X
MW-198	W198M3A	02/15/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	78.5	83.5	2	X
MW-198	W198M3A	07/22/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	78.5	83.5	2	X
MW-198	W198M3A	11/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	78.5	83.5	2	X
MW-198	W198M3A	12/05/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	78.5	83.5	2	X
MW-198	W198M3A	06/04/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	78.5	83.5	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-198	W198M3A	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	20		UG/L	78.5	83.5	2	X
MW-198	W198M3D	11/05/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	20		UG/L	78.5	83.5	2	X
MW-198	W198M3A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	78.5	83.5	2	X
MW-198	W198M3A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	78.5	83.5	2	X
MW-198	W198M3A	03/15/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	78.5	83.5	2	X
MW-198	W198M3A	06/14/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2	J	UG/L	78.5	83.5	2	X
MW-198	W198M2A	02/05/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	98.4	103.4	2	X
MW-198	W198M2A	05/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	98.4	103.4	2	X
MW-198	W198M2A	03/15/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	98.4	103.4	2	X
MW-2	W02M2A	01/20/1998	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	33	38	2	X
MW-2	W02M2A	02/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	33	38	2	X
MW-2	W02M2A	09/03/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	33	38	2	X
MW-2	W02M2A	05/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3	J	UG/L	33	38	2	X
MW-2	W02M2A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	33	38	2	X
MW-2	W02M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	33	38	2	X
MW-2	W02M2A	05/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	33	38	2	X
MW-2	W02M2A	08/21/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	33	38	2	X
MW-2	W02M2A	11/19/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	33	38	2	X
MW-2	W02M2A	05/01/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4	J	UG/L	33	38	2	X
MW-2	W02M2A	09/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	33	38	2	X
MW-2	W02M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	33	38	2	X
MW-2	W02M2D	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	33	38	2	X
MW-2	W02M2A	07/18/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	33	38	2	X
MW-2	W02M2A	11/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	33	38	2	X
MW-2	W02M2A	02/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5	J	UG/L	33	38	2	X
MW-2	W02M2A	04/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	33	38	2	X
MW-2	W02M2A	10/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8	J	UG/L	33	38	2	X
MW-2	W02M2A	11/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	33	38	2	X
MW-2	W02M1A	08/02/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	75	80	2	X
MW-201	W201M2A	03/13/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1	J	UG/L	86.9	96.9	2	X
MW-201	W201M2A	07/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	86.9	96.9	2	X
MW-201	W201M2A	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	86.9	96.9	2	X
MW-201	W201M2D	11/08/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	86.9	96.9	2	X
MW-201	W201M2A	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	86.9	96.9	2	X
MW-201	W201M2D	06/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	86.9	96.9	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-201	W201M2A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	86.9	96.9	2	X
MW-201	W201M2A	01/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	86.9	96.9	2	X
MW-201	W201M2A	07/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	86.9	96.9	2	X
MW-201	W201M2A	08/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	86.9	96.9	2	X
MW-201	W201M2A	11/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	86.9	96.9	2	X
MW-201	W201M2A	05/09/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	86.9	96.9	2	X
MW-203	W203M2A	02/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	32.58	42.58	2	X
MW-203	W203M2A	01/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	32.58	42.58	2	X
MW-204	W204M2A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.6		UG/L	17.2	27.2	2	X
MW-204	W204M2A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.4		UG/L	17.2	27.2	2	X
MW-204	W204M1A	04/10/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	81	91	2	X
MW-204	W204M1A	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.3		UG/L	81	91	2	X
MW-204	W204M1D	07/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	81	91	2	X
MW-204	W204M1A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	81	91	2	X
MW-204	W204M1A	06/26/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	81	91	2	X
MW-204	W204M1A	09/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.5		UG/L	81	91	2	X
MW-204	W204M1A	01/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.7		UG/L	81	91	2	X
MW-204	W204M1A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.7		UG/L	81	91	2	X
MW-204	W204M1A	09/07/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.8		UG/L	81	91	2	X
MW-204	W204M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9	J	UG/L	81	91	2	X
MW-204	W204M1A	05/02/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	81	91	2	X
MW-204	W204M1A	08/18/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.1		UG/L	81	91	2	X
MW-206	W206M1A	07/18/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	19.57	29.57	2	X
MW-206	W206M1A	10/15/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	19.57	29.57	2	X
MW-206	W206M1A	02/05/2003	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	19.57	29.57	2	X
MW-206	W206M1A	02/03/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	19.57	29.57	2	X
MW-206	W206M1A	03/09/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	19.57	29.57	2	X
MW-206	W206M1A	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	19.57	29.57	2	X
MW-206	W206M1D	05/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	19.57	29.57	2	X
MW-206	W206M1A	09/29/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	19.57	29.57	2	X
MW-206	W206M1A	02/28/2005	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	19.57	29.57	2	X
MW-206	W206M1A	05/24/2005	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	19.57	29.57	2	X
MW-207	W207M2A	08/18/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	79.33	89.33	2	X
MW-207	W207M1A	04/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	100.52	110.52	2	X
MW-207	W207M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	100.52	110.52	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-207	W207M1D	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	100.52	110.52	2	X
MW-207	W207M1A	10/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	100.52	110.52	2	X
MW-207	W207M1A	06/05/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	100.52	110.52	2	X
MW-207	W207M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	100.52	110.52	2	X
MW-207	W207M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	100.52	110.52	2	X
MW-207	W207M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	100.52	110.52	2	X
MW-207	W207M1A	08/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	100.52	110.52	2	X
MW-207	W207M1A	12/14/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	100.52	110.52	2	X
MW-207	W207M1A	05/09/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	15		UG/L	100.52	110.52	2	X
MW-207	W207M1A	08/16/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.6		UG/L	100.52	110.52	2	X
MW-209	W209M1A	04/30/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	121	131	2	X
MW-209	W209M1A	07/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	121	131	2	X
MW-209	W209M1A	10/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	121	131	2	X
MW-209	W209M1A	06/12/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	121	131	2	X
MW-209	W209M1A	10/29/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	121	131	2	X
MW-209	W209M1A	02/13/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	121	131	2	X
MW-209	W209M1A	05/03/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	121	131	2	X
MW-209	W209M1A	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	121	131	2	X
MW-209	W209M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.3	J	UG/L	121	131	2	X
MW-209	W209M1A	05/09/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.6		UG/L	121	131	2	X
MW-210	W210M2A	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	54.69	64.69	2	X
MW-210	W210M2D	05/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	54.69	64.69	2	X
MW-210	W210M2A	08/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.9		UG/L	54.69	64.69	2	X
MW-210	W210M2A	12/06/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	54.69	64.69	2	X
MW-211	W211M1A	12/06/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.7		UG/L	55	65	2	X
MW-211	W211M1A	04/05/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	55	65	2	X
MW-211	W211M1A	08/08/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	55	65	2	X
MW-211	W211M1D	08/08/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	55	65	2	X
MW-215	W215M2A	08/01/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	98.9	108.9	2	X
MW-215	W215M2A	10/28/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	98.9	108.9	2	X
MW-215	W215M2A	03/03/2003	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4	J	UG/L	98.9	108.9	2	X
MW-215	W215M2A	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	98.9	108.9	2	X
MW-215	W215M2D	07/06/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	98.9	108.9	2	X
MW-215	W215M2A	09/09/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	98.9	108.9	2	X
MW-215	W215M2D	09/09/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	98.9	108.9	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-215	W215M2A	02/09/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	98.9	108.9	2	X
MW-215	W215M2A	06/16/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	98.9	108.9	2	X
MW-215	W215M2A	08/30/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	98.9	108.9	2	X
MW-218	W218M2A	03/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	93	98	2	X
MW-218	W218M2A	02/02/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	93	98	2	X
MW-218	W218M2A	03/15/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	93	98	2	X
MW-218	W218M2A	05/06/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	93	98	2	X
MW-223	W223M2A	11/05/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	93.31	103.31	2	X
MW-223	W223M2A	02/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8	J	UG/L	93.31	103.31	2	X
MW-223	W223M2A	01/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	93.31	103.31	2	X
MW-223	W223M2A	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	93.31	103.31	2	X
MW-223	W223M2D	03/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	93.31	103.31	2	X
MW-223	W223M2A	03/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	93.31	103.31	2	X
MW-227	W227M2A	08/06/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	56.38	66.38	2	X
MW-227	W227M2A	11/04/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9	J	UG/L	56.38	66.38	2	X
MW-227	W227M2A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9		UG/L	56.38	66.38	2	X
MW-227	W227M2A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.2		UG/L	56.38	66.38	2	X
MW-227	W227M2A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	56.38	66.38	2	X
MW-227	W227M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.4		UG/L	56.38	66.38	2	X
MW-227	W227M2A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.9		UG/L	56.38	66.38	2	X
MW-227	W227M2A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9		UG/L	56.38	66.38	2	X
MW-227	W227M2A	06/06/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5	J	UG/L	56.38	66.38	2	X
MW-227	W227M2A	08/01/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.6		UG/L	56.38	66.38	2	X
MW-227	W227M1A	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	76.38	86.38	2	X
MW-227	W227M1D	02/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3	J	UG/L	76.38	86.38	2	X
MW-227	W227M1A	02/03/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	76.38	86.38	2	X
MW-227	W227M1A	03/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7	J	UG/L	76.38	86.38	2	X
MW-227	W227M1A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5		UG/L	76.38	86.38	2	X
MW-227	W227M1A	09/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	76.38	86.38	2	X
MW-227	W227M1A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	76.38	86.38	2	X
MW-227	W227M1A	06/06/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2	J	UG/L	76.38	86.38	2	X
MW-227	W227M1A	08/01/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1	J	UG/L	76.38	86.38	2	X
MW-23	W23M1A	11/07/1997	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3	J	UG/L	103	113	2	X
MW-23	W23M1A	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	103	113	2	X
MW-23	W23M1D	03/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	103	113	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-23	W23M1A	09/13/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	103	113	2	X
MW-23	W23M1A	05/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.6	J	UG/L	103	113	2	X
MW-23	W23M1A	08/08/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.3		UG/L	103	113	2	X
MW-23	W23M1A	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	103	113	2	X
MW-23	W23M1D	12/04/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	103	113	2	X
MW-23	W23M1A	04/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	103	113	2	X
MW-23	W23M1A	07/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	103	113	2	X
MW-23	W23M1A	12/06/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	103	113	2	X
MW-23	W23M1A	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	103	113	2	X
MW-23	W23M1D	05/09/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	103	113	2	X
MW-23	W23M1A	08/15/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	103	113	2	X
MW-23	W23M1A	01/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	103	113	2	X
MW-23	W23M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	103	113	2	X
MW-23	W23M1A	10/07/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	103	113	2	X
MW-23	W23M1A	02/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	103	113	2	X
MW-23	W23M1A	07/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	103	113	2	X
MW-23	W23M1A	08/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	103	113	2	X
MW-23	W23M1A	01/04/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4	J	UG/L	103	113	2	X
MW-23	W23M1A	05/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	103	113	2	X
MW-23	W23M1D	05/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	103	113	2	X
MW-23	W23M1A	08/01/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	103	113	2	X
MW-234	W234M1A	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	25.3	35.3	2	X
MW-234	W234M1D	05/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	25.3	35.3	2	X
MW-234	W234M1A	08/02/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	25.3	35.3	2	X
MW-234	W234M1A	10/19/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	25.3	35.3	2	X
MW-234	W234M1A	05/16/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	25.3	35.3	2	X
MW-235	W235M1A	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.1		UG/L	25.3	35.3	2	X
MW-235	W235M1D	10/07/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2		UG/L	25.3	35.3	2	X
MW-235	W235M1A	03/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11	J	UG/L	25.3	35.3	2	X
MW-235	W235M1A	06/27/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.5		UG/L	25.3	35.3	2	X
MW-235	W235M1A	04/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	27		UG/L	25.3	35.3	2	X
MW-235	W235M1A	05/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	30		UG/L	25.3	35.3	2	X
MW-235	W235M1A	10/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	40		UG/L	25.3	35.3	2	X
MW-235	W235M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	34		UG/L	25.3	35.3	2	X
MW-235	W235M1A	05/04/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	38		UG/L	25.3	35.3	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-247	W247M2A	04/22/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	102.78	112.78	2	X
MW-247	W247M2A	05/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	102.78	112.78	2	X
MW-247	W247M2A	10/12/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	102.78	112.78	2	X
MW-247	W247M2A	12/02/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	102.78	112.78	2	X
MW-25	W25SSA	10/16/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	0	10	2	X
MW-25	W25SSA	03/17/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	0	10	2	X
MW-259	W259M1A	01/14/2005	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	7.62	17.62	2	X
MW-262	W262M1A	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	7.02	17.02	2	X
MW-262	W262M1D	08/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	7.02	17.02	2	X
MW-265	W265M3A	05/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	72.44	82.44	2	X
MW-265	W265M2A	05/15/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	97.6	107.6	2	X
MW-265	W265M2A	12/01/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	97.6	107.6	2	X
MW-265	W265M2A	03/03/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	97.6	107.6	2	X
MW-265	W265M2A	09/27/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	97.6	107.6	2	X
MW-265	W265M2A	02/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	97.6	107.6	2	X
MW-265	W265M2A	05/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	97.6	107.6	2	X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L			2	X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L			2	X
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L			2	X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.9		UG/L	59.7	69.7	2	X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	59.7	69.7	2	X
MW-289	W289M2A	02/17/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	59.7	69.7	2	X
MW-289	W289M2A	05/31/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	59.7	69.7	2	X
MW-289	W289M2A	08/22/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	59.7	69.7	2	X
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	203	213	2	X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	203	213	2	X
MW-303	MW-303M3-	03/25/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L			2	X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	32		UG/L			2	X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	28		UG/L	122	132	2	X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	31		UG/L	122	132	2	X
MW-303	W303M2A	06/07/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	27		UG/L	122	132	2	X
MW-306	MW-306M2-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.3		UG/L	41	51	2	X
MW-306	MW-306M2-	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	41	51	2	X
MW-306	MW-306M2-FD	08/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	41	51	2	X
MW-306	MW-306M2-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	41	51	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-306	MW-306M1-	04/01/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	61	71	2	X
MW-306	MW-306M1-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	61	71	2	X
MW-306	W306M1A	06/15/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	61	71	2	X
MW-306	W306M2A	06/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	61	71	2	X
MW-31	W31SSA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	64		UG/L	13	18	2	X
MW-31	W31SSA	02/01/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	210		UG/L	13	18	2	X
MW-31	W31SSA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	50		UG/L	13	18	2	X
MW-31	W31SSA	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	110		UG/L	13	18	2	X
MW-31	W31SSA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	13	18	2	X
MW-31	W31SSA	12/08/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120		UG/L	13	18	2	X
MW-31	W31SSA	05/02/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	81		UG/L	13	18	2	X
MW-31	W31SSA	08/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	88		UG/L	13	18	2	X
MW-31	W31SSA	01/04/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	31		UG/L	13	18	2	X
MW-31	W31SSA	05/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	130		UG/L	13	18	2	X
MW-31	W31SSA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	85		UG/L	13	18	2	X
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	13	18	2	X
MW-31	W31SSA	03/28/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	86		UG/L	13	18	2	X
MW-31	W31SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	63		UG/L	13	18	2	X
MW-31	W31SSD	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	62		UG/L	13	18	2	X
MW-31	W31SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	21		UG/L	13	18	2	X
MW-31	W31SSA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	72		UG/L	13	18	2	X
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13	J	UG/L	13	18	2	X
MW-31	W31SSA	04/30/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	61		UG/L	13	18	2	X
MW-31	W31MMA	07/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	280		UG/L	28	38	2	X
MW-31	W31MMA	02/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	370		UG/L	28	38	2	X
MW-31	W31MMA	09/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	28	38	2	X
MW-31	W31M1A	05/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	28	38	2	X
MW-31	W31M1A	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	28	38	2	X
MW-31	W31MMA	05/23/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	70		UG/L	28	38	2	X
MW-31	W31MMA	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.4		UG/L	28	38	2	X
MW-31	W31MMD	04/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.2		UG/L	28	38	2	X
MW-31	W31MMA	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.8		UG/L	28	38	2	X
MW-31	W31MMA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	28	38	2	X
MW-31	W31MMA	03/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.1		UG/L	28	38	2	X
MW-31	W31MMA	05/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	28	38	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31MMA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	50	J	UG/L	28	38	2	X
MW-31	W31MMA	04/30/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	120		UG/L	28	38	2	X
MW-31	W31DDA	08/09/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	150		UG/L	48	53	2	X
MW-323	W323M2A	04/19/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	46.05	56.05	2	X
MW-323	W323M2A	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5		UG/L	46.05	56.05	2	X
MW-323	W323M2D	07/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.6		UG/L	46.05	56.05	2	X
MW-323	W323M2A	10/08/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.6		UG/L	46.05	56.05	2	X
MW-323	W323M2A	06/15/2005	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.5		UG/L	46.05	56.05	2	X
MW-323	W323M2A	07/20/2005	NW CORNER	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.4		UG/L	46.05	56.05	2	X
MW-324	MW-324M2-	07/07/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	82	92	2	X
MW-324	MW-324M2-	10/20/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	82	92	2	X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L			2	X
MW-34	W34M2A	02/19/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	53	63	2	X
MW-34	W34M2A	05/18/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	53	63	2	X
MW-34	W34M2A	08/10/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	53	63	2	X
MW-34	W34M2A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	53	63	2	X
MW-34	W34M2A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9		UG/L	53	63	2	X
MW-34	W34M2A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	53	63	2	X
MW-34	W34M2A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	53	63	2	X
MW-34	W34M2A	12/08/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	53	63	2	X
MW-34	W34M2A	06/22/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.8		UG/L	53	63	2	X
MW-34	W34M1A	05/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	73	83	2	X
MW-34	W34M1A	08/11/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	73	83	2	X
MW-34	W34M1A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	73	83	2	X
MW-34	W34M1A	03/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.3		UG/L	73	83	2	X
MW-34	W34M1A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.9		UG/L	73	83	2	X
MW-34	W34M1A	03/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	73	83	2	X
MW-34	W34M1A	05/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	73	83	2	X
MW-34	W34M1A	08/05/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7		UG/L	73	83	2	X
MW-34	W34M1A	04/21/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7		UG/L	73	83	2	X
MW-343	MW-343M2-	07/18/2005	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	35		UG/L	73.82	78.82	2	X
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	74	84	2	X
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	74	84	2	X
MW-343	MW-343M2-	03/23/2005	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	34		UG/L	74	84	2	X
MW-360	MW-360M2-	07/25/2005	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	5	15	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-368	MW-368M2-	06/30/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.5		UG/L	99.5	109.5	2	X
MW-368	MW-368M2-FD	06/30/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2		UG/L	99.5	109.5	2	X
MW-37	71MW0037M2-	03/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L			2	X
MW-37	71MW0037M2-FD	03/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L			2	X
MW-37	W37M3A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	11	21	2	X
MW-37	W37M2A	09/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	26	36	2	X
MW-37	W37M2A	12/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	26	36	2	X
MW-37	W37M2A	03/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	26	36	2	X
MW-37	W37M2A	08/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8	J	UG/L	26	36	2	X
MW-37	W37M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	26	36	2	X
MW-37	W37M2D	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	26	36	2	X
MW-37	W37M2A	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	26	36	2	X
MW-37	W37M2D	06/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	26	36	2	X
MW-37	W37M2A	08/13/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6	J	UG/L	26	36	2	X
MW-37	W37M2A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	26	36	2	X
MW-37	W37M2A	04/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	26	36	2	X
MW-37	W37M2A	10/01/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	26	36	2	X
MW-37	W37M2A	03/01/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	26	36	2	X
MW-37	W37M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3	J	UG/L	26	36	2	X
MW-37	W37M2A	05/02/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	26	36	2	X
MW-38	71MW0038M3-	03/10/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L			2	X
MW-38	W38M4A	11/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	14	24	2	X
MW-38	W38M4A	02/18/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4	J	UG/L	14	24	2	X
MW-38	W38M4A	05/13/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	14	24	2	X
MW-38	W38M3A	05/06/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	52	62	2	X
MW-38	W38M3A	08/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	52	62	2	X
MW-38	W38M3A	11/10/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	52	62	2	X
MW-38	W38M3A	05/16/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9	J	UG/L	52	62	2	X
MW-38	W38M3A	08/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	52	62	2	X
MW-38	W38M3A	11/20/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	52	62	2	X
MW-38	W38M3A	04/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3	J	UG/L	52	62	2	X
MW-38	W38M3A	08/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	52	62	2	X
MW-38	W38M3A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	52	62	2	X
MW-38	W38M3D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2	J	UG/L	52	62	2	X
MW-40	W40M1A	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.8		UG/L	13	23	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-40	W40M1D	09/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	13	23	2	X
MW-40	W40M1A	12/30/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3	J	UG/L	13	23	2	X
MW-40	W40M1A	04/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2	J	UG/L	13	23	2	X
MW-40	W40M1A	09/01/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4	J	UG/L	13	23	2	X
MW-40	W40M1A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	13	23	2	X
MW-40	W40M1A	06/02/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	13	23	2	X
MW-40	W40M1A	08/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	13	23	2	X
MW-40	W40M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	13	23	2	X
MW-43	W43M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	67	77	2	X
MW-43	W43M2A	09/21/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	67	77	2	X
MW-43	W43M2A	03/08/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	67	77	2	X
MW-43	W43M2D	03/08/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	67	77	2	X
MW-43	W43M2A	05/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	67	77	2	X
MW-58	W58SSA	11/23/1999	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7	J	UG/L	0	10	2	X
MW-58	W58SSA	02/15/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	0	10	2	X
MW-58	W58SSA	05/11/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.4	J	UG/L	0	10	2	X
MW-58	W58SSA	09/05/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	0	10	2	X
MW-58	W58SSA	12/20/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	0	10	2	X
MW-58	W58SSA	06/14/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	0	10	2	X
MW-58	W58SSA	08/22/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	0	10	2	X
MW-58	W58SSA	12/12/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	0	10	2	X
MW-73	W73SSA	07/09/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	50	J	UG/L	0	10	2	X
MW-73	W73SSA	09/16/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	63		UG/L	0	10	2	X
MW-73	W73SSA	11/02/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	57		UG/L	0	10	2	X
MW-73	W73SSA	06/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	44		UG/L	0	10	2	X
MW-73	W73SSA	09/05/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	0	10	2	X
MW-73	W73SSA	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	28		UG/L	0	10	2	X
MW-73	W73SSD	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	0	10	2	X
MW-73	W73SSA	06/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	22		UG/L	0	10	2	X
MW-73	W73SSA	01/11/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	79		UG/L	0	10	2	X
MW-73	W73SSA	08/20/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	34	J	UG/L	0	10	2	X
MW-73	W73SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-73	W73SSA	02/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	0	10	2	X
MW-73	W73SSA	06/01/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	0	10	2	X
MW-73	W73SSA	08/08/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.3		UG/L	0	10	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76SSA	01/20/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	18	28	2	X
MW-76	W76SSA	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.5	J	UG/L	18	28	2	X
MW-76	W76SSA	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	18	28	2	X
MW-76	W76SSA	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	18	28	2	X
MW-76	W76SSA	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	18	28	2	X
MW-76	W76SSA	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9	J	UG/L	18	28	2	X
MW-76	W76SSA	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	25		UG/L	18	28	2	X
MW-76	W76SSA	08/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	31	J	UG/L	18	28	2	X
MW-76	W76SSA	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	18	28	2	X
MW-76	W76SSA	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	18	28	2	X
MW-76	W76SSA	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	28		UG/L	18	28	2	X
MW-76	W76SSA	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	18	28	2	X
MW-76	W76SSA	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	18	28	2	X
MW-76	W76SSA	04/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.9	J	UG/L	18	28	2	X
MW-76	W76M2A	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	31		UG/L	38	48	2	X
MW-76	W76M2D	01/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	38	48	2	X
MW-76	W76M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	37	J	UG/L	38	48	2	X
MW-76	W76M2A	08/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	31		UG/L	38	48	2	X
MW-76	W76M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	46		UG/L	38	48	2	X
MW-76	W76M2A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	56		UG/L	38	48	2	X
MW-76	W76M2A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	51		UG/L	38	48	2	X
MW-76	W76M2D	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	48		UG/L	38	48	2	X
MW-76	W76M2A	01/07/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	92		UG/L	38	48	2	X
MW-76	W76M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	130		UG/L	38	48	2	X
MW-76	W76M2A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160	J	UG/L	38	48	2	X
MW-76	W76M2A	11/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160		UG/L	38	48	2	X
MW-76	W76M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	220		UG/L	38	48	2	X
MW-76	W76M2D	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	220		UG/L	38	48	2	X
MW-76	W76M2A	12/03/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	150		UG/L	38	48	2	X
MW-76	W76M2A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160		UG/L	38	48	2	X
MW-76	W76M2A	04/22/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	160		UG/L	38	48	2	X
MW-76	W76M2A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	140		UG/L	38	48	2	X
MW-76	W76M2A	04/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	62	J	UG/L	38	48	2	X
MW-76	W76M1A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	58	68	2	X
MW-76	W76M1A	05/07/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	28		UG/L	58	68	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76M1A	08/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	90		UG/L	58	68	2	X
MW-76	W76M1A	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	110		UG/L	58	68	2	X
MW-76	W76M1A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	79		UG/L	58	68	2	X
MW-76	W76M1A	08/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14	J	UG/L	58	68	2	X
MW-76	W76M1A	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	58	68	2	X
MW-76	W76M1A	03/25/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	110		UG/L	58	68	2	X
MW-76	W76M1A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	170		UG/L	58	68	2	X
MW-76	W76M1A	02/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	51		UG/L	58	68	2	X
MW-76	W76M1A	04/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	38		UG/L	58	68	2	X
MW-76	W76M1A	08/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	59		UG/L	58	68	2	X
MW-76	W76M1A	04/14/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	58	68	2	X
MW-77	W77M2A	01/25/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	150		UG/L	38	48	2	X
MW-77	W77M2A	05/02/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	100	J	UG/L	38	48	2	X
MW-77	W77M2A	08/01/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	97	J	UG/L	38	48	2	X
MW-77	W77M2A	12/07/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	93		UG/L	38	48	2	X
MW-77	W77M2A	05/10/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	39		UG/L	38	48	2	X
MW-77	W77M2A	08/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	38	48	2	X
MW-77	W77M2A	12/26/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	26		UG/L	38	48	2	X
MW-77	W77M2A	04/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	38	48	2	X
MW-77	W77M2A	08/07/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	38	48	2	X
MW-77	W77M2A	11/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	38	48	2	X
MW-77	W77M2A	03/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	38	48	2	X
MW-77	W77M2A	09/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	38	48	2	X
MW-77	W77M2A	02/12/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	38	48	2	X
MW-77	W77M2A	04/05/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	38	48	2	X
MW-77	W77M2A	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	38	48	2	X
MW-77	W77M2D	07/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	38	48	2	X
MW-77	W77M2A	04/20/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	48		UG/L	38	48	2	X
MW-85	W85M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	29		UG/L	22	32	2	X
MW-85	W85M1A	02/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	24		UG/L	22	32	2	X
MW-85	W85M1A	06/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	27		UG/L	22	32	2	X
MW-85	W85M1A	09/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	22	32	2	X
MW-85	W85M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	19		UG/L	22	32	2	X
MW-85	W85M1A	05/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7		UG/L	22	32	2	X
MW-85	W85M1A	09/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	22	32	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-85	W85M1A	04/01/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8		UG/L	22	32	2	X
MW-85	W85M1A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	22	32	2	X
MW-85	W85M1D	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	22	32	2	X
MW-86	W86SSA	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5	J	UG/L	1	11	2	X
MW-86	W86SSA	08/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.7	J	UG/L	1	11	2	X
MW-86	W86SSA	07/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	1	11	2	X
MW-86	W86SSA	09/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	1	11	2	X
MW-86	W86SSA	12/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	1	11	2	X
MW-86	W86SSA	03/31/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	1	11	2	X
MW-86	W86M2A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	16	26	2	X
MW-86	W86M2A	11/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	16	26	2	X
MW-86	W86M2A	05/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	16	26	2	X
MW-87	W87M1A	04/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5	J	UG/L	62	72	2	X
MW-87	W87M1A	09/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	62	72	2	X
MW-87	W87M1A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	62	72	2	X
MW-87	W87M1A	09/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	62	72	2	X
MW-87	W87M1A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	62	72	2	X
MW-87	W87M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	62	72	2	X
MW-87	W87M1A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	62	72	2	X
MW-87	W87M1A	01/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	62	72	2	X
MW-87	W87M1A	04/07/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.1		UG/L	62	72	2	X
MW-87	W87M1A	10/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	62	72	2	X
MW-87	W87M1A	08/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	62	72	2	X
MW-87	W87M1A	05/03/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1	J	UG/L	62	72	2	X
MW-88	W88M2A	05/24/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7		UG/L	72	82	2	X
MW-88	W88M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.7		UG/L	72	82	2	X
MW-88	W88M2A	01/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	72	82	2	X
MW-88	W88M2A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.4		UG/L	72	82	2	X
MW-88	W88M2A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.5		UG/L	72	82	2	X
MW-88	W88M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	72	82	2	X
MW-88	W88M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	72	82	2	X
MW-88	W88M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	72	82	2	X
MW-88	W88M2A	04/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	72	82	2	X
MW-88	W88M2A	10/16/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.4		UG/L	72	82	2	X
MW-88	W88M2A	01/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	72	82	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-88	W88M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7		UG/L	72	82	2	X
MW-88	W88M2D	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.7		UG/L	72	82	2	X
MW-88	W88M2A	08/20/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	72	82	2	X
MW-88	W88M2A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	72	82	2	X
MW-88	W88M2D	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4		UG/L	72	82	2	X
MW-88	W88M2A	04/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	72	82	2	X
MW-89	W89M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.3		UG/L	72	82	2	X
MW-89	W89M2A	09/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.3		UG/L	72	82	2	X
MW-89	W89M2A	01/11/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	7.5		UG/L	72	82	2	X
MW-89	W89M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	72	82	2	X
MW-89	W89M2D	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	72	82	2	X
MW-89	W89M2A	12/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	72	82	2	X
MW-89	W89M2A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	72	82	2	X
MW-89	W89M2A	10/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	72	82	2	X
MW-89	W89M2A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	72	82	2	X
MW-89	W89M2A	04/17/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	72	82	2	X
MW-89	W89M2A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	72	82	2	X
MW-89	W89M2A	01/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.8		UG/L	72	82	2	X
MW-89	W89M2A	04/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	72	82	2	X
MW-89	W89M2A	10/05/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.2		UG/L	72	82	2	X
MW-89	W89M2A	11/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9		UG/L	72	82	2	X
MW-89	W89M2A	03/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	72	82	2	X
MW-89	W89M1A	09/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	92	102	2	X
MW-89	W89M1A	12/04/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	92	102	2	X
MW-89	W89M1A	05/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	92	102	2	X
MW-89	W89M1A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	92	102	2	X
MW-90	W90SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.4	J	UG/L	0	10	2	X
MW-90	W90SSA	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	0	10	2	X
MW-90	W90M1A	10/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	27	37	2	X
MW-91	W91SSA	05/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-91	W91SSA	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	10	2	X
MW-91	W91SSA	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-91	W91SSA	10/09/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	0	10	2	X
MW-91	W91SSA	12/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	20		UG/L	0	10	2	X
MW-91	W91SSA	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	0	10	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-91	W91SSA	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	17		UG/L	0	10	2	X
MW-91	W91SSA	05/21/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-91	W91SSA	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	16		UG/L	0	10	2	X
MW-91	W91SSA	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13		UG/L	0	10	2	X
MW-91	W91SSA	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	0	10	2	X
MW-91	W91SSA	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-91	W91SSA	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	0	10	2	X
MW-91	W91SSA	04/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	0	10	2	X
MW-91	W91M1A	05/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	18		UG/L	45	55	2	X
MW-91	W91M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	45	55	2	X
MW-91	W91M1D	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	11		UG/L	45	55	2	X
MW-91	W91M1A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	45	55	2	X
MW-91	W91M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	13	J	UG/L	45	55	2	X
MW-91	W91M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10	J	UG/L	45	55	2	X
MW-91	W91M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	45	55	2	X
MW-91	W91M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	45	55	2	X
MW-91	W91M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	45	55	2	X
MW-91	W91M1A	01/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	45	55	2	X
MW-91	W91M1A	05/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	45	55	2	X
MW-91	W91M1A	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	45	55	2	X
MW-91	W91M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6		UG/L	45	55	2	X
MW-91	W91M1D	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	45	55	2	X
MW-91	W91M1A	05/05/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.6		UG/L	45	55	2	X
MW-91	W91M1A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	45	55	2	X
MW-91	W91M1A	11/10/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	45	55	2	X
MW-91	W91M1A	04/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	45	55	2	X
MW-93	W93M2A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	16	26	2	X
MW-93	W93M2A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	16	26	2	X
MW-93	W93M2A	01/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1	J	UG/L	16	26	2	X
MW-93	W93M2A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	9.9		UG/L	16	26	2	X
MW-93	W93M2A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	12		UG/L	16	26	2	X
MW-93	W93M2A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.7		UG/L	16	26	2	X
MW-93	W93M2A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5	J	UG/L	16	26	2	X
MW-93	W93M2A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	16	26	2	X
MW-93	W93M2D	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	16	26	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-93	W93M2A	03/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	16	26	2	X
MW-93	W93M2A	10/23/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2		UG/L	16	26	2	X
MW-93	W93M2A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	16	26	2	X
MW-93	W93M2A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	16	26	2	X
MW-93	W93M2A	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.7		UG/L	16	26	2	X
MW-93	W93M2A	04/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.9		UG/L	16	26	2	X
MW-93	W93M1A	05/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2	J	UG/L	56	66	2	X
MW-93	W93M1A	11/07/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	56	66	2	X
MW-93	W93M1A	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4	J	UG/L	56	66	2	X
MW-93	W93M1D	01/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	56	66	2	X
MW-93	W93M1A	10/03/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	56	66	2	X
MW-93	W93M1A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.8		UG/L	56	66	2	X
MW-93	W93M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.6		UG/L	56	66	2	X
MW-93	W93M1A	09/24/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.9		UG/L	56	66	2	X
MW-93	W93M1A	02/03/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.7		UG/L	56	66	2	X
MW-93	W93M1A	03/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.8		UG/L	56	66	2	X
MW-93	W93M1A	10/22/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	56	66	2	X
MW-93	W93M1A	02/09/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	56	66	2	X
MW-93	W93M1A	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.6		UG/L	56	66	2	X
MW-93	W93M1D	07/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.5		UG/L	56	66	2	X
MW-95	W95M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	78	88	2	X
MW-95	W95M1A	10/01/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	78	88	2	X
MW-95	W95M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	78	88	2	X
MW-95	W95M1A	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.1		UG/L	78	88	2	X
MW-95	W95M1D	05/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.2		UG/L	78	88	2	X
MW-95	W95M1A	09/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.4		UG/L	78	88	2	X
MW-95	W95M1A	02/04/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.1		UG/L	78	88	2	X
MW-95	W95M1A	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.5		UG/L	78	88	2	X
MW-95	W95M1D	04/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	78	88	2	X
MW-95	W95M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	78	88	2	X
MW-95	W95M1A	02/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	78	88	2	X
MW-95	W95M1A	04/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.5		UG/L	78	88	2	X
MW-95	W95M1A	08/27/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.1		UG/L	78	88	2	X
MW-95	W95M1A	12/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.2		UG/L	78	88	2	X
MW-95	W95M1A	05/05/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5.3		UG/L	78	88	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-95	W95M1A	08/31/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.9		UG/L	78	88	2	X
MW-98	W98M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.1		UG/L	26	36	2	X
MW-99	W99M1A	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	60	70	2	X
MW-99	W99M1D	05/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	6.9		UG/L	60	70	2	X
MW-99	W99M1A	09/29/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	5		UG/L	60	70	2	X
MW-99	W99M1A	01/13/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.2		UG/L	60	70	2	X
MW-99	W99M1A	06/02/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.4		UG/L	60	70	2	X
MW-99	W99M1A	10/02/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.2		UG/L	60	70	2	X
OW-1	WOW-1A	11/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	0	10	2	X
OW-1	WOW-1A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	0	10	2	X
OW-1	WOW-1D	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.5		UG/L	0	10	2	X
OW-1	OW-1-A	09/04/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4		UG/L	0	10	2	X
OW-1	OW-1-A	01/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	4.2		UG/L	0	10	2	X
OW-1	OW-1-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	0	10	2	X
OW-1	OW-1-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.6		UG/L	0	10	2	X
OW-1	OW-1-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3.3		UG/L	0	10	2	X
OW-2	WOW-2A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	3		UG/L	48.78	58.78	2	X
OW-2	WOW-2A	05/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.2		UG/L	48.78	58.78	2	X
OW-2	OW-2-A	08/30/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	48.78	58.78	2	X
OW-2	OW-2-A	01/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	8.6		UG/L	48.78	58.78	2	X
OW-2	OW-2-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	14		UG/L	48.78	58.78	2	X
OW-2	OW-2-A	03/02/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	16		UG/L	48.78	58.78	2	X
OW-2	OW-2-A	09/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	10		UG/L	48.78	58.78	2	X
OW-6	WOW-6A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TR	2.3		UG/L	46.8	56.8	2	X
ASPWELL	ASPWELL	07/20/1999	OTHER	E200.8	LEAD	53		UG/L			15	X
ASPWELL	ASPWELL	12/12/2000	OTHER	IM40PB	LEAD	20.9		UG/L			15	X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	LEAD	30.4		UG/L			15	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	LEAD	20.1		UG/L	0	10	15	X
MW-45	W45SSA	08/23/2001	L RANGE; FS-1	IM40MB	LEAD	42.2		UG/L	0	10	15	X
MW-45	W45SSA	12/14/2001	L RANGE; FS-1	IM40MB	LEAD	42.8		UG/L	0	10	15	X
MW-45	W45SSA	06/09/2003	L RANGE; FS-1	IM40MB	LEAD	619		UG/L	0	10	15	X
MW-45	W45SSL	06/09/2003	L RANGE; FS-1	IM40MB	LEAD	516		UG/L	0	10	15	X
MW-45	W45SSA	07/28/2003	L RANGE; FS-1	IM40MB	LEAD	326		UG/L	0	10	15	X
MW-45	W45SSA	01/21/2004	L RANGE; FS-1	IM40MB	LEAD	50.7		UG/L	0	10	15	X
MW-45	W45SSA	06/30/2004	L RANGE; FS-1	IM40MBM	LEAD	35.2		UG/L	0	10	15	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-45	W45SSA	09/29/2004	L RANGE; FS-1	IM40MBM	LEAD	35.7		UG/L	0	10	15	X
MW-45	W45SSA	01/06/2005	L RANGE; FS-1	IM40MBM	LEAD	24.9		UG/L	0	10	15	X
MW-45	W45SSX	01/06/2005	L RANGE; FS-1	IM40MBM	LEAD	18.2		UG/L	0	10	15	X
MW-45	W45SSA	06/06/2005	L RANGE; FS-1	IM40MBM	LEAD	21.4		UG/L	0	10	15	X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	LEAD	40.2		UG/L	135	140	15	X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	LEAD	18.3		UG/L	135	140	15	X
MW-45	W45SSA	06/09/2003	L RANGE; FS-1	OC21V	METHYLENE CHLORIDE	5	J	UG/L	0	10	5	X
MW-45	W45SSA	07/28/2003	L RANGE; FS-1	OC21V	METHYLENE CHLORIDE	8	J	UG/L	0	10	5	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	MOLYBDENUM	72.1		UG/L	0	10	40	X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	MOLYBDENUM	63.3		UG/L	0	10	40	X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	48.9		UG/L	56	66	40	X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	MOLYBDENUM	51		UG/L	56	66	40	X
MW-47	W47M3A	03/29/1999	OTHER	IM40MB	MOLYBDENUM	43.1		UG/L	21	31	40	X
MW-47	W47M3L	03/29/1999	OTHER	IM40MB	MOLYBDENUM	40.5		UG/L	21	31	40	X
MW-52	W52M3A	04/07/1999	OTHER	IM40MB	MOLYBDENUM	72.6		UG/L	59	64	40	X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	MOLYBDENUM	67.6		UG/L	59	64	40	X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	MOLYBDENUM	51.1		UG/L	218	228	40	X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	MOLYBDENUM	48.9		UG/L	218	228	40	X
MW-53	W53M1A	05/03/1999	OTHER	IM40MB	MOLYBDENUM	122		UG/L	99	109	40	X
MW-53	W53M1L	05/03/1999	OTHER	IM40MB	MOLYBDENUM	132		UG/L	99	109	40	X
MW-53	W53M1A	08/30/1999	OTHER	IM40MB	MOLYBDENUM	55.2		UG/L	99	109	40	X
MW-53	W53M1L	08/30/1999	OTHER	IM40MB	MOLYBDENUM	54.1		UG/L	99	109	40	X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	MOLYBDENUM	41.2		UG/L	99	109	40	X
MW-54	W54SSA	04/30/1999	OTHER	IM40MB	MOLYBDENUM	56.7		UG/L	0	10	40	X
MW-54	W54SSL	04/30/1999	OTHER	IM40MB	MOLYBDENUM	66.2		UG/L	0	10	40	X
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	MOLYBDENUM	61.4		UG/L	0	10	40	X
MW-54	W54M2A	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.7		UG/L	59	69	40	X
MW-54	W54M2L	08/27/1999	OTHER	IM40MB	MOLYBDENUM	43.2		UG/L	59	69	40	X
MW-241	W241M1A	01/31/2005	L RANGE	SW8270	NAPHTHALENE	130		UG/L	2.75	12.75	100	X
MW-41	W41M1A	05/18/2000	CIA	8151	PENTACHLOROPHENOL	1.8	J	UG/L	108	118	1	X
16MW0001	16MW0001-	07/12/2002	CS-18	E314.0	PERCHLORATE	4.3		UG/L			4	X
27MW0031B	27MW0031B-	04/20/2001	LF-1	E314.0	PERCHLORATE	17.7		UG/L			4	X
27MW0031B	27MW0031B-	07/05/2001	LF-1	E314.0	PERCHLORATE	15.1		UG/L			4	X
27MW0031B	27MW0031B-	01/03/2002	LF-1	E314.0	PERCHLORATE	9.3		UG/L			4	X
27MW0031B	27MW0031B-FD	01/03/2002	LF-1	E314.0	PERCHLORATE	8.8		UG/L			4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
27MW0031B	27MW0031B-	03/29/2002	LF-1	E314.0	PERCHLORATE	8.3		UG/L			4	X
27MW0031B	27MW0031B-	07/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L			4	X
27MW0031B	27MW0031B-FD	07/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L			4	X
4036009DC	GLSKRKN-A	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L			4	X
4036009DC	GLSKRKN-D	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.51		UG/L			4	X
4036009DC	GLSKRKN-A	01/08/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L			4	X
4036009DC	GLSKRKN-D	01/08/2003	NW CORNER	E314.0	PERCHLORATE	5.99		UG/L			4	X
4036009DC	4036009DC-A	09/03/2003	NW CORNER	E314.0	PERCHLORATE	4.15		UG/L			4	X
4036009DC	4036009DC-A	11/24/2003	NW CORNER	E314.0	PERCHLORATE	4.88		UG/L			4	X
4036009DC	4036009DC-A	02/17/2004	NW CORNER	E314.0	PERCHLORATE	5.13		UG/L			4	X
4036009DC	4036009DC-A	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.36		UG/L			4	X
4036009DC	4036009DC-D	05/19/2004	NW CORNER	E314.0	PERCHLORATE	5.23		UG/L			4	X
4036009DC	4036009DC-A	08/18/2004	NW CORNER	E314.0	PERCHLORATE	5.63		UG/L			4	X
4036009DC	4036009DC-A	12/13/2004	NW CORNER	E314.0	PERCHLORATE	5.03		UG/L			4	X
4036009DC	4036009DC-A	04/04/2005	NW CORNER	E314.0	PERCHLORATE	4.6	J	UG/L			4	X
90MW0022	90MW0022-A	09/21/2004	J-3 RANGE	E314.0	PERCHLORATE	4.3		UG/L	72.79	77.79	4	X
90MW0022	90MW0022-A	11/30/2004	J-3 RANGE	E314.0	PERCHLORATE	4	J	UG/L	72.79	77.79	4	X
90MW0022	90MW0022-A	06/09/2005	J-3 RANGE	E314.0	PERCHLORATE	9.8		UG/L	72.79	77.79	4	X
90MW0022	90MW0022-A	08/11/2005	J-3 RANGE	E314.0	PERCHLORATE	10.2		UG/L	72.79	77.79	4	X
90MW0054	90MW0054AA	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	9		UG/L	91.83	96.83	4	X
90MW0054	90MW0054AD	01/30/2001	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	91.83	96.83	4	X
90MW0054	90MW0054	10/24/2001	J-3 RANGE	E314.0	PERCHLORATE	27.8		UG/L	91.83	96.83	4	X
90MW0054	90MW0054	12/13/2001	J-3 RANGE	E314.0	PERCHLORATE	32.1		UG/L	91.83	96.83	4	X
90MW0054	90MW0054	04/20/2002	J-3 RANGE	E314.0	PERCHLORATE	26.3	J	UG/L	91.83	96.83	4	X
90MW0054	90MW0054-A	09/12/2002	J-3 RANGE	E314.0	PERCHLORATE	19	J	UG/L	91.83	96.83	4	X
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	91.83	96.83	4	X
90MW0054	90MW0054-A	05/01/2003	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	91.83	96.83	4	X
90MW0054	90MW0054-A	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.3	J	UG/L	91.83	96.83	4	X
90MW0054	90MW0054-D	10/04/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	91.83	96.83	4	X
90MW0054	90MW0054-A	02/18/2004	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	91.83	96.83	4	X
90PZ0211	90PZ0211A-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5		UG/L	76.85	76.85	4	X
90PZ0211	90PZ0211A-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	7.4		UG/L	76.85	76.85	4	X
90PZ0211	90PZ0211B-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.3		UG/L	86.85	86.85	4	X
90PZ0211	90PZ0211B-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	8.1		UG/L	86.85	86.85	4	X
90PZ0211	90PZ0211C-A	05/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	96.85	96.85	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
90PZ0211	90PZ0211C-A	09/23/2004	J-3 RANGE	E314.0	PERCHLORATE	9.4		UG/L	96.85	96.85	4	X
MW-114	W114M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	300		UG/L	39	49	4	X
MW-114	W114M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	260		UG/L	39	49	4	X
MW-114	W114M2A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	207		UG/L	39	49	4	X
MW-114	W114M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	127		UG/L	39	49	4	X
MW-114	W114M2A	05/29/2002	DEMO 1	E314.0	PERCHLORATE	72		UG/L	39	49	4	X
MW-114	W114M2A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	39	49	4	X
MW-114	W114M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	71		UG/L	39	49	4	X
MW-114	W114M2A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	56		UG/L	39	49	4	X
MW-114	W114M2A	10/01/2003	DEMO 1	E314.0	PERCHLORATE	52	J	UG/L	39	49	4	X
MW-114	W114M2A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	42.3		UG/L	39	49	4	X
MW-114	W114M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	37.7		UG/L	39	49	4	X
MW-114	W114M2A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	40.8		UG/L	39	49	4	X
MW-114	W114M2A	04/13/2005	DEMO 1	E314.0	PERCHLORATE	54		UG/L	39	49	4	X
MW-114	W114M1A	12/28/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106	4	X
MW-114	W114M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	13		UG/L	96	106	4	X
MW-114	W114M1A	06/18/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	96	106	4	X
MW-114	W114M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	96	106	4	X
MW-114	W114M1A	06/21/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	96	106	4	X
MW-114	W114M1A	08/09/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	96	106	4	X
MW-114	W114M1A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106	4	X
MW-114	W114M1A	05/27/2003	DEMO 1	E314.0	PERCHLORATE	9.6		UG/L	96	106	4	X
MW-114	W114M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	7.7	J	UG/L	96	106	4	X
MW-114	W114M1A	02/09/2004	DEMO 1	E314.0	PERCHLORATE	13.4		UG/L	96	106	4	X
MW-114	W114M1A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	9.67		UG/L	96	106	4	X
MW-114	W114M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	4.36		UG/L	96	106	4	X
MW-127	W127SSA	02/14/2001	J-1 RANGE	E314.0	PERCHLORATE	4	J	UG/L	0	10	4	X
MW-129	W129M2A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	46	56	4	X
MW-129	W129M2A	06/20/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	46	56	4	X
MW-129	W129M2A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.93	J	UG/L	46	56	4	X
MW-129	W129M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	13		UG/L	46	56	4	X
MW-129	W129M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	16		UG/L	46	56	4	X
MW-129	W129M2D	11/13/2002	DEMO 1	E314.0	PERCHLORATE	15		UG/L	46	56	4	X
MW-129	W129M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	14	J	UG/L	46	56	4	X
MW-129	W129M2A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	6.7	J	UG/L	46	56	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-129	W129M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	5.13		UG/L	46	56	4	X
MW-129	W129M2A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	5.27		UG/L	46	56	4	X
MW-129	W129M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	4.74		UG/L	46	56	4	X
MW-129	W129M2A	04/05/2005	DEMO 1	E314.0	PERCHLORATE	4.5	J	UG/L	46	56	4	X
MW-129	W129M1A	01/02/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	66	76	4	X
MW-129	W129M1A	03/14/2001	DEMO 1	E314.0	PERCHLORATE	9		UG/L	66	76	4	X
MW-129	W129M1A	06/19/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	66	76	4	X
MW-129	W129M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	5.92	J	UG/L	66	76	4	X
MW-129	W129M1A	04/12/2002	DEMO 1	E314.0	PERCHLORATE	4.63		UG/L	66	76	4	X
MW-129	W129M1A	03/21/2003	DEMO 1	E314.0	PERCHLORATE	5.9	J	UG/L	66	76	4	X
MW-129	W129M1A	10/02/2003	DEMO 1	E314.0	PERCHLORATE	8.5	J	UG/L	66	76	4	X
MW-129	W129M1A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	6.62		UG/L	66	76	4	X
MW-129	W129M1A	04/07/2004	DEMO 1	E314.0	PERCHLORATE	6.54		UG/L	66	76	4	X
MW-130	W130SSA	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.21		UG/L	0	10	4	X
MW-130	W130SSD	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.1		UG/L	0	10	4	X
MW-132	W132SSA	11/09/2000	J-3 RANGE	E314.0	PERCHLORATE	39	J	UG/L	0	10	4	X
MW-132	W132SSA	02/16/2001	J-3 RANGE	E314.0	PERCHLORATE	65		UG/L	0	10	4	X
MW-132	W132SSA	06/15/2001	J-3 RANGE	E314.0	PERCHLORATE	75		UG/L	0	10	4	X
MW-132	W132SSA	12/12/2001	J-3 RANGE	E314.0	PERCHLORATE	27.4		UG/L	0	10	4	X
MW-132	W132SSA	06/28/2002	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10	4	X
MW-132	W132SSA	09/20/2002	J-3 RANGE	E314.0	PERCHLORATE	13	J	UG/L	0	10	4	X
MW-132	W132SSA	12/10/2002	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	0	10	4	X
MW-132	W132SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	0	10	4	X
MW-132	W132SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	0	10	4	X
MW-132	W132SSA	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	17	J	UG/L	0	10	4	X
MW-132	W132SSA	05/18/2004	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	0	10	4	X
MW-132	W132SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	7.6		UG/L	0	10	4	X
MW-132	W132SSA	03/09/2005	J-3 RANGE	E314.0	PERCHLORATE	4.5		UG/L	0	10	4	X
MW-132	W132SSD	03/09/2005	J-3 RANGE	E314.0	PERCHLORATE	4.6		UG/L	0	10	4	X
MW-139	W139M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	8		UG/L	70	80	4	X
MW-139	W139M2A	03/15/2001	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	70	80	4	X
MW-139	W139M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	13		UG/L	70	80	4	X
MW-143	W143M3A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82	4	X
MW-143	W143M3D	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82	4	X
MW-143	W143M3A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	12		UG/L	77	82	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-143	W143M3A	01/11/2005	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	77	82	4	X
MW-143	W143M3A	06/13/2005	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	77	82	4	X
MW-143	W143M3A	07/28/2005	J-3 RANGE	E314.0	PERCHLORATE	11.3		UG/L	77	82	4	X
MW-143	W143M2A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	87	92	4	X
MW-143	W143M2A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	87	92	4	X
MW-143	W143M2A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	87	92	4	X
MW-143	W143M2A	01/06/2005	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	87	92	4	X
MW-143	W143M2A	06/13/2005	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	87	92	4	X
MW-143	W143M2A	07/28/2005	J-3 RANGE	E314.0	PERCHLORATE	5.8		UG/L	87	92	4	X
MW-143	W143M1A	05/07/2004	J-3 RANGE	E314.0	PERCHLORATE	5	J	UG/L	114	124	4	X
MW-143	W143M1A	09/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	114	124	4	X
MW-143	W143M1A	01/12/2005	J-3 RANGE	E314.0	PERCHLORATE	4		UG/L	114	124	4	X
MW-143	W143M1A	06/13/2005	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	114	124	4	X
MW-143	W143M1A	08/19/2005	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	114	124	4	X
MW-162	W162M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	4.4		UG/L	49.28	59.28	4	X
MW-162	W162M2A	04/16/2004	DEMO 1	E314.0	PERCHLORATE	4.11		UG/L	49.28	59.28	4	X
MW-162	W162M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	6.2		UG/L	49.28	59.28	4	X
MW-162	W162M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	49.28	59.28	4	X
MW-162	W162M2A	06/21/2005	DEMO 1	E314.0	PERCHLORATE	5.1	J	UG/L	49.28	59.28	4	X
MW-163	W163SSA	06/14/2001	J-3 RANGE	E314.0	PERCHLORATE	67		UG/L	0	10	4	X
MW-163	W163SSA	10/10/2001	J-3 RANGE	E314.0	PERCHLORATE	39.6		UG/L	0	10	4	X
MW-163	W163SSA	02/05/2002	J-3 RANGE	E314.0	PERCHLORATE	17.9		UG/L	0	10	4	X
MW-163	W163SSA	03/07/2002	J-3 RANGE	E314.0	PERCHLORATE	33.1		UG/L	0	10	4	X
MW-163	W163SSA	07/02/2002	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	0	10	4	X
MW-163	W163SSA	01/08/2003	J-3 RANGE	E314.0	PERCHLORATE	62		UG/L	0	10	4	X
MW-163	W163SSA	03/27/2003	J-3 RANGE	E314.0	PERCHLORATE	44		UG/L	0	10	4	X
MW-163	W163SSA	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	0	10	4	X
MW-163	W163SSA	02/13/2004	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	0	10	4	X
MW-163	W163SSA	05/11/2004	J-3 RANGE	E314.0	PERCHLORATE	58	J	UG/L	0	10	4	X
MW-163	W163SSA	10/01/2004	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10	4	X
MW-163	W163SSA	03/10/2005	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	0	10	4	X
MW-163	W163SSA	06/08/2005	J-3 RANGE	E314.0	PERCHLORATE	85	J	UG/L	0	10	4	X
MW-165	W165M2A	05/08/2001	DEMO 1	E314.0	PERCHLORATE	122	J	UG/L	46	56	4	X
MW-165	W165M2A	08/16/2001	DEMO 1	E314.0	PERCHLORATE	102		UG/L	46	56	4	X
MW-165	W165M2A	01/10/2002	DEMO 1	E314.0	PERCHLORATE	81.2		UG/L	46	56	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-165	W165M2A	04/18/2002	DEMO 1	E314.0	PERCHLORATE	83.5		UG/L	46	56	4	X
MW-165	W165M2A	08/10/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	46	56	4	X
MW-165	W165M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	78		UG/L	46	56	4	X
MW-165	W165M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	110	J	UG/L	46	56	4	X
MW-165	W165M2A	09/11/2003	DEMO 1	E314.0	PERCHLORATE	57	J	UG/L	46	56	4	X
MW-165	W165M2D	09/11/2003	DEMO 1	E314.0	PERCHLORATE	58	J	UG/L	46	56	4	X
MW-165	W165M2A	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56	4	X
MW-165	W165M2D	03/01/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56	4	X
MW-165	W165M2A	04/09/2004	DEMO 1	E314.0	PERCHLORATE	39		UG/L	46	56	4	X
MW-165	W165M2A	08/06/2004	DEMO 1	E314.0	PERCHLORATE	41.3		UG/L	46	56	4	X
MW-165	W165M2A	12/07/2004	DEMO 1	E314.0	PERCHLORATE	94	J	UG/L	46	56	4	X
MW-165	W165M2A	04/14/2005	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	46	56	4	X
MW-165	W165M1A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	106	116	4	X
MW-172	W172M2A	02/08/2002	DEMO 1	E314.0	PERCHLORATE	5.45		UG/L	104	114	4	X
MW-172	W172M2A	09/18/2002	DEMO 1	E314.0	PERCHLORATE	7.1		UG/L	104	114	4	X
MW-172	W172M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114	4	X
MW-172	W172M2A	03/28/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	104	114	4	X
MW-172	W172M2A	10/15/2003	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114	4	X
MW-172	W172M2A	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.45		UG/L	104	114	4	X
MW-172	W172M2D	02/10/2004	DEMO 1	E314.0	PERCHLORATE	4.44		UG/L	104	114	4	X
MW-172	W172M2A	04/19/2004	DEMO 1	E314.0	PERCHLORATE	4.39		UG/L	104	114	4	X
MW-172	W172M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	104	114	4	X
MW-19	W19SSA	08/08/2000	DEMO 1	E314.0	PERCHLORATE	104	J	UG/L	0	10	4	X
MW-19	W19SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	12		UG/L	0	10	4	X
MW-19	W19SSA	06/18/2001	DEMO 1	E314.0	PERCHLORATE	41		UG/L	0	10	4	X
MW-19	W19SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	8.49		UG/L	0	10	4	X
MW-19	W19SSA	12/27/2001	DEMO 1	E314.0	PERCHLORATE	18.6	J	UG/L	0	10	4	X
MW-19	W19SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	0	10	4	X
MW-19	W19SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	4.1	J	UG/L	0	10	4	X
MW-19	W19SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	7.8	J	UG/L	0	10	4	X
MW-193	W193M1A	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.02		UG/L	23.8	28.8	4	X
MW-193	W193M1D	02/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	23.8	28.8	4	X
MW-197	W197M3A	02/12/2002	J-3 RANGE	E314.0	PERCHLORATE	34.1		UG/L	39.4	44.4	4	X
MW-197	W197M3A	07/18/2002	J-3 RANGE	E314.0	PERCHLORATE	54	J	UG/L	39.4	44.4	4	X
MW-197	W197M3A	10/30/2002	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	39.4	44.4	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-197	W197M2A	02/04/2004	J-3 RANGE	E314.0	PERCHLORATE	19		UG/L	59.3	64.3	4	X
MW-197	W197M2A	04/13/2004	J-3 RANGE	E314.0	PERCHLORATE	23.3		UG/L	59.3	64.3	4	X
MW-197	W197M2A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	59.3	64.3	4	X
MW-197	W197M2A	10/05/2004	J-3 RANGE	E314.0	PERCHLORATE	22		UG/L	59.3	64.3	4	X
MW-197	W197M2A	03/17/2005	J-3 RANGE	E314.0	PERCHLORATE	14		UG/L	59.3	64.3	4	X
MW-197	W197M2A	06/07/2005	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	59.3	64.3	4	X
MW-198	W198M4A	02/21/2002	J-3 RANGE	E314.0	PERCHLORATE	311		UG/L	48.4	53.4	4	X
MW-198	W198M4A	07/19/2002	J-3 RANGE	E314.0	PERCHLORATE	170	J	UG/L	48.4	53.4	4	X
MW-198	W198M4A	11/01/2002	J-3 RANGE	E314.0	PERCHLORATE	75.9		UG/L	48.4	53.4	4	X
MW-198	W198M4A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	60	J	UG/L	48.4	53.4	4	X
MW-198	W198M4A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	48.4	53.4	4	X
MW-198	W198M4A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	100		UG/L	48.4	53.4	4	X
MW-198	W198M4A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	48.4	53.4	4	X
MW-198	W198M4A	05/26/2004	J-3 RANGE	E314.0	PERCHLORATE	81.6		UG/L	48.4	53.4	4	X
MW-198	W198M4A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	48.4	53.4	4	X
MW-198	W198M4A	03/15/2005	J-3 RANGE	E314.0	PERCHLORATE	160		UG/L	48.4	53.4	4	X
MW-198	W198M4A	06/14/2005	J-3 RANGE	E314.0	PERCHLORATE	110		UG/L	48.4	53.4	4	X
MW-198	W198M3A	02/15/2002	J-3 RANGE	E314.0	PERCHLORATE	40.9		UG/L	78.5	83.5	4	X
MW-198	W198M3A	07/22/2002	J-3 RANGE	E314.0	PERCHLORATE	65	J	UG/L	78.5	83.5	4	X
MW-198	W198M3A	11/06/2002	J-3 RANGE	E314.0	PERCHLORATE	170		UG/L	78.5	83.5	4	X
MW-198	W198M3A	12/05/2002	J-3 RANGE	E314.0	PERCHLORATE	200	J	UG/L	78.5	83.5	4	X
MW-198	W198M3A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5	4	X
MW-198	W198M3A	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5	4	X
MW-198	W198M3D	11/05/2003	J-3 RANGE	E314.0	PERCHLORATE	320		UG/L	78.5	83.5	4	X
MW-198	W198M3A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	260		UG/L	78.5	83.5	4	X
MW-198	W198M3A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	92.9		UG/L	78.5	83.5	4	X
MW-198	W198M3A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	78.5	83.5	4	X
MW-198	W198M3A	03/15/2005	J-3 RANGE	E314.0	PERCHLORATE	730	J	UG/L	78.5	83.5	4	X
MW-198	W198M3A	06/14/2005	J-3 RANGE	E314.0	PERCHLORATE	770		UG/L	78.5	83.5	4	X
MW-198	W198M2A	06/04/2003	J-3 RANGE	E314.0	PERCHLORATE	23		UG/L	98.4	103.4	4	X
MW-198	W198M2A	11/04/2003	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	98.4	103.4	4	X
MW-198	W198M2A	02/05/2004	J-3 RANGE	E314.0	PERCHLORATE	280		UG/L	98.4	103.4	4	X
MW-198	W198M2A	05/27/2004	J-3 RANGE	E314.0	PERCHLORATE	494		UG/L	98.4	103.4	4	X
MW-198	W198M2A	10/04/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	98.4	103.4	4	X
MW-198	W198M2A	03/15/2005	J-3 RANGE	E314.0	PERCHLORATE	110		UG/L	98.4	103.4	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-198	W198M2A	06/14/2005	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	98.4	103.4	4	X
MW-210	W210M2A	06/06/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	54.69	64.69	4	X
MW-210	W210M2D	06/06/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	54.69	64.69	4	X
MW-210	W210M2A	10/28/2002	DEMO 1	E314.0	PERCHLORATE	9.93		UG/L	54.69	64.69	4	X
MW-210	W210M2A	02/28/2003	DEMO 1	E314.0	PERCHLORATE	12	J	UG/L	54.69	64.69	4	X
MW-210	W210M2A	02/05/2004	DEMO 1	E314.0	PERCHLORATE	19		UG/L	54.69	64.69	4	X
MW-210	W210M2A	03/11/2004	DEMO 1	E314.0	PERCHLORATE	23		UG/L	54.69	64.69	4	X
MW-210	W210M2A	05/20/2004	DEMO 1	E314.0	PERCHLORATE	44		UG/L	54.69	64.69	4	X
MW-210	W210M2D	05/20/2004	DEMO 1	E314.0	PERCHLORATE	43		UG/L	54.69	64.69	4	X
MW-210	W210M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	59	J	UG/L	54.69	64.69	4	X
MW-210	W210M2A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	56	J	UG/L	54.69	64.69	4	X
MW-210	W210M2A	06/21/2005	DEMO 1	E314.0	PERCHLORATE	15		UG/L	54.69	64.69	4	X
MW-211	W211M1A	02/04/2004	DEMO 1	E314.0	PERCHLORATE	5.6		UG/L	55	65	4	X
MW-211	W211M1A	03/10/2004	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	55	65	4	X
MW-211	W211M1A	05/21/2004	DEMO 1	E314.0	PERCHLORATE	11		UG/L	55	65	4	X
MW-211	W211M1A	07/30/2004	DEMO 1	E314.0	PERCHLORATE	13		UG/L	55	65	4	X
MW-211	W211M1A	12/06/2004	DEMO 1	E314.0	PERCHLORATE	33	J	UG/L	55	65	4	X
MW-211	W211M1A	04/05/2005	DEMO 1	E314.0	PERCHLORATE	25	J	UG/L	55	65	4	X
MW-211	W211M1A	08/08/2005	DEMO 1	E314.0	PERCHLORATE	50.6		UG/L	55	65	4	X
MW-211	W211M1D	08/08/2005	DEMO 1	E314.0	PERCHLORATE	50.8		UG/L	55	65	4	X
MW-225	W225M3A	04/06/2005	DEMO 1	E314.0	PERCHLORATE	7.7	J	UG/L	26.48	36.48	4	X
MW-225	W225M3A	08/04/2005	DEMO 1	E314.0	PERCHLORATE	20.8	J	UG/L	26.48	36.48	4	X
MW-225	W225M3D	08/04/2005	DEMO 1	E314.0	PERCHLORATE	20.9	J	UG/L	26.48	36.48	4	X
MW-232	W232M1A	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.01		UG/L	34.94	39.94	4	X
MW-232	W232M1A-DA	05/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.32		UG/L	34.94	39.94	4	X
MW-243	W243M1A	06/02/2005	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	48.85	58.85	4	X
MW-247	W247M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	102.78	112.78	4	X
MW-247	W247M2D	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	5.4		UG/L	102.78	112.78	4	X
MW-247	W247M2A	03/20/2003	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	102.78	112.78	4	X
MW-247	W247M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	102.78	112.78	4	X
MW-247	W247M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	4.4		UG/L	102.78	112.78	4	X
MW-247	W247M2A	05/13/2004	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	102.78	112.78	4	X
MW-250	W250M2A	01/06/2003	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	134.82	144.82	4	X
MW-250	W250M2A	03/19/2003	J-3 RANGE	E314.0	PERCHLORATE	6.7		UG/L	134.82	144.82	4	X
MW-250	W250M2A	06/23/2003	J-3 RANGE	E314.0	PERCHLORATE	6.2		UG/L	134.82	144.82	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-250	W250M2A	04/22/2004	J-3 RANGE	E314.0	PERCHLORATE	6.3		UG/L	134.82	144.82	4	X
MW-250	W250M2A	05/19/2004	J-3 RANGE	E314.0	PERCHLORATE	6.6		UG/L	134.82	144.82	4	X
MW-250	W250M2A	10/12/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	134.82	144.82	4	X
MW-250	W250M2A	12/02/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	134.82	144.82	4	X
MW-250	W250M2A	06/04/2005	J-3 RANGE	E314.0	PERCHLORATE	5.5	J	UG/L	134.82	144.82	4	X
MW-258	W258M2A	06/08/2005	DEMO 1	E314.0	PERCHLORATE	4		UG/L	42.2	47.2	4	X
MW-263	W263M2A	08/25/2003	J-2 RANGE	E314.0	PERCHLORATE	8.7		UG/L	8.66	18.66	4	X
MW-263	W263M2A	12/22/2003	J-2 RANGE	E314.0	PERCHLORATE	15	J	UG/L	8.66	18.66	4	X
MW-263	W263M2A	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4	J	UG/L	8.66	18.66	4	X
MW-263	W263M2D	08/02/2004	J-2 RANGE	E314.0	PERCHLORATE	4.3	J	UG/L	8.66	18.66	4	X
MW-265	W265M3A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	4.41		UG/L	72.44	82.44	4	X
MW-265	W265M3A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	9.7		UG/L	72.44	82.44	4	X
MW-265	W265M3A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	10		UG/L	72.44	82.44	4	X
MW-265	W265M3A	10/05/2004	J-1 RANGE	E314.0	PERCHLORATE	8.9		UG/L	72.44	82.44	4	X
MW-265	W265M3A	02/16/2005	J-1 RANGE	E314.0	PERCHLORATE	7	J	UG/L	72.44	82.44	4	X
MW-265	W265M3A	05/16/2005	J-1 RANGE	E314.0	PERCHLORATE	6.4		UG/L	72.44	82.44	4	X
MW-265	W265M2A	05/15/2003	J-1 RANGE	E314.0	PERCHLORATE	30.4		UG/L	97.6	107.6	4	X
MW-265	W265M2A	12/01/2003	J-1 RANGE	E314.0	PERCHLORATE	33		UG/L	97.6	107.6	4	X
MW-265	W265M2A	03/03/2004	J-1 RANGE	E314.0	PERCHLORATE	30		UG/L	97.6	107.6	4	X
MW-265	W265M2A	09/27/2004	J-1 RANGE	E314.0	PERCHLORATE	23		UG/L	97.6	107.6	4	X
MW-265	W265M2A	02/16/2005	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	97.6	107.6	4	X
MW-265	W265M2A	05/16/2005	J-1 RANGE	E314.0	PERCHLORATE	17		UG/L	97.6	107.6	4	X
MW-270	W270M1A	06/16/2003	NW CORNER	E314.0	PERCHLORATE	8.9		UG/L	50.89	55.89	4	X
MW-270	W270M1D	06/16/2003	NW CORNER	E314.0	PERCHLORATE	9.1		UG/L	50.89	55.89	4	X
MW-270	W270M1A	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89	4	X
MW-270	W270M1D	09/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89	4	X
MW-270	W270M1A	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11	J	UG/L	50.89	55.89	4	X
MW-270	W270M1D	01/06/2004	NW CORNER	E314.0	PERCHLORATE	11	J	UG/L	50.89	55.89	4	X
MW-270	W270M1A	04/29/2004	NW CORNER	E314.0	PERCHLORATE	8.94		UG/L	50.89	55.89	4	X
MW-270	W270M1A	09/10/2004	NW CORNER	E314.0	PERCHLORATE	9.7		UG/L	50.89	55.89	4	X
MW-270	W270M1A	02/10/2005	NW CORNER	E314.0	PERCHLORATE	10.3		UG/L	50.89	55.89	4	X
MW-270	W270M1A	06/08/2005	NW CORNER	E314.0	PERCHLORATE	13		UG/L	50.89	55.89	4	X
MW-270	W270M1A	09/01/2005	NW CORNER	E314.0	PERCHLORATE	14.2		UG/L	50.89	55.89	4	X
MW-277	W277SSA	07/10/2003	NW CORNER	E314.0	PERCHLORATE	6.68		UG/L	0	10	4	X
MW-277	W277SSA	12/12/2003	NW CORNER	E314.0	PERCHLORATE	5.27		UG/L	0	10	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-277	W277SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.2		UG/L	0	10	4	X
MW-277	W277SSA	02/18/2004	NW CORNER	E314.0	PERCHLORATE	4.06		UG/L	0	10	4	X
MW-277	W277SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.18		UG/L	0	10	4	X
MW-278	W278SSA	07/18/2003	NW CORNER	E314.0	PERCHLORATE	19.3		UG/L	0	10	4	X
MW-278	W278SSA	06/20/2005	NW CORNER	E314.0	PERCHLORATE	11	J	UG/L	0	10	4	X
MW-278	W278SSA	07/20/2005	NW CORNER	E314.0	PERCHLORATE	12.4		UG/L	0	10	4	X
MW-278	W278SSA	08/26/2005	NW CORNER	E314.0	PERCHLORATE	13.8		UG/L	0	10	4	X
MW-278	W278M2A	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.1		UG/L	9.79	14.79	4	X
MW-278	W278M2D	12/03/2003	NW CORNER	E314.0	PERCHLORATE	7.4		UG/L	9.79	14.79	4	X
MW-278	W278M2A	01/20/2004	NW CORNER	E314.0	PERCHLORATE	5.4		UG/L	9.79	14.79	4	X
MW-279	W279SSA	07/30/2003	NW CORNER	E314.0	PERCHLORATE	16.7		UG/L	10	20	4	X
MW-279	W279SSA	12/10/2003	NW CORNER	E314.0	PERCHLORATE	15.7		UG/L	10	20	4	X
MW-279	W279SSA	01/20/2004	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20	4	X
MW-279	W279SSA	02/19/2004	NW CORNER	E314.0	PERCHLORATE	11.4		UG/L	10	20	4	X
MW-279	W279SSA	03/17/2004	NW CORNER	E314.0	PERCHLORATE	11.2		UG/L	10	20	4	X
MW-279	W279SSA	04/15/2004	NW CORNER	E314.0	PERCHLORATE	9.84		UG/L	10	20	4	X
MW-279	W279SSA	05/14/2004	NW CORNER	E314.0	PERCHLORATE	11.9		UG/L	10	20	4	X
MW-279	W279SSA	06/09/2004	NW CORNER	E314.0	PERCHLORATE	11.1		UG/L	10	20	4	X
MW-279	W279SSA	07/07/2004	NW CORNER	E314.0	PERCHLORATE	10.5		UG/L	10	20	4	X
MW-279	W279SSA	08/04/2004	NW CORNER	E314.0	PERCHLORATE	13.7		UG/L	10	20	4	X
MW-279	W279SSA	09/08/2004	NW CORNER	E314.0	PERCHLORATE	15.2		UG/L	10	20	4	X
MW-279	W279SSA	10/06/2004	NW CORNER	E314.0	PERCHLORATE	19.7		UG/L	10	20	4	X
MW-279	W279SSA	11/03/2004	NW CORNER	E314.0	PERCHLORATE	20.4		UG/L	10	20	4	X
MW-279	W279SSA	12/14/2004	NW CORNER	E314.0	PERCHLORATE	23.1		UG/L	10	20	4	X
MW-279	W279SSA	03/22/2005	NW CORNER	E314.0	PERCHLORATE	26.3		UG/L	10	20	4	X
MW-279	W279SSA	04/27/2005	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20	4	X
MW-279	W279SSA	05/25/2005	NW CORNER	E314.0	PERCHLORATE	16		UG/L	10	20	4	X
MW-279	W279SSA	06/20/2005	NW CORNER	E314.0	PERCHLORATE	13		UG/L	10	20	4	X
MW-279	W279SSA	07/19/2005	NW CORNER	E314.0	PERCHLORATE	16.3		UG/L	10	20	4	X
MW-279	W279SSA	08/26/2005	NW CORNER	E314.0	PERCHLORATE	21.1		UG/L	10	20	4	X
MW-279	W279M2A	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L	26.8	31.8	4	X
MW-279	W279M2D	07/30/2003	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	26.8	31.8	4	X
MW-279	W279M2A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.03		UG/L	26.8	31.8	4	X
MW-279	W279M2D	04/14/2004	NW CORNER	E314.0	PERCHLORATE	4.04		UG/L	26.8	31.8	4	X
MW-279	W279M2A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	4.51		UG/L	26.8	31.8	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-279	W279M2A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	4.95		UG/L	26.8	31.8	4	X
MW-279	W279M2A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.84		UG/L	26.8	31.8	4	X
MW-279	W279M2D	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.87		UG/L	26.8	31.8	4	X
MW-279	W279M2A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.99		UG/L	26.8	31.8	4	X
MW-279	W279M2A	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.5		UG/L	26.8	31.8	4	X
MW-279	W279M2D	09/08/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	26.8	31.8	4	X
MW-279	W279M2A	10/06/2004	NW CORNER	E314.0	PERCHLORATE	5.12		UG/L	26.8	31.8	4	X
MW-279	W279M2A	11/02/2004	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L	26.8	31.8	4	X
MW-279	W279M2A	12/14/2004	NW CORNER	E314.0	PERCHLORATE	5.67		UG/L	26.8	31.8	4	X
MW-279	W279M2A	02/17/2005	NW CORNER	E314.0	PERCHLORATE	6.26		UG/L	26.8	31.8	4	X
MW-279	W279M2A	05/25/2005	NW CORNER	E314.0	PERCHLORATE	14		UG/L	26.8	31.8	4	X
MW-279	W279M2A	07/19/2005	NW CORNER	E314.0	PERCHLORATE	10.3		UG/L	26.8	31.8	4	X
MW-279	W279M1A	03/17/2004	NW CORNER	E314.0	PERCHLORATE	4.6		UG/L	37.4	47.4	4	X
MW-279	W279M1A	04/14/2004	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	37.4	47.4	4	X
MW-279	W279M1A	05/12/2004	NW CORNER	E314.0	PERCHLORATE	5.17		UG/L	37.4	47.4	4	X
MW-279	W279M1A	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.05		UG/L	37.4	47.4	4	X
MW-279	W279M1D	06/09/2004	NW CORNER	E314.0	PERCHLORATE	5.14		UG/L	37.4	47.4	4	X
MW-279	W279M1A	07/07/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	37.4	47.4	4	X
MW-279	W279M1A	08/04/2004	NW CORNER	E314.0	PERCHLORATE	4.61		UG/L	37.4	47.4	4	X
MW-279	W279M1A	07/19/2005	NW CORNER	E314.0	PERCHLORATE	4		UG/L	37.4	47.4	4	X
MW-284	W284M2A	06/10/2005	NW CORNER	E314.0	PERCHLORATE	4		UG/L	21.2	31.2	4	X
MW-284	W284M2D	06/10/2005	NW CORNER	E314.0	PERCHLORATE	4.2		UG/L	21.2	31.2	4	X
MW-286	W286M2A	06/13/2005	J-1 RANGE	E314.0	PERCHLORATE	6.4		UG/L	81.42	91.42	4	X
MW-289	MW-289M2-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L			4	X
MW-289	MW-289M2-FD	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L			4	X
MW-289	MW-289M2-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	110		UG/L			4	X
MW-289	MW-289M2-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	63		UG/L	59.7	69.7	4	X
MW-289	MW-289M2-FD	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	64		UG/L	59.7	69.7	4	X
MW-289	W289M2A	02/17/2005	J-2 RANGE	E314.0	PERCHLORATE	50	J	UG/L	59.7	69.7	4	X
MW-289	W289M2A	05/31/2005	J-2 RANGE	E314.0	PERCHLORATE	17		UG/L	59.7	69.7	4	X
MW-289	W289M2A	08/22/2005	J-2 RANGE	E314.0	PERCHLORATE	14.8		UG/L	59.7	69.7	4	X
MW-289	MW-289M1-	09/18/2003	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	203	213	4	X
MW-289	MW-289M1-	03/31/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L	203	213	4	X
MW-289	MW-289M1-	07/29/2004	J-2 RANGE	E314.0	PERCHLORATE	9.2		UG/L	203	213	4	X
MW-289	W289M1A	02/16/2005	J-2 RANGE	E314.0	PERCHLORATE	8.2	J	UG/L	203	213	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-289	W289M1A	05/31/2005	J-2 RANGE	E314.0	PERCHLORATE	5.5		UG/L	203	213	4	X
MW-293	MW-293M2-	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L			4	X
MW-293	MW-293M2-FD	02/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L			4	X
MW-293	MW-293M2-	07/15/2004	J-2 RANGE	E314.0	PERCHLORATE	43		UG/L	90.22	100.22	4	X
MW-293	MW-293M2-	11/19/2004	J-2 RANGE	E314.0	PERCHLORATE	52		UG/L	90.22	100.22	4	X
MW-300	MW-300M2-	03/03/2004	J-2 RANGE	E314.0	PERCHLORATE	51		UG/L			4	X
MW-300	MW-300M2-	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38	4	X
MW-300	MW-300M2-FD	07/07/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38	4	X
MW-300	MW-300M2-	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38	4	X
MW-300	MW-300M2-FD	11/04/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38	4	X
MW-300	W300M2A	06/13/2005	J-2 RANGE	E314.0	PERCHLORATE	74		UG/L	94.38	104.38	4	X
MW-302	MW-302M2-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L			4	X
MW-302	MW-302M2-FD	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	7		UG/L			4	X
MW-302	MW-302M2-	07/12/2004	J-2 RANGE	E314.0	PERCHLORATE	9.3		UG/L	85	95	4	X
MW-302	MW-302M2-	11/15/2004	J-2 RANGE	E314.0	PERCHLORATE	11		UG/L	85	95	4	X
MW-303	MW-303M2-	03/30/2004	J-1 RANGE	E314.0	PERCHLORATE	31		UG/L			4	X
MW-303	MW-303M2-	08/12/2004	J-1 RANGE	E314.0	PERCHLORATE	29		UG/L	122	132	4	X
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	E314.0	PERCHLORATE	20		UG/L	122	132	4	X
MW-303	W303M2A	06/07/2005	J-1 RANGE	E314.0	PERCHLORATE	19		UG/L	122	132	4	X
MW-305	MW-305M1-	03/09/2004	J-2 RANGE	E314.0	PERCHLORATE	36		UG/L			4	X
MW-305	MW-305M1-	07/06/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82	4	X
MW-305	MW-305M1-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82	4	X
MW-305	W305M1A	06/17/2005	J-2 RANGE	E314.0	PERCHLORATE	26		UG/L	99.82	109.82	4	X
MW-305	W305M1D	06/17/2005	J-2 RANGE	E314.0	PERCHLORATE	26		UG/L	99.82	109.82	4	X
MW-307	MW-307M3-	04/27/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L			4	X
MW-307	MW-307M3-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	17.8	27.82	4	X
MW-307	MW-307M3-	02/22/2005	J-2 RANGE	E314.0	PERCHLORATE	21		UG/L	17.8	27.82	4	X
MW-309	W309M1A	06/10/2005	NW CORNER	E314.0	PERCHLORATE	4.2		UG/L	31.91	41.91	4	X
MW-309	W309M1A	08/25/2005	NW CORNER	E314.0	PERCHLORATE	4.1		UG/L	31.91	41.91	4	X
MW-31	W31SSA	08/09/2000	DEMO 1	E314.0	PERCHLORATE	43	J	UG/L	13	18	4	X
MW-31	W31SSA	12/08/2000	DEMO 1	E314.0	PERCHLORATE	30		UG/L	13	18	4	X
MW-31	W31SSA	05/02/2001	DEMO 1	E314.0	PERCHLORATE	20	J	UG/L	13	18	4	X
MW-31	W31SSA	08/24/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	13	18	4	X
MW-31	W31SSA	01/04/2002	DEMO 1	E314.0	PERCHLORATE	12.5		UG/L	13	18	4	X
MW-31	W31SSA	05/29/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	13	18	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-31	W31SSA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2	J	UG/L	13	18	4	X
MW-31	W31SSA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	4.9		UG/L	13	18	4	X
MW-31	W31SSA	03/28/2003	DEMO 1	E314.0	PERCHLORATE	10		UG/L	13	18	4	X
MW-31	W31SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18	4	X
MW-31	W31SSD	09/27/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	13	18	4	X
MW-31	W31SSA	02/28/2004	DEMO 1	E314.0	PERCHLORATE	7.77	J	UG/L	13	18	4	X
MW-31	W31SSA	05/11/2004	DEMO 1	E314.0	PERCHLORATE	5.02		UG/L	13	18	4	X
MW-31	W31SSA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	4.7	J	UG/L	13	18	4	X
MW-31	W31SSA	04/30/2005	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18	4	X
MW-31	W31M1A	08/09/2000	DEMO 1	E314.0	PERCHLORATE	46	J	UG/L	28	38	4	X
MW-31	W31MMA	05/23/2001	DEMO 1	E314.0	PERCHLORATE	19		UG/L	28	38	4	X
MW-31	W31MMA	08/07/2002	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	28	38	4	X
MW-31	W31MMA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	28	38	4	X
MW-31	W31MMA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	7.44	J	UG/L	28	38	4	X
MW-31	W31MMA	04/30/2005	DEMO 1	E314.0	PERCHLORATE	16		UG/L	28	38	4	X
MW-310	MW-310M1-	04/23/2004	J-2 RANGE	E314.0	PERCHLORATE	16		UG/L			4	X
MW-310	MW-310M1-	08/23/2004	J-2 RANGE	E314.0	PERCHLORATE	15		UG/L	86	96	4	X
MW-310	MW-310M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	17		UG/L	86	96	4	X
MW-310	MW-310M1-FD	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	18		UG/L	86	96	4	X
MW-310	W310M1A	06/16/2005	J-2 RANGE	E314.0	PERCHLORATE	13		UG/L	86	96	4	X
MW-313	MW-313M2-	06/29/2004	J-2 RANGE	E314.0	PERCHLORATE	8.2		UG/L			4	X
MW-313	MW-313M2-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	9.1		UG/L	93	103	4	X
MW-313	MW-313M2-	02/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.7		UG/L	93	103	4	X
MW-313	MW-313M2-FD	02/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.6		UG/L	93	103	4	X
MW-32	W32MMA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	4.14		UG/L	65	75	4	X
MW-32	W32MMA	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.21		UG/L	65	75	4	X
MW-32	W32MMD	08/04/2004	DEMO 1	E314.0	PERCHLORATE	4.03		UG/L	65	75	4	X
MW-32	W32DDA	08/03/2004	DEMO 1	E314.0	PERCHLORATE	4.78		UG/L	85	90	4	X
MW-321	MW-321M1-	10/14/2004	J-2 RANGE	E314.0	PERCHLORATE	4.5		UG/L	70	80	4	X
MW-321	MW-321M1-	02/11/2005	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	70	80	4	X
MW-326	MW-326M2-	06/30/2004	J-1 RANGE	E314.0	PERCHLORATE	21		UG/L			4	X
MW-326	MW-326M2-	10/29/2004	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	75	85	4	X
MW-326	MW-326M2-	04/11/2005	J-1 RANGE	E314.0	PERCHLORATE	16		UG/L	75	85	4	X
MW-339	MW-339M1-	08/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.6		UG/L	125	135	4	X
MW-339	MW-339M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	125	135	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-34	W34M2A	08/10/2000	DEMO 1	E314.0	PERCHLORATE	56	J	UG/L	53	63	4	X
MW-34	W34M2A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	34		UG/L	53	63	4	X
MW-34	W34M2A	05/01/2001	DEMO 1	E314.0	PERCHLORATE	28	J	UG/L	53	63	4	X
MW-34	W34M2A	07/30/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	53	63	4	X
MW-34	W34M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	5.85	J	UG/L	53	63	4	X
MW-34	W34M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	19.6		UG/L	53	63	4	X
MW-34	W34M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	17		UG/L	53	63	4	X
MW-34	W34M2A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	53	63	4	X
MW-34	W34M2A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	53	63	4	X
MW-34	W34M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	53	63	4	X
MW-34	W34M2A	03/05/2004	DEMO 1	E314.0	PERCHLORATE	7.02		UG/L	53	63	4	X
MW-34	W34M2A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.23		UG/L	53	63	4	X
MW-34	W34M2A	08/05/2004	DEMO 1	E314.0	PERCHLORATE	5.87	J	UG/L	53	63	4	X
MW-34	W34M1A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	109		UG/L	73	83	4	X
MW-34	W34M1A	05/05/2001	DEMO 1	E314.0	PERCHLORATE	46		UG/L	73	83	4	X
MW-34	W34M1A	07/31/2001	DEMO 1	E314.0	PERCHLORATE	30.8		UG/L	73	83	4	X
MW-34	W34M1D	07/31/2001	DEMO 1	E314.0	PERCHLORATE	31.4		UG/L	73	83	4	X
MW-34	W34M1A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	17.7		UG/L	73	83	4	X
MW-34	W34M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	7.9		UG/L	73	83	4	X
MW-34	W34M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.1	J	UG/L	73	83	4	X
MW-34	W34M1D	08/20/2002	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	73	83	4	X
MW-34	W34M1A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	8		UG/L	73	83	4	X
MW-34	W34M1A	03/24/2003	DEMO 1	E314.0	PERCHLORATE	8	J	UG/L	73	83	4	X
MW-34	W34M1A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	6.9		UG/L	73	83	4	X
MW-34	W34M1A	05/14/2004	DEMO 1	E314.0	PERCHLORATE	5.28		UG/L	73	83	4	X
MW-341	W341M4A	08/31/2004	DEMO 1	E314.0	PERCHLORATE	14.7		UG/L	22.66	27.66	4	X
MW-341	W341M3A	12/10/2004	DEMO 1	E314.0	PERCHLORATE	15.5		UG/L	50.66	60.66	4	X
MW-341	W341M3A	04/18/2005	DEMO 1	E314.0	PERCHLORATE	40	J	UG/L	50.66	60.66	4	X
MW-341	W341M3A	08/08/2005	DEMO 1	E314.0	PERCHLORATE	20		UG/L	50.66	60.66	4	X
MW-346	MW-346M3-	05/18/2005	J-1 RANGE	E314.0	PERCHLORATE	8.5		UG/L	60	70	4	X
MW-346	MW-346M2-	04/13/2005	J-1 RANGE	E314.0	PERCHLORATE	5.8		UG/L	90	100	4	X
MW-346	MW-346M2-FD	04/13/2005	J-1 RANGE	E314.0	PERCHLORATE	5.9		UG/L	90	100	4	X
MW-346	MW-346M2-	08/15/2005	J-1 RANGE	E314.0	PERCHLORATE	11		UG/L	90.28	100.28	4	X
MW-346	MW-346M1-	08/15/2005	J-1 RANGE	E314.0	PERCHLORATE	6.5		UG/L	129.69	139.69	4	X
MW-346	MW-346M1-	04/14/2005	J-1 RANGE	E314.0	PERCHLORATE	5.2		UG/L	130	140	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-348	MW-348M2-	11/03/2004	J-2 RANGE	E314.0	PERCHLORATE	38		UG/L	89.54	99.54	4	X
MW-348	MW-348M2-	03/23/2005	J-2 RANGE	E314.0	PERCHLORATE	61		UG/L	89.54	99.54	4	X
MW-348	MW-348M2-	07/19/2005	J-2 RANGE	E314.0	PERCHLORATE	51.6		UG/L	89.54	99.54	4	X
MW-35	W35M1A	05/04/2001	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	68	78	4	X
MW-35	W35M1A	08/03/2001	DEMO 1	E314.0	PERCHLORATE	5.4		UG/L	68	78	4	X
MW-35	W35M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.34	J	UG/L	68	78	4	X
MW-35	W35M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	6.44	J	UG/L	68	78	4	X
MW-35	W35M1A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	5		UG/L	68	78	4	X
MW-35	W35M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	68	78	4	X
MW-36	W36M2A	08/08/2002	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	54	64	4	X
MW-36	W36M2A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2	J	UG/L	54	64	4	X
MW-36	W36M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	4.8		UG/L	54	64	4	X
MW-36	W36M2A	04/21/2005	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	54	64	4	X
MW-368	MW-368M2-	06/30/2005	J-2 RANGE	E314.0	PERCHLORATE	39.8	J	UG/L	99.5	109.5	4	X
MW-368	MW-368M2-FD	06/30/2005	J-2 RANGE	E314.0	PERCHLORATE	40	J	UG/L	99.5	109.5	4	X
MW-368	MW-368M1-	06/30/2005	J-2 RANGE	E314.0	PERCHLORATE	15.8	J	UG/L	131.5	141.5	4	X
MW-370	MW-370M2-	07/11/2005	J-1 RANGE	E314.0	PERCHLORATE	7.9		UG/L	93	103	4	X
MW-370	MW-370M2-FD	07/11/2005	J-1 RANGE	E314.0	PERCHLORATE	8		UG/L	93	103	4	X
MW-73	W73SSD	12/19/2000	DEMO 1	E314.0	PERCHLORATE	6		UG/L	0	10	4	X
MW-73	W73SSA	06/14/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	0	10	4	X
MW-75	W75M2A	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	34	44	4	X
MW-75	W75M2D	05/09/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	34	44	4	X
MW-75	W75M2A	08/09/2001	DEMO 1	E314.0	PERCHLORATE	6.24		UG/L	34	44	4	X
MW-75	W75M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	4.08		UG/L	34	44	4	X
MW-75	W75M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.89		UG/L	34	44	4	X
MW-75	W75M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	34	44	4	X
MW-75	W75M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	34	44	4	X
MW-76	W76SSA	12/07/2000	DEMO 1	E314.0	PERCHLORATE	5		UG/L	18	28	4	X
MW-76	W76SSA	05/07/2001	DEMO 1	E314.0	PERCHLORATE	7		UG/L	18	28	4	X
MW-76	W76SSA	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.3		UG/L	18	28	4	X
MW-76	W76SSA	12/28/2001	DEMO 1	E314.0	PERCHLORATE	41.2		UG/L	18	28	4	X
MW-76	W76SSA	04/24/2002	DEMO 1	E314.0	PERCHLORATE	175		UG/L	18	28	4	X
MW-76	W76SSA	08/20/2002	DEMO 1	E314.0	PERCHLORATE	88		UG/L	18	28	4	X
MW-76	W76SSA	11/18/2002	DEMO 1	E314.0	PERCHLORATE	26	J	UG/L	18	28	4	X
MW-76	W76SSA	09/27/2003	DEMO 1	E314.0	PERCHLORATE	19		UG/L	18	28	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-76	W76SSA	02/24/2004	DEMO 1	E314.0	PERCHLORATE	19.1		UG/L	18	28	4	X
MW-76	W76SSA	04/21/2004	DEMO 1	E314.0	PERCHLORATE	11.3		UG/L	18	28	4	X
MW-76	W76M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48	4	X
MW-76	W76M2A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	17		UG/L	38	48	4	X
MW-76	W76M2A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	38	48	4	X
MW-76	W76M2D	08/13/2001	DEMO 1	E314.0	PERCHLORATE	22.5		UG/L	38	48	4	X
MW-76	W76M2A	01/07/2002	DEMO 1	E314.0	PERCHLORATE	126		UG/L	38	48	4	X
MW-76	W76M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	174		UG/L	38	48	4	X
MW-76	W76M2A	08/19/2002	DEMO 1	E314.0	PERCHLORATE	250		UG/L	38	48	4	X
MW-76	W76M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	290		UG/L	38	48	4	X
MW-76	W76M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48	4	X
MW-76	W76M2D	03/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48	4	X
MW-76	W76M2A	12/03/2003	DEMO 1	E314.0	PERCHLORATE	210		UG/L	38	48	4	X
MW-76	W76M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	115		UG/L	38	48	4	X
MW-76	W76M2A	04/22/2004	DEMO 1	E314.0	PERCHLORATE	93.1		UG/L	38	48	4	X
MW-76	W76M2A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	57.2		UG/L	38	48	4	X
MW-76	W76M2A	04/13/2005	DEMO 1	E314.0	PERCHLORATE	25	J	UG/L	38	48	4	X
MW-76	W76M1A	05/07/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	58	68	4	X
MW-76	W76M1A	08/13/2001	DEMO 1	E314.0	PERCHLORATE	16		UG/L	58	68	4	X
MW-76	W76M1A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	30.6		UG/L	58	68	4	X
MW-76	W76M1A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	15.3		UG/L	58	68	4	X
MW-76	W76M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	58	68	4	X
MW-76	W76M1A	03/25/2003	DEMO 1	E314.0	PERCHLORATE	200	J	UG/L	58	68	4	X
MW-76	W76M1A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	97	J	UG/L	58	68	4	X
MW-76	W76M1A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	16.4		UG/L	58	68	4	X
MW-76	W76M1A	04/21/2004	DEMO 1	E314.0	PERCHLORATE	17.9		UG/L	58	68	4	X
MW-76	W76M1A	08/11/2004	DEMO 1	E314.0	PERCHLORATE	47.3		UG/L	58	68	4	X
MW-77	W77M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	28		UG/L	38	48	4	X
MW-77	W77M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	16	J	UG/L	38	48	4	X
MW-77	W77M2A	08/10/2001	DEMO 1	E314.0	PERCHLORATE	13.9		UG/L	38	48	4	X
MW-77	W77M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	12.3		UG/L	38	48	4	X
MW-77	W77M2A	04/24/2002	DEMO 1	E314.0	PERCHLORATE	8.01		UG/L	38	48	4	X
MW-77	W77M2A	08/07/2002	DEMO 1	E314.0	PERCHLORATE	7.2	J	UG/L	38	48	4	X
MW-77	W77M2A	11/19/2002	DEMO 1	E314.0	PERCHLORATE	7.2		UG/L	38	48	4	X
MW-77	W77M2A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	5.4	J	UG/L	38	48	4	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-77	W77M2A	09/27/2003	DEMO 1	E314.0	PERCHLORATE	9.1		UG/L	38	48	4	X
MW-77	W77M2A	02/12/2004	DEMO 1	E314.0	PERCHLORATE	5.32		UG/L	38	48	4	X
MW-77	W77M2A	04/05/2004	DEMO 1	E314.0	PERCHLORATE	5.7	J	UG/L	38	48	4	X
MW-77	W77M2A	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48	4	X
MW-77	W77M2D	07/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48	4	X
MW-77	W77M2A	04/20/2005	DEMO 1	E314.0	PERCHLORATE	7		UG/L	38	48	4	X
MW-78	W78M2A	12/06/2000	DEMO 1	E314.0	PERCHLORATE	19		UG/L	38	48	4	X
MW-78	W78M2A	05/10/2001	DEMO 1	E314.0	PERCHLORATE	9	J	UG/L	38	48	4	X
MW-78	W78M2A	08/15/2001	DEMO 1	E314.0	PERCHLORATE	11.4		UG/L	38	48	4	X
MW-78	W78M2A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	4.43		UG/L	38	48	4	X
MW-78	W78M2A	04/25/2002	DEMO 1	E314.0	PERCHLORATE	4.75		UG/L	38	48	4	X
MW-78	W78M2A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	6.3	J	UG/L	38	48	4	X
MW-78	W78M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	8.7		UG/L	38	48	4	X
MW-78	W78M2A	03/27/2003	DEMO 1	E314.0	PERCHLORATE	4.7	J	UG/L	38	48	4	X
MW-78	W78M2A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48	4	X
MW-78	W78M2A	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.34		UG/L	38	48	4	X
MW-78	W78M2D	02/24/2004	DEMO 1	E314.0	PERCHLORATE	8.18	J	UG/L	38	48	4	X
MW-78	W78M2A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	8.2		UG/L	38	48	4	X
MW-78	W78M2A	08/12/2004	DEMO 1	E314.0	PERCHLORATE	6.48		UG/L	38	48	4	X
MW-78	W78M1A	08/20/2002	DEMO 1	E314.0	PERCHLORATE	4.6	J	UG/L	58	68	4	X
MW-78	W78M1A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	58	68	4	X
MW-78	W78M1A	03/26/2003	DEMO 1	E314.0	PERCHLORATE	4.9	J	UG/L	58	68	4	X
MW-78	W78M1A	12/04/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	58	68	4	X
MW-78	W78M1A	02/23/2004	DEMO 1	E314.0	PERCHLORATE	4.83		UG/L	58	68	4	X
MW-78	W78M1A	04/06/2004	DEMO 1	E314.0	PERCHLORATE	4.37		UG/L	58	68	4	X
MW-91	W91SSA	01/20/2001	CIA	E314.0	PERCHLORATE	5	J	UG/L	0	10	4	X
MW-91	W91SSA	05/20/2002	CIA	E314.0	PERCHLORATE	4		UG/L	0	10	4	X
15MW0002	15MW0002	04/08/1999	J-2 RANGE	IM40MB	SODIUM	37600		UG/L	0	10	20000	X
90WT0010	90WT0010	06/05/2000	FS-12	IM40MB	SODIUM	23600		UG/L	2	12	20000	X
90WT0010	90WT0010-L	06/05/2000	FS-12	IM40MB	SODIUM	24200		UG/L	2	12	20000	X
90WT0015	90WT0015	04/23/1999	FS-12	IM40MB	SODIUM	34300		UG/L	0	10	20000	X
ASPWELL	ASPWELL	07/20/1999	OTHER	A3111B	SODIUM	33000	J	UG/L			20000	X
ASPWELL	ASPWELL	10/13/1999	OTHER	A3111B	SODIUM	38000		UG/L			20000	X
ASPWELL	ASPWELL	05/24/2001	OTHER	IM40MB	SODIUM	24900		UG/L			20000	X
ASPWELL	ASPWELL	09/27/2001	OTHER	A3111B	SODIUM	21000		UG/L			20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
ASPWELL	ASPWELL	09/27/2001	OTHER	IM40MB	SODIUM	22600		UG/L			20000	X
ASPWELL	ASPWELL	12/19/2001	OTHER	IM40MB	SODIUM	28500		UG/L			20000	X
ASPWELL	ASPWELL-A	10/13/2004	OTHER	IM40MBM	SODIUM	29700		UG/L			20000	X
ASPWELL	ASPWELL-A	10/13/2004	OTHER	E200.7	SODIUM	29000		UG/L			20000	X
MW-144	W144SSA	06/18/2001	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	5	15	20000	X
MW-144	W144SSA	09/06/2002	J-3 RANGE	IM40MB	SODIUM	43000		UG/L	5	15	20000	X
MW-144	W144SSA	11/25/2002	J-3 RANGE	IM40MB	SODIUM	28100		UG/L	5	15	20000	X
MW-144	W144SSA	10/16/2003	J-3 RANGE	IM40MB	SODIUM	31400		UG/L	5	15	20000	X
MW-144	W144SSA	12/18/2003	J-3 RANGE	IM40MB	SODIUM	27800		UG/L	5	15	20000	X
MW-145	W145SSA	02/12/2001	J-3 RANGE	IM40MB	SODIUM	37000		UG/L	0	10	20000	X
MW-145	W145SSA	06/20/2001	J-3 RANGE	IM40MB	SODIUM	73600		UG/L	0	10	20000	X
MW-145	W145SSA	06/28/2002	J-3 RANGE	IM40MB	SODIUM	53300		UG/L	0	10	20000	X
MW-145	W145SSA	12/02/2002	J-3 RANGE	IM40MB	SODIUM	24100		UG/L	0	10	20000	X
MW-145	W145SSA	11/04/2003	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	0	10	20000	X
MW-148	W148SSA	10/18/2001	L RANGE	IM40MB	SODIUM	23500		UG/L	0	10	20000	X
MW-148	W148SSA	12/18/2003	L RANGE	IM40MB	SODIUM	27800		UG/L	0	10	20000	X
MW-16	W16SSA	11/17/1997	DEMO 2	IM40	SODIUM	20900		UG/L	0	10	20000	X
MW-16	W16SSL	11/17/1997	DEMO 2	IM40	SODIUM	20400		UG/L	0	10	20000	X
MW-187	W187DDA	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDX	01/23/2002	J-1 RANGE	IM40MB	SODIUM	25200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/11/2002	J-1 RANGE	IM40MB	SODIUM	27100		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	10/17/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	07/07/2003	J-1 RANGE	IM40MB	SODIUM	22700		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	11/21/2003	J-1 RANGE	IM40MB	SODIUM	24200		UG/L	199.5	209.5	20000	X
MW-187	W187DDA	03/05/2004	J-1 RANGE	IM40MB	SODIUM	24100		UG/L	199.5	209.5	20000	X
MW-2	W02SSA	02/23/1998	CIA	IM40MB	SODIUM	27200		UG/L	0	10	20000	X
MW-2	W02SSL	02/23/1998	CIA	IM40MB	SODIUM	26300		UG/L	0	10	20000	X
MW-2	W02SSA	02/01/1999	CIA	IM40MB	SODIUM	20300		UG/L	0	10	20000	X
MW-2	W02SSL	02/01/1999	CIA	IM40MB	SODIUM	20100		UG/L	0	10	20000	X
MW-2	W02DDA	11/19/1997	CIA	IM40	SODIUM	21500		UG/L	218	223	20000	X
MW-2	W02DDL	11/19/1997	CIA	IM40	SODIUM	22600		UG/L	218	223	20000	X
MW-21	W21SSA	10/24/1997	OTHER	IM40	SODIUM	24000		UG/L	0	10	20000	X
MW-21	W21SSL	10/24/1997	OTHER	IM40	SODIUM	24200		UG/L	0	10	20000	X
MW-21	W21SSA	11/15/2000	OTHER	IM40MB	SODIUM	22500		UG/L	0	10	20000	X
MW-21	W21SSA	12/20/2001	OTHER	IM40MB	SODIUM	26400		UG/L	0	10	20000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-21	W21SSA	10/02/2003	OTHER	IM40MB	SODIUM	20200		UG/L	0	10	20000	X
MW-21	W21SSA	01/23/2004	OTHER	IM40MB	SODIUM	31600		UG/L	0	10	20000	X
MW-46	W46SSA	08/25/1999	WESTERN BOU	IM40MB	SODIUM	20600		UG/L	0	10	20000	X
MW-46	W46SSA	06/15/2000	WESTERN BOU	IM40MB	SODIUM	32200		UG/L	0	10	20000	X
MW-46	W46SSA	09/12/2000	WESTERN BOU	IM40MB	SODIUM	31300		UG/L	0	10	20000	X
MW-46	W46SSA	11/17/2000	WESTERN BOU	IM40MB	SODIUM	22500	J	UG/L	0	10	20000	X
MW-46	W46M2A	03/30/1999	WESTERN BOU	IM40MB	SODIUM	23300		UG/L	56	66	20000	X
MW-46	W46M2L	03/30/1999	WESTERN BOU	IM40MB	SODIUM	24400		UG/L	56	66	20000	X
MW-54	W54SSA	08/27/1999	OTHER	IM40MB	SODIUM	33300		UG/L	0	10	20000	X
MW-57	W57M3A	10/07/2002	J-2 RANGE	IM40MB	SODIUM	21500		UG/L	31	41	20000	X
MW-57	W57M2A	12/21/1999	J-2 RANGE	IM40MB	SODIUM	23500		UG/L	62	72	20000	X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	SODIUM	24500		UG/L	62	72	20000	X
MW-57	W57M2A	06/30/2000	J-2 RANGE	IM40MB	SODIUM	25900		UG/L	62	72	20000	X
MW-57	W57M2A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	23200		UG/L	62	72	20000	X
MW-57	W57M1A	12/14/1999	J-2 RANGE	IM40MB	SODIUM	23700		UG/L	102	112	20000	X
MW-57	W57M1A	03/07/2000	J-2 RANGE	IM40MB	SODIUM	20900		UG/L	102	112	20000	X
MW-57	W57M1A	07/05/2000	J-2 RANGE	IM40MB	SODIUM	22200		UG/L	102	112	20000	X
MW-57	W57M1A	08/29/2000	J-2 RANGE	IM40MB	SODIUM	20100		UG/L	102	112	20000	X
MW-57	W57M1A	09/14/2004	J-2 RANGE	IM40MBM	SODIUM	21800		UG/L	102	112	20000	X
SDW261160	WG160L	01/07/1998	OTHER	IM40MB	SODIUM	20600		UG/L	10	20	20000	X
SDW261160	WG160A	01/13/1999	OTHER	IM40MB	SODIUM	27200		UG/L	10	20	20000	X
SDW261160	WG160L	01/13/1999	OTHER	IM40MB	SODIUM	28200		UG/L	10	20	20000	X
MW-187	W187DDA	02/11/2002	J-1 RANGE	VPHMA	TERT-BUTYL METHYL ETHER	30		UG/L	199.5	209.5	20	X
03MW0007A	03MW0007A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	6		UG/L	21	26	5	X
03MW0014A	03MW0014A	04/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	8		UG/L	38	43	5	X
03MW0020	03MW0020	04/14/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	12		UG/L	36	41	5	X
03MW0006	03MW0006	04/15/1999	CS-10	IM40MB	THALLIUM	2.6	J	UG/L	0	10	2	X
03MW0022A	03MW0022A	04/16/1999	CS-10	IM40MB	THALLIUM	3.9		UG/L	71	76	2	X
03MW0027A	03MW0027A	04/14/1999	CS-10	IM40MB	THALLIUM	2	J	UG/L	64	69	2	X
11MW0004	11MW0004	04/16/1999	OTHER	IM40MB	THALLIUM	2.3	J	UG/L	0	10	2	X
27MW0020Z	27MW0020Z	04/16/1999	LF-1	IM40MB	THALLIUM	2.7	J	UG/L	98	103	2	X
58MW0008E	H7C040115018X	03/03/1997	CS-19	C200.7	THALLIUM	6.5	J	UG/L			2	X
58MW0011D	H7D290122025X	04/28/1997	CS-19	C200.7	THALLIUM	3.9	J	UG/L	49.5	54.5	2	X
90MW0038	90MW0038	04/21/1999	L RANGE	IM40MB	THALLIUM	4.4	J	UG/L	29	34	2	X
90WT0010	WF10XA	01/16/1998	FS-12	IM40MB	THALLIUM	6.5	J	UG/L	2	12	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
LRWS1-4	WL14XA	01/06/1999	OTHER	IM40MB	THALLIUM	5.2	J	UG/L	107	117	2	X
MW-1	W01SSA	09/07/1999	CIA	IM40MB	THALLIUM	2.9	J	UG/L	0	10	2	X
MW-127	W127SSA	11/15/2000	J-1 RANGE	IM40MB	THALLIUM	2.4	J	UG/L	0	10	2	X
MW-132	W132SSA	02/16/2001	J-3 RANGE	IM40MB	THALLIUM	2.1	J	UG/L	0	10	2	X
MW-145	W145SSA	10/18/2001	J-3 RANGE	IM40MB	THALLIUM	4.8	J	UG/L	0	10	2	X
MW-148	W148SSA	12/02/2002	L RANGE	IM40MB	THALLIUM	3.8	J	UG/L	0	10	2	X
MW-150	W150SSA	03/07/2001	PHASE 2b	IM40MB	THALLIUM	2.2	J	UG/L	1	11	2	X
MW-18	W18SSA	03/12/1999	J-2 RANGE	IM40MB	THALLIUM	2.3	J	UG/L	0	10	2	X
MW-19	W19SSA	09/10/1999	DEMO 1	IM40MB	THALLIUM	3.8	J	UG/L	0	10	2	X
MW-19	W19SSA	08/24/2001	DEMO 1	IM40MB	THALLIUM	4.2	J	UG/L	0	10	2	X
MW-19	W19DDL	02/11/1999	DEMO 1	IM40MB	THALLIUM	3.1	J	UG/L	254	259	2	X
MW-191	W191M1A	07/25/2002	J-1 RANGE	IM40MB	THALLIUM	6.3		UG/L	25.2	30.2	2	X
MW-2	W02DDD	08/02/2000	CIA	IM40MB	THALLIUM	4.9	J	UG/L	218	223	2	X
MW-21	W21SSA	10/24/1997	OTHER	IM40	THALLIUM	6.9	J	UG/L	0	10	2	X
MW-21	W21M2A	11/01/1999	OTHER	IM40MB	THALLIUM	4	J	UG/L	58	68	2	X
MW-23	W23SSA	09/14/1999	PHASE 2b	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2	X
MW-25	W25SSA	09/14/1999	CIA	IM40MB	THALLIUM	5.3	J	UG/L	0	10	2	X
MW-3	W03DDA	12/20/2000	CIA	IM40MB	THALLIUM	3.3		UG/L	219	224	2	X
MW-35	W35SSA	12/18/2000	DEMO 1	IM40MB	THALLIUM	2.9	J	UG/L	0	10	2	X
MW-37	W37M2A	12/29/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	26	36	2	X
MW-38	W38M4A	08/18/1999	CIA	IM40MB	THALLIUM	2.8	J	UG/L	14	24	2	X
MW-38	W38M2A	05/11/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	69	79	2	X
MW-38	W38DDA	08/22/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	124	134	2	X
MW-39	W39M1A	12/21/2000	CIA	IM40MB	THALLIUM	4		UG/L	84	94	2	X
MW-41	W41M2A	04/02/1999	CIA	IM40MB	THALLIUM	2.5	J	UG/L	67	77	2	X
MW-42	W42M2A	11/19/1999	CIA	IM40MB	THALLIUM	4	J	UG/L	118	128	2	X
MW-44	W44SSA	08/24/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	0	10	2	X
MW-45	W45SSA	05/26/1999	L RANGE; FS-1	IM40MB	THALLIUM	3	J	UG/L	0	10	2	X
MW-45	W45SSA	08/31/2000	L RANGE; FS-1	IM40MB	THALLIUM	4.4	J	UG/L	0	10	2	X
MW-46	W46M1A	05/16/2000	WESTERN BOU	IM40MB	THALLIUM	5.3	J	UG/L	103	113	2	X
MW-46	W46DDA	11/02/1999	WESTERN BOU	IM40MB	THALLIUM	5.1	J	UG/L	136	146	2	X
MW-47	W47M3A	08/25/1999	OTHER	IM40MB	THALLIUM	3.2	J	UG/L	21	31	2	X
MW-47	W47M3A	05/31/2000	OTHER	IM40MB	THALLIUM	5	J	UG/L	21	31	2	X
MW-47	W47M2A	03/26/1999	WESTERN BOU	IM40MB	THALLIUM	3.2	J	UG/L	38	48	2	X
MW-47	W47M2A	08/25/1999	WESTERN BOU	IM40MB	THALLIUM	4	J	UG/L	38	48	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-47	W47M2A	05/30/2000	WESTERN BOU	IM40MB	THALLIUM	4.5	J	UG/L	38	48	2	X
MW-47	W47M1A	08/24/1999	WESTERN BOU	IM40MB	THALLIUM	2.6	J	UG/L	75	85	2	X
MW-48	W48M3A	02/28/2000	J-2 RANGE	IM40MB	THALLIUM	4.2	J	UG/L	31	41	2	X
MW-48	W48DAA	06/26/2000	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	121	131	2	X
MW-49	W49SSA	11/19/1999	NW CORNER	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2	X
MW-49	W49M3D	06/27/2000	J-2 RANGE	IM40MB	THALLIUM	4.3	J	UG/L	31	41	2	X
MW-50	W50M1A	05/15/2000	CIA	IM40MB	THALLIUM	6.2	J	UG/L	89	99	2	X
MW-51	W51M3A	08/25/1999	CIA	IM40MB	THALLIUM	4.3	J	UG/L	28	38	2	X
MW-52	W52SSA	08/26/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	0	10	2	X
MW-52	W52SSA	11/18/1999	OTHER	IM40MB	THALLIUM	4.3	J	UG/L	0	10	2	X
MW-52	W52SSA	05/23/2000	OTHER	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2	X
MW-52	W52M3L	04/07/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	59	64	2	X
MW-52	W52DDA	04/02/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	218	228	2	X
MW-52	W52DDL	04/02/1999	OTHER	IM40MB	THALLIUM	2.6	J	UG/L	218	228	2	X
MW-52	W52DDA	08/30/1999	OTHER	IM40MB	THALLIUM	3.8	J	UG/L	218	228	2	X
MW-53	W53M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.4	J	UG/L	99	109	2	X
MW-54	W54SSA	11/08/1999	OTHER	IM40MB	THALLIUM	7.4	J	UG/L	0	10	2	X
MW-54	W54SSA	06/06/2000	OTHER	IM40MB	THALLIUM	4.6	J	UG/L	0	10	2	X
MW-54	W54SSA	11/15/2000	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10	2	X
MW-54	W54M1A	08/30/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	79	89	2	X
MW-54	W54M1A	11/05/1999	OTHER	IM40MB	THALLIUM	3.9	J	UG/L	79	89	2	X
MW-55	W55M1A	08/31/1999	OTHER	IM40MB	THALLIUM	2.5	J	UG/L	89	99	2	X
MW-56	W56SSA	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4	J	UG/L	1	11	2	X
MW-56	W56M3A	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	6.1	J	UG/L	31	41	2	X
MW-56	W56M3D	09/05/2000	J-2 RANGE	IM40MB	THALLIUM	4.4	J	UG/L	31	41	2	X
MW-57	W57M2A	03/22/2000	J-2 RANGE	IM40MB	THALLIUM	4.1	J	UG/L	62	72	2	X
MW-58	W58SSA	05/11/2000	J-1 RANGE	IM40MB	THALLIUM	7.3	J	UG/L	0	10	2	X
MW-58	W58SSA	12/20/2000	J-1 RANGE	IM40MB	THALLIUM	2	J	UG/L	0	10	2	X
MW-61	W61SSA	08/22/2001	PHASE 2b	IM40MB	THALLIUM	3.7	J	UG/L	0	10	2	X
MW-64	W64M1A	02/07/2000	GUN & MORTA	IM40MB	THALLIUM	4.1	J	UG/L	38	48	2	X
MW-7	W07M2L	02/05/1998	CIA	IM40MB	THALLIUM	6.6	J	UG/L	65	70	2	X
MW-7	W07M2A	02/24/1999	CIA	IM40MB	THALLIUM	4.4	J	UG/L	65	70	2	X
MW-7	W07MMA	02/23/1999	CIA	IM40MB	THALLIUM	4.1	J	UG/L	135	140	2	X
MW-7	W07M1A	09/07/1999	CIA	IM40MB	THALLIUM	26.2		UG/L	135	140	2	X
MW-7	W07M1D	09/07/1999	CIA	IM40MB	THALLIUM	12.7		UG/L	135	140	2	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
MW-72	W72SSA	05/27/1999	Small Arms Ran	IM40MB	THALLIUM	4		UG/L	0	10	2	X
MW-73	W73SSA	12/19/2000	DEMO 1	IM40MB	THALLIUM	4.3		UG/L	0	10	2	X
MW-73	W73SSD	12/19/2000	DEMO 1	IM40MB	THALLIUM	2	J	UG/L	0	10	2	X
MW-83	W83SSA	01/13/2000	WESTERN BOU	IM40MB	THALLIUM	3.6	J	UG/L	0	10	2	X
MW-84	W84SSA	10/21/1999	WESTERN BOU	IM40MB	THALLIUM	3.2	J	UG/L	17	27	2	X
MW-84	W84M3A	08/27/2001	WESTERN BOU	IM40MB	THALLIUM	5	J	UG/L	42	52	2	X
MW-84	W84DDA	08/23/2001	WESTERN BOU	IM40MB	THALLIUM	4	J	UG/L	153	163	2	X
MW-94	W94M2A	01/11/2001	CIA	IM40MB	THALLIUM	2	J	UG/L	16	26	2	X
MW-94	W94M2A	10/02/2001	CIA	IM40MB	THALLIUM	2.3	J	UG/L	16	26	2	X
PPAWSMW-1	PPAWSMW-1	06/22/1999	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10	2	X
SMR-2	WSMR2A	03/25/1999	J-2 RANGE	IM40MB	THALLIUM	2	J	UG/L	19	29	2	X
MW-45	W45SSA	11/16/1999	L RANGE; FS-1	OC21V	TOLUENE	1000		UG/L	0	10	1000	X
MW-45	W45SSA	05/29/2000	L RANGE; FS-1	OC21V	TOLUENE	1100		UG/L	0	10	1000	X
MW-45	W45SSA	12/27/2000	L RANGE; FS-1	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
MW-45	W45SSA	12/14/2001	L RANGE; FS-1	OC21V	TOLUENE	1300		UG/L	0	10	1000	X
27MW0017B	27MW0017B	04/30/1999	LF-1;GUN & MO	OC21V	VINYL CHLORIDE	2		UG/L	21	26	2	X
95-15A	W9515A	10/17/1997	NW CORNER	IM40	ZINC	7210		UG/L	74.71	84.71	2000	X
95-15A	W9515L	10/17/1997	NW CORNER	IM40	ZINC	4620		UG/L	74.71	84.71	2000	X
LRMW0003	WL31XA	10/21/1997	OTHER	IM40	ZINC	2480		UG/L	69.68	94.68	2000	X
LRMW0003	WL31XL	10/21/1997	OTHER	IM40	ZINC	2410		UG/L	69.68	94.68	2000	X
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	IM40	ZINC	3220		UG/L	66	91	2000	X
LRWS4-1	WL41XL	11/24/1997	J-2 RANGE	IM40	ZINC	3060		UG/L	66	91	2000	X
LRWS5-1	WL51DL	11/25/1997	PHASE 2b	IM40	ZINC	4410		UG/L	66	91	2000	X
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	IM40	ZINC	4510		UG/L	66	91	2000	X
LRWS5-1	WL51XD	11/25/1997	PHASE 2b	IM40	ZINC	4390		UG/L	66	91	2000	X
LRWS5-1	WL51XL	11/25/1997	PHASE 2b	IM40	ZINC	3900		UG/L	66	91	2000	X
LRWS5-1	WL51XA	01/25/1999	PHASE 2b	IM40MB	ZINC	3980		UG/L	66	91	2000	X
LRWS5-1	WL51XL	01/25/1999	PHASE 2b	IM40MB	ZINC	3770		UG/L	66	91	2000	X
LRWS6-1	WL61XA	11/17/1997	OTHER	IM40	ZINC	3480		UG/L	184	199	2000	X
LRWS6-1	WL61XL	11/17/1997	OTHER	IM40	ZINC	2600		UG/L	184	199	2000	X
LRWS6-1	WL61XA	01/28/1999	OTHER	IM40MB	ZINC	2240		UG/L	184	199	2000	X
LRWS6-1	WL61XL	01/28/1999	OTHER	IM40MB	ZINC	2200		UG/L	184	199	2000	X
LRWS7-1	WL71XA	11/21/1997	J-2 RANGE	IM40	ZINC	4320		UG/L	186	201	2000	X
LRWS7-1	WL71XL	11/21/1997	J-2 RANGE	IM40	ZINC	3750		UG/L	186	201	2000	X
LRWS7-1	WL71XA	01/22/1999	J-2 RANGE	IM40MB	ZINC	4160		UG/L	186	201	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area Of Concern

CIA = Central Impact Area

**TABLE 5
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2005**

WELL/LOCID	SAMPLE_ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW_LIMIT	>DW_LIMIT
LRWS7-1	WL71XL	01/22/1999	J-2 RANGE	IM40MB	ZINC	4100		UG/L	186	201	2000	X
XX95-14	W9514A	09/28/1999	WESTERN BOU	IM40MB	ZINC	2430		UG/L	90	100	2000	X

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET
 BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET
 DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)
 >DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)
 J = ESTIMATED DETECT
 AOC = Area Of Concern
 CIA = Central Impact Area

**TABLE 6
VALIDATED DETECTS BELOW MCLs OR HEALTH ADVISORY
LIMITS NOT PREVIOUSLY DETECTED
DATA RECEIVED NOVEMBER 2005**

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT	>DW LIMIT
MW-50	W50DDA	08/24/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	0.41	J	UG/L	119	129	2	
MW-112	W112M2A	08/29/2005	CIA	8330NX	OCTAHYDRO-1,3,5,7-TETRANITRO-1,	0.29		UG/L	26	36	400	

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

>DW LIMIT = EQUALS OR EXCEEDS EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT, OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

**TABLE 7
DETECTED COMPOUNDS-UNVALIDATED
SAMPLES RECEIVED 11/01/05 - 11/30/05**

SAMPLE ID	LOCID OR WELL	SAMPLED	SAMP TYPE	AOC	SBD	SED	BWTS	BWTE	METHOD	ANALYTE	PDA
DP-407-02	DP-407	11/14/2005	PROFILE		20	25	8.84	13.84	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	NO
MW-406 -04	MW-406	11/09/2005	PROFILE		210	210	32	32	8330N	4-NITROTOLUENE	NO
MW-406 -04	MW-406	11/09/2005	PROFILE		210	210	32	32	8330N	2,6-DINITROTOLUENE	YES+
MW-406 -04	MW-406	11/09/2005	PROFILE		210	210	32	32	8330N	PICRIC ACID	NO
MW-406 -04	MW-406	11/09/2005	PROFILE		210	210	32	32	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	NO+
MW-406 -06	MW-406	11/09/2005	PROFILE		230	230	52	52	8330N	4-NITROTOLUENE	NO
MW-406 -06	MW-406	11/09/2005	PROFILE		230	230	52	52	8330N	2,6-DINITROTOLUENE	YES+
MW-406 -06	MW-406	11/09/2005	PROFILE		230	230	52	52	8330N	PICRIC ACID	NO
MW-406 -06	MW-406	11/09/2005	PROFILE		230	230	52	52	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE	NO+

DATA REPORTED REFLECT CURRENT DATABASE FOR SAMPLES RECEIVED IN SPECIFIED TIMEFRAME. NOT ALL RESULTS ARE COMPLETE.

SBD = SAMPLE COLLECTION BEGIN DEPTH IN FEET BELOW GROUND SURFACE

SED = SAMPLE COLLECTION END DEPTH IN FEET BELOW GROUND SURFACE

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

PDA/YES = Photo Diode Array, Detect Confirmed

PDA/NO = Photo Diode Array, Detect Not Confirmed

AOC = Area of Concern

CIA = Central Impact Area

+ = Interference in sample