

**MONTHLY PROGRESS REPORT #155  
FOR FEBRUARY 2010**

**EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 and 1-2000-0014**

**MASSACHUSETTS MILITARY RESERVATION  
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from 01 February to 28 February 2010.

**1. SUMMARY OF REMEDIATION ACTIONS**

The following is a description of Remediation Actions (RA) underway at Camp Edwards as of February 2010. Remediation actions may include Rapid Response Actions (RRA). An RRA is an interim action that may be conducted prior to risk assessments or remedial investigations to address a known, ongoing threat of contamination to groundwater and/or soil.

Demo Area 1 Comprehensive Groundwater RA

The Demo Area 1 Comprehensive Groundwater RA consists of the removal and treatment of contaminated groundwater to control further migration of explosives compounds and perchlorate. Extraction, treatment, and recharge (ETR) systems at Frank Perkins Road and Pew Road include extraction wells, ex-situ treatment processes to remove explosives compounds and perchlorate from the groundwater, and injection wells to return treated water to the aquifer.

Phase 1 of the optimization of the Frank Perkins Road Treatment Facility is currently underway. This optimization was planned as part of the Environmental and System Performance Monitoring (ESPM) program at Demo 1. Phase 1 includes a rolling shut down of one extraction well at a time in order to allow stagnation zones in between extraction wells to migrate to the next downgradient well. As a result of this effort, the Frank Perkins Road Treatment facility is operating at an optimized rate of 647 gallons per minute (gpm), with EW-1 currently offline for the month of February. As of 26 February 2010, over 945 million gallons of water have been treated and re-injected.

The Pew Road MTU was shutdown at 1152h on 08 February 2010 to collect carbon samples for GAC analysis (iodine capacity) of vessels 3 and 4. The vessels were then filled at approximately 50 GPM and backflushed to 'fluff' the bed. Vessels were again drained, sampled post "fluff" and filled from the bottom. The MTU was restarted at 1538h on 08 February 2010; resulting in a downtime of 3.75 hours. The Pew Road MTU shutdown at 2023h on 10 February 2010 due to a power interruption during a snowstorm. The MTU was restarted at 0933h on 11 February 2010; resulting in a downtime of 13.08 hours. Carbon change-out occurred at Pew Road on 22 February 2010. The Pew Road MTU shutdown at 2040h on 25 February 2010 due to a system alarm caused by 'EW vault sump high'. The MTU was restarted at 0755h on 26 February 2010; resulting in a downtime of 11.25 hours.

The Pew Road MTU continues to operate at a flow rate of 103 GPM. As of 26 February 2010, over 141 million gallons of water treated and re-injected.

J-1 Range Southern Plant

The J-1 Range South System consists of removal and treatment of contaminated groundwater to control further migration of explosives compounds. The ETR system includes a single extraction well, ex-situ treatment process to remove explosives compounds from the groundwater, and an infiltration trench to return treated water to the aquifer.

The J-1 Range South MTU continues to operate at a flow rate of 45 gpm. As of 26 February 2010, over 83.8 million gallons of water have been treated and re-injected. The J-1 South MTU shutdown at 2251h on 10 February 2010 due to a power interruption. The MTU was restarted at 0942h on 11 February 2010; resulting in a downtime of 10.85 hours.

#### J-3 Range Groundwater RRA

The J-3 Range system consists of removal and treatment of contaminated groundwater to control further migration of explosives compounds and perchlorate. ETR systems include single extraction wells, ex-situ treatment processes to remove explosives compounds and perchlorate from the groundwater and use of the existing Fuel Spill-12 (FS-12) infiltration gallery to return treated water to the aquifer.

The J-3 Range System continues to operate at a flow rate of 195 gpm. As of 26 February 2010, over 314 million gallons of water have been treated and re-injected. The J-3 Range system shutdown at 0026h on 10 February 2010 due to a power interruption. The system was restarted at 1205h on 11 February 2010; resulting in a downtime of 11.65 hours.

#### J-2 Range Groundwater RRA

##### Northern Plant

The J-2 Range Northern Treatment facility consists of removal and treatment of contaminated groundwater to control further migration of explosives compounds and perchlorate. ETR systems include single extraction wells, ex-situ treatment processes to remove explosives compounds and perchlorate from the groundwater, and infiltration basins to return treated water to the aquifer. The J-2 Range Northern System is running at a combined total flow rate of 625 gpm.

The Northern Treatment Building continues to operate at a flow rate of 125 GPM with over 221 million gallons of water treated and re-injected.

The North MTUs E and F continue to operate at a flow rate of 250 GPM with over 435 million gallons of water treated and re-injected.

##### Eastern Plant

The J-2 Range Eastern Treatment facility consists of removal and treatment of groundwater to minimize down gradient migration of explosives compounds and perchlorate. The Extraction, Treatment and Injection (ETI) system includes the following components: three extraction wells in an axial array, an ex-situ treatment process consisting of an IX resin and GAC media to treat perchlorate and explosives compounds and three infiltration trenches located along the lateral boundaries of the plume where treated water will enter the vadose zone and infiltrate into the aquifer. The J-2 Range Eastern system is running at a combined total flow rate of 425 gpm.

The MTUs H and I continue to operate at a flow rate of 210 GPM with over 46 million gallons of water treated and re-injected. The MTUs H and I shutdown at 2258h on 10 February 2010 due to a power interruption. The MTUs were restarted at 0958h on 11 February 2010; resulting in a downtime of 11 hours.

The MTU K continues to operate at a flow rate of 125 GPM with over 89 million gallons of water treated and re-injected. The MTU K shutdown at 2253h on 10 February 2010 due to a power

interruption. MTU K was restarted at 0854h on 11 February 2010; resulting in a downtime of 10 hours.

The MTU J continues to operate at a flow rate of 90 GPM with over 65.5 million gallons of water treated and re-injected. The MTU J shutdown at 2301h on 10 February 2010 due to a power interruption. MTU J was restarted at 1023h on 11 February 2010; resulting in a downtime of 11.37 hours.

## 2. SUMMARY OF ACTIONS TAKEN

Samples collected during the reporting period are summarized in Table 2.

Process water samples were collected at Frank Perkins Road, Pew Road, J-2 Range Northern and Eastern plants, J-3 Range and J-1 Range Southern plant.

Profile samples were collected from one location in Demo 1 study area; MW-542. Soil boring samples were collected from two locations within the Bravo Range; MW-538 and MW-539. System performance monitoring (SPM) groundwater samples were collected from the J-2 Range study area and long term monitoring (LTM) groundwater samples were collected from the L Range study area.

---

### MMR IAGWSP Tech Update Meeting Minutes 02-11-2010

The following are notes from the 11 February 2010 Technical Team Meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

#### Action Items and Deliverables

- Action Items/Deliverables from January 28, 2009 were reviewed and a revised action item list will be issued.

#### Fieldwork Update

- Drilling:
  - All wells scoped are in with the exception of Demo 2.
  - J-1 North Wood Road –developing wells MW-540 and MW-541.
  - Currently groundwater sampling at J-2 Range North; will then proceed to L Range at the end of February; J-2 Range East at the beginning of March.

#### J-1 Range Southern Plume – Dave Hill

Review of recent groundwater results and discussion of next steps. Mr. Hill provided a figure of the J-1 Range Southern Plume showing proposed additional well locations. Locations were labeled A1 thru A3 and B1 thru B3. The suggested approach was to begin at the A1 location and determine next step based on results. IAGWSP will provide the Regulatory Agencies with a Project Note outlining rationale for each location next week.

EPA noted some concerns with the two well (in-plume) system for J-1 northern plume. IAGWSP will provide a matrix of pros and cons including impact on habitat, mass captured, clean up time for discussion at the 25 February 2010 Tech Update Meeting.

#### EPA Letter on MMRP Report

National Guard prepared a report showing 15 sites to be classified to determine if they should move forward on the MMRP Army Program.

EPA's three classifications: Off Base sites are FUDS; Sites on Base and part of the Operational Range come under the authority of the Administrative Order; Sites under the Superfund are on Air Force property.

EPA agreed that NGB will review the EPA letter, make the minor changes suggested and prepare the final report.

### **Records Management – Change in EPA Procedures – Lynne Jennings**

EPA is planning to streamline records management, going from hard copy to electronic. IAGWSP will research and schedule a future meeting. DEP agreed to style their routine similar to EPA.

In the meantime, FAX copies are not being accepted by EPA or DEP.

Next Tech Update Meeting – 02/25/2010

### **MMR IAGWSP Tech Update Meeting Minutes 02-25-2010**

The following are notes from the 25 February 2010 Technical Team Meeting of the Impact Area Groundwater Study Program office at Camp Edwards:

#### **Action Items and Deliverables**

- Action Items/Deliverables from February 11, 2009 were reviewed and a revised action item list will be issued.

#### **Fieldwork Update**

L Range:

- Field crews will return to work mid-March to begin inspection of oversize material at L Range.
- MEC Analysis: EPA requested that the total number of potential HE rounds found and location where found be reported in the final report.

Drilling:

- Well located at 12 Farrell Drive (MW-367) was abandoned at the request of the homeowner.

#### **J-1 Range Northern Plume Alternatives**

IAGWSP provided a matrix of pros and cons of a one well, two well, and two well (Wood Road) system evaluating various considerations including cost, reduction of health risk, cleanup time, max length of perchlorate plume, contaminant removal, resource availability, vegetation disturbance, greenhouse gas emission, treatment system operating time, extraction location uncertainty, remobilization effort, and ease of construction.

The biggest concerns include:

- Extraction well location uncertainty based on existing data points. The concern is the further downgradient you are from the source the more difficult it will be to determine the optimum location for an extraction well.
- Remobilization effort – IAGWSP has the staff and budget to construct a remedy now.
- Ease of construction – Hilly terrain; UXO clearance.

IAGWSP will provide the Regulatory Agencies an updated J-1 Northern Plume Considerations Table. EPA and MassDEP will meet with their senior management during the week of March 8 to discuss alternatives regarding capture of maximum mass at minimum cost and minimum amount of ecological damage.

**Program Schedules – Ben Gregson**

Program schedule was distributed. EPA/MassDEP will review and will discuss any issues.

**Western Boundary Monitoring Presentation – Bill Gallagher**

A handout of the presentation was provided.

Groundwater sampling reporting period covers sampling rounds conducted between January 2008 and September 2009. In 2009, sampling included a 72 well monitoring network and samples were analyzed for perchlorate, explosives compounds, metals, VOCs, and SVOCs. Method 314.0 was replaced with Method SW846/6850, and as a result the RL for perchlorate was reduced to 0.2 ppb.

During this reporting period, there was one perchlorate detection above 2 ppb in the duplicate sample at MW-233M3. All other perchlorate detections were at concentrations well below the MMCL. Wells exhibiting the highest historical perchlorate concentrations show a consistent and continuing decline in perchlorate; wells within the Monument Beach Well Field continue to exhibit low level perchlorate concentrations. Explosives compounds results were ND in all network wells; none of the metals detected during the reporting period exceeded their respective MCL or MCP S-1/GW-1 standards. Chloroform was the only VOC detected and the maximum reported concentration was consistent with historical WB results. No SVOCs were detected.

Recommendations – In consideration of the consistent and continued decline in perchlorate concentrations observed over the past nine years of groundwater monitoring, a significant reduction in the number of wells sampled and sampling frequency will be proposed in the upcoming Environmental Monitoring Plan. A recommendation for removing explosives compounds, metals, VOCs and SVOCs analyses will also be included due to the absence of significant detections of these analytes both historically and during the current reporting period.

Next Tech Update Meeting – 03/11/2010

=====

**MMR Cleanup Team Meeting**

The MMR Clean up Team (MMRCT), formerly the Impact Area Review Team (IART) and the Plume Cleanup Team (PCT) did not meet in February.

The next meeting will be held 24 March 2010. The agenda will include late breaking news and responses to action items, as well as updates from the IAGWSP and IRP. The MMRCT meetings provide a forum for community input regarding issues related to both the IRP and the IAGWSP.

**3. SUMMARY OF DATA RECEIVED**

Table 4 summarizes the detections in groundwater, since 1997, that equaled or exceeded an EPA Maximum Contaminant Level (MCL), MassDEP MCL (MMCL) or Health Advisory (HA) for drinking water and is updated on a monthly basis.

Table 5 summarizes the validated detections of explosives compounds and perchlorate for all groundwater results received from 01 February through 28 February 2010. These results are compared to the MCL/HA values for respective analytes. First-time validated detections of Volatile Organic Compounds (VOC), Semi-Volatile Organic Compounds (SVOC), metals, herbicides and pesticides are discussed semi-annually in the June and December Monthly Progress Reports. Metals, chloroform, and bis (2-ethylhexyl) phthalate (BEHP) are excluded from Table 5 for the

following reasons: metals are a natural component of groundwater, particularly at levels below MCLs or HAs; detections of chloroform are pervasive throughout Cape Cod and are not likely the result of military training activities; and BEHP is believed to be largely an artifact of the investigation methods and may be introduced to the samples during collection or analysis.

Figures 1 through 8 depict the cumulative results of groundwater analyses for the period from the start of the Impact Area Groundwater Study (1997) to the present. There are no new groundwater data to report for metals, VOC, SVOC, metals, pesticides or herbicides. The figures for this month's report are included on CD only. Each figure depicts results for a different analyte class:

- Figure 1 shows the results of explosive analyses by EPA Method 8330. This figure is included each month.
- Figure 2 shows the results of inorganic analyses by methods E200.8, E365.2, CYAN, IM40MB, IM40MBM, IM40HG and SW846/6010. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 3 shows the results of VOC analyses by methods OC21V, OC21VM, 504, SW8021, and SW8260 exclusive of chloroform detections. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 4 shows the chloroform results using the VOC analyses by method OC21V and OC21VM. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 5 shows the results of SVOC analyses by methods OC21B and SW8270, exclusive of detections of BEHP. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 6 shows the BEHP results using the SVOC analyses by methods OC21B and SW8270. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 7 shows the results of Pesticide (method OL21P) and Herbicide (method 8151) analyses. This figure is included semi-annually in the June and December Monthly Progress Reports.
- Figure 8 shows the results of Perchlorate analysis by method E314.0, SW846/6850 or SW846/6860. This figure is included each month.

The concentrations from these analyses are depicted in Figures 1 through 8 compared to Maximum Contaminant Levels (MCLs) or Health Advisories (HAs) published by EPA for drinking water. The color coded legends are defined on each figure.

There are multiple labels listed for some wells in Figures 1 through 8, which indicate multiple well screens at different depths throughout the aquifer. The aquifer is approximately 200 to 300 feet thick in the study area. Well screens are positioned throughout this thickness based on various factors, including the results of groundwater profile samples, the geology, and projected locations of contaminants estimated by groundwater modeling. Generally, groundwater entering the top of the aquifer will move deeper into the aquifer as it moves radially outward from the top of the water table mound. Light blue dashed lines in Figures 1 through 8 depict water table contours. Groundwater generally moves perpendicular to these contours, starting at the center of the 70-foot contour (the top of the mound) and moving radially outward. The rate of vertical groundwater flow deeper into the aquifer slows as groundwater moves away from the mound.

The results presented in Figures 1 through 8 are cumulative, which provides a historical perspective on the data rather than a depiction of current conditions. Any detection at a well that equals or exceeds the MCL/DWEL/HA results in the well having a red symbol, regardless of later detections at lower concentrations, or later non-detects. The difference between historical and current conditions is generally contributed to the effectiveness of remedial actions. ETR systems are in operation at

Demo1, J-1 South, J-2 North, J-2 East and J-3 Ranges to treat contaminated groundwater in order to control further migration of explosives compounds and/or perchlorate.

Figure 1: Explosives Compounds in Groundwater Compared to MCLs/HAs

Changes in detection trends in groundwater samples collected during the system performance and long term monitoring sampling events at respective study areas are discussed in biweekly data updates (*Summary of Explosives and Perchlorate Results*).

Exceedances of drinking water criteria for explosives compounds have been indicated during past investigations in the following study areas:

- Demo Area 1 (wells 19, 31, 34, 73, 76, 77, 114, 129, 139, 165, 210, and 211);
- Demo Area 2 (wells 16, 160, 259, 262, and 404);
- Former A Range (well 206);
- The Impact Area and CS-19 (wells 58MW0001, 58MW0002, 58MW0009E, 58MW0011D, 58MW0016B, 58MW0016C, 58MW0018B; and wells 1, 2, 23, 25, 37, 38, 40, 43, 85, 86, 87, 88, 89, 90, 91, 93, 95, 98, 99, 100, 101, 102, 105, 107, 111, 112, 113, 176, 178, 184, 201, 203, 204, 207, 209, 212, 223, 235, OW-1, OW-2, and OW-6);
- Southeast Ranges (J-1 South, J-2 North, J-2 East, J-3 and L): (wells 58, 130, 132, 147, 153, 163, 164, 166, 171, 191, 193, 196, 198, 215, 218, 227, 232, 234, 247, 265, 289, 303, 306, 324, 326, 343, 360, 368, 369, 398, 477, 481, 485, 486, 487, and wells 90MW0022, 90MW0041, 90MW0054 and 90WT0013); and
- Northwest Corner of Base Boundary (well 323).

Demo Area 1 has a single well-defined source area and extent of contamination. As noted in Section 1 above, ETR systems at Frank Perkins Road and Pew Road in the Demo 1 study area include extraction wells, ex-situ treatment processes to remove explosives compounds and perchlorate from the groundwater, and injection wells to return treated water to the aquifer. System performance monitoring is performed at the Demo1 study area to assess the effectiveness of the treatment systems.

Demo Area 2 has had groundwater exceedances of the RDX HA at MW-16S, MW-160S, MW-259M1, MW-262M1 and MW-404M2. An RRA was performed at Demo2 in the fall of 2004. Source area soil was excavated and removed. Groundwater wells within the Demo 2 study area continue to be monitored under the LTM program.

The Former A Range has had exceedances of the RDX HA at MW-206M1. The S screen in this location is non-detect for all explosives compounds. Groundwater wells within the Former A Range study area continue to be monitored under the LTM program.

The Central Impact Area (CIA) has a plume defined by RDX concentrations above the HA. The plume originates primarily along Turpentine Road and extends downgradient to the west-northwest. Another source of RDX in the Impact Area is CS-19. Portions of CS-19 are currently under investigation by the Air Force Center for Engineering and the Environment (AFCEE) under the Superfund program. Groundwater wells within the CIA study area continue to be monitored under the LTM program.

The Southeast Ranges have several groundwater plumes defined by concentrations of RDX above the HA. As noted in Section 1 above, ETR systems are in place at J-1 South, J-2 North, J-2 East and J-3 Ranges to treat contaminated groundwater to control further migration of explosives compounds. System performance monitoring is performed at these study areas to assess the effectiveness of the

treatment systems. Groundwater wells within the J-1 North and L Range study areas are monitored under the LTM program.

The Northwest Corner of the base boundary has had validated detections of RDX in groundwater at MW-323M1 and MW-323M2. The S screen at this location is non-detect for explosives compounds. Groundwater wells within the Northwest Corner study area continue to be monitored under the LTM program.

Figure 2: Metals in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for metals are scattered throughout the study area. Where two or more rounds of sampling data are available, the exceedances generally have not been replicated in consecutive sampling rounds. The exceedances have been measured for antimony, arsenic, cadmium, chromium, lead, molybdenum, sodium, thallium and zinc. Exceedances of the arsenic drinking water criteria were repeated at three (wells 58MW0010A, MW-7M1 and MW-45S) of the six locations with arsenic exceedances. At the remaining three locations (wells MW-3D, MW-52M2 and MW-152M1), arsenic exceedances were not repeated in subsequent results. Cadmium (well MW-52M3) and chromium (well MW-7M1) were each detected above drinking water criteria in a single sampling round in 1999. Exceedances of the drinking water criteria for lead were repeated at two of four locations (wells ASP and MW-45S). At the remaining two locations (wells MW-2S and MW-7M1) lead exceedances were not repeated in subsequent results. Exceedances of the drinking water criteria for molybdenum were repeated at two of eight locations (wells MW-53M1 and MW-54S) with molybdenum exceedances. All of the molybdenum exceedances were observed in year 1998 and 1999 results. Exceedances of the drinking water criteria for sodium were repeated at 12 of the 21 locations with sodium exceedances (wells MW-2S, MW-21S, MW-46S, MW-57M3, MW-57M2, MW-57M1, MW-144S, MW-145S, MW-148S, MW-187D, ASP and SDW261160). Seven wells (MW-21S, MW-57M1, MW-57M3, MW-187D, BHW215083B, BHW215083D and ASP) had sodium exceedances in year 2004, 2005, and/or 2006 results. Zinc exceeded the HA in seven wells, all of which are constructed of galvanized (zinc-coated) steel.

Groundwater samples sent for target analyte metals analysis are analyzed by Inductively Coupled Plasma (ICP) in accordance with EPA method SW846/6010 with the exception of thallium and antimony. Groundwater samples submitted for antimony and/or thallium analysis are analyzed by Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) in accordance with the EPA Method SW846/6020. The ICP/MS Method 6020 has greater sensitivity, lower detection limits and the added feature of selectivity for antimony and thallium.

There have been few exceedances of drinking water limits for antimony and thallium since the introduction of more sensitive methods. Antimony levels exceeding drinking water criteria were detected in samples from 13 locations; these levels were not detected in subsequent sampling rounds. Only two antimony exceedances (wells MW-38M2 and MW-73S) were measured since February 2003. Twelve of the 71 locations with thallium exceedances had repeated exceedances in subsequent sampling rounds (wells MW-7M1, MW-7M2, MW-19S, MW-45S, MW-47M2, MW-47M3, MW-52S, MW-52D, MW-54S, MW-54M1, MW-58S and MW-94M2). There have been no exceedances of thallium since February 2003.

The distribution and lack of repeatability of the metals exceedances is not consistent with a contaminant source, nor do the detections appear to be correlated with the presence of explosives compounds or other organic compounds.



Figure 3: VOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for VOCs are indicated in six general areas: Northeast Corner (well LRMW003), Impact Area boundary (MW-28S), CS-10 (wells 03MW0007A, 03MW0014A, and 03MW0020), FS-12 (wells MW-45S, 90MW0003, and ECMWSNP02D), and in the J-1 Range (well MW-187D). CS-10, LF-1 and FS-12 are sites located near the southern extent of the Training Ranges that are currently under investigation by AFCEE under the Superfund program. Exceedances of drinking water criteria were measured for tetrachloroethylene (PCE) at CS-10, for vinyl chloride at LF-1, and for methylene chloride, toluene, 1,2-dichloroethane, and ethylene dibromide (EDB) at FS-12. These compounds are believed to be associated with the sites under investigation by AFCEE; these sites currently have active treatment systems in place.

Figure 4: Chloroform in Groundwater Compared to MCLs

Chloroform has been widely detected in groundwater across the Upper Cape as stated in a joint press release from USEPA, MassDEP, IRP, and the Joint Programs Office. The Cape Cod Commission (2001) in their review of public water supply wells for 1999 found greater than 75% contained chloroform with an average concentration of 4.7 ug/L. The IRP has concluded chloroform is not the result of Air Force activities. A detailed discussion of the presence of chloroform in groundwater wells is provided in the Final Central Impact Area Groundwater Report (06/01).

Figure 5: SVOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for SVOCs are scattered throughout the study area. All exceedances of drinking water criteria for SVOCs were measured for bis (2-ethylhexyl) phthalate (BEHP), with the exception of two wells. MW-264M1 (J-3 Range) had a detection of benzo(a)pyrene at concentrations of more than twice the HA and MW-241M1 (L Range) had detections of naphthalene above the HA of 100 ppb. Detections of BEHP are presented separately in Figure 6 and discussed in the next paragraph.

Figure 6: BEHP in Groundwater Compared to MCLs

Exceedances of drinking water criteria for bis (2-ethylhexyl) phthalate (BEHP) are scattered throughout the study area. BEHP is believed to be largely an artifact of the investigation methods and may be introduced to the samples during collection or analysis. However, the potential that some of the detections of BEHP are the result of activities conducted at MMR has not been ruled out.

The theory that the presence of BEHP occurs as an artifact, and is not really present in the aquifer, is supported by the results of subsequent sampling rounds that show much lower levels of the chemical after additional precautions were taken to prevent cross-contamination during sample collection and analysis. Only four locations (out of 93) showed BEHP exceedances in consecutive sampling rounds: 28MW0106 (located near SD-5, a site under investigation by AFCEE), 58MW0006E (located at CS-19), 90WT0013 (located at FS-12), and MW-146M1 (located at L Range). Subsequent sampling rounds at all these locations have had results below the MCL. Eleven wells (27MW0705, 27MW2061, C2-B, C6-C, C7-B, MW-47M2, MW-164M1, MW-168M1, MW-188M1, MW-196M1, and MW-198M1) had BEHP exceedances in the year 2002 and 2003 results. There have been no exceedances of BEHP in 2004, one exceedance of BEHP, at MW-356M1 (J-3 Range), in 2005, and one exceedance of BEHP, at MW-477M2 (J-1 Range), in 2007.

Figure 7: Herbicides and Pesticides in Groundwater Compared to MCLs/HAs

There has been one exceedance of drinking water criteria for pesticides, at well PPAWSMW-1. A contractor to the United States Air Force installed this monitoring well at the PAVE PAWS radar station in accordance with the Massachusetts Contingency Plan (MCP), in order to evaluate contamination from a fuel spill. The exceedance was for the pesticide dieldrin in a sample collected in February 1999. This well was resampled and after thorough review it was determined that the original result was a false positive.

There has been one exceedance of drinking water criteria for herbicides, at well MW-41M1 (Impact Area). This response well was installed downgradient of the Impact Area. The exceedance was for the herbicide, pentachlorophenol, in a sample collected in May 2000. There were no detections above the MCL of this compound in the three previous sampling rounds in 1999, nor in the subsequent sampling rounds in 2000, 2001, 2002, and 2003. Herbicides and pesticides are no longer target compounds in any LTM and/or SPM sampling events.

Figure 8: Perchlorate in Groundwater Compared to MCLs/HAs

Changes in detection trends in groundwater samples collected during the system performance and long term monitoring sampling events at respective study areas are discussed in biweekly data updates (*Summary of Explosives and Perchlorate Results*).

Sampling and analysis of groundwater for perchlorate was initiated at the end of the year 2000 as part of the IAGWSP. All perchlorate results in long term or system performance monitoring groundwater samples are currently being reported by the more definitive methods SW846/6850 or 6860, which have lower method detection limits and reporting limits. Therefore, there will likely be low level results (<0.35 µg/L) reported for perchlorate in many LTM and SPM groundwater samples.

Cumulative exceedances of the perchlorate HA level have been indicated during past investigations in the following study areas:

- Demo Area 1 (wells 19, 31, 32, 33, 34, 35, 36, 73, 75, 76, 77, 78, 114, 129, 139, 162, 165, 172, 210, 211, 225, 255, 258 and 341);
- Impact Area and CS-19 (wells 58MW0009C, 58MW0015; and wells 38, 89, 91, 93, 101, and OW-1);
- Southeast Ranges (J-1 South, J-2 North, J-2 East, J-3 and L): (wells 93, 125, 127, 128, 130, 132, 142, 143, 158, 163, 166, 193, 197, 198, 215, 232, 234, 237, 243, 247, 250, 263, 265, 286, 289, 293, 295, 300, 302, 303, 305, 307, 310, 313, 319, 321, 324, 326, 329, 335, 339, 343, 346, 348, 366, 368, 370, 393, and wells 90PZ0211, 90MW0022 and 90MW0054, 90WT0013, J2EW3-MW-2-B, and RS003P);
- Northwest Corner of Base Boundary (wells 4036009DC, 66, 270, 277, 278, 279, 283, 284, 287, 297, 301, 309, 323, and RSN0W3); and
- Western Boundary (wells 80, 233, and 267).

Demo Area 1 has a single well-defined source area and extent of contamination. As noted in Section 1 above; ETR systems at Frank Perkins Road and Pew Road in the Demo 1 study area include extraction wells, ex-situ treatment processes to remove explosives compounds and perchlorate from the groundwater, and injection wells to return treated water to the aquifer. System performance monitoring is performed at the Demo1 study area to assess the effectiveness of the treatment systems.

The Impact Area has had eight locations with exceedances of the perchlorate HA level. The perchlorate plume extends from near the center of the Impact Area to the northwest, in the vicinity of Burgoyne Road. Groundwater wells within the CIA study area continue to be monitored under the LTM program.

The Southeast Ranges have several groundwater plumes defined by concentrations of perchlorate above the HA. As noted in Section 1 above, ETR systems are in place at J-2 North, J-2 East and J-3 Ranges to treat contaminated groundwater to control further migration of perchlorate. System performance monitoring is performed at these study areas to assess the effectiveness of the treatment systems. Groundwater wells within the J-1 North and L Range study areas are monitored under the LTM program.

The Northwest Corner has a perchlorate plume extending from Canal View Road at the base boundary to the Cape Cod Canal. Groundwater wells within the Northwest Corner study area continue to be monitored under the LTM program.

The Western Boundary has had three locations (MW-80M1, MW-233M3 and MW-267M1) with elevated detections of perchlorate above the HA in one or more sampling rounds. Results have been well below the HA in all three wells since 2008. Groundwater wells within the Western Boundary study area continue to be monitored under the LTM program.

**4. DELIVERABLES SUBMITTED**

Deliverables submitted during the reporting period include the following:

|  |            |
|--|------------|
| Monthly Progress Report No. 154 January 2010   | 02/10/2010 |
| Draft J-1 Range Southern Plume Proposed Drivepoints Project Note   | 02/24/2010 |
| Revised Draft J-1 Range RI/FS Report   | 02/19/2010 |
| Draft Demolition Area 1 Environmental and System Performance Monitoring Report – Response Action Groundwater Treatment Systems - September 2008 to August 2009 | 02/26/2010 |

**5. SCHEDULED ACTIONS**

The combined revised schedule is currently being updated.

The following documents are being prepared or revised during March.

- J-2 Range Remedial Investigation/Feasibility Study Report
- Former K Range Investigation Report

**TABLE 2**  
**Sampling Progress**  
**1 February- 28 February 2010**

| Area Of Concern   | Location        | Field Sample ID     | Sample Type | Date Sampled | Matrix        | SBD | SED |
|-------------------|-----------------|---------------------|-------------|--------------|---------------|-----|-----|
| B RANGE           | MW-538          | MW-538-01           | N1          | 2/3/2010     | Soil Grab     | 0   | 2   |
| B RANGE           | MW-538          | MW-538-02           | N1          | 2/3/2010     | Soil Grab     | 2   | 4   |
| B RANGE           | MW-538          | MW-538-03           | N1          | 2/3/2010     | Soil Grab     | 4   | 6   |
| B RANGE           | MW-538          | MW-538-04           | N1          | 2/3/2010     | Soil Grab     | 6   | 8   |
| B RANGE           | MW-538          | MW-538-05           | N1          | 2/3/2010     | Soil Grab     | 8   | 10  |
| B RANGE           | MW-538          | MW-538-06           | N1          | 2/3/2010     | Soil Grab     | 10  | 12  |
| B RANGE           | MW-538          | MW-538-07           | N1          | 2/3/2010     | Soil Grab     | 12  | 14  |
| B RANGE           | MW-538          | MW-538-08           | N1          | 2/3/2010     | Soil Grab     | 14  | 16  |
| B RANGE           | MW-538          | MW-538-09           | N1          | 2/3/2010     | Soil Grab     | 18  | 20  |
| B RANGE           | MW-538          | MW-538-10           | N1          | 2/3/2010     | Soil Grab     | 20  | 22  |
| B RANGE           | MW-538          | MW-538-11           | N1          | 2/3/2010     | Soil Grab     | 22  | 24  |
| B RANGE           | MW-538          | MW-538-12           | N1          | 2/3/2010     | Soil Grab     | 24  | 26  |
| B RANGE           | MW-538          | MW-538-13           | N1          | 2/3/2010     | Soil Grab     | 29  | 31  |
| B RANGE           | MW-538          | MW-538-14           | N1          | 2/3/2010     | Soil Grab     | 34  | 36  |
| B RANGE           | MW-538          | MW-538-15           | N1          | 2/3/2010     | Soil Grab     | 39  | 41  |
| B RANGE           | MW-538          | MW-538-16           | N1          | 2/3/2010     | Soil Grab     | 44  | 46  |
| B RANGE           | MW-538          | MW-538-17           | N1          | 2/3/2010     | Soil Grab     | 49  | 51  |
| B RANGE           | MW-538          | MW-538-18           | N1          | 2/3/2010     | Soil Grab     | 54  | 56  |
| B RANGE           | MW-538          | MW-538-19           | N1          | 2/3/2010     | Soil Grab     | 59  | 61  |
| B RANGE           | MW-538          | MW-538-20           | N1          | 2/3/2010     | Soil Grab     | 64  | 66  |
| B RANGE           | MW-538          | MW-538-21           | N1          | 2/3/2010     | Soil Grab     | 69  | 71  |
| B RANGE           | MW-538          | MW-538-22           | N1          | 2/3/2010     | Soil Grab     | 74  | 76  |
| B RANGE           | MW-538          | MW-538-23           | N1          | 2/3/2010     | Soil Grab     | 79  | 81  |
| B RANGE           | MW-538          | MW-538-24           | N1          | 2/3/2010     | Soil Grab     | 84  | 86  |
| B RANGE           | MW-538          | MW-538-25           | N1          | 2/3/2010     | Soil Grab     | 94  | 96  |
| B RANGE           | MW-538          | MW-538-26           | N1          | 2/3/2010     | Soil Grab     | 99  | 101 |
| B RANGE           | MW-538          | MW-538-27           | N1          | 2/3/2010     | Soil Grab     | 104 | 106 |
| B RANGE           | MW-538          | MW-538-28           | N1          | 2/3/2010     | Soil Grab     | 106 | 108 |
| B RANGE           | MW-538          | MW-538-29           | N1          | 2/3/2010     | Soil Grab     | 108 | 110 |
| B RANGE           | MW-538          | MW-538-30           | N1          | 2/3/2010     | Soil Grab     | 110 | 112 |
| B RANGE           | MW-538          | MW-538-31           | N1          | 2/3/2010     | Soil Grab     | 112 | 114 |
| B RANGE           | MW-538          | MW-538-32           | N1          | 2/3/2010     | Soil Grab     | 114 | 116 |
| B RANGE           | MW-539          | MW-539-01           | N1          | 2/2/2010     | Soil Grab     | 5   | 7   |
| B RANGE           | MW-539          | MW-539-02           | N1          | 2/2/2010     | Soil Grab     | 25  | 27  |
| B RANGE           | MW-539          | MW-539-03           | N1          | 2/2/2010     | Soil Grab     | 45  | 47  |
| B RANGE           | MW-539          | MW-539-04           | N1          | 2/2/2010     | Soil Grab     | 65  | 67  |
| B RANGE           | MW-539          | MW-539-05           | N1          | 2/2/2010     | Soil Grab     | 85  | 87  |
| B RANGE           | MW-539          | MW-539-06           | N1          | 2/2/2010     | Soil Grab     | 105 | 107 |
| B RANGE           | MW-539          | MW-539-07           | N1          | 2/2/2010     | Soil Grab     | 110 | 112 |
| B RANGE           | MW-539          | MW-539-08           | N1          | 2/2/2010     | Soil Grab     | 112 | 114 |
| B RANGE           | MW-539          | MW-539-09           | N1          | 2/2/2010     | Soil Grab     | 114 | 116 |
| B RANGE           | MW-539          | MW-539-10           | N1          | 2/2/2010     | Soil Grab     | 116 | 118 |
| B RANGE           | MW-539          | MW-539-11           | N1          | 2/2/2010     | Soil Grab     | 118 | 120 |
| B RANGE           | MW-539          | MW-539-12           | N1          | 2/2/2010     | Soil Grab     | 120 | 122 |
| B RANGE           | MW-539          | MW-539-13           | N1          | 2/2/2010     | Soil Grab     | 122 | 124 |
| B RANGE           | MW-539          | MW-539-14           | N1          | 2/2/2010     | Soil Grab     | 124 | 126 |
| DEMOLITION AREA 1 | FPR-2-EFF       | FPR2-EFF-46A        | N1          | 2/9/2010     | Process Water | 0   | 0   |
| DEMOLITION AREA 1 | FPR-2-GAC-MID1A | FPR2-GAC-MID-1A-46A | N1          | 2/9/2010     | Process Water | 0   | 0   |
| DEMOLITION AREA 1 | FPR-2-GAC-MID1B | FPR2-GAC-MID-1B-46A | N1          | 2/9/2010     | Process Water | 0   | 0   |
| DEMOLITION AREA 1 | FPR-2-INF       | FPR2-INF-46A        | N1          | 2/9/2010     | Process Water | 0   | 0   |
| DEMOLITION AREA 1 | MW-542          | MW-542-01           | N1          | 2/2/2010     | Profile       | 78  | 88  |
| DEMOLITION AREA 1 | MW-542          | MW-542-02           | N1          | 2/2/2010     | Profile       | 88  | 98  |
| DEMOLITION AREA 1 | MW-542          | MW-542-03           | N1          | 2/2/2010     | Profile       | 98  | 108 |
| DEMOLITION AREA 1 | MW-542          | MW-542-04           | FD1         | 2/2/2010     | Profile       | 108 | 118 |
| DEMOLITION AREA 1 | MW-542          | MW-542-04           | N1          | 2/2/2010     | Profile       | 108 | 118 |
| DEMOLITION AREA 1 | MW-542          | MW-542-05           | N1          | 2/2/2010     | Profile       | 118 | 128 |
| DEMOLITION AREA 1 | MW-542          | MW-542-06           | N1          | 2/2/2010     | Profile       | 128 | 138 |
| DEMOLITION AREA 1 | MW-542          | MW-542-07           | N1          | 2/3/2010     | Profile       | 138 | 148 |

SBD = Sample Beginning Depth (feet)

SED = Sample Ending Depth (feet)

**TABLE 2**  
**Sampling Progress**  
**1 February- 28 February 2010**

| Area Of Concern    | Location     | Field Sample ID    | Sample Type | Date Sampled | Matrix        | SBD   | SED   |
|--------------------|--------------|--------------------|-------------|--------------|---------------|-------|-------|
| DEMOLITION AREA 1  | MW-542       | MW-542-08          | N1          | 2/3/2010     | Profile       | 148   | 158   |
| DEMOLITION AREA 1  | MW-542       | MW-542-09          | N1          | 2/3/2010     | Profile       | 158   | 168   |
| DEMOLITION AREA 1  | MW-542       | MW-542-10          | N1          | 2/3/2010     | Profile       | 178   | 188   |
| DEMOLITION AREA 1  | MW-542       | MW-542-11          | N1          | 2/3/2010     | Profile       | 188   | 198   |
| DEMOLITION AREA 1  | PR-EFF       | PR-EFF-46A         | N1          | 2/9/2010     | Process Water | 0     | 0     |
| DEMOLITION AREA 1  | PR-INF       | PR-INF-46A         | N1          | 2/9/2010     | Process Water | 0     | 0     |
| DEMOLITION AREA 1  | PR-MID-1     | PR-MID-1-46A       | N1          | 2/9/2010     | Process Water | 0     | 0     |
| DEMOLITION AREA 1  | PR-MID-2     | PR-MID-2-46Q       | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J1 RANGE SOUTH     | MW-524M1     | MW-524M1_0110R     | N1          | 2/4/2010     | Groundwater   | 148   | 158   |
| J1 RANGE SOUTHEAST | J1S-EFF      | J1S-EFF-27A        | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J1 RANGE SOUTHEAST | J1S-INF      | J1S-INF-27A        | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J1 RANGE SOUTHEAST | J1S-MID-2    | J1S-MID-2-27A      | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-IH   | J2E-EFF-IH-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-IH   | J2E-EFF-IH-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-J    | J2E-EFF-J-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-J    | J2E-EFF-J-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-K    | J2E-EFF-K-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-EFF-K    | J2E-EFF-K-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-I    | J2E-INF-I-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-I    | J2E-INF-I-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-J    | J2E-INF-J-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-J    | J2E-INF-J-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-K    | J2E-INF-K-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-INF-K    | J2E-INF-K-17A      | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-1H   | J2E-MID-1H-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-1I   | J2E-MID-1I-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-1J   | J2E-MID-1J-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-1K   | J2E-MID-1K-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-2H   | J2E-MID-2H-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-2I   | J2E-MID-2I-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-2J   | J2E-MID-2J-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE EAST      | J2E-MID-2K   | J2E-MID-2K-17A     | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2EW0001     | J2EW0001_SPR10     | N1          | 2/9/2010     | Groundwater   | 179   | 234   |
| J2 RANGE NORTH     | J2EW0001     | J2EW0001_SPR10D    | FD1         | 2/9/2010     | Groundwater   | 179   | 234   |
| J2 RANGE NORTH     | J2EW0002     | J2EW0002_SPR10     | N1          | 2/9/2010     | Groundwater   | 198   | 233   |
| J2 RANGE NORTH     | J2EW0003     | J2EW0003_SPR10     | N1          | 2/9/2010     | Groundwater   | 202   | 232   |
| J2 RANGE NORTH     | J2EW3-MW-2-B | J2EW3-MW-2-B_SPR10 | N1          | 2/11/2010    | Groundwater   | 216.2 | 226.2 |
| J2 RANGE NORTH     | J2N-EFF-EF   | J2N-EFF-EF-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-EFF-G    | J2N-EFF-G-41A      | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-EFF-G    | J2N-EFF-G-41A      | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-INF      | J2N-INF-41A        | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-INF-G    | J2N-INF-G-41A      | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-1E   | J2N-MID-1E-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-1F   | J2N-MID-1F-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-1G   | J2N-MID-1G-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-2E   | J2N-MID-2E-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-2F   | J2N-MID-2F-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | J2N-MID-2G   | J2N-MID-2G-41A     | N1          | 2/9/2010     | Process Water | 0     | 0     |
| J2 RANGE NORTH     | MW-313M1     | MW-313M1_SPR10     | N1          | 2/12/2010    | Groundwater   | 255   | 265   |
| J2 RANGE NORTH     | MW-313M2     | MW-313M2_SPR10     | N1          | 2/12/2010    | Groundwater   | 215   | 225   |
| J2 RANGE NORTH     | MW-313M3     | MW-313M3_SPR10     | N1          | 2/12/2010    | Groundwater   | 195   | 205   |
| J2 RANGE NORTH     | MW-322M1     | MW-322M1_SPR10     | N1          | 2/9/2010     | Groundwater   | 245   | 255   |
| J2 RANGE NORTH     | MW-327M3     | MW-327M3_SPR10     | N1          | 2/10/2010    | Groundwater   | 220   | 230   |
| J2 RANGE NORTH     | MW-337M1     | MW-337M1_SPR10     | N1          | 2/10/2010    | Groundwater   | 244   | 254   |
| J3 RANGE           | J3-EFF       | J3-EFF-41A         | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J3 RANGE           | J3-INF       | J3-INF-41A         | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J3 RANGE           | J3-MID-1     | J3-MID-1-41A       | N1          | 2/10/2010    | Process Water | 0     | 0     |
| J3 RANGE           | J3-MID-2     | J3-MID-2-41A       | N1          | 2/10/2010    | Process Water | 0     | 0     |

SBD = Sample Beginning Depth (feet)

SED = Sample Ending Depth (feet)

**TABLE 2**  
**Sampling Progress**  
**1 February- 28 February 2010**

| Area Of Concern | Location | Field Sample ID | Sample Type | Date Sampled | Matrix      | SBD   | SED   |
|-----------------|----------|-----------------|-------------|--------------|-------------|-------|-------|
| L RANGE         | 90MW0003 | 90MW0003_SPR10  | N1          | 2/23/2010    | Groundwater | 144   | 149   |
| L RANGE         | 90MW0005 | 90MW0005_SPR10  | N1          | 2/23/2010    | Groundwater | 184   | 189   |
| L RANGE         | 90MW0007 | 90MW0007_SPR10  | N1          | 2/22/2010    | Groundwater | 179   | 184   |
| L RANGE         | 90MW0013 | 90MW0013_SPR10  | FD1         | 2/18/2010    | Groundwater | 76    | 86    |
| L RANGE         | 90MW0019 | 90MW0019_SPR10  | N1          | 2/22/2010    | Groundwater | 161   | 166   |
| L RANGE         | 90MW0021 | 90MW0021_SPR10  | N1          | 2/19/2010    | Groundwater | 127   | 132   |
| L RANGE         | 90MW0031 | 90MW0031_SPR10  | N1          | 2/22/2010    | Groundwater | 195.3 | 200.2 |
| L RANGE         | 90WT0013 | 90WT0013_SPR10  | N1          | 2/18/2010    | Groundwater | 92    | 102   |
| L RANGE         | 90WT0019 | 90WT0019_SPR10  | N1          | 2/18/2010    | Groundwater | 82    | 103   |
| L RANGE         | MW-140M1 | MW-140M1_SPR10  | N1          | 2/17/2010    | Groundwater | 107   | 117   |
| L RANGE         | MW-153M1 | MW-153M1_SPR10  | N1          | 2/24/2010    | Groundwater | 199   | 209   |
| L RANGE         | MW-153M1 | MW-153M1_SPR10D | FD1         | 2/24/2010    | Groundwater | 199   | 209   |
| L RANGE         | MW-153M2 | MW-153M2_SPR10  | N1          | 2/24/2010    | Groundwater | 144   | 154   |
| L RANGE         | MW-153M2 | MW-153M2_SPR10D | FD1         | 2/24/2010    | Groundwater | 144   | 154   |
| L RANGE         | MW-236S  | MW-236S_SPR10   | N1          | 2/17/2010    | Groundwater | 96    | 106   |
| L RANGE         | MW-238M2 | MW-238M2_SPR10  | N1          | 2/26/2010    | Groundwater | 125   | 135   |
| L RANGE         | MW-239M1 | MW-239M1_SPR10  | N1          | 2/24/2010    | Groundwater | 180   | 190   |
| L RANGE         | MW-239M2 | MW-239M2_SPR10  | N1          | 2/24/2010    | Groundwater | 150   | 160   |
| L RANGE         | MW-239M3 | MW-239M3_SPR10  | N1          | 2/24/2010    | Groundwater | 60    | 70    |
| L RANGE         | MW-241M1 | MW-241M1_SPR10  | N1          | 2/17/2010    | Groundwater | 97    | 107   |
| L RANGE         | MW-242M1 | MW-242M1_SPR10  | N1          | 2/25/2010    | Groundwater | 235   | 245   |
| L RANGE         | MW-242M1 | MW-242M1_SPR10D | FD1         | 2/25/2010    | Groundwater | 235   | 245   |
| L RANGE         | MW-242M2 | MW-242M2_SPR10  | N1          | 2/25/2010    | Groundwater | 165   | 175   |
| L RANGE         | MW-242M3 | MW-242M3_SPR10  | N1          | 2/25/2010    | Groundwater | 124   | 134   |
| L RANGE         | MW-246M1 | MW-246M1_SPR10  | N1          | 2/25/2010    | Groundwater | 178   | 188   |
| L RANGE         | MW-246M2 | MW-246M2_SPR10  | N1          | 2/25/2010    | Groundwater | 95    | 105   |
| L RANGE         | MW-246M2 | MW-246M2_SPR10D | FD1         | 2/25/2010    | Groundwater | 95    | 105   |
| L RANGE         | MW-288M1 | MW-288M1_SPR10  | N1          | 2/26/2010    | Groundwater | 190   | 200   |
| L RANGE         | MW-291M2 | MW-291M2_SPR10  | N1          | 2/19/2010    | Groundwater | 125   | 135   |
| L RANGE         | MW-325M1 | MW-325M1_SPR10  | N1          | 2/19/2010    | Groundwater | 172   | 182   |
| L RANGE         | MW-45M1  | MW-45M1_SPR10   | N1          | 2/17/2010    | Groundwater | 190   | 200   |

SBD = Sample Beginning Depth (feet)  
SED = Sample Ending Depth (feet)

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID    | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------|------------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| 58MW0001      | 58MW001-01   | 11/7/1996  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0002      | 58MW002-01   | 11/7/1996  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0008E     | 17625        | 3/3/1997   | CS-19            | C200.7 | THALLIUM                                | 6.5   | J    | UG/L  |                    |                       | 2        |
| 58MW0009E     | 58MW0009E-05 | 4/16/1997  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0010A     | 58MW0010A-01 | 4/16/1997  | CS-19            | CSVOL  | bis(2-ETHYLHEXYL) PHTHALATE             | 7.3   | J    | UG/L  | 140                | 145                   | 6        |
| 58MW0011D     | 22435        | 4/28/1997  | CS-19            | C200.7 | THALLIUM                                | 3.9   | J    | UG/L  | 49.5               | 54.5                  | 2        |
| MW-1          | W01MMA       | 9/29/1997  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA       | 9/30/1997  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 0                  | 10                    | 2        |
| MW-1          | W01SSD       | 9/30/1997  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0009E     | WC9EXA       | 10/2/1997  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.7   |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0006E     | WC6EXA       | 10/3/1997  | CS-19            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 59    |      | UG/L  | 0                  | 10                    | 6        |
| 58MW0006E     | WC6EXD       | 10/3/1997  | CS-19            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 57    |      | UG/L  | 0                  | 10                    | 6        |
| MW-18         | W18SSA       | 10/10/1997 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 36    |      | UG/L  | 0                  | 10                    | 6        |
| MW-25         | W25SSA       | 10/16/1997 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 0                  | 10                    | 2        |
| 95-15A        | W9515A       | 10/17/1997 | NW CORNER        | IM40   | ZINC                                    | 7210  |      | UG/L  | 74.71              | 84.71                 | 2000     |
| 95-15A        | W9515L       | 10/17/1997 | NW CORNER        | IM40   | ZINC                                    | 4620  |      | UG/L  | 74.71              | 84.71                 | 2000     |
| LRWS2-6       | WL26XA       | 10/20/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 21    |      | UG/L  | 75                 | 90                    | 6        |
| LRMW0003      | WL31XA       | 10/21/1997 | OTHER            | IM40   | ZINC                                    | 2480  |      | UG/L  | 69.68              | 94.68                 | 2000     |
| LRMW0003      | WL31XL       | 10/21/1997 | OTHER            | IM40   | ZINC                                    | 2410  |      | UG/L  | 69.68              | 94.68                 | 2000     |
| MW-21         | W21SSA       | 10/24/1997 | OTHER            | IM40   | SODIUM                                  | 24000 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-21         | W21SSA       | 10/24/1997 | OTHER            | IM40   | THALLIUM                                | 6.9   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-21         | W21SSL       | 10/24/1997 | OTHER            | IM40   | SODIUM                                  | 24200 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-23         | W23SSA       | 10/27/1997 | PHASE 2b         | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 24    |      | UG/L  | 0                  | 10                    | 6        |
| MW-7          | W07SSA       | 10/31/1997 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 10    |      | UG/L  | 0                  | 10                    | 6        |
| MW-28         | W28SSA       | 11/3/1997  | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 11    |      | UG/L  | 0                  | 10                    | 6        |
| MW-29         | W29SSA       | 11/3/1997  | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 16    |      | UG/L  | 0                  | 10                    | 6        |
| MW-14         | W14SSA       | 11/4/1997  | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 14    |      | UG/L  | 0                  | 10                    | 6        |
| MW-4          | W04SSA       | 11/4/1997  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 30    |      | UG/L  | 0                  | 10                    | 6        |
| MW-11         | W11SSA       | 11/6/1997  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 33    | J    | UG/L  | 0                  | 10                    | 6        |
| MW-11         | W11SSD       | 11/6/1997  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 23    | J    | UG/L  | 0                  | 10                    | 6        |
| MW-12         | W12SSA       | 11/6/1997  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 28    |      | UG/L  | 0                  | 10                    | 6        |
| MW-20         | W20SSA       | 11/7/1997  | DEMO 1           | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 280   |      | UG/L  | 0                  | 10                    | 6        |
| MW-23         | W23M1A       | 11/7/1997  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   | J    | UG/L  | 103                | 113                   | 2        |
| MW-17         | W17SSD       | 11/10/1997 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 120   | J    | UG/L  | 0                  | 10                    | 6        |
| MW-17         | W17DDA       | 11/11/1997 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 42    |      | UG/L  | 196                | 206                   | 6        |
| MW-23         | W23M3A       | 11/13/1997 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 10    |      | UG/L  | 34                 | 39                    | 6        |
| MW-23         | W23M3D       | 11/13/1997 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 13    |      | UG/L  | 34                 | 39                    | 6        |
| MW-24         | W24SSA       | 11/14/1997 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 8     |      | UG/L  | 0                  | 10                    | 6        |
| LRWS6-1       | WL61XA       | 11/17/1997 | OTHER            | IM40   | ZINC                                    | 3480  |      | UG/L  | 184                | 199                   | 2000     |
| LRWS6-1       | WL61XL       | 11/17/1997 | OTHER            | IM40   | ZINC                                    | 2600  |      | UG/L  | 184                | 199                   | 2000     |
| MW-16         | W16DDA       | 11/17/1997 | DEMO 2           | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 43    |      | UG/L  | 223                | 228                   | 6        |
| MW-16         | W16SSA       | 11/17/1997 | DEMO 2           | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 28    |      | UG/L  | 0                  | 10                    | 6        |
| MW-16         | W16SSA       | 11/17/1997 | DEMO 2           | IM40   | SODIUM                                  | 20900 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-16         | W16SSL       | 11/17/1997 | DEMO 2           | IM40   | SODIUM                                  | 20400 |      | UG/L  | 0                  | 10                    | 20000    |
| 97-1          | W9701A       | 11/19/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 54    | J    | UG/L  | 62                 | 72                    | 6        |
| 97-1          | W9701D       | 11/19/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 28    | J    | UG/L  | 62                 | 72                    | 6        |
| MW-2          | W02DDA       | 11/19/1997 | CIA [108]        | IM40   | SODIUM                                  | 21500 |      | UG/L  | 218                | 223                   | 20000    |
| MW-2          | W02DDL       | 11/19/1997 | CIA [108]        | IM40   | SODIUM                                  | 22600 |      | UG/L  | 218                | 223                   | 20000    |
| 97-2          | W9702A       | 11/20/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     |      | UG/L  | 53                 | 63                    | 6        |
| 97-5          | W9705A       | 11/20/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 15    |      | UG/L  | 76                 | 86                    | 6        |
| 97-3          | W9703A       | 11/21/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 73    | J    | UG/L  | 36                 | 46                    | 6        |
| LRWS2-3       | WL23XA       | 11/21/1997 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 20    | J    | UG/L  | 68                 | 83                    | 6        |
| LRWS7-1       | WL71XA       | 11/21/1997 | J-2 RANGE        | IM40   | ZINC                                    | 4320  |      | UG/L  | 186                | 201                   | 2000     |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| LRWS7-1       | WL71XL    | 11/21/1997 | J-2 RANGE | IM40   | ZINC                                    | 3750  |      | UG/L  | 186                | 201                   | 2000     |
| LRWS4-1       | WL41XA    | 11/24/1997 | J-2 RANGE | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 100   |      | UG/L  | 66                 | 91                    | 6        |
| LRWS4-1       | WL41XA    | 11/24/1997 | J-2 RANGE | IM40   | ZINC                                    | 3220  |      | UG/L  | 66                 | 91                    | 2000     |
| LRWS4-1       | WL41XL    | 11/24/1997 | J-2 RANGE | IM40   | ZINC                                    | 3060  |      | UG/L  | 66                 | 91                    | 2000     |
| MW-22         | W22SSA    | 11/24/1997 | OTHER     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 96    |      | UG/L  | 0                  | 10                    | 6        |
| LRWS5-1       | WL51DL    | 11/25/1997 | PHASE 2b  | IM40   | ZINC                                    | 4410  |      | UG/L  | 66                 | 91                    | 2000     |
| LRWS5-1       | WL51XA    | 11/25/1997 | PHASE 2b  | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     |      | UG/L  | 66                 | 91                    | 6        |
| LRWS5-1       | WL51XA    | 11/25/1997 | PHASE 2b  | IM40   | ZINC                                    | 4510  |      | UG/L  | 66                 | 91                    | 2000     |
| LRWS5-1       | WL51XD    | 11/25/1997 | PHASE 2b  | IM40   | ZINC                                    | 4390  |      | UG/L  | 66                 | 91                    | 2000     |
| LRWS5-1       | WL51XL    | 11/25/1997 | PHASE 2b  | IM40   | ZINC                                    | 3900  |      | UG/L  | 66                 | 91                    | 2000     |
| BHW215083     | WG083A    | 11/26/1997 | OTHER     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 13    |      | UG/L  | 16.95              | 26.95                 | 6        |
| SDW261160     | WG160L    | 1/7/1998   | OTHER     | IM40MB | SODIUM                                  | 20600 |      | UG/L  | 10                 | 20                    | 20000    |
| 90WT0005      | WF05XA    | 1/13/1998  | FS-12     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 47    |      | UG/L  | 0                  | 10                    | 6        |
| 90WT0010      | WF10XA    | 1/16/1998  | FS-12     | IM40MB | THALLIUM                                | 6.5   | J    | UG/L  | 2                  | 12                    | 2        |
| 90WT0013      | WF13XA    | 1/16/1998  | L RANGE   | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 34    |      | UG/L  | 0                  | 10                    | 6        |
| 90WT0013      | WF13XA    | 1/16/1998  | L RANGE   | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-2          | W02M2A    | 1/20/1998  | CIA [108] | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 24    |      | UG/L  | 33                 | 38                    | 6        |
| MW-2          | W02M2A    | 1/20/1998  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 33                 | 38                    | 2        |
| MW-2          | W02M1A    | 1/21/1998  | CIA [108] | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 10    | J    | UG/L  | 75                 | 80                    | 6        |
| MW-7          | W07MMA    | 1/23/1998  | CIA [108] | IM40MB | ARSENIC                                 | 10.7  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07MML    | 1/23/1998  | CIA [108] | IM40MB | ARSENIC                                 | 11.7  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M2L    | 2/5/1998   | CIA [108] | IM40MB | THALLIUM                                | 6.6   | J    | UG/L  | 65                 | 70                    | 2        |
| MW-5          | W05DDA    | 2/13/1998  | J-2 RANGE | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 9     | J    | UG/L  | 223                | 228                   | 6        |
| RW-1          | WRW1XA    | 2/18/1998  | OTHER     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 59    |      | UG/L  | 0                  | 9                     | 6        |
| 28MW0106      | WL28XA    | 2/19/1998  | LF-1      | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 18    | J    | UG/L  | 0                  | 10                    | 6        |
| MW-2          | W02SSA    | 2/23/1998  | CIA [108] | IM40MB | LEAD                                    | 20.1  |      | UG/L  | 0                  | 10                    | 15       |
| MW-2          | W02SSA    | 2/23/1998  | CIA [108] | IM40MB | MOLYBDENUM                              | 72.1  |      | UG/L  | 0                  | 10                    | 40       |
| MW-2          | W02SSA    | 2/23/1998  | CIA [108] | IM40MB | SODIUM                                  | 27200 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-2          | W02SSL    | 2/23/1998  | CIA [108] | IM40MB | MOLYBDENUM                              | 63.3  |      | UG/L  | 0                  | 10                    | 40       |
| MW-2          | W02SSL    | 2/23/1998  | CIA [108] | IM40MB | SODIUM                                  | 26300 |      | UG/L  | 0                  | 10                    | 20000    |
| 11MW0003      | WF143A    | 2/25/1998  | OTHER     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 9     |      | UG/L  |                    |                       | 6        |
| 58MW0002      | WC2XXA    | 2/26/1998  | CS-19     | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 36    |      | UG/L  | 0                  | 5                     | 6        |
| 58MW0002      | WC2XXA    | 2/26/1998  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19    |      | UG/L  | 0                  | 5                     | 2        |
| MW-19         | W19DDA    | 3/4/1998   | DEMO 1    | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     |      | UG/L  | 254                | 259                   | 6        |
| MW-19S        | W19SSA    | 3/5/1998   | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 10    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 3/5/1998   | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 190   |      | UG/L  | 0                  | 10                    | 2        |
| MW-3          | W03DDL    | 3/6/1998   | CIA [108] | IM40MB | ANTIMONY                                | 13.8  | J    | UG/L  | 219                | 224                   | 6        |
| MW-31M        | W31MMA    | 7/15/1998  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 280   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA    | 7/15/1998  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 64    |      | UG/L  | 13                 | 18                    | 2        |
| MW-19S        | W19S2A    | 7/20/1998  | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 16    |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19S2A    | 7/20/1998  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 260   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19S2D    | 7/20/1998  | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 16    |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19S2D    | 7/20/1998  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 260   |      | UG/L  | 0                  | 10                    | 2        |
| LRWS1-4       | WL14XA    | 1/6/1999   | OTHER     | IM40MB | THALLIUM                                | 5.2   | J    | UG/L  | 107                | 117                   | 2        |
| SDW261160     | WG160A    | 1/13/1999  | OTHER     | IM40MB | SODIUM                                  | 27200 |      | UG/L  | 10                 | 20                    | 20000    |
| SDW261160     | WG160L    | 1/13/1999  | OTHER     | IM40MB | SODIUM                                  | 28200 |      | UG/L  | 10                 | 20                    | 20000    |
| 58MW0002      | WC2XXA    | 1/14/1999  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20    |      | UG/L  | 0                  | 5                     | 2        |
| 90WT0013      | WF13XA    | 1/14/1999  | L RANGE   | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 16    |      | UG/L  | 0                  | 10                    | 6        |
| 58MW0010A     | WC10XA    | 1/18/1999  | CS-19     | IM40MB | ARSENIC                                 | 15.3  |      | UG/L  | 140                | 145                   | 10       |
| 58MW0010A     | WC10XL    | 1/18/1999  | CS-19     | IM40MB | ARSENIC                                 | 15.6  |      | UG/L  | 140                | 145                   | 10       |
| LRWS7-1       | WL71XA    | 1/22/1999  | J-2 RANGE | IM40MB | ZINC                                    | 4160  |      | UG/L  | 186                | 201                   | 2000     |
| LRWS7-1       | WL71XL    | 1/22/1999  | J-2 RANGE | IM40MB | ZINC                                    | 4100  |      | UG/L  | 186                | 201                   | 2000     |
| LRWS5-1       | WL51XA    | 1/25/1999  | PHASE 2b  | IM40MB | ZINC                                    | 3980  |      | UG/L  | 66                 | 91                    | 2000     |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| LRWS5-1       | WL51XL    | 1/25/1999 | PHASE 2b         | IM40MB | ZINC                                    | 3770  |      | UG/L  | 66                 | 91                    | 2000     |
| 58MW0009E     | WC9EXA    | 1/26/1999 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 90MW0022      | WF22XA    | 1/26/1999 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 72.79              | 77.79                 | 2        |
| LRWS6-1       | WL61XA    | 1/28/1999 | OTHER            | IM40MB | ZINC                                    | 2240  |      | UG/L  | 184                | 199                   | 2000     |
| LRWS6-1       | WL61XL    | 1/28/1999 | OTHER            | IM40MB | ZINC                                    | 2200  |      | UG/L  | 184                | 199                   | 2000     |
| 58MW0006E     | WC6EXA    | 1/29/1999 | CS-19            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 6     |      | UG/L  | 0                  | 10                    | 6        |
| MW-2          | W02SSA    | 2/1/1999  | CIA [108]        | IM40MB | SODIUM                                  | 20300 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-2          | W02SSL    | 2/1/1999  | CIA [108]        | IM40MB | SODIUM                                  | 20100 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-31S        | W31SSA    | 2/1/1999  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 210   |      | UG/L  | 13                 | 18                    | 2        |
| MW-2          | W02DDA    | 2/2/1999  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 9     |      | UG/L  | 218                | 223                   | 6        |
| MW-31M        | W31MMA    | 2/2/1999  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 370   |      | UG/L  | 28                 | 38                    | 2        |
| MW-2          | W02M2A    | 2/3/1999  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   |      | UG/L  | 33                 | 38                    | 2        |
| MW-19D        | W19DDL    | 2/11/1999 | DEMO 1           | IM40MB | THALLIUM                                | 3.1   | J    | UG/L  | 254                | 259                   | 2        |
| MW-19S        | W19SSA    | 2/12/1999 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 7.2   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 2/12/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 250   |      | UG/L  | 0                  | 10                    | 2        |
| 90MW0022      | WF22XA    | 2/16/1999 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 72.79              | 77.79                 | 2        |
| MW-53         | W53DDA    | 2/18/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 18    |      | UG/L  | 158                | 168                   | 6        |
| MW-34         | W34M2A    | 2/19/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2   |      | UG/L  | 53                 | 63                    | 2        |
| MW-1          | W01SSA    | 2/22/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 0                  | 10                    | 2        |
| MW-7          | W07MMA    | 2/23/1999 | CIA [108]        | IM40MB | ARSENIC                                 | 13.6  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07MMA    | 2/23/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4.1   | J    | UG/L  | 135                | 140                   | 2        |
| MW-7          | W07MML    | 2/23/1999 | CIA [108]        | IM40MB | ARSENIC                                 | 14.7  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M2A    | 2/24/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4.4   | J    | UG/L  | 65                 | 70                    | 2        |
| MW-1          | W01M2A    | 3/1/1999  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 44                 | 49                    | 2        |
| MW-18         | W18SSA    | 3/12/1999 | J-2 RANGE        | IM40MB | THALLIUM                                | 2.3   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-25         | W25SSA    | 3/17/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 0                  | 10                    | 2        |
| MW-23         | W23M1A    | 3/18/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23M1D    | 3/18/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7   |      | UG/L  | 103                | 113                   | 2        |
| 28MW0106      | WL28XA    | 3/23/1999 | LF-1             | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 26    |      | UG/L  | 0                  | 10                    | 6        |
| SMR-2         | WSMR2A    | 3/25/1999 | J-2 RANGE        | IM40MB | THALLIUM                                | 2     | J    | UG/L  | 19                 | 29                    | 2        |
| MW-47         | W47M2A    | 3/26/1999 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 3.2   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-47         | W47M3A    | 3/29/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 43.1  |      | UG/L  | 21                 | 31                    | 40       |
| MW-47         | W47M3L    | 3/29/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 40.5  |      | UG/L  | 21                 | 31                    | 40       |
| MW-46         | W46M2A    | 3/30/1999 | WESTERN BOUNDARY | IM40MB | MOLYBDENUM                              | 48.9  |      | UG/L  | 56                 | 66                    | 40       |
| MW-46         | W46M2A    | 3/30/1999 | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 23300 |      | UG/L  | 56                 | 66                    | 20000    |
| MW-46         | W46M2L    | 3/30/1999 | WESTERN BOUNDARY | IM40MB | MOLYBDENUM                              | 51    |      | UG/L  | 56                 | 66                    | 40       |
| MW-46         | W46M2L    | 3/30/1999 | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 24400 |      | UG/L  | 56                 | 66                    | 20000    |
| MW-21         | W21M2A    | 4/1/1999  | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 8     |      | UG/L  | 58                 | 68                    | 6        |
| MW-41         | W41M2A    | 4/2/1999  | CIA [108]        | IM40MB | THALLIUM                                | 2.5   | J    | UG/L  | 67                 | 77                    | 2        |
| MW-52         | W52DDA    | 4/2/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 51.1  |      | UG/L  | 218                | 228                   | 40       |
| MW-52         | W52DDA    | 4/2/1999  | OTHER            | IM40MB | THALLIUM                                | 2.8   | J    | UG/L  | 218                | 228                   | 2        |
| MW-52         | W52DDL    | 4/2/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 48.9  |      | UG/L  | 218                | 228                   | 40       |
| MW-52         | W52DDL    | 4/2/1999  | OTHER            | IM40MB | THALLIUM                                | 2.6   | J    | UG/L  | 218                | 228                   | 2        |
| MW-52         | W52M3A    | 4/7/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 72.6  |      | UG/L  | 59                 | 64                    | 40       |
| MW-52         | W52M3L    | 4/7/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 67.6  |      | UG/L  | 59                 | 64                    | 40       |
| MW-52         | W52M3L    | 4/7/1999  | OTHER            | IM40MB | THALLIUM                                | 3.6   | J    | UG/L  | 59                 | 64                    | 2        |
| 15MW0002      | 15MW0002  | 4/8/1999  | J-2 RANGE        | IM40MB | SODIUM                                  | 37600 |      | UG/L  | 0                  | 10                    | 20000    |
| 15MW0004      | 15MW0004  | 4/9/1999  | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 6     |      | UG/L  | 0                  | 10                    | 6        |
| 15MW0008      | 15MW0008D | 4/12/1999 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 25    | J    | UG/L  | 0                  | 10                    | 6        |
| 03MW0007A     | 03MW0007A | 4/13/1999 | CS-10            | OC21V  | TETRACHLOROETHYLENE(PCE)                | 6     |      | UG/L  | 21                 | 26                    | 5        |
| 03MW0014A     | 03MW0014A | 4/13/1999 | CS-10            | OC21V  | TETRACHLOROETHYLENE(PCE)                | 8     |      | UG/L  | 38                 | 43                    | 5        |
| 03MW0020      | 03MW0020  | 4/14/1999 | CS-10            | OC21V  | TETRACHLOROETHYLENE(PCE)                | 12    |      | UG/L  | 36                 | 41                    | 5        |
| 03MW0027A     | 03MW0027A | 4/14/1999 | CS-10            | IM40MB | THALLIUM                                | 2     | J    | UG/L  | 64                 | 69                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| 03MW0006      | 03MW0006  | 4/15/1999 | CS-10            | IM40MB | THALLIUM                                | 2.6   | J    | UG/L  | 0                  | 10                    | 2        |
| 03MW0022A     | 03MW0022A | 4/16/1999 | CS-10            | IM40MB | THALLIUM                                | 3.9   |      | UG/L  | 71                 | 76                    | 2        |
| 11MW0004      | 11MW0004  | 4/16/1999 | OTHER            | IM40MB | THALLIUM                                | 2.3   | J    | UG/L  | 0                  | 10                    | 2        |
| 27MW0020Z     | 27MW0020Z | 4/16/1999 | LF-1             | IM40MB | THALLIUM                                | 2.7   | J    | UG/L  | 98                 | 103                   | 2        |
| 90MW0038      | 90MW0038  | 4/21/1999 | L RANGE          | IM40MB | THALLIUM                                | 4.4   | J    | UG/L  | 29                 | 34                    | 2        |
| 90WT0015      | 90WT0015  | 4/23/1999 | FS-12            | IM40MB | SODIUM                                  | 34300 |      | UG/L  | 0                  | 10                    | 20000    |
| 27MW0017B     | 27MW0017B | 4/30/1999 | LF-1             | OC21V  | VINYL CHLORIDE                          | 2     |      | UG/L  | 21                 | 26                    | 2        |
| MW-54         | W54SSA    | 4/30/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 56.7  |      | UG/L  | 0                  | 10                    | 40       |
| MW-54         | W54SSL    | 4/30/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 66.2  |      | UG/L  | 0                  | 10                    | 40       |
| MW-53         | W53M1A    | 5/3/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 122   |      | UG/L  | 99                 | 109                   | 40       |
| MW-53         | W53M1L    | 5/3/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 132   |      | UG/L  | 99                 | 109                   | 40       |
| MW-38M3       | W38M3A    | 5/6/1999  | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 15    |      | UG/L  | 52                 | 62                    | 6        |
| MW-38M3       | W38M3A    | 5/6/1999  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 52                 | 62                    | 2        |
| MW-38         | W38M2A    | 5/11/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4.9   | J    | UG/L  | 69                 | 79                    | 2        |
| MW-55         | W55DDA    | 5/13/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 8     |      | UG/L  | 119                | 129                   | 6        |
| MW-45         | W45M1A    | 5/24/1999 | L RANGE          | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 37    |      | UG/L  | 98                 | 108                   | 6        |
| MW-43M2       | W43M1A    | 5/26/1999 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 6     |      | UG/L  | 90                 | 100                   | 6        |
| MW-45         | W45SSA    | 5/26/1999 | L RANGE; FS-12   | IM40MB | THALLIUM                                | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-72         | W72SSA    | 5/27/1999 | SAR              | IM40MB | THALLIUM                                | 4     |      | UG/L  | 0                  | 10                    | 2        |
| PPAWSMW-1     | PPAWSMW-1 | 6/22/1999 | OTHER            | OL21P  | DIELDRIN                                | 3     |      | UG/L  | 0                  | 10                    | 0.5      |
| PPAWSMW-1     | PPAWSMW-1 | 6/22/1999 | OTHER            | IM40MB | THALLIUM                                | 3.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 7/9/1999  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 50    | J    | UG/L  | 0                  | 10                    | 2        |
| ASPWELL       | ASPWELL   | 7/20/1999 | OTHER            | E200.8 | LEAD                                    | 53    |      | UG/L  |                    |                       | 15       |
| ASPWELL       | ASPWELL   | 7/20/1999 | OTHER            | A3111B | SODIUM                                  | 33000 | J    | UG/L  |                    |                       | 20000    |
| PPAWSMW-3     | PPAWSMW-3 | 8/12/1999 | OTHER            | IM40MB | ANTIMONY                                | 6     | J    | UG/L  | 0                  | 10                    | 6        |
| MW-34         | W34M2A    | 8/16/1999 | DEMO 1           | IM40MB | ANTIMONY                                | 6.6   | J    | UG/L  | 53                 | 63                    | 6        |
| MW-36         | W36M2A    | 8/17/1999 | DEMO 1           | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 8     |      | UG/L  | 54                 | 64                    | 6        |
| MW-36         | W36SSA    | 8/17/1999 | DEMO 1           | IM40MB | ANTIMONY                                | 6.7   | J    | UG/L  | 0                  | 10                    | 6        |
| MW-38         | W38DDA    | 8/17/1999 | CIA [108]        | IM40MB | ANTIMONY                                | 6.9   | J    | UG/L  | 124                | 134                   | 6        |
| MW-38         | W38M4A    | 8/18/1999 | CIA [108]        | IM40MB | THALLIUM                                | 2.8   | J    | UG/L  | 14                 | 24                    | 2        |
| MW-38         | W38SSA    | 8/18/1999 | CIA [108]        | IM40MB | ANTIMONY                                | 7.4   |      | UG/L  | 0                  | 10                    | 6        |
| MW-38M3       | W38M3A    | 8/18/1999 | CIA [108]        | IM40MB | ANTIMONY                                | 6.6   | J    | UG/L  | 52                 | 62                    | 6        |
| MW-38M3       | W38M3A    | 8/18/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 52                 | 62                    | 2        |
| MW-39         | W39M1A    | 8/18/1999 | CIA [108]        | IM40MB | ANTIMONY                                | 7.5   |      | UG/L  | 84                 | 94                    | 6        |
| MW-35         | W35SSA    | 8/19/1999 | DEMO 1           | IM40MB | ANTIMONY                                | 6.9   | J    | UG/L  | 0                  | 10                    | 6        |
| MW-35         | W35SSD    | 8/19/1999 | DEMO 1           | IM40MB | ANTIMONY                                | 13.8  | J    | UG/L  | 0                  | 10                    | 6        |
| MW-47         | W47DDA    | 8/24/1999 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 16    |      | UG/L  | 100                | 110                   | 6        |
| MW-47         | W47M1A    | 8/24/1999 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 14    |      | UG/L  | 75                 | 85                    | 6        |
| MW-47         | W47M1A    | 8/24/1999 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 2.6   | J    | UG/L  | 75                 | 85                    | 2        |
| MW-46         | W46SSA    | 8/25/1999 | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 20600 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-47         | W47M2A    | 8/25/1999 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 4     | J    | UG/L  | 38                 | 48                    | 2        |
| MW-47         | W47M3A    | 8/25/1999 | OTHER            | IM40MB | THALLIUM                                | 3.2   | J    | UG/L  | 21                 | 31                    | 2        |
| MW-51         | W51M3A    | 8/25/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4.3   | J    | UG/L  | 28                 | 38                    | 2        |
| MW-52         | W52SSA    | 8/26/1999 | OTHER            | IM40MB | THALLIUM                                | 3.6   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-52         | W52M3A    | 8/27/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     | J    | UG/L  | 59                 | 64                    | 6        |
| MW-52         | W52M3L    | 8/27/1999 | OTHER            | IM40MB | CADMIUM                                 | 12.2  |      | UG/L  | 59                 | 64                    | 5        |
| MW-54         | W54M2A    | 8/27/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 43.7  |      | UG/L  | 59                 | 69                    | 40       |
| MW-54         | W54M2L    | 8/27/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 43.2  |      | UG/L  | 59                 | 69                    | 40       |
| MW-54         | W54SSA    | 8/27/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 61.4  |      | UG/L  | 0                  | 10                    | 40       |
| MW-54         | W54SSA    | 8/27/1999 | OTHER            | IM40MB | SODIUM                                  | 33300 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-52         | W52DDA    | 8/30/1999 | OTHER            | IM40MB | THALLIUM                                | 3.8   | J    | UG/L  | 218                | 228                   | 2        |
| MW-53         | W53M1A    | 8/30/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 31    |      | UG/L  | 99                 | 109                   | 6        |
| MW-53         | W53M1A    | 8/30/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 55.2  |      | UG/L  | 99                 | 109                   | 40       |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|-----------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-53         | W53M1L     | 8/30/1999 | OTHER            | IM40MB | MOLYBDENUM                              | 54.1 |      | UG/L  | 99                 | 109                   | 40       |
| MW-54         | W54M1A     | 8/30/1999 | OTHER            | IM40MB | THALLIUM                                | 2.8  | J    | UG/L  | 79                 | 89                    | 2        |
| MW-55         | W55M1A     | 8/31/1999 | OTHER            | IM40MB | THALLIUM                                | 2.5  | J    | UG/L  | 89                 | 99                    | 2        |
| MW-2          | W02M2A     | 9/3/1999  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8  |      | UG/L  | 33                 | 38                    | 2        |
| MW-1          | W01SSA     | 9/7/1999  | CIA [108]        | IM40MB | ANTIMONY                                | 6.7  | J    | UG/L  | 0                  | 10                    | 6        |
| MW-1          | W01SSA     | 9/7/1999  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-1          | W01SSA     | 9/7/1999  | CIA [108]        | IM40MB | THALLIUM                                | 2.9  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-7          | W07M1A     | 9/7/1999  | CIA [108]        | IM40MB | ARSENIC                                 | 52.8 |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1A     | 9/7/1999  | CIA [108]        | IM40MB | CHROMIUM, TOTAL                         | 114  |      | UG/L  | 135                | 140                   | 100      |
| MW-7          | W07M1A     | 9/7/1999  | CIA [108]        | IM40MB | LEAD                                    | 40.2 |      | UG/L  | 135                | 140                   | 15       |
| MW-7          | W07M1A     | 9/7/1999  | CIA [108]        | IM40MB | THALLIUM                                | 26.2 |      | UG/L  | 135                | 140                   | 2        |
| MW-7          | W07M1D     | 9/7/1999  | CIA [108]        | IM40MB | ARSENIC                                 | 30.7 |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1D     | 9/7/1999  | CIA [108]        | IM40MB | LEAD                                    | 18.3 |      | UG/L  | 135                | 140                   | 15       |
| MW-7          | W07M1D     | 9/7/1999  | CIA [108]        | IM40MB | THALLIUM                                | 12.7 |      | UG/L  | 135                | 140                   | 2        |
| MW-7          | W07M1L     | 9/7/1999  | CIA [108]        | IM40MB | ARSENIC                                 | 21.1 |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1X     | 9/7/1999  | CIA [108]        | IM40MB | ARSENIC                                 | 22.1 |      | UG/L  | 135                | 140                   | 10       |
| MW-18         | W18DDA     | 9/10/1999 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 11   |      | UG/L  | 222                | 232                   | 6        |
| MW-19S        | W19SSA     | 9/10/1999 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 2.6  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 9/10/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 240  |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 9/10/1999 | DEMO 1           | IM40MB | THALLIUM                                | 3.8  | J    | UG/L  | 0                  | 10                    | 2        |
| ECMWSNP02     | ECMWSNP02D | 9/13/1999 | J-3 RANGE; FS-12 | 504    | 1,2-DIBROMOETHANE (ETHYLENE DIBROMIDE)  | 0.11 |      | UG/L  | 75.08              | 80.08                 | 0.05     |
| MW-23         | W23M1A     | 9/13/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1  |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23SSA     | 9/14/1999 | PHASE 2b         | IM40MB | THALLIUM                                | 4.7  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-25         | W25SSA     | 9/14/1999 | CIA [108]        | IM40MB | THALLIUM                                | 5.3  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-31M        | W31MMA     | 9/15/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA     | 9/15/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 50   |      | UG/L  | 13                 | 18                    | 2        |
| MW-10         | W10SSA     | 9/16/1999 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 39   |      | UG/L  | 0                  | 10                    | 6        |
| MW-73S        | W73SSA     | 9/16/1999 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 63   |      | UG/L  | 0                  | 10                    | 2        |
| MW-27         | W27SSA     | 9/17/1999 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 9    |      | UG/L  | 0                  | 10                    | 6        |
| MW-28         | W28SSA     | 9/17/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 150  | J    | UG/L  | 0                  | 10                    | 6        |
| MW-29         | W29SSA     | 9/17/1999 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 20   |      | UG/L  | 0                  | 10                    | 6        |
| MW-22         | W22SSA     | 9/20/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 18   |      | UG/L  | 0                  | 10                    | 6        |
| MW-44         | W44M1A     | 9/20/1999 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 14   |      | UG/L  | 53                 | 63                    | 6        |
| MW-40         | W40M1A     | 9/21/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 13                 | 23                    | 2        |
| MW-40         | W40M1D     | 9/21/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 13                 | 23                    | 2        |
| 58MW0005E     | WC5EXA     | 9/27/1999 | CS-19            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 8    |      | UG/L  | 0                  | 10                    | 6        |
| 58MW0007C     | WC7CXA     | 9/28/1999 | CS-19            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 13   |      | UG/L  | 24                 | 29                    | 6        |
| 58MW0009E     | WC9EXA     | 9/28/1999 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0009E     | WC9EXD     | 9/28/1999 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 6.5                | 11.5                  | 2        |
| XX95-14       | W9514A     | 9/28/1999 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 22   |      | UG/L  | 90                 | 100                   | 6        |
| XX95-14       | W9514A     | 9/28/1999 | WESTERN BOUNDARY | IM40MB | ZINC                                    | 2430 |      | UG/L  | 90                 | 100                   | 2000     |
| 58MW0010A     | WC10XA     | 9/29/1999 | CS-19            | IM40MB | ARSENIC                                 | 14.8 |      | UG/L  | 140                | 145                   | 10       |
| MW-37         | W37M2A     | 9/29/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 26                 | 36                    | 2        |
| 03MW0122A     | WS122A     | 9/30/1999 | CS-10            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 12   |      | UG/L  | 1                  | 11                    | 6        |
| 11MW0003      | WF143A     | 9/30/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 24   |      | UG/L  |                    |                       | 6        |
| 90MW0022      | WF22XA     | 9/30/1999 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2  |      | UG/L  | 72.79              | 77.79                 | 2        |
| 90WT0003      | WF03XA     | 9/30/1999 | L RANGE          | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 58   |      | UG/L  | 0                  | 10                    | 6        |
| 90MW0054      | WF12XA     | 10/4/1999 | J3 [150]         | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 13   | J    | UG/L  | 91.83              | 96.83                 | 6        |
| LRWS2-6       | WL26XA     | 10/4/1999 | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 9    | J    | UG/L  | 75                 | 90                    | 6        |
| LRWS1-4       | WL14XA     | 10/6/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 78   | J    | UG/L  | 107                | 117                   | 6        |
| RW-1          | WRW1XD     | 10/6/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 11   | J    | UG/L  | 0                  | 9                     | 6        |
| 90MW0003      | WF03MA     | 10/7/1999 | L RANGE; FS-12   | OC21V  | 1,2-DICHLOROETHANE                      | 5    |      | UG/L  | 52.11              | 57.11                 | 5        |
| 58MW0002      | WC2XXA     | 10/8/1999 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.8  |      | UG/L  | 0                  | 5                     | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID     | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|---------------|------------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| ASPWELL       | ASPWELL       | 10/13/1999 | OTHER            | A3111B | SODIUM                                  | 38000 |      | UG/L  |                    |                       | 20000    |
| MW-84         | W84SSA        | 10/21/1999 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 3.2   | J    | UG/L  | 17                 | 27                    | 2        |
| MW-70         | W70M1A        | 10/27/1999 | OTHER            | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 10    |      | UG/L  | 129                | 139                   | 6        |
| MW-21         | W21M2A        | 11/1/1999  | OTHER            | IM40MB | THALLIUM                                | 4     | J    | UG/L  | 58                 | 68                    | 2        |
| MW-46         | W46M1A        | 11/1/1999  | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 6     | J    | UG/L  | 103                | 113                   | 6        |
| MW-46         | W46DDA        | 11/2/1999  | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 14    | J    | UG/L  | 136                | 146                   | 6        |
| MW-46         | W46DDA        | 11/2/1999  | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 5.1   | J    | UG/L  | 136                | 146                   | 2        |
| MW-73S        | W73SSA        | 11/2/1999  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 57    |      | UG/L  | 0                  | 10                    | 2        |
| MW-53         | W53M1A        | 11/5/1999  | OTHER            | IM40MB | MOLYBDENUM                              | 41.2  |      | UG/L  | 99                 | 109                   | 40       |
| MW-53         | W53M1A        | 11/5/1999  | OTHER            | IM40MB | THALLIUM                                | 3.4   | J    | UG/L  | 99                 | 109                   | 2        |
| MW-54         | W54M1A        | 11/5/1999  | OTHER            | IM40MB | THALLIUM                                | 3.9   | J    | UG/L  | 79                 | 89                    | 2        |
| MW-54         | W54SSA        | 11/8/1999  | OTHER            | IM40MB | THALLIUM                                | 7.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-38M3       | W38M3A        | 11/10/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 52                 | 62                    | 2        |
| MW-41         | W41M2A        | 11/12/1999 | CIA [108]        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     |      | UG/L  | 67                 | 77                    | 6        |
| MW-45         | W45SSA        | 11/16/1999 | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 13.8  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA        | 11/16/1999 | L RANGE; FS-12   | OC21V  | TOLUENE                                 | 1000  |      | UG/L  | 0                  | 10                    | 1000     |
| MW-52         | W52SSA        | 11/18/1999 | OTHER            | IM40MB | THALLIUM                                | 4.3   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-42         | W42M2A        | 11/19/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4     | J    | UG/L  | 118                | 128                   | 2        |
| MW-49         | W49SSA        | 11/19/1999 | J-2 RANGE        | IM40MB | THALLIUM                                | 4.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-58         | W58SSA        | 11/23/1999 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-57         | W57DDA        | 12/13/1999 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 95    |      | UG/L  | 127                | 137                   | 6        |
| MW-57         | W57M1A        | 12/14/1999 | J-2 RANGE        | IM40MB | SODIUM                                  | 23700 |      | UG/L  | 102                | 112                   | 20000    |
| MW-57         | W57M2A        | 12/21/1999 | J-2 RANGE        | IM40MB | SODIUM                                  | 23500 |      | UG/L  | 62                 | 72                    | 20000    |
| MW-57         | W57SSA        | 12/21/1999 | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 3300  | J    | UG/L  | 0                  | 10                    | 6        |
| MW-37         | W37M2A        | 12/29/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 26                 | 36                    | 2        |
| MW-37         | W37M2A        | 12/29/1999 | CIA [108]        | IM40MB | THALLIUM                                | 4.9   | J    | UG/L  | 26                 | 36                    | 2        |
| MW-40         | W40M1A        | 12/30/1999 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     | J    | UG/L  | 13                 | 23                    | 2        |
| MW-83         | W83SSA        | 1/13/2000  | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 3.6   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-76S        | W76SSA        | 1/20/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 18                 | 28                    | 2        |
| MW-76M2       | W76M2A        | 1/24/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2D        | 1/24/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A        | 1/25/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 150   |      | UG/L  | 38                 | 48                    | 2        |
| MW-64         | W64M1A        | 2/7/2000   | GUN & MORTAR     | IM40MB | THALLIUM                                | 4.1   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-58         | W58SSA        | 2/15/2000  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0001      | 58MW0001-     | 2/21/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   | J    | UG/L  | 0                  | 5                     | 2        |
| 58MW0001      | 58MW0001-FD   | 2/21/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     | J    | UG/L  | 0                  | 5                     | 2        |
| MW-48         | W48M3A        | 2/28/2000  | J-2 RANGE        | IM40MB | THALLIUM                                | 4.2   | J    | UG/L  | 31                 | 41                    | 2        |
| MW-49         | W49SSA        | 3/1/2000   | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 290   |      | UG/L  | 0                  | 10                    | 6        |
| MW-84         | W84DDA        | 3/3/2000   | WESTERN BOUNDARY | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 30    |      | UG/L  | 153                | 163                   | 6        |
| 58MW0009E     | 58MW0009E-    | 3/6/2000   | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0010A     | 58MW0010A-    | 3/6/2000   | CS-19            | C200.7 | ARSENIC                                 | 12.4  |      | UG/L  | 140                | 145                   | 10       |
| MW-57         | W57M1A        | 3/7/2000   | J-2 RANGE        | IM40MB | SODIUM                                  | 20900 |      | UG/L  | 102                | 112                   | 20000    |
| MW-38         | 71MW0038M3-   | 3/10/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  |                    |                       | 2        |
| MW-1          | 71MW0001M2-   | 3/14/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  |                    |                       | 2        |
| MW-37         | 71MW0037M2-   | 3/16/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  |                    |                       | 2        |
| MW-37         | 71MW0037M2-FD | 3/16/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  |                    |                       | 2        |
| 58MW0018      | 58MW0018B-    | 3/20/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 34.55              | 44.55                 | 2        |
| 58MW0016      | 58MW0016B-    | 3/21/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 28.5               | 38.5                  | 2        |
| 58MW0016      | 58MW0016C-    | 3/21/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0002      | 58MW0002-     | 3/22/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0011D     | 58MW0011D-    | 3/22/2000  | CS-19            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 49.5               | 54.5                  | 2        |
| MW-57         | W57M2A        | 3/22/2000  | J-2 RANGE        | IM40MB | SODIUM                                  | 24500 |      | UG/L  | 62                 | 72                    | 20000    |
| MW-57         | W57M2A        | 3/22/2000  | J-2 RANGE        | IM40MB | THALLIUM                                | 4.1   | J    | UG/L  | 62                 | 72                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-37         | W37M2A     | 3/27/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 26                 | 36                    | 2        |
| MW-40         | W40M1A     | 4/14/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     | J    | UG/L  | 13                 | 23                    | 2        |
| MW-86         | W86SSA     | 4/28/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   | J    | UG/L  | 1                  | 11                    | 2        |
| MW-87M1       | W87M1A     | 4/28/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5   | J    | UG/L  | 62                 | 72                    | 2        |
| MW-76M2       | W76M2A     | 5/2/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 37    | J    | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA     | 5/2/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.5   | J    | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A     | 5/2/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 100   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-1          | W01M2A     | 5/10/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 44                 | 49                    | 2        |
| MW-2          | W02M2A     | 5/11/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   | J    | UG/L  | 33                 | 38                    | 2        |
| MW-58         | W58SSA     | 5/11/2000 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-58         | W58SSA     | 5/11/2000 | J-1 RANGE        | IM40MB | THALLIUM                                | 7.3   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 5/12/2000 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 3.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 5/12/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 150   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-23         | W23M1A     | 5/12/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6   | J    | UG/L  | 103                | 113                   | 2        |
| MW-31M        | W31M1A     | 5/15/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19    |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA     | 5/15/2000 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 3.3   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA     | 5/15/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 110   |      | UG/L  | 13                 | 18                    | 2        |
| MW-50         | W50M1A     | 5/15/2000 | CIA [108]        | IM40MB | ANTIMONY                                | 9.5   |      | UG/L  | 89                 | 99                    | 6        |
| MW-50         | W50M1A     | 5/15/2000 | CIA [108]        | IM40MB | THALLIUM                                | 6.2   | J    | UG/L  | 89                 | 99                    | 2        |
| MW-38M3       | W38M3A     | 5/16/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   | J    | UG/L  | 52                 | 62                    | 2        |
| MW-46         | W46M1A     | 5/16/2000 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 5.3   | J    | UG/L  | 103                | 113                   | 2        |
| MW-34         | W34M1A     | 5/17/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A     | 5/18/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7   |      | UG/L  | 53                 | 63                    | 2        |
| MW-41         | W41M1A     | 5/18/2000 | CIA [108]        | 8151   | PENTACHLOROPHENOL                       | 1.8   | J    | UG/L  | 108                | 118                   | 1        |
| MW-90         | W90SSA     | 5/19/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA     | 5/19/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 0                  | 10                    | 2        |
| MW-85         | W85M1A     | 5/22/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29    |      | UG/L  | 22                 | 32                    | 2        |
| MW-91M1       | W91M1A     | 5/22/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18    |      | UG/L  | 45                 | 55                    | 2        |
| MW-19S        | W19SSA     | 5/23/2000 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 3.9   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 5/23/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160   |      | UG/L  | 0                  | 10                    | 2        |
| MW-52         | W52M2A     | 5/23/2000 | OTHER            | IM40MB | ARSENIC                                 | 11.3  |      | UG/L  | 74                 | 84                    | 10       |
| MW-52         | W52SSA     | 5/23/2000 | OTHER            | IM40MB | THALLIUM                                | 4.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-7          | W07M1A     | 5/23/2000 | CIA [108]        | IM40MB | ARSENIC                                 | 13.6  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1A-FL  | 5/23/2000 | CIA [108]        | IM40MB | ARSENIC                                 | 15.5  |      | UG/L  | 135                | 140                   | 10       |
| MW-88M2       | W88M2A     | 5/24/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7     |      | UG/L  | 72                 | 82                    | 2        |
| MW-95M1       | W95M1A     | 5/25/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 78                 | 88                    | 2        |
| MW-98         | W98M1A     | 5/25/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 26                 | 36                    | 2        |
| MW-99         | W99M1A     | 5/25/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 60                 | 70                    | 2        |
| MW-99         | W99M1D     | 5/25/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 60                 | 70                    | 2        |
| MW-89M2       | W89M2A     | 5/26/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3   |      | UG/L  | 72                 | 82                    | 2        |
| MW-93         | W93M1A     | 5/26/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   | J    | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A     | 5/26/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   |      | UG/L  | 16                 | 26                    | 2        |
| MW-45         | W45SSA     | 5/29/2000 | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 18.2  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA     | 5/29/2000 | L RANGE; FS-12   | OC21V  | TOLUENE                                 | 1100  |      | UG/L  | 0                  | 10                    | 1000     |
| MW-47         | W47M2A     | 5/30/2000 | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 4.5   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-1          | W01SSA     | 5/31/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-47         | W47M3A     | 5/31/2000 | OTHER            | IM40MB | THALLIUM                                | 5     | J    | UG/L  | 21                 | 31                    | 2        |
| MW-73S        | W73SSA     | 6/2/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 44    |      | UG/L  | 0                  | 10                    | 2        |
| 90WT0010      | 90WT0010   | 6/5/2000  | FS-12            | IM40MB | SODIUM                                  | 23600 |      | UG/L  | 2                  | 12                    | 20000    |
| 90WT0010      | 90WT0010-L | 6/5/2000  | FS-12            | IM40MB | SODIUM                                  | 24200 |      | UG/L  | 2                  | 12                    | 20000    |
| MW-100        | W100M1A    | 6/6/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3   |      | UG/L  | 45                 | 55                    | 2        |
| MW-100        | W100M1D    | 6/6/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3   |      | UG/L  | 45                 | 55                    | 2        |
| MW-101M1      | W101M1A    | 6/6/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 27                 | 37                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-54         | W54SSA    | 6/6/2000   | OTHER            | IM40MB | THALLIUM                                | 4.6   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-46         | W46SSA    | 6/15/2000  | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 32200 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-105        | W105M1A   | 6/21/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 78                 | 88                    | 2        |
| MW-107M2      | W107M2A   | 6/21/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 5                  | 15                    | 2        |
| MW-48         | W48DAA    | 6/26/2000  | J-2 RANGE        | IM40MB | THALLIUM                                | 4.7   | J    | UG/L  | 121                | 131                   | 2        |
| MW-49         | W49M3D    | 6/27/2000  | J-2 RANGE        | IM40MB | THALLIUM                                | 4.3   | J    | UG/L  | 31                 | 41                    | 2        |
| MW-57         | W57M2A    | 6/30/2000  | J-2 RANGE        | OC21B  | BIS(2-ETHYLHEXYL) PHTHALATE             | 7     |      | UG/L  | 62                 | 72                    | 6        |
| MW-57         | W57M2A    | 6/30/2000  | J-2 RANGE        | IM40MB | SODIUM                                  | 25900 |      | UG/L  | 62                 | 72                    | 20000    |
| MW-57         | W57M1A    | 7/5/2000   | J-2 RANGE        | IM40MB | SODIUM                                  | 22200 |      | UG/L  | 102                | 112                   | 20000    |
| MW-1          | W01M2A    | 7/31/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   | J    | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA    | 7/31/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-76S        | W76SSA    | 8/1/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A    | 8/1/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 97    | J    | UG/L  | 38                 | 48                    | 2        |
| MW-2          | W02DDD    | 8/2/2000   | CIA [108]        | IM40MB | THALLIUM                                | 4.9   | J    | UG/L  | 218                | 223                   | 2        |
| MW-2          | W02M1A    | 8/2/2000   | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 75                 | 80                    | 2        |
| MW-2          | W02M2A    | 8/2/2000   | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 33                 | 38                    | 2        |
| MW-76M2       | W76M2A    | 8/2/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31    |      | UG/L  | 38                 | 48                    | 2        |
| MW-19S        | W19SSA    | 8/8/2000   | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 2     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 8/8/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 290   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 8/8/2000   | DEMO 1           | E314.0 | PERCHLORATE                             | 104   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-23         | W23M1A    | 8/8/2000   | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.3   |      | UG/L  | 103                | 113                   | 2        |
| MW-31D        | W31DDA    | 8/9/2000   | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 3.9   | J    | UG/L  | 48                 | 53                    | 2        |
| MW-31D        | W31DDA    | 8/9/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 150   |      | UG/L  | 48                 | 53                    | 2        |
| MW-31M        | W31M1A    | 8/9/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31M1A    | 8/9/2000   | DEMO 1           | E314.0 | PERCHLORATE                             | 46    | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA    | 8/9/2000   | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 3.9   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 8/9/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 8/9/2000   | DEMO 1           | E314.0 | PERCHLORATE                             | 43    | J    | UG/L  | 13                 | 18                    | 2        |
| MW-34         | W34M2A    | 8/10/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 53                 | 63                    | 2        |
| MW-34         | W34M2A    | 8/10/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 56    | J    | UG/L  | 53                 | 63                    | 2        |
| MW-34         | W34M1A    | 8/11/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 73                 | 83                    | 2        |
| MW-38M3       | W38M3A    | 8/11/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 52                 | 62                    | 2        |
| MW-57         | W57M1A    | 8/29/2000  | J-2 RANGE        | IM40MB | SODIUM                                  | 20100 |      | UG/L  | 102                | 112                   | 20000    |
| MW-57         | W57M2A    | 8/29/2000  | J-2 RANGE        | IM40MB | SODIUM                                  | 23200 |      | UG/L  | 62                 | 72                    | 20000    |
| MW-37         | W37M2A    | 8/31/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   | J    | UG/L  | 26                 | 36                    | 2        |
| MW-45         | W45SSA    | 8/31/2000  | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 13.1  | J    | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA    | 8/31/2000  | L RANGE; FS-12   | IM40MB | THALLIUM                                | 4.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-40         | W40M1A    | 9/1/2000   | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   | J    | UG/L  | 13                 | 23                    | 2        |
| MW-56         | W56M3A    | 9/5/2000   | J-2 RANGE        | IM40MB | THALLIUM                                | 6.1   | J    | UG/L  | 31                 | 41                    | 2        |
| MW-56         | W56M3D    | 9/5/2000   | J-2 RANGE        | IM40MB | THALLIUM                                | 4.4   | J    | UG/L  | 31                 | 41                    | 2        |
| MW-56         | W56SSA    | 9/5/2000   | J-2 RANGE        | IM40MB | THALLIUM                                | 4     | J    | UG/L  | 1                  | 11                    | 2        |
| MW-58         | W58SSA    | 9/5/2000   | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 9/5/2000   | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29    |      | UG/L  | 0                  | 10                    | 2        |
| MW-46         | W46SSA    | 9/12/2000  | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 31300 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-87M1       | W87M1A    | 9/14/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 62                 | 72                    | 2        |
| MW-88M2       | W88M2A    | 9/21/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.7   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A    | 9/21/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3   |      | UG/L  | 72                 | 82                    | 2        |
| MW-113M2      | W113M2A   | 9/26/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2   |      | UG/L  | 48                 | 58                    | 2        |
| MW-99         | W99M1A    | 9/29/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 60                 | 70                    | 2        |
| MW-100        | W100M1A   | 10/2/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 45                 | 55                    | 2        |
| MW-111        | W111M3A   | 10/10/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 33                 | 43                    | 2        |
| MW-90         | W90M1A    | 10/11/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 27                 | 37                    | 2        |
| MW-114M2      | W114M2A   | 10/24/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140   |      | UG/L  | 39                 | 49                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-114M2      | W114M2D   | 10/24/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140   |      | UG/L  | 39                 | 49                    | 2        |
| MW-105        | W105M1A   | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 78                 | 88                    | 2        |
| MW-107M2      | W107M2A   | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 5                  | 15                    | 2        |
| MW-91M1       | W91M1A    | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 45                 | 55                    | 2        |
| MW-91M1       | W91M1D    | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA    | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M1A    | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A    | 11/7/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 16                 | 26                    | 2        |
| MW-132        | W132SSA   | 11/9/2000  | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA   | 11/9/2000  | J3 [150]         | E314.0 | PERCHLORATE                             | 39    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 11/14/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28    |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSD    | 11/14/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29    |      | UG/L  | 0                  | 10                    | 2        |
| MW-127        | W127SSA   | 11/15/2000 | J-1 RANGE        | IM40MB | THALLIUM                                | 2.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-21         | W21SSA    | 11/15/2000 | OTHER            | IM40MB | SODIUM                                  | 22500 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-54         | W54SSA    | 11/15/2000 | OTHER            | IM40MB | THALLIUM                                | 3.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-34         | W34M1A    | 11/17/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A    | 11/17/2000 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 53                 | 63                    | 2        |
| MW-46         | W46SSA    | 11/17/2000 | WESTERN BOUNDARY | IM40MB | SODIUM                                  | 22500 | J    | UG/L  | 0                  | 10                    | 20000    |
| MW-1          | W01M2A    | 11/18/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1   |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01M2D    | 11/18/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA    | 11/18/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-38M3       | W38M3A    | 11/20/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 52                 | 62                    | 2        |
| MW-2          | W02M2A    | 11/27/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 33                 | 38                    | 2        |
| MW-37         | W37M2A    | 11/27/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 26                 | 36                    | 2        |
| MW-37         | W37M2D    | 11/27/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 26                 | 36                    | 2        |
| MW-40         | W40M1A    | 11/27/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 13                 | 23                    | 2        |
| MW-7          | W07M1A    | 12/1/2000  | CIA [108]        | IM40MB | ARSENIC                                 | 19    |      | UG/L  | 135                | 140                   | 10       |
| MW-23         | W23M1A    | 12/4/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23M1D    | 12/4/2000  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2   |      | UG/L  | 103                | 113                   | 2        |
| MW-76M2       | W76M2A    | 12/6/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A    | 12/6/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 28    |      | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M2A    | 12/6/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 19    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M1       | W76M1A    | 12/7/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A    | 12/7/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 46    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA    | 12/7/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 5     |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A    | 12/7/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 93    |      | UG/L  | 38                 | 48                    | 2        |
| MW-19S        | W19SSA    | 12/8/2000  | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 2.3   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 12/8/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 200   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 12/8/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 12    |      | UG/L  | 0                  | 10                    | 2        |
| MW-31S        | W31SSA    | 12/8/2000  | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 12/8/2000  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 12/8/2000  | DEMO 1           | E314.0 | PERCHLORATE                             | 30    |      | UG/L  | 13                 | 18                    | 2        |
| ASPWELL       | ASPWELL   | 12/12/2000 | OTHER            | IM40PB | LEAD                                    | 20.9  |      | UG/L  |                    |                       | 15       |
| MW-1          | W01SSA    | 12/12/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-1          | W01SSD    | 12/12/2000 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-34         | W34M1A    | 12/18/2000 | DEMO 1           | E314.0 | PERCHLORATE                             | 109   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A    | 12/18/2000 | DEMO 1           | E314.0 | PERCHLORATE                             | 34    |      | UG/L  | 53                 | 63                    | 2        |
| MW-35         | W35SSA    | 12/18/2000 | DEMO 1           | IM40MB | THALLIUM                                | 2.9   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 12/19/2000 | DEMO 1           | IM40MB | THALLIUM                                | 4.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSD    | 12/19/2000 | DEMO 1           | E314.0 | PERCHLORATE                             | 6     |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSD    | 12/19/2000 | DEMO 1           | IM40MB | THALLIUM                                | 2     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-3          | W03DDA    | 12/20/2000 | CIA [108]        | IM40MB | THALLIUM                                | 3.3   |      | UG/L  | 219                | 224                   | 2        |
| MW-58         | W58SSA    | 12/20/2000 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 0                  | 10                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED    | AOC            | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|------------|----------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-58         | W58SSA     | 12/20/2000 | J-1 RANGE      | IM40MB | THALLIUM                                | 2     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-39         | W39M1A     | 12/21/2000 | CIA [108]      | IM40MB | THALLIUM                                | 4     |      | UG/L  | 84                 | 94                    | 2        |
| MW-45         | W45SSA     | 12/27/2000 | L RANGE; FS-12 | IM40MB | ARSENIC                                 | 13.7  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA     | 12/27/2000 | L RANGE; FS-12 | OC21V  | TOLUENE                                 | 1300  |      | UG/L  | 0                  | 10                    | 1000     |
| MW-114M1      | W114M1A    | 12/28/2000 | DEMO 1         | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A    | 12/29/2000 | DEMO 1         | E314.0 | PERCHLORATE                             | 300   |      | UG/L  | 39                 | 49                    | 2        |
| MW-139M2      | W139M2A    | 12/29/2000 | DEMO 1         | E314.0 | PERCHLORATE                             | 8     |      | UG/L  | 154                | 164                   | 2        |
| MW-129M1      | W129M1A    | 1/2/2001   | DEMO 1         | E314.0 | PERCHLORATE                             | 10    |      | UG/L  | 66                 | 76                    | 2        |
| MW-87M1       | W87M1A     | 1/10/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 62                 | 72                    | 2        |
| MW-88M2       | W88M2A     | 1/10/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A     | 1/11/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.5   |      | UG/L  | 72                 | 82                    | 2        |
| MW-94         | W94M2A     | 1/11/2001  | CIA [108]      | IM40MB | THALLIUM                                | 2     | J    | UG/L  | 16                 | 26                    | 2        |
| MW-28         | W28M1A     | 1/12/2001  | J3 [150]       | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 9.7   |      | UG/L  | 173                | 183                   | 6        |
| MW-99         | W99M1A     | 1/13/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 60                 | 70                    | 2        |
| MW-113M2      | W113M2A    | 1/15/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 48                 | 58                    | 2        |
| MW-101M1      | W101M1A    | 1/20/2001  | CIA [108]      | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 27                 | 37                    | 2        |
| MW-91M1       | W91M1A     | 1/20/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA     | 1/20/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA     | 1/20/2001  | CIA [108]      | E314.0 | PERCHLORATE                             | 5     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M1A     | 1/20/2001  | CIA [108]      | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M1D     | 1/20/2001  | CIA [108]      | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A     | 1/20/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   | J    | UG/L  | 16                 | 26                    | 2        |
| MW-93         | W93M2A     | 1/20/2001  | CIA [108]      | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 16                 | 26                    | 2        |
| MW-93         | W93M1A     | 1/22/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   | J    | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M1D     | 1/22/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 56                 | 66                    | 2        |
| MW-100        | W100M1A    | 1/27/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 45                 | 55                    | 2        |
| MW-105        | W105M1A    | 1/27/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 78                 | 88                    | 2        |
| MW-142M1      | W142M1A    | 1/29/2001  | J3 [150]       | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 20    |      | UG/L  | 185                | 195                   | 6        |
| MW-142M2      | W142M2A    | 1/29/2001  | J3 [150]       | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 11    |      | UG/L  | 100                | 110                   | 6        |
| 90MW0054      | 90MW0054AA | 1/30/2001  | J3 [150]       | E314.0 | PERCHLORATE                             | 9     |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054AD | 1/30/2001  | J3 [150]       | E314.0 | PERCHLORATE                             | 10    |      | UG/L  | 91.83              | 96.83                 | 2        |
| MW-85         | W85M1A     | 2/10/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24    |      | UG/L  | 22                 | 32                    | 2        |
| MW-145        | W145SSA    | 2/12/2001  | J3 [150]       | IM40MB | SODIUM                                  | 37000 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-127        | W127SSA    | 2/14/2001  | J-1 RANGE      | E314.0 | PERCHLORATE                             | 4     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-128        | W128SSA    | 2/14/2001  | J3 [150]       | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSA    | 2/14/2001  | J-2 RANGE      | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA    | 2/16/2001  | J3 [150]       | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA    | 2/16/2001  | J3 [150]       | E314.0 | PERCHLORATE                             | 65    |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA    | 2/16/2001  | J3 [150]       | IM40MB | THALLIUM                                | 2.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-125        | W125M1A    | 2/20/2001  | J3 [150]       | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 182                | 192                   | 2        |
| MW-146        | W146M1A    | 2/23/2001  | L RANGE        | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 8.4   |      | UG/L  | 75                 | 80                    | 6        |
| MW-147        | W147M1A    | 2/23/2001  | L RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 94                 | 104                   | 2        |
| MW-147        | W147M2A    | 2/23/2001  | L RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 77                 | 87                    | 2        |
| MW-150        | W150SSA    | 3/7/2001   | PHASE 2b       | IM40MB | THALLIUM                                | 2.2   | J    | UG/L  | 1                  | 11                    | 2        |
| MW-114M1      | W114M1A    | 3/14/2001  | DEMO 1         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     | J    | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | W114M1A    | 3/14/2001  | DEMO 1         | E314.0 | PERCHLORATE                             | 13    |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A    | 3/14/2001  | DEMO 1         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   | J    | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A    | 3/14/2001  | DEMO 1         | E314.0 | PERCHLORATE                             | 260   |      | UG/L  | 39                 | 49                    | 2        |
| MW-129M1      | W129M1A    | 3/14/2001  | DEMO 1         | E314.0 | PERCHLORATE                             | 9     |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A    | 3/14/2001  | DEMO 1         | E314.0 | PERCHLORATE                             | 6     |      | UG/L  | 46                 | 56                    | 2        |
| MW-139M2      | W139M2A    | 3/15/2001  | DEMO 1         | E314.0 | PERCHLORATE                             | 11    | J    | UG/L  | 154                | 164                   | 2        |
| MW-153M1      | W153M1A    | 3/23/2001  | L RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2   |      | UG/L  | 199                | 209                   | 2        |
| 27MW0031B     | 27MW0031B- | 4/20/2001  | LF-1           | E314.0 | PERCHLORATE                             | 17.7  |      | UG/L  |                    |                       | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-23         | W23M1A    | 4/27/2001 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 103                | 113                   | 2        |
| MW-113M2      | W113M2A   | 4/30/2001 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 48                 | 58                    | 2        |
| MW-38M3       | W38M3A    | 4/30/2001 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   | J    | UG/L  | 52                 | 62                    | 2        |
| MW-1          | W01M2A    | 5/1/2001  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8   |      | UG/L  | 44                 | 49                    | 2        |
| MW-34         | W34M2A    | 5/1/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 28    | J    | UG/L  | 53                 | 63                    | 2        |
| MW-31S        | W31SSA    | 5/2/2001  | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 5/2/2001  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 81    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 5/2/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 20    | J    | UG/L  | 13                 | 18                    | 2        |
| MW-157        | W157DDA   | 5/3/2001  | J3 [150]  | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 8.1   |      | UG/L  | 199                | 209                   | 6        |
| MW-2          | W02M2A    | 5/3/2001  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 33                 | 38                    | 2        |
| MW-35         | W35M1A    | 5/4/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 4     | J    | UG/L  | 68                 | 78                    | 2        |
| MW-34         | W34M1A    | 5/5/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 46    |      | UG/L  | 73                 | 83                    | 2        |
| MW-76M1       | W76M1A    | 5/7/2001  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28    |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A    | 5/7/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 8     |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A    | 5/7/2001  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 56    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A    | 5/7/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 17    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA    | 5/7/2001  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA    | 5/7/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 7     |      | UG/L  | 18                 | 28                    | 2        |
| MW-165M2      | W165M2A   | 5/8/2001  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 60    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A   | 5/8/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 122   | J    | UG/L  | 46                 | 56                    | 2        |
| MW-75         | W75M2A    | 5/9/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 9     | J    | UG/L  | 34                 | 44                    | 2        |
| MW-75         | W75M2D    | 5/9/2001  | DEMO 1    | E314.0 | PERCHLORATE                             | 9     | J    | UG/L  | 34                 | 44                    | 2        |
| MW-77M2       | W77M2A    | 5/10/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 39    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A    | 5/10/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 16    | J    | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M2A    | 5/10/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 9     | J    | UG/L  | 38                 | 48                    | 2        |
| MW-3          | W03DDA    | 5/18/2001 | CIA [108] | IM40MB | ARSENIC                                 | 14.7  |      | UG/L  | 219                | 224                   | 10       |
| 90MW0022      | 90MW0022  | 5/19/2001 | J3 [150]  | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 72.79              | 77.79                 | 2        |
| 58MW0002      | 58MW0002  | 5/23/2001 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0009E     | 58MW0009E | 5/23/2001 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4   |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-31M        | W31MMA    | 5/23/2001 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA    | 5/23/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 70    |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA    | 5/23/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 19    |      | UG/L  | 28                 | 38                    | 2        |
| 58MW0011D     | 58MW0011D | 5/24/2001 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.3   |      | UG/L  | 49.5               | 54.5                  | 2        |
| ASPWELL       | ASPWELL   | 5/24/2001 | OTHER     | IM40MB | LEAD                                    | 30.4  |      | UG/L  |                    |                       | 15       |
| ASPWELL       | ASPWELL   | 5/24/2001 | OTHER     | IM40MB | SODIUM                                  | 24900 |      | UG/L  |                    |                       | 20000    |
| MW-7          | W07M1A    | 5/24/2001 | CIA [108] | IM40MB | ARSENIC                                 | 19.4  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1L    | 5/24/2001 | CIA [108] | IM40MB | ARSENIC                                 | 17.2  |      | UG/L  | 135                | 140                   | 10       |
| MW-164        | W164M2A   | 5/25/2001 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 49                 | 59                    | 2        |
| 58MW0001      | 58MW0001  | 5/29/2001 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 0                  | 5                     | 2        |
| MW-166M1      | W166M1A   | 5/31/2001 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7   |      | UG/L  | 112                | 117                   | 2        |
| MW-171        | W171M2A   | 5/31/2001 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 83                 | 88                    | 2        |
| MW-166M3      | W166M3A   | 6/1/2001  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 19                 | 29                    | 2        |
| MW-40         | W40M1A    | 6/2/2001  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 13                 | 23                    | 2        |
| MW-168        | W168M1A   | 6/4/2001  | J-1 RANGE | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 6.7   |      | UG/L  | 174                | 184                   | 6        |
| MW-168        | W168M2A   | 6/5/2001  | J-1 RANGE | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 9     |      | UG/L  | 116                | 126                   | 6        |
| MW-158        | W158SSA   | 6/12/2001 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 2                  | 12                    | 2        |
| MW-130        | W130SSA   | 6/14/2001 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSD   | 6/14/2001 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA   | 6/14/2001 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA   | 6/14/2001 | J3 [150]  | E314.0 | PERCHLORATE                             | 67    |      | UG/L  | 0                  | 10                    | 2        |
| MW-58         | W58SSA    | 6/14/2001 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 6/14/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22    |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA    | 6/14/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 10    |      | UG/L  | 0                  | 10                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-132        | W132SSA    | 6/15/2001 | J3 [150]         | E314.0 | PERCHLORATE                             | 75    |      | UG/L  | 0                  | 10                    | 2        |
| MW-85         | W85M1A     | 6/16/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27    |      | UG/L  | 22                 | 32                    | 2        |
| MW-114M1      | W114M1A    | 6/18/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 10    |      | UG/L  | 96                 | 106                   | 2        |
| MW-144        | W144SSA    | 6/18/2001 | J3 [150]         | IM40MB | SODIUM                                  | 77200 |      | UG/L  | 5                  | 15                    | 20000    |
| MW-19S        | W19SSA     | 6/18/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 200   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 6/18/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 41    |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSD     | 6/18/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 210   |      | UG/L  | 0                  | 10                    | 2        |
| MW-114M2      | W114M2A    | 6/19/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A    | 6/19/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 207   |      | UG/L  | 39                 | 49                    | 2        |
| MW-129M1      | W129M1A    | 6/19/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 6     |      | UG/L  | 66                 | 76                    | 2        |
| MW-146        | W146M1A    | 6/19/2001 | L RANGE          | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 8.2   |      | UG/L  | 75                 | 80                    | 6        |
| MW-147        | W147M1A    | 6/19/2001 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 94                 | 104                   | 2        |
| MW-129M2      | W129M2A    | 6/20/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 8     |      | UG/L  | 46                 | 56                    | 2        |
| MW-139M2      | W139M2A    | 6/20/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 154                | 164                   | 2        |
| MW-145        | W145SSA    | 6/20/2001 | J3 [150]         | IM40MB | SODIUM                                  | 73600 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-172        | W172M2A    | 6/21/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 104                | 114                   | 2        |
| 27MW0031B     | 27MW0031B- | 7/5/2001  | LF-1             | E314.0 | PERCHLORATE                             | 15.1  |      | UG/L  |                    |                       | 2        |
| MW-153M1      | W153M1A    | 7/24/2001 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.8   |      | UG/L  | 199                | 209                   | 2        |
| MW-23         | W23M1A     | 7/30/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 103                | 113                   | 2        |
| MW-34         | W34M2A     | 7/30/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 16.2  |      | UG/L  | 53                 | 63                    | 2        |
| MW-7          | W07M1A     | 7/30/2001 | CIA [108]        | IM40MB | ARSENIC                                 | 18    |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1L     | 7/30/2001 | CIA [108]        | IM40MB | ARSENIC                                 | 15    |      | UG/L  | 135                | 140                   | 10       |
| MW-34         | W34M1A     | 7/31/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 30.8  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1D     | 7/31/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 31.4  |      | UG/L  | 73                 | 83                    | 2        |
| MW-55         | W55DDA     | 7/31/2001 | OTHER            | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 6.4   |      | UG/L  | 119                | 129                   | 6        |
| MW-35         | W35M1A     | 8/3/2001  | DEMO 1           | E314.0 | PERCHLORATE                             | 5.4   |      | UG/L  | 68                 | 78                    | 2        |
| MW-75         | W75M2A     | 8/9/2001  | DEMO 1           | E314.0 | PERCHLORATE                             | 6.24  |      | UG/L  | 34                 | 44                    | 2        |
| MW-76S        | W76SSA     | 8/10/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA     | 8/10/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 13.3  |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A     | 8/10/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 29    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A     | 8/10/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 13.9  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M1       | W76M1A     | 8/13/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 90    |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A     | 8/13/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 16    |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A     | 8/13/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 51    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A     | 8/13/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 22.1  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2D     | 8/13/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 48    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2D     | 8/13/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 22.5  |      | UG/L  | 38                 | 48                    | 2        |
| MW-38M3       | W38M3A     | 8/14/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 52                 | 62                    | 2        |
| MW-1          | W01M2A     | 8/15/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 44                 | 49                    | 2        |
| MW-78         | W78M2A     | 8/15/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 11.4  |      | UG/L  | 38                 | 48                    | 2        |
| MW-1          | W01SSA     | 8/16/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-165M2      | W165M2A    | 8/16/2001 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 50    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A    | 8/16/2001 | DEMO 1           | E314.0 | PERCHLORATE                             | 102   |      | UG/L  | 46                 | 56                    | 2        |
| MW-40         | W40M1A     | 8/16/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 13                 | 23                    | 2        |
| MW-164        | W164M2A    | 8/21/2001 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     |      | UG/L  | 49                 | 59                    | 2        |
| MW-2          | W02M2A     | 8/21/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 33                 | 38                    | 2        |
| MW-38         | W38DDA     | 8/22/2001 | CIA [108]        | IM40MB | THALLIUM                                | 3     | J    | UG/L  | 124                | 134                   | 2        |
| MW-58         | W58SSA     | 8/22/2001 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-61         | W61SSA     | 8/22/2001 | PHASE 2b         | IM40MB | THALLIUM                                | 3.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-82         | W82DDA     | 8/22/2001 | WESTERN BOUNDARY | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 24    |      | UG/L  | 97                 | 107                   | 6        |
| MW-45         | W45SSA     | 8/23/2001 | L RANGE; FS-12   | 8330   | 2,6-DINITROTOLUENE                      | 8.3   | J    | UG/L  | 0                  | 10                    | 5        |
| MW-45         | W45SSA     | 8/23/2001 | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 19    |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA     | 8/23/2001 | L RANGE; FS-12   | IM40MB | LEAD                                    | 42.2  |      | UG/L  | 0                  | 10                    | 15       |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|------------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-84         | W84DDA     | 8/23/2001  | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 4     | J    | UG/L  | 153                | 163                   | 2        |
| MW-19S        | W19SSA     | 8/24/2001  | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 2.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 8/24/2001  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 8/24/2001  | DEMO 1           | E314.0 | PERCHLORATE                             | 8.49  |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA     | 8/24/2001  | DEMO 1           | IM40MB | THALLIUM                                | 4.2   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-31S        | W31SSA     | 8/24/2001  | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.4   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA     | 8/24/2001  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 88    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA     | 8/24/2001  | DEMO 1           | E314.0 | PERCHLORATE                             | 16.2  |      | UG/L  | 13                 | 18                    | 2        |
| MW-44         | W44SSA     | 8/24/2001  | CIA [108]        | IM40MB | THALLIUM                                | 3     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-84         | W84M3A     | 8/27/2001  | WESTERN BOUNDARY | IM40MB | THALLIUM                                | 5     | J    | UG/L  | 42                 | 52                    | 2        |
| 58MW0001      | 58MW0001   | 8/29/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0001      | 58MW0001-D | 8/29/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0009E     | 58MW0009E  | 8/29/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0016      | 58MW0016B  | 8/30/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 28.5               | 38.5                  | 2        |
| 58MW0016      | 58MW0016C  | 8/30/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 0                  | 10                    | 2        |
| 90MW0022      | 90MW0022   | 9/5/2001   | J3 [150]         | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 72.79              | 77.79                 | 2        |
| 58MW0002      | 58MW0002   | 9/19/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 0                  | 5                     | 2        |
| MW-172        | W172M2A    | 9/21/2001  | DEMO 1           | E314.0 | PERCHLORATE                             | 3.94  | J    | UG/L  | 104                | 114                   | 2        |
| MW-66         | W66SSA     | 9/21/2001  | NW CORNER        | E314.0 | PERCHLORATE                             | 2.2   | J    | UG/L  | 7                  | 17                    | 2        |
| 58MW0011D     | 58MW0011D  | 9/26/2001  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5   |      | UG/L  | 49.5               | 54.5                  | 2        |
| MW-85         | W85M1A     | 9/26/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 22                 | 32                    | 2        |
| ASPWELL       | ASPWELL    | 9/27/2001  | OTHER            | A3111B | SODIUM                                  | 21000 |      | UG/L  |                    |                       | 20000    |
| ASPWELL       | ASPWELL    | 9/27/2001  | OTHER            | IM40MB | SODIUM                                  | 22600 |      | UG/L  |                    |                       | 20000    |
| MW-86         | W86M2A     | 9/27/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 16                 | 26                    | 2        |
| MW-87M1       | W87M1A     | 9/27/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 62                 | 72                    | 2        |
| MW-88M2       | W88M2A     | 9/28/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.4   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M1       | W89M1A     | 9/28/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 92                 | 102                   | 2        |
| MW-95M1       | W95M1A     | 10/1/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 78                 | 88                    | 2        |
| MW-94         | W94M2A     | 10/2/2001  | CIA [108]        | IM40MB | THALLIUM                                | 2.3   | J    | UG/L  | 16                 | 26                    | 2        |
| MW-89M2       | W89M2A     | 10/3/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2D     | 10/3/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 72                 | 82                    | 2        |
| MW-91M1       | W91M1A     | 10/3/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    | J    | UG/L  | 45                 | 55                    | 2        |
| MW-93         | W93M1A     | 10/3/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A     | 10/3/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9   |      | UG/L  | 16                 | 26                    | 2        |
| MW-166M1      | W166M1A    | 10/4/2001  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 112                | 117                   | 2        |
| MW-166M3      | W166M3A    | 10/4/2001  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 19                 | 29                    | 2        |
| MW-91S        | W91SSA     | 10/9/2001  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA     | 10/9/2001  | CIA [108]        | E314.0 | PERCHLORATE                             | 3.22  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA    | 10/10/2001 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA    | 10/10/2001 | J3 [150]         | E314.0 | PERCHLORATE                             | 39.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-158        | W158M2A    | 10/15/2001 | J-2 RANGE        | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 34    | J    | UG/L  | 37                 | 47                    | 6        |
| MW-152        | W152M1A    | 10/16/2001 | J-3 RANGE; OTHER | IM40MB | ARSENIC                                 | 10.9  |      | UG/L  | 144                | 154                   | 10       |
| MW-145        | W145SSA    | 10/18/2001 | J3 [150]         | IM40MB | THALLIUM                                | 4.8   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-148        | W148SSA    | 10/18/2001 | L RANGE          | IM40MB | SODIUM                                  | 23500 |      | UG/L  | 0                  | 10                    | 2000     |
| MW-105        | W105M1A    | 10/22/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   | J    | UG/L  | 78                 | 88                    | 2        |
| MW-107M2      | W107M2A    | 10/22/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 5                  | 15                    | 2        |
| MW-100        | W100M1A    | 10/23/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 45                 | 55                    | 2        |
| MW-100        | W100M1D    | 10/23/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 45                 | 55                    | 2        |
| MW-101M1      | W101M1A    | 10/23/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 27                 | 37                    | 2        |
| 90MW0054      | 90MW0054   | 10/24/2001 | J3 [150]         | E314.0 | PERCHLORATE                             | 27.8  |      | UG/L  | 91.83              | 96.83                 | 2        |
| MW-147        | W147M2A    | 10/24/2001 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 77                 | 87                    | 2        |
| MW-153M1      | W153M1A    | 10/24/2001 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8   |      | UG/L  | 199                | 209                   | 2        |
| MW-178M1      | W178M1A    | 10/31/2001 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8   |      | UG/L  | 117                | 127                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC            | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|----------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| OW-2          | WOW-2A    | 11/14/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 48.78              | 58.78                 | 2        |
| OW-6          | WOW-6A    | 11/14/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 46.8               | 56.8                  | 2        |
| OW-1          | WOW-1A    | 11/15/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| OW-1          | WOW-1A    | 11/15/2001 | CIA [108]      | E314.0 | PERCHLORATE                             | 2.92  |      | UG/L  | 0                  | 10                    | 2        |
| MW-2          | W02M2A    | 11/19/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 33                 | 38                    | 2        |
| MW-105        | W105M1A   | 11/26/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 78                 | 88                    | 2        |
| MW-100        | W100M1A   | 11/27/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 45                 | 55                    | 2        |
| MW-101M1      | W101M1A   | 11/27/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 27                 | 37                    | 2        |
| MW-93         | W93M1A    | 11/28/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A    | 11/28/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 16                 | 26                    | 2        |
| MW-107M2      | W107M2A   | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   | J    | UG/L  | 5                  | 15                    | 2        |
| MW-107M2      | W107M2D   | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   | J    | UG/L  | 5                  | 15                    | 2        |
| MW-38M3       | W38M3A    | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   | J    | UG/L  | 52                 | 62                    | 2        |
| MW-38M3       | W38M3D    | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     | J    | UG/L  | 52                 | 62                    | 2        |
| MW-40         | W40M1A    | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   | J    | UG/L  | 13                 | 23                    | 2        |
| MW-91M1       | W91M1A    | 11/29/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    | J    | UG/L  | 45                 | 55                    | 2        |
| MW-1          | W01M2A    | 11/30/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.9   |      | UG/L  | 44                 | 49                    | 2        |
| MW-86         | W86M2A    | 11/30/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 16                 | 26                    | 2        |
| MW-7          | W07M1A    | 12/1/2001  | CIA [108]      | IM40MB | ARSENIC                                 | 21.9  |      | UG/L  | 135                | 140                   | 10       |
| MW-113M2      | W113M2A   | 12/3/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 48                 | 58                    | 2        |
| MW-87M1       | W87M1A    | 12/3/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   |      | UG/L  | 62                 | 72                    | 2        |
| MW-89M2       | W89M2A    | 12/3/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 72                 | 82                    | 2        |
| MW-88M2       | W88M2A    | 12/4/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M1       | W89M1A    | 12/4/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 92                 | 102                   | 2        |
| MW-23         | W23M1A    | 12/6/2001  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 103                | 113                   | 2        |
| 90MW0054      | 90MW0054  | 12/8/2001  | J3 [150]       | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 58MW0009E     | 58MW0009E | 12/11/2001 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0011D     | 58MW0011D | 12/11/2001 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 49.5               | 54.5                  | 2        |
| 58MW0016      | 58MW0016C | 12/11/2001 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA   | 12/12/2001 | J3 [150]       | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8   |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA   | 12/12/2001 | J3 [150]       | E314.0 | PERCHLORATE                             | 27.4  |      | UG/L  | 0                  | 10                    | 2        |
| MW-58         | W58SSA    | 12/12/2001 | J-1 RANGE      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0018      | 58MW0018B | 12/13/2001 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 34.55              | 44.55                 | 2        |
| 90MW0054      | 90MW0054  | 12/13/2001 | J3 [150]       | E314.0 | PERCHLORATE                             | 32.1  |      | UG/L  | 91.83              | 96.83                 | 2        |
| MW-130        | W130SSA   | 12/13/2001 | J-2 RANGE      | E314.0 | PERCHLORATE                             | 4.21  |      | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSD   | 12/13/2001 | J-2 RANGE      | E314.0 | PERCHLORATE                             | 4.1   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0002      | 58MW0002  | 12/14/2001 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 0                  | 5                     | 2        |
| MW-45         | W45SSA    | 12/14/2001 | L RANGE; FS-12 | IM40MB | ARSENIC                                 | 19.8  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA    | 12/14/2001 | L RANGE; FS-12 | IM40MB | LEAD                                    | 42.8  |      | UG/L  | 0                  | 10                    | 15       |
| MW-45         | W45SSA    | 12/14/2001 | L RANGE; FS-12 | OC21V  | TOLUENE                                 | 1300  |      | UG/L  | 0                  | 10                    | 1000     |
| MW-85         | W85M1A    | 12/15/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19    |      | UG/L  | 22                 | 32                    | 2        |
| MW-95M1       | W95M1A    | 12/15/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 78                 | 88                    | 2        |
| ASPWELL       | ASPWELL   | 12/19/2001 | OTHER          | IM40MB | SODIUM                                  | 28500 |      | UG/L  |                    |                       | 20000    |
| MW-21         | W21SSA    | 12/20/2001 | OTHER          | IM40MB | SODIUM                                  | 26400 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-91S        | W91SSA    | 12/20/2001 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20    |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA    | 12/20/2001 | CIA [108]      | E314.0 | PERCHLORATE                             | 3.83  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-114M1      | W114M1A   | 12/21/2001 | DEMO 1         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | W114M1A   | 12/21/2001 | DEMO 1         | E314.0 | PERCHLORATE                             | 22.1  |      | UG/L  | 96                 | 106                   | 2        |
| MW-129M1      | W129M1A   | 12/21/2001 | DEMO 1         | E314.0 | PERCHLORATE                             | 5.92  | J    | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A   | 12/21/2001 | DEMO 1         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A   | 12/21/2001 | DEMO 1         | E314.0 | PERCHLORATE                             | 6.93  | J    | UG/L  | 46                 | 56                    | 2        |
| MW-171        | W171M2A   | 12/21/2001 | J3 [150]       | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 83                 | 88                    | 2        |
| MW-35         | W35M1A    | 12/21/2001 | DEMO 1         | E314.0 | PERCHLORATE                             | 6.34  | J    | UG/L  | 68                 | 78                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID    | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------|------------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-34         | W34M1A       | 12/26/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 17.7  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A       | 12/26/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.85  | J    | UG/L  | 53                 | 63                    | 2        |
| MW-77M2       | W77M2A       | 12/26/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A       | 12/26/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 12.3  |      | UG/L  | 38                 | 48                    | 2        |
| MW-19S        | W19SSA       | 12/27/2001 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 2.2   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA       | 12/27/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA       | 12/27/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 18.6  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-76M1       | W76M1A       | 12/28/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 110   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A       | 12/28/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 30.6  |      | UG/L  | 58                 | 68                    | 2        |
| MW-76S        | W76SSA       | 12/28/2001 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9   | J    | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA       | 12/28/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 41.2  |      | UG/L  | 18                 | 28                    | 2        |
| MW-78         | W78M2A       | 12/28/2001 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.43  |      | UG/L  | 38                 | 48                    | 2        |
| 27MW0031B     | 27MW0031B-   | 1/3/2002   | LF-1      | E314.0 | PERCHLORATE                             | 9.3   |      | UG/L  |                    |                       | 2        |
| 27MW0031B     | 27MW0031B-FD | 1/3/2002   | LF-1      | E314.0 | PERCHLORATE                             | 8.8   |      | UG/L  |                    |                       | 2        |
| MW-31S        | W31SSA       | 1/4/2002   | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.9   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA       | 1/4/2002   | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA       | 1/4/2002   | DEMO 1    | E314.0 | PERCHLORATE                             | 12.5  |      | UG/L  | 13                 | 18                    | 2        |
| MW-114M2      | W114M2A      | 1/7/2002   | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 170   |      | UG/L  | 39                 | 49                    | 2        |
| MW-165M2      | W165M2A      | 1/7/2002   | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27    | J    | UG/L  | 46                 | 56                    | 2        |
| MW-75         | W75M2A       | 1/7/2002   | DEMO 1    | E314.0 | PERCHLORATE                             | 4.08  |      | UG/L  | 34                 | 44                    | 2        |
| MW-76M2       | W76M2A       | 1/7/2002   | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 92    |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A       | 1/7/2002   | DEMO 1    | E314.0 | PERCHLORATE                             | 126   |      | UG/L  | 38                 | 48                    | 2        |
| 27MW0705      | 27MW0705     | 1/8/2002   | LF-1      | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 7.5   | J    | UG/L  | 0                  | 10                    | 6        |
| MW-36         | W36M2D       | 1/8/2002   | DEMO 1    | E314.0 | PERCHLORATE                             | 2.16  |      | UG/L  | 54                 | 64                    | 2        |
| 27MW2061      | 27MW2061     | 1/9/2002   | LF-1      | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 12    | J    | UG/L  | 0                  | 10                    | 6        |
| MW-1          | W01SSA       | 1/10/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-114M2      | W114M2A      | 1/10/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 127   |      | UG/L  | 39                 | 49                    | 2        |
| MW-165M2      | W165M2A      | 1/10/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 81.2  |      | UG/L  | 46                 | 56                    | 2        |
| 58MW0001      | 58MW0001     | 1/11/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 0                  | 5                     | 2        |
| MW-73S        | W73SSA       | 1/11/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 79    |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA       | 1/11/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-166M1      | W166M1A      | 1/16/2002  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 112                | 117                   | 2        |
| MW-164        | W164M2A      | 1/17/2002  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 49                 | 59                    | 2        |
| MW-166M3      | W166M3A      | 1/17/2002  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 19                 | 29                    | 2        |
| MW-160S       | W160SSA      | 1/23/2002  | DEMO 2    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   | J    | UG/L  | 5                  | 15                    | 2        |
| MW-187        | W187DDA      | 1/23/2002  | J-1 RANGE | OC21V  | BENZENE                                 | 1000  |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA      | 1/23/2002  | J-1 RANGE | OC21V  | CHLOROMETHANE                           | 75    | J    | UG/L  | 199.5              | 209.5                 | 30       |
| MW-187        | W187DDA      | 1/23/2002  | J-1 RANGE | IM40MB | SODIUM                                  | 25300 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-187        | W187DDX      | 1/23/2002  | J-1 RANGE | IM40MB | ANTIMONY                                | 6     | J    | UG/L  | 199.5              | 209.5                 | 6        |
| MW-187        | W187DDX      | 1/23/2002  | J-1 RANGE | IM40MB | SODIUM                                  | 25200 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-184M1      | W184M1A      | 1/24/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 23    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-191        | W191M2A      | 1/25/2002  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   | J    | UG/L  | 8.4                | 18.4                  | 2        |
| MW-188        | W188M1A      | 1/30/2002  | J-1 RANGE | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 9.4   |      | UG/L  | 41.1               | 51.1                  | 6        |
| MW-163S       | W163SSA      | 2/5/2002   | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA      | 2/5/2002   | J3 [150]  | E314.0 | PERCHLORATE                             | 17.9  |      | UG/L  | 0                  | 10                    | 2        |
| MW-196        | W196M1A      | 2/6/2002   | J3 [150]  | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 10    | J    | UG/L  | 12                 | 17                    | 6        |
| MW-196        | W196SSA      | 2/7/2002   | J3 [150]  | 8330   | 2,4,6-TRINITROTOLUENE                   | 12    |      | UG/L  | 0                  | 5                     | 2        |
| MW-172        | W172M2A      | 2/8/2002   | DEMO 1    | E314.0 | PERCHLORATE                             | 5.45  |      | UG/L  | 104                | 114                   | 2        |
| MW-187        | W187DDA      | 2/11/2002  | J-1 RANGE | OC21V  | BENZENE                                 | 1300  |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA      | 2/11/2002  | J-1 RANGE | OC21V  | CHLOROMETHANE                           | 47    | J    | UG/L  | 199.5              | 209.5                 | 30       |
| MW-197        | W197M3A      | 2/12/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 34.1  |      | UG/L  | 39.4               | 44.4                  | 2        |
| MW-198M3      | W198M3A      | 2/15/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A      | 2/15/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 40.9  |      | UG/L  | 78.5               | 83.5                  | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID  | SAMPLED   | AOC              | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|-----------|------------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-193M1      | W193M1A    | 2/20/2002 | J3 [150]         | E314.0  | PERCHLORATE                             | 7.02 |      | UG/L  | 23.8               | 28.8                  | 2        |
| MW-193M1      | W193M1D    | 2/20/2002 | J3 [150]         | E314.0  | PERCHLORATE                             | 7.3  |      | UG/L  | 23.8               | 28.8                  | 2        |
| MW-198M4      | W198M4A    | 2/21/2002 | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A    | 2/21/2002 | J3 [150]         | E314.0  | PERCHLORATE                             | 311  |      | UG/L  | 48.4               | 53.4                  | 2        |
| C2-B          | C-2I       | 3/7/2002  | OTHER            | SVOC_FW | BIS(2-ETHYLHEXYL) PHTHALATE             | 10   |      | UG/L  | 39.31              | 79.31                 | 6        |
| MW-163S       | W163SSA    | 3/7/2002  | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2  |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA    | 3/7/2002  | J3 [150]         | E314.0  | PERCHLORATE                             | 33.1 |      | UG/L  | 0                  | 10                    | 2        |
| C7-B          | C-7I       | 3/8/2002  | J-2 RANGE        | SVOC_FW | BIS(2-ETHYLHEXYL) PHTHALATE             | 14   |      | UG/L  | 93.89              | 133.89                | 6        |
| C7-B          | C-7ID      | 3/8/2002  | J-2 RANGE        | SVOC_FW | BIS(2-ETHYLHEXYL) PHTHALATE             | 17   |      | UG/L  | 93.89              | 133.89                | 6        |
| MW-178M1      | W178M1A    | 3/8/2002  | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  | J    | UG/L  | 117                | 127                   | 2        |
| C6-C          | C-6D       | 3/12/2002 | OTHER            | SVOC_FW | BIS(2-ETHYLHEXYL) PHTHALATE             | 7.1  |      | UG/L  | 100.04             | 140.04                | 6        |
| MW-201M2      | W201M2A    | 3/13/2002 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  | J    | UG/L  | 86.9               | 96.9                  | 2        |
| 27MW0031B     | 27MW0031B- | 3/29/2002 | LF-1             | E314.0  | PERCHLORATE                             | 8.3  |      | UG/L  |                    |                       | 2        |
| MW-80         | W80M1A     | 4/4/2002  | WESTERN BOUNDARY | E314.0  | PERCHLORATE                             | 2.26 | J    | UG/L  | 86                 | 96                    | 2        |
| MW-204M1      | W204M1A    | 4/10/2002 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | UG/L  | 81                 | 91                    | 2        |
| 58MW0015      | 58MW0015A  | 4/11/2002 | CS-19            | E314.0  | PERCHLORATE                             | 2.09 |      | UG/L  | 36                 | 45                    | 2        |
| MW-129M1      | W129M1A    | 4/12/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 4.63 |      | UG/L  | 66                 | 76                    | 2        |
| MW-207M1      | W207M1A    | 4/16/2002 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-139M2      | W139M2A    | 4/17/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 2.77 |      | UG/L  | 154                | 164                   | 2        |
| MW-162        | W162M2A    | 4/18/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 2.03 |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-165M2      | W165M2A    | 4/18/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A    | 4/18/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 83.5 |      | UG/L  | 46                 | 56                    | 2        |
| 90MW0054      | 90MW0054   | 4/20/2002 | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054   | 4/20/2002 | J3 [150]         | E314.0  | PERCHLORATE                             | 26.3 | J    | UG/L  | 91.83              | 96.83                 | 2        |
| MW-31M        | W31MMA     | 4/22/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.4  |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA     | 4/22/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 2.98 | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMD     | 4/22/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.2  |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMD     | 4/22/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 3.04 | J    | UG/L  | 28                 | 38                    | 2        |
| MW-33         | W33DDA     | 4/23/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 2.02 |      | UG/L  | 85                 | 90                    | 2        |
| MW-34         | W34M1A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 7.9  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 19.6 |      | UG/L  | 53                 | 63                    | 2        |
| MW-35         | W35M1A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 6.44 | J    | UG/L  | 68                 | 78                    | 2        |
| MW-36         | W36M2A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 3.44 |      | UG/L  | 54                 | 64                    | 2        |
| MW-76M1       | W76M1A     | 4/24/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 79   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 15.3 |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A     | 4/24/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 130  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 174  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA     | 4/24/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 25   |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 175  |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A     | 4/24/2002 | DEMO 1           | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4  |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A     | 4/24/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 8.01 |      | UG/L  | 38                 | 48                    | 2        |
| MW-75         | W75M2A     | 4/25/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 4.89 |      | UG/L  | 34                 | 44                    | 2        |
| MW-78         | W78M1A     | 4/25/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 2.07 |      | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A     | 4/25/2002 | DEMO 1           | E314.0  | PERCHLORATE                             | 4.75 |      | UG/L  | 38                 | 48                    | 2        |
| MW-153M1      | W153M1A    | 4/26/2002 | L RANGE          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.7  | J    | UG/L  | 199                | 209                   | 2        |
| MW-147        | W147M1A    | 4/29/2002 | L RANGE          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 94                 | 104                   | 2        |
| MW-147        | W147M2A    | 4/29/2002 | L RANGE          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 77                 | 87                    | 2        |
| MW-147        | W147M2D    | 4/29/2002 | L RANGE          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 77                 | 87                    | 2        |
| MW-209M1      | W209M1A    | 4/30/2002 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 121                | 131                   | 2        |
| MW-2          | W02M2A     | 5/1/2002  | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    | J    | UG/L  | 33                 | 38                    | 2        |
| MW-113M2      | W113M2A    | 5/9/2002  | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7    |      | UG/L  | 48                 | 58                    | 2        |
| MW-23         | W23M1A     | 5/9/2002  | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23M1D     | 5/9/2002  | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 103                | 113                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| 16MW0001      | 16MW0001- | 5/13/2002 | CS-18     | E314.0 | PERCHLORATE                             | 2.7   |      | UG/L  |                    |                       | 2        |
| MW-7          | W07M1A    | 5/15/2002 | CIA [108] | IM40MB | ARSENIC                                 | 16.7  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1D    | 5/15/2002 | CIA [108] | IM40MB | ARSENIC                                 | 17.9  |      | UG/L  | 135                | 140                   | 10       |
| MW-86         | W86M2A    | 5/16/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 16                 | 26                    | 2        |
| MW-87M1       | W87M1A    | 5/17/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   |      | UG/L  | 62                 | 72                    | 2        |
| MW-88M2       | W88M2A    | 5/17/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M1       | W89M1A    | 5/17/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 92                 | 102                   | 2        |
| MW-89M2       | W89M2A    | 5/17/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 72                 | 82                    | 2        |
| MW-91M1       | W91M1A    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 45                 | 55                    | 2        |
| MW-91M1       | W91M1D    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5   |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17    |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA    | 5/20/2002 | CIA [108] | E314.0 | PERCHLORATE                             | 4     |      | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M1A    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.7   |      | UG/L  | 16                 | 26                    | 2        |
| MW-95M1       | W95M1A    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 78                 | 88                    | 2        |
| MW-95M1       | W95M1D    | 5/20/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2   |      | UG/L  | 78                 | 88                    | 2        |
| MW-100        | W100M1A   | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 45                 | 55                    | 2        |
| MW-101M1      | W101M1A   | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 27                 | 37                    | 2        |
| MW-105        | W105M1A   | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 78                 | 88                    | 2        |
| OW-1          | WOW-1A    | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 0                  | 10                    | 2        |
| OW-1          | WOW-1A    | 5/21/2002 | CIA [108] | E314.0 | PERCHLORATE                             | 2.07  | J    | UG/L  | 0                  | 10                    | 2        |
| OW-1          | WOW-1D    | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 0                  | 10                    | 2        |
| OW-1          | WOW-1D    | 5/21/2002 | CIA [108] | E314.0 | PERCHLORATE                             | 2.15  | J    | UG/L  | 0                  | 10                    | 2        |
| OW-2          | WOW-2A    | 5/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.2   |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-1          | W01M2A    | 5/22/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 44                 | 49                    | 2        |
| MW-85         | W85M1A    | 5/22/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7     |      | UG/L  | 22                 | 32                    | 2        |
| MW-114M2      | W114M2A   | 5/29/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 190   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A   | 5/29/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 72    |      | UG/L  | 39                 | 49                    | 2        |
| MW-19S        | W19SSA    | 5/29/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA    | 5/29/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-31S        | W31SSA    | 5/29/2002 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.5   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 5/29/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 130   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 5/29/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 12    |      | UG/L  | 13                 | 18                    | 2        |
| 58MW0001      | 58MW0001  | 5/31/2002 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0002      | 58MW0002  | 5/31/2002 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16    |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0009E     | 58MW0009E | 6/3/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0011D     | 58MW0011D | 6/3/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 49.5               | 54.5                  | 2        |
| 58MW0016      | 58MW0016C | 6/4/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-210M2      | W210M2A   | 6/6/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 12    |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2D   | 6/6/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-211M2      | W211M2A   | 6/6/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 3     |      | UG/L  | 29.7               | 39.7                  | 2        |
| MW-37         | W37M2A    | 6/11/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 26                 | 36                    | 2        |
| MW-37         | W37M2D    | 6/11/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 26                 | 36                    | 2        |
| MW-164        | W164M2A   | 6/20/2002 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.1   |      | UG/L  | 49                 | 59                    | 2        |
| MW-114M1      | W114M1A   | 6/21/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | W114M1A   | 6/21/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 12    |      | UG/L  | 96                 | 106                   | 2        |
| MW-184M1      | W184M1A   | 6/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-129M2      | W129M2A   | 6/27/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.6   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2D   | 6/27/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9   |      | UG/L  | 46                 | 56                    | 2        |
| MW-132        | W132SSA   | 6/28/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 28    |      | UG/L  | 0                  | 10                    | 2        |
| MW-145        | W145SSA   | 6/28/2002 | J3 [150]  | IM40MB | SODIUM                                  | 53300 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-166M3      | W166M3A   | 7/1/2002  | J-1 RANGE | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 19                 | 29                    | 2        |
| MW-66         | W66SSA    | 7/1/2002  | NW CORNER | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 7                  | 17                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID    | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-163S       | W163SSA      | 7/2/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA      | 7/2/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 46    |      | UG/L  | 0                  | 10                    | 2        |
| MW-129M2      | W129M2A      | 7/10/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9   |      | UG/L  | 46                 | 56                    | 2        |
| MW-187        | W187DDA      | 7/11/2002 | J-1 RANGE | OC21V  | BENZENE                                 | 530   | J    | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA      | 7/11/2002 | J-1 RANGE | IM40MB | SODIUM                                  | 27100 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-193M1      | W193M1A      | 7/11/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.5   |      | UG/L  | 23.8               | 28.8                  | 2        |
| 16MW0001      | 16MW0001-    | 7/12/2002 | CS-18     | E314.0 | PERCHLORATE                             | 4.3   |      | UG/L  |                    |                       | 2        |
| MW-196        | W196SSA      | 7/12/2002 | J3 [150]  | 8330   | 2,4,6-TRINITROTOLUENE                   | 10    |      | UG/L  | 0                  | 5                     | 2        |
| MW-196        | W196SSA      | 7/12/2002 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6   | J    | UG/L  | 0                  | 5                     | 2        |
| 27MW0031B     | 27MW0031B-   | 7/17/2002 | LF-1      | E314.0 | PERCHLORATE                             | 5.3   |      | UG/L  |                    |                       | 2        |
| 27MW0031B     | 27MW0031B-FD | 7/17/2002 | LF-1      | E314.0 | PERCHLORATE                             | 5.3   |      | UG/L  |                    |                       | 2        |
| MW-197        | W197M3A      | 7/18/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 54    | J    | UG/L  | 39.4               | 44.4                  | 2        |
| MW-201M2      | W201M2A      | 7/18/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-206        | W206M1A      | 7/18/2002 | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-198M4      | W198M4A      | 7/19/2002 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7     |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A      | 7/19/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 170   | J    | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M3      | W198M3A      | 7/22/2002 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A      | 7/22/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 65    | J    | UG/L  | 78.5               | 83.5                  | 2        |
| MW-191        | W191M1A      | 7/25/2002 | J-1 RANGE | IM40MB | THALLIUM                                | 6.3   |      | UG/L  | 25.2               | 30.2                  | 2        |
| MW-178M1      | W178M1A      | 7/26/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3   |      | UG/L  | 117                | 127                   | 2        |
| MW-207M1      | W207M1A      | 7/26/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-207M1      | W207M1D      | 7/26/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-209M1      | W209M1A      | 7/26/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 121                | 131                   | 2        |
| MW-204M1      | W204M1A      | 7/29/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.3   |      | UG/L  | 81                 | 91                    | 2        |
| MW-204M1      | W204M1D      | 7/29/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 81                 | 91                    | 2        |
| MW-204M1      | W204M2A      | 7/29/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6   |      | UG/L  | 81                 | 91                    | 2        |
| MW-215M2      | W215M2A      | 8/1/2002  | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-225M3      | W225M3A      | 8/6/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.9   |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-227M2      | W227M2A      | 8/6/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-19S        | W19SSA       | 8/7/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 99    |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA       | 8/7/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.1   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-31M        | W31MMA       | 8/7/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA       | 8/7/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 10    | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA       | 8/7/2002  | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.9   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA       | 8/7/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 85    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA       | 8/7/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 7.2   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-77M2       | W77M2A       | 8/7/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A       | 8/7/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 7.2   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-162        | W162M2A      | 8/8/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.4   | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-162        | W162M2D      | 8/8/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-33         | W33DDA       | 8/8/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 85                 | 90                    | 2        |
| MW-33         | W33MMA       | 8/8/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.1   | J    | UG/L  | 65                 | 75                    | 2        |
| MW-36         | W36M2A       | 8/8/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 4     | J    | UG/L  | 54                 | 64                    | 2        |
| MW-7          | W07M1A       | 8/8/2002  | CIA [108] | IM40MB | ARSENIC                                 | 18.2  |      | UG/L  | 135                | 140                   | 10       |
| MW-114M1      | W114M1A      | 8/9/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | W114M1A      | 8/9/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 14    |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A      | 8/9/2002  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 210   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A      | 8/9/2002  | DEMO 1    | E314.0 | PERCHLORATE                             | 64    |      | UG/L  | 39                 | 49                    | 2        |
| MW-66         | W66SSA       | 8/9/2002  | NW CORNER | E314.0 | PERCHLORATE                             | 2.9   |      | UG/L  | 7                  | 17                    | 2        |
| MW-66         | W66SSD       | 8/9/2002  | NW CORNER | E314.0 | PERCHLORATE                             | 2.3   |      | UG/L  | 7                  | 17                    | 2        |
| MW-165M2      | W165M2A      | 8/10/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 23    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A      | 8/10/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 64    |      | UG/L  | 46                 | 56                    | 2        |
| MW-37         | W37M2A       | 8/13/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   | J    | UG/L  | 26                 | 36                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-23         | W23M1A      | 8/15/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 103                | 113                   | 2        |
| MW-86         | W86SSA      | 8/16/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7   | J    | UG/L  | 1                  | 11                    | 2        |
| MW-129M1      | W129M3A     | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 26                 | 36                    | 2        |
| MW-129M2      | W129M2A     | 8/19/2002 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 13    |      | UG/L  | 46                 | 56                    | 2        |
| MW-35         | W35M1A      | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 5     |      | UG/L  | 68                 | 78                    | 2        |
| MW-75         | W75M2A      | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.8   |      | UG/L  | 34                 | 44                    | 2        |
| MW-75         | W75M2D      | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.2   |      | UG/L  | 34                 | 44                    | 2        |
| MW-76M1       | W76M1A      | 8/19/2002 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    | J    | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.1   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A      | 8/19/2002 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 8/19/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 250   |      | UG/L  | 38                 | 48                    | 2        |
| MW-34         | W34M1A      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 7.1   | J    | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1D      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 7.3   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 17    |      | UG/L  | 53                 | 63                    | 2        |
| MW-73S        | W73SSA      | 8/20/2002 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 34    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-76S        | W76SSA      | 8/20/2002 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31    | J    | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 88    |      | UG/L  | 18                 | 28                    | 2        |
| MW-78         | W78M1A      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.6   | J    | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M1D      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A      | 8/20/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 6.3   | J    | UG/L  | 38                 | 48                    | 2        |
| 58MW0009E     | 58MW0009E-A | 8/26/2002 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0011D     | 58MW0011D-A | 8/27/2002 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 49.5               | 54.5                  | 2        |
| 58MW0015      | 58MW0015A-A | 8/27/2002 | CS-19            | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 36                 | 45                    | 2        |
| MW-130        | W130SSA     | 8/27/2002 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 2.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-232        | W232M1A     | 8/30/2002 | J3 [150]         | E314.0 | PERCHLORATE                             | 2.9   |      | UG/L  | 34.94              | 39.94                 | 2        |
| OW-2          | OW-2-A      | 8/30/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 48.78              | 58.78                 | 2        |
| OW-1          | OW-1-A      | 9/4/2002  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 0                  | 10                    | 2        |
| MW-147        | W147M1A     | 9/5/2002  | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 94                 | 104                   | 2        |
| MW-164        | W164M1A     | 9/5/2002  | J-1 RANGE        | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 8.6   |      | UG/L  | 119                | 129                   | 6        |
| MW-164        | W164M2A     | 9/5/2002  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 49                 | 59                    | 2        |
| MW-164        | W164M2D     | 9/5/2002  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7     |      | UG/L  | 49                 | 59                    | 2        |
| MW-143M3      | W143M3A     | 9/6/2002  | J3 [150]         | E314.0 | PERCHLORATE                             | 2.3   |      | UG/L  | 77                 | 82                    | 2        |
| MW-144        | W144SSA     | 9/6/2002  | J3 [150]         | IM40MB | SODIUM                                  | 43000 |      | UG/L  | 5                  | 15                    | 20000    |
| 58MW0002      | 58MW0002-A  | 9/11/2002 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 0                  | 5                     | 2        |
| 90MW0054      | 90MW0054-A  | 9/12/2002 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A  | 9/12/2002 | J3 [150]         | E314.0 | PERCHLORATE                             | 19    | J    | UG/L  | 91.83              | 96.83                 | 2        |
| MW-107M2      | W107M2A     | 9/12/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 5                  | 15                    | 2        |
| MW-85         | W85M1A      | 9/12/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 22                 | 32                    | 2        |
| 58MW0001      | 58MW0001-A  | 9/13/2002 | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     |      | UG/L  | 0                  | 5                     | 2        |
| MW-2          | W02M2A      | 9/16/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 33                 | 38                    | 2        |
| MW-113M2      | W113M2A     | 9/17/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5   |      | UG/L  | 48                 | 58                    | 2        |
| MW-172        | W172M2A     | 9/18/2002 | DEMO 1           | E314.0 | PERCHLORATE                             | 7.1   |      | UG/L  | 104                | 114                   | 2        |
| MW-184M1      | W184M1A     | 9/18/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-184M1      | W184M1D     | 9/18/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-101M1      | W101M1A     | 9/19/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 27                 | 37                    | 2        |
| MW-132        | W132SSA     | 9/20/2002 | J3 [150]         | E314.0 | PERCHLORATE                             | 13    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M1A      | 9/24/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9   |      | UG/L  | 56                 | 66                    | 2        |
| MW-91M1       | W91M1A      | 9/27/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 45                 | 55                    | 2        |
| MW-93         | W93M2A      | 9/27/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5   | J    | UG/L  | 16                 | 26                    | 2        |
| MW-95M1       | W95M1A      | 9/27/2002 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 78                 | 88                    | 2        |
| MW-153M1      | W153M1A     | 9/30/2002 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5   |      | UG/L  | 199                | 209                   | 2        |
| MW-233M3      | W233M3A     | 10/3/2002 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 231                | 241                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-87M1       | W87M1A    | 10/4/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   |      | UG/L  | 62                 | 72                    | 2        |
| MW-88M2       | W88M2A    | 10/4/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A    | 10/4/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6   |      | UG/L  | 72                 | 82                    | 2        |
| MW-235M1      | W235M1A   | 10/7/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.1   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-235M1      | W235M1D   | 10/7/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-57         | W57M3A    | 10/7/2002  | J-2 RANGE | IM40MB | SODIUM                                  | 21500 |      | UG/L  | 31                 | 41                    | 20000    |
| MW-206        | W206M1A   | 10/15/2002 | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-187        | W187DDA   | 10/17/2002 | J-1 RANGE | OC21V  | BENZENE                                 | 340   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA   | 10/17/2002 | J-1 RANGE | IM40MB | SODIUM                                  | 25300 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-209M1      | W209M1A   | 10/17/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 121                | 131                   | 2        |
| MW-207M1      | W207M1A   | 10/18/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-196        | W196SSA   | 10/24/2002 | J3 [150]  | 8330   | 2,4,6-TRINITROTOLUENE                   | 9.3   |      | UG/L  | 0                  | 5                     | 2        |
| MW-196        | W196SSA   | 10/24/2002 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4     | J    | UG/L  | 0                  | 5                     | 2        |
| MW-210M2      | W210M2A   | 10/28/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 9.93  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-215M2      | W215M2A   | 10/28/2002 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-211M2      | W211M2A   | 10/29/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.02  |      | UG/L  | 29.7               | 39.7                  | 2        |
| MW-197        | W197M3A   | 10/30/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 41    |      | UG/L  | 39.4               | 44.4                  | 2        |
| MW-198M1      | W198M1A   | 10/31/2002 | J3 [150]  | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 14    |      | UG/L  | 127.8              | 132.8                 | 6        |
| MW-204M1      | W204M1A   | 10/31/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     |      | UG/L  | 81                 | 91                    | 2        |
| MW-204M1      | W204M2A   | 10/31/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.4   |      | UG/L  | 81                 | 91                    | 2        |
| MW-198M4      | W198M4A   | 11/1/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A   | 11/1/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 75.9  |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-227M2      | W227M2A   | 11/4/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9   | J    | UG/L  | 56.38              | 66.38                 | 2        |
| MW-223M2      | W223M2A   | 11/5/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-198M3      | W198M3A   | 11/6/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A   | 11/6/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 170   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-201M2      | W201M2A   | 11/8/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7   |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-201M2      | W201M2D   | 11/8/2002  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8   |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-114M1      | W114M1A   | 11/13/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A   | 11/13/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 220   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A   | 11/13/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 71    |      | UG/L  | 39                 | 49                    | 2        |
| MW-129M1      | W129M1A   | 11/13/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A   | 11/13/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    | J    | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A   | 11/13/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 16    |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2D   | 11/13/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2D   | 11/13/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 15    |      | UG/L  | 46                 | 56                    | 2        |
| MW-31M        | W31MMA    | 11/15/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.2   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA    | 11/15/2002 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.5   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 11/15/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.9   |      | UG/L  | 13                 | 18                    | 2        |
| MW-33         | W33DDA    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 85                 | 90                    | 2        |
| MW-33         | W33DDD    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 85                 | 90                    | 2        |
| MW-34         | W34M1A    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 8     |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A    | 11/15/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 14    |      | UG/L  | 53                 | 63                    | 2        |
| MW-35         | W35M1A    | 11/18/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.2   |      | UG/L  | 68                 | 78                    | 2        |
| MW-36         | W36M2A    | 11/18/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.2   | J    | UG/L  | 54                 | 64                    | 2        |
| MW-75         | W75M2A    | 11/18/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.6   | J    | UG/L  | 34                 | 44                    | 2        |
| MW-76M1       | W76M1A    | 11/18/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A    | 11/18/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 11    | J    | UG/L  | 58                 | 68                    | 2        |
| MW-76S        | W76SSA    | 11/18/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA    | 11/18/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 26    | J    | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A    | 11/19/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     |      | UG/L  | 38                 | 48                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-77M2       | W77M2A      | 11/19/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 7.2   |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 11/20/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160   |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 11/20/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 290   |      | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M1A      | 11/20/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.1   |      | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A      | 11/20/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 8.7   |      | UG/L  | 38                 | 48                    | 2        |
| MW-101M1      | W101M1A     | 11/21/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 27                 | 37                    | 2        |
| MW-107M2      | W107M2A     | 11/22/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 5                  | 15                    | 2        |
| MW-7          | W07M1A      | 11/22/2002 | CIA [108] | IM40MB | ARSENIC                                 | 21.3  |      | UG/L  | 135                | 140                   | 10       |
| MW-7          | W07M1X      | 11/22/2002 | CIA [108] | IM40MB | ARSENIC                                 | 17    |      | UG/L  | 135                | 140                   | 10       |
| MW-143M3      | W143M3A     | 11/25/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.4   |      | UG/L  | 77                 | 82                    | 2        |
| MW-144        | W144SSA     | 11/25/2002 | J3 [150]  | IM40MB | SODIUM                                  | 28100 |      | UG/L  | 5                  | 15                    | 20000    |
| MW-113M2      | W113M2A     | 11/26/2002 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 48                 | 58                    | 2        |
| MW-165M2      | W165M2A     | 11/26/2002 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 11/26/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 78    |      | UG/L  | 46                 | 56                    | 2        |
| MW-172        | W172M2A     | 11/26/2002 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.8   |      | UG/L  | 104                | 114                   | 2        |
| MW-145        | W145SSA     | 12/2/2002  | J3 [150]  | IM40MB | SODIUM                                  | 24100 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-148        | W148SSA     | 12/2/2002  | L RANGE   | IM40MB | THALLIUM                                | 3.8   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-153M1      | W153M1A     | 12/2/2002  | L RANGE   | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   |      | UG/L  | 199                | 209                   | 2        |
| 58MW0002      | 58MW0002-A  | 12/5/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 0                  | 5                     | 2        |
| MW-198M3      | W198M3A     | 12/5/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 12/5/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 200   | J    | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 12/5/2002  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A     | 12/5/2002  | J3 [150]  | E314.0 | PERCHLORATE                             | 60    | J    | UG/L  | 48.4               | 53.4                  | 2        |
| 58MW0001      | 58MW0001-A  | 12/6/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0009E     | 58MW0009E-A | 12/9/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0011D     | 58MW0011D-A | 12/9/2002  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 49.5               | 54.5                  | 2        |
| MW-132        | W132SSA     | 12/10/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 20    |      | UG/L  | 0                  | 10                    | 2        |
| 4036009DC     | GLSKRKNK-A  | 12/20/2002 | NW CORNER | E314.0 | PERCHLORATE                             | 5.26  |      | UG/L  |                    |                       | 2        |
| 4036009DC     | GLSKRKNK-D  | 12/20/2002 | NW CORNER | E314.0 | PERCHLORATE                             | 5.51  |      | UG/L  |                    |                       | 2        |
| 90MW0054      | 90MW0054-A  | 12/30/2002 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A  | 12/30/2002 | J3 [150]  | E314.0 | PERCHLORATE                             | 17    |      | UG/L  | 91.83              | 96.83                 | 2        |
| 27MW0031B     | 27MW0031B-  | 1/6/2003   | LF-1      | E314.0 | PERCHLORATE                             | 3.7   |      | UG/L  |                    |                       | 2        |
| MW-247        | W247M2A     | 1/6/2003   | J3 [150]  | E314.0 | PERCHLORATE                             | 5.2   |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2D     | 1/6/2003   | J3 [150]  | E314.0 | PERCHLORATE                             | 5.4   |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-250        | W250M1A     | 1/6/2003   | J3 [150]  | E314.0 | PERCHLORATE                             | 3.1   |      | UG/L  | 174.65             | 184.65                | 2        |
| MW-250M2      | W250M2A     | 1/6/2003   | J3 [150]  | E314.0 | PERCHLORATE                             | 7     |      | UG/L  | 134.82             | 144.82                | 2        |
| 4036009DC     | GLSKRKNK-A  | 1/8/2003   | NW CORNER | E314.0 | PERCHLORATE                             | 6.06  |      | UG/L  |                    |                       | 2        |
| 4036009DC     | GLSKRKNK-D  | 1/8/2003   | NW CORNER | E314.0 | PERCHLORATE                             | 5.99  |      | UG/L  |                    |                       | 2        |
| MW-163S       | W163SSA     | 1/8/2003   | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 1/8/2003   | J3 [150]  | E314.0 | PERCHLORATE                             | 62    |      | UG/L  | 0                  | 10                    | 2        |
| MW-164        | W164M2A     | 1/8/2003   | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   | J    | UG/L  | 49                 | 59                    | 2        |
| 90MW0041      | 90MW0041-D  | 1/13/2003  | L RANGE   | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 31.5               | 36.5                  | 2        |
| MW-178M1      | W178M1A     | 1/13/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 117                | 127                   | 2        |
| MW-1          | W01M2A      | 1/15/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 44                 | 49                    | 2        |
| MW-87M1       | W87M1A      | 1/15/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 62                 | 72                    | 2        |
| MW-2          | W02M2A      | 1/16/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 33                 | 38                    | 2        |
| MW-2          | W02M2D      | 1/16/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 33                 | 38                    | 2        |
| MW-88M2       | W88M2A      | 1/16/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A      | 1/16/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6   |      | UG/L  | 72                 | 82                    | 2        |
| OW-1          | OW-1-A      | 1/16/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 0                  | 10                    | 2        |
| OW-1          | OW-1-A      | 1/16/2003  | CIA [108] | E314.0 | PERCHLORATE                             | 3.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-90         | W90SSA      | 1/23/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 0                  | 10                    | 2        |
| OW-2          | OW-2-A      | 1/23/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.6   |      | UG/L  | 48.78              | 58.78                 | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-32         | W32MMA      | 1/29/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 65                 | 75                    | 2        |
| MW-32         | W32MMD      | 1/29/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 65                 | 75                    | 2        |
| MW-32         | W32SSA      | 1/29/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 50                 | 55                    | 2        |
| MW-23         | W23M1A      | 1/30/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 103                | 113                   | 2        |
| MW-66         | W66SSA      | 1/30/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 3    | J    | UG/L  | 7                  | 17                    | 2        |
| MW-37         | W37M2A      | 1/31/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 26                 | 36                    | 2        |
| MW-91M1       | W91M1A      | 1/31/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 1/31/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA      | 1/31/2003 | CIA [108]        | E314.0 | PERCHLORATE                             | 2.8  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M1A      | 2/3/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A      | 2/3/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 16                 | 26                    | 2        |
| MW-93         | W93M2D      | 2/3/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 16                 | 26                    | 2        |
| MW-95M1       | W95M1A      | 2/4/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 78                 | 88                    | 2        |
| 58MW0015      | 58MW0015A-A | 2/5/2003  | CS-19            | E314.0 | PERCHLORATE                             | 2.5  | J    | UG/L  | 36                 | 45                    | 2        |
| MW-206        | W206M1A     | 2/5/2003  | FORMER A         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-47         | W47M2D      | 2/5/2003  | WESTERN BOUNDARY | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 9.6  | J    | UG/L  | 38                 | 48                    | 6        |
| MW-33         | W33DDA      | 2/6/2003  | DEMO 1           | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 85                 | 90                    | 2        |
| MW-227M1      | W227M1A     | 2/10/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M1      | W227M1D     | 2/10/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 2/10/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9    |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-232        | W232M1A     | 2/11/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 3.4  | J    | UG/L  | 34.94              | 39.94                 | 2        |
| MW-210M2      | W210M2A     | 2/28/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 12   | J    | UG/L  | 54.69              | 64.69                 | 2        |
| MW-211M2      | W211M2A     | 2/28/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 29.7               | 39.7                  | 2        |
| MW-223M2      | W223M2A     | 2/28/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  | J    | UG/L  | 93.31              | 103.31                | 2        |
| MW-215M2      | W215M2A     | 3/3/2003  | J-2 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  | J    | UG/L  | 98.9               | 108.9                 | 2        |
| MW-235M1      | W235M1A     | 3/4/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   | J    | UG/L  | 25.3               | 35.3                  | 2        |
| MW-218        | W218M2A     | 3/12/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 93                 | 98                    | 2        |
| MW-250        | W250M1A     | 3/19/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 174.65             | 184.65                | 2        |
| MW-250M2      | W250M2A     | 3/19/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 6.7  |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-247        | W247M2A     | 3/20/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 5.7  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-129M1      | W129M1A     | 3/21/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 5.9  | J    | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A     | 3/24/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 3/24/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 14   | J    | UG/L  | 46                 | 56                    | 2        |
| MW-34         | W34M1A      | 3/24/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 3/24/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 8    | J    | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 3/24/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 10   | J    | UG/L  | 53                 | 63                    | 2        |
| MW-36         | W36M2A      | 3/25/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.7  | J    | UG/L  | 54                 | 64                    | 2        |
| MW-76M1       | W76M1A      | 3/25/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 110  |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 3/25/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 200  | J    | UG/L  | 58                 | 68                    | 2        |
| MW-75         | W75M2A      | 3/26/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 6.8  | J    | UG/L  | 34                 | 44                    | 2        |
| MW-76M2       | W76M2A      | 3/26/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 220  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 3/26/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 500  | J    | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2D      | 3/26/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 220  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2D      | 3/26/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 500  | J    | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 3/26/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 3/26/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 5.4  | J    | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M1A      | 3/26/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.9  | J    | UG/L  | 58                 | 68                    | 2        |
| MW-130        | W130SSA     | 3/27/2003 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA     | 3/27/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 17   |      | UG/L  | 0                  | 10                    | 2        |
| MW-162        | W162M2A     | 3/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.5  | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-162        | W162M2D     | 3/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.4  | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-163S       | W163SSA     | 3/27/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 3/27/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 44   |      | UG/L  | 0                  | 10                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID       | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-165        | W165M1A         | 3/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 4    | J    | UG/L  | 106                | 116                   | 2        |
| MW-165M2      | W165M2A         | 3/27/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 35   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A         | 3/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 110  | J    | UG/L  | 46                 | 56                    | 2        |
| MW-31M        | W31MMA          | 3/27/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1  |      | UG/L  | 28                 | 38                    | 2        |
| MW-78         | W78M2A          | 3/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.7  | J    | UG/L  | 38                 | 48                    | 2        |
| MW-172        | W172M2A         | 3/28/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 6.8  | J    | UG/L  | 104                | 114                   | 2        |
| MW-31S        | W31SSA          | 3/28/2003 | DEMO 1           | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2  |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA          | 3/28/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 86   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA          | 3/28/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 10   |      | UG/L  | 13                 | 18                    | 2        |
| MW-93         | W93M2A          | 3/28/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 16                 | 26                    | 2        |
| MW-32         | W32MMA          | 3/31/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 65                 | 75                    | 2        |
| MW-93         | W93M1A          | 3/31/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8  |      | UG/L  | 56                 | 66                    | 2        |
| MW-85         | W85M1A          | 4/1/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8    |      | UG/L  | 22                 | 32                    | 2        |
| MW-88M2       | W88M2A          | 4/2/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 72                 | 82                    | 2        |
| MW-66         | W66SSA          | 4/3/2003  | NW CORNER        | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 7                  | 17                    | 2        |
| MW-23         | W23M1A          | 4/7/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 103                | 113                   | 2        |
| MW-87M1       | W87M1A          | 4/7/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 62                 | 72                    | 2        |
| MW-35         | W35M1A          | 4/8/2003  | DEMO 1           | E314.0 | PERCHLORATE                             | 3.9  |      | UG/L  | 68                 | 78                    | 2        |
| MW-107M2      | W107M2A         | 4/9/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  | J    | UG/L  | 5                  | 15                    | 2        |
| MW-37         | W37M2A          | 4/10/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 26                 | 36                    | 2        |
| MW-95M1       | W95M1A          | 4/11/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 78                 | 88                    | 2        |
| MW-95M1       | W95M1D          | 4/11/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 78                 | 88                    | 2        |
| MW-89M2       | W89M2A          | 4/17/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 72                 | 82                    | 2        |
| 27MW0018A     | CHPI00006-A0103 | 4/23/2003 | LF-1             | SW8330 | 1,3-DINITROBENZENE                      | 1.7  |      | UG/L  |                    |                       | 1        |
| 27MW0020A     | CHPI10007-A0103 | 4/23/2003 | LF-1             | SW8330 | 1,3-DINITROBENZENE                      | 1    |      | UG/L  |                    |                       | 1        |
| 27MW0020B     | CHPI00008-A0103 | 4/23/2003 | LF-1             | SW8330 | 1,3-DINITROBENZENE                      | 1.1  |      | UG/L  |                    |                       | 1        |
| MW-112M2      | W112M2A         | 4/25/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 26                 | 36                    | 2        |
| MW-113M2      | W113M2A         | 4/30/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9  |      | UG/L  | 48                 | 58                    | 2        |
| MW-113M2      | W113M2D         | 4/30/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 48                 | 58                    | 2        |
| 90MW0054      | 90MW0054-A      | 5/1/2003  | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A      | 5/1/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 7.5  |      | UG/L  | 91.83              | 96.83                 | 2        |
| 58MW0015      | 58MW0015A-A     | 5/9/2003  | CS-19            | E314.0 | PERCHLORATE                             | 2.2  |      | UG/L  | 36                 | 45                    | 2        |
| MW-232        | W232M1A         | 5/12/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 3.9  |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-232        | W232M1A         | 5/12/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 4.01 |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-232        | W232M1A-DA      | 5/12/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 4.32 |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-1          | W01M2A          | 5/13/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA          | 5/14/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-265M2      | W265M2A         | 5/15/2003 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A         | 5/15/2003 | J-1 RANGE        | E314.0 | PERCHLORATE                             | 30.4 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A         | 5/15/2003 | J-1 RANGE        | E314.0 | PERCHLORATE                             | 4.41 |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-91M1       | W91M1A          | 5/19/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 45                 | 55                    | 2        |
| MW-184M1      | W184M1A         | 5/21/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-184M1      | W184M1D         | 5/21/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-91S        | W91SSA          | 5/21/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA          | 5/21/2003 | CIA [108]        | E314.0 | PERCHLORATE                             | 2.9  |      | UG/L  | 0                  | 10                    | 2        |
| MW-263        | W263M2A         | 5/22/2003 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 3.71 |      | UG/L  | 8.66               | 18.66                 | 2        |
| MW-114M1      | W114M1A         | 5/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 9.6  |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A         | 5/27/2003 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 200  |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A         | 5/27/2003 | DEMO 1           | E314.0 | PERCHLORATE                             | 56   |      | UG/L  | 39                 | 49                    | 2        |
| MW-267        | W267M1A         | 5/30/2003 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.89 |      | UG/L  | 18.57              | 28.57                 | 2        |
| MW-143M2      | W143M2A         | 6/2/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 87                 | 92                    | 2        |
| MW-99         | W99M1A          | 6/2/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 60                 | 70                    | 2        |
| MW-201M2      | W201M2A         | 6/3/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 86.9               | 96.9                  | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID       | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|------------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-201M2      | W201M2D         | 6/3/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-143M3      | W143M3A         | 6/4/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 2.5   |      | UG/L  | 77                 | 82                    | 2        |
| MW-198M2      | W198M2A         | 6/4/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 23    |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A         | 6/4/2003  | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A         | 6/4/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 310   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A         | 6/4/2003  | J3 [150]         | E314.0 | PERCHLORATE                             | 46    |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-207M1      | W207M1A         | 6/5/2003  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-164        | W164M2A         | 6/6/2003  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9   |      | UG/L  | 49                 | 59                    | 2        |
| MW-168        | W168M1A         | 6/6/2003  | J-1 RANGE        | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 6.8   | J    | UG/L  | 174                | 184                   | 6        |
| 58MW0011D     | 58MW0011D-A     | 6/9/2003  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 49.5               | 54.5                  | 2        |
| MW-45         | W45SSA          | 6/9/2003  | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 32.9  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA          | 6/9/2003  | L RANGE; FS-12   | IM40MB | LEAD                                    | 619   |      | UG/L  | 0                  | 10                    | 15       |
| MW-45         | W45SSA          | 6/9/2003  | L RANGE; FS-12   | OC21V  | METHYLENE CHLORIDE                      | 5     | J    | UG/L  | 0                  | 10                    | 5        |
| MW-45         | W45SSL          | 6/9/2003  | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 23.9  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSL          | 6/9/2003  | L RANGE; FS-12   | IM40MB | LEAD                                    | 516   |      | UG/L  | 0                  | 10                    | 15       |
| MW-178M1      | W178M1A         | 6/10/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 117                | 127                   | 2        |
| MW-209M1      | W209M1A         | 6/12/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 121                | 131                   | 2        |
| MW-270M1      | W270M1A         | 6/16/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 8.9   |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | W270M1D         | 6/16/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 9.1   |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-247        | W247M2A         | 6/23/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 5.5   |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-250M2      | W250M2A         | 6/23/2003 | J3 [150]         | E314.0 | PERCHLORATE                             | 6.2   |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-153M1      | W153M1A         | 6/24/2003 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 199                | 209                   | 2        |
| MW-267        | W267M1A         | 6/25/2003 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.8   |      | UG/L  | 18.57              | 28.57                 | 2        |
| MW-204M1      | W204M1A         | 6/26/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 81                 | 91                    | 2        |
| MW-235M1      | W235M1A         | 6/27/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.5   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-166M1      | W166M1A         | 7/1/2003  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 112                | 117                   | 2        |
| MW-166M3      | W166M3A         | 7/2/2003  | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 19                 | 29                    | 2        |
| 58MW0009E     | 58MW0009E-A     | 7/3/2003  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0009E     | 58MW0009E-D     | 7/3/2003  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-187        | W187DDA         | 7/7/2003  | J-1 RANGE        | OC21V  | BENZENE                                 | 150   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA         | 7/7/2003  | J-1 RANGE        | IM40MB | SODIUM                                  | 22700 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-7          | W07M1A          | 7/7/2003  | CIA [108]        | IM40MB | ARSENIC                                 | 22.2  |      | UG/L  | 135                | 140                   | 10       |
| MW-277        | W277SSA         | 7/10/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 6.68  |      | UG/L  | 0                  | 10                    | 2        |
| MW-278M2      | W278M2A         | 7/16/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.53  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278M2      | W278M2D         | 7/16/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.45  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-2          | W02M2A          | 7/18/2003 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 33                 | 38                    | 2        |
| MW-278S       | W278SSA         | 7/18/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 19.3  |      | UG/L  | 0                  | 10                    | 2        |
| MW-45         | W45SSA          | 7/28/2003 | L RANGE; FS-12   | IM40MB | ARSENIC                                 | 40.1  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA          | 7/28/2003 | L RANGE; FS-12   | IM40MB | LEAD                                    | 326   |      | UG/L  | 0                  | 10                    | 15       |
| MW-45         | W45SSA          | 7/28/2003 | L RANGE; FS-12   | OC21V  | METHYLENE CHLORIDE                      | 8     | J    | UG/L  | 0                  | 10                    | 5        |
| MW-267        | W267M1A         | 7/30/2003 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.62  |      | UG/L  | 18.57              | 28.57                 | 2        |
| MW-279M1      | W279M1A         | 7/30/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.66  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A         | 7/30/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 6.06  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279M2      | W279M2D         | 7/30/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 6.15  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA         | 7/30/2003 | NW CORNER        | E314.0 | PERCHLORATE                             | 16.7  |      | UG/L  | 10                 | 20                    | 2        |
| 58MW0001      | 58MW0001-A      | 8/8/2003  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 0                  | 5                     | 2        |
| MW-196        | W196SSA         | 8/12/2003 | J3 [150]         | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.5   |      | UG/L  | 0                  | 5                     | 2        |
| MW-196        | W196SSA         | 8/12/2003 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   | J    | UG/L  | 0                  | 5                     | 2        |
| MW-262        | W262M1A         | 8/12/2003 | DEMO 2           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 7.02               | 17.02                 | 2        |
| MW-262        | W262M1D         | 8/12/2003 | DEMO 2           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 7.02               | 17.02                 | 2        |
| MW-263        | W263M2A         | 8/25/2003 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 8.7   |      | UG/L  | 8.66               | 18.66                 | 2        |
| 27MW0031B     | CHPH00019-Q0403 | 8/27/2003 | LF-1             | E314.0 | PERCHLORATE                             | 2.1   |      | UG/L  |                    |                       | 2        |
| 27MW0031B     | CHPH10019-Q0403 | 8/27/2003 | LF-1             | E314.0 | PERCHLORATE                             | 2.1   |      | UG/L  |                    |                       | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-143M2      | W143M2A     | 8/28/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.02  |      | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 8/28/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.4   |      | UG/L  | 77                 | 82                    | 2        |
| MW-143M3      | W143M3D     | 8/28/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.3   |      | UG/L  | 77                 | 82                    | 2        |
| MW-201M2      | W201M2A     | 9/2/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-204M1      | W204M1A     | 9/2/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.5   |      | UG/L  | 81                 | 91                    | 2        |
| 4036009DC     | 4036009DC-A | 9/3/2003  | NW CORNER | E314.0 | PERCHLORATE                             | 4.15  |      | UG/L  |                    |                       | 2        |
| 90WT0013      | 90WT0013-A  | 9/8/2003  | L RANGE   | E314.0 | PERCHLORATE                             | 2.8   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-165        | W165M1A     | 9/10/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.5   |      | UG/L  | 106                | 116                   | 2        |
| 90PZ0211      | 90PZ0211A-A | 9/11/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.99  |      | UG/L  | 76.85              | 76.85                 | 2        |
| 90PZ0211      | 90PZ0211B-A | 9/11/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.94  |      | UG/L  | 86.85              | 86.85                 | 2        |
| 90PZ0211      | 90PZ0211B-D | 9/11/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.97  |      | UG/L  | 86.85              | 86.85                 | 2        |
| 90PZ0211      | 90PZ0211C-A | 9/11/2003 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.8   |      | UG/L  | 96.85              | 96.85                 | 2        |
| MW-165M2      | W165M2A     | 9/11/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 9/11/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 57    | J    | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2D     | 9/11/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2D     | 9/11/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 58    | J    | UG/L  | 46                 | 56                    | 2        |
| MW-284M2      | W284M2A     | 9/12/2003 | NW CORNER | E314.0 | PERCHLORATE                             | 3.04  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-289M1      | MW-289M1-   | 9/18/2003 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 203                | 213                   | 2        |
| MW-289M1      | MW-289M1-   | 9/18/2003 | J-2 RANGE | E314.0 | PERCHLORATE                             | 24    |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | MW-289M2-   | 9/18/2003 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-   | 9/18/2003 | J-2 RANGE | E314.0 | PERCHLORATE                             | 140   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-FD | 9/18/2003 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-FD | 9/18/2003 | J-2 RANGE | E314.0 | PERCHLORATE                             | 140   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-19S        | W19SSA      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 80    |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 7.8   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-31M        | W31MMA      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.9   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA      | 9/27/2003 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 63    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.6   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSD      | 9/27/2003 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.2   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSD      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 62    |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSD      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.3   |      | UG/L  | 13                 | 18                    | 2        |
| MW-73S        | W73SSA      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.9   |      | UG/L  | 0                  | 10                    | 2        |
| MW-76M1       | W76M1A      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 170   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 97    | J    | UG/L  | 58                 | 68                    | 2        |
| MW-76S        | W76SSA      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18    |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 19    |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | W77M2A      | 9/27/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 9/27/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 9.1   |      | UG/L  | 38                 | 48                    | 2        |
| MW-270M1      | W270M1A     | 9/30/2003 | NW CORNER | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | W270M1D     | 9/30/2003 | NW CORNER | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | W270SSA     | 9/30/2003 | NW CORNER | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 0                  | 10                    | 2        |
| MW-114M2      | W114M2A     | 10/1/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 220   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A     | 10/1/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 52    | J    | UG/L  | 39                 | 49                    | 2        |
| MW-37         | W37M2A      | 10/1/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 26                 | 36                    | 2        |
| MW-114M1      | W114M1A     | 10/2/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 7.7   | J    | UG/L  | 96                 | 106                   | 2        |
| MW-129M1      | W129M1A     | 10/2/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 8.5   | J    | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A     | 10/2/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 10/2/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.7   | J    | UG/L  | 46                 | 56                    | 2        |
| MW-21         | W21SSA      | 10/2/2003 | OTHER     | IM40MB | SODIUM                                  | 20200 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-99         | W99M1A      | 10/2/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 60                 | 70                    | 2        |
| MW-16         | W16SSA      | 10/3/2003 | DEMO 2    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 0                  | 10                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| 90MW0054      | 90MW0054-A  | 10/4/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A  | 10/4/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 4.3   | J    | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-D  | 10/4/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-D  | 10/4/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 4.4   | J    | UG/L  | 91.83              | 96.83                 | 2        |
| MW-23         | W23M1A      | 10/7/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 103                | 113                   | 2        |
| MW-176M1      | W176M1A     | 10/8/2003  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 158.55             | 168.55                | 2        |
| 58MW0015      | 58MW0015A-A | 10/9/2003  | CS-19     | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 36                 | 45                    | 2        |
| 58MW0002      | 58MW0002-A  | 10/10/2003 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20    |      | UG/L  | 0                  | 5                     | 2        |
| MW-139M2      | W139M2A     | 10/10/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 13    |      | UG/L  | 154                | 164                   | 2        |
| MW-162        | W162M2A     | 10/10/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.4   |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-89M1       | W89M1A      | 10/10/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 92                 | 102                   | 2        |
| MW-89M2       | W89M2A      | 10/10/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2   |      | UG/L  | 72                 | 82                    | 2        |
| MW-172        | W172M2A     | 10/15/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.8   |      | UG/L  | 104                | 114                   | 2        |
| MW-207M1      | W207M1A     | 10/15/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-95M1       | W95M1A      | 10/15/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5   |      | UG/L  | 78                 | 88                    | 2        |
| MW-144        | W144SSA     | 10/16/2003 | J3 [150]  | IM40MB | SODIUM                                  | 31400 |      | UG/L  | 5                  | 15                    | 20000    |
| MW-88M2       | W88M2A      | 10/16/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   |      | UG/L  | 72                 | 82                    | 2        |
| MW-87M1       | W87M1A      | 10/17/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 62                 | 72                    | 2        |
| MW-93         | W93M1A      | 10/22/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2   |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M2A      | 10/23/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 16                 | 26                    | 2        |
| MW-209M1      | W209M1A     | 10/29/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 121                | 131                   | 2        |
| MW-112M2      | W112M2A     | 10/30/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 26                 | 36                    | 2        |
| MW-153M1      | W153M1A     | 10/30/2003 | L RANGE   | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4   |      | UG/L  | 199                | 209                   | 2        |
| MW-184M1      | W184M1A     | 10/30/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-132        | W132SSA     | 11/4/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 0                  | 10                    | 2        |
| MW-145        | W145SSA     | 11/4/2003  | J3 [150]  | IM40MB | SODIUM                                  | 77200 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-163S       | W163SSA     | 11/4/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 11/4/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 31    |      | UG/L  | 0                  | 10                    | 2        |
| MW-198M2      | W198M2A     | 11/4/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 54    |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 11/5/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 11/5/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 310   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3D     | 11/5/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3D     | 11/5/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 320   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 11/5/2003  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A     | 11/5/2003  | J3 [150]  | E314.0 | PERCHLORATE                             | 100   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-196        | W196SSA     | 11/7/2003  | J3 [150]  | 8330   | 2,4,6-TRINITROTOLUENE                   | 12    |      | UG/L  | 0                  | 5                     | 2        |
| MW-130        | W130SSA     | 11/10/2003 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-166M1      | W166M1A     | 11/11/2003 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8   |      | UG/L  | 112                | 117                   | 2        |
| MW-34         | W34M1A      | 11/12/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 11/12/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.9   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 11/12/2003 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 53                 | 63                    | 2        |
| MW-34         | W34M2A      | 11/12/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 7.3   |      | UG/L  | 53                 | 63                    | 2        |
| MW-36         | W36M2A      | 11/12/2003 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.8   |      | UG/L  | 54                 | 64                    | 2        |
| OW-1          | OW-1-A      | 11/13/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 0                  | 10                    | 2        |
| OW-2          | OW-2-A      | 11/13/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-1          | W01SSA      | 11/14/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 0                  | 10                    | 2        |
| MW-91M1       | W91M1A      | 11/14/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7   |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 11/14/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16    |      | UG/L  | 0                  | 10                    | 2        |
| MW-1          | W01M2A      | 11/17/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.4   |      | UG/L  | 44                 | 49                    | 2        |
| MW-178M1      | W178M1A     | 11/17/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 117                | 127                   | 2        |
| 58MW0001      | 58MW0001-A  | 11/18/2003 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0009E     | 58MW0009E-A | 11/18/2003 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-113M2      | W113M2A     | 11/18/2003 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.6   |      | UG/L  | 48                 | 58                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC            | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|----------------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-32         | W32DDA      | 11/18/2003 | DEMO 1         | E314.0 | PERCHLORATE                             | 2.2   | J    | UG/L  | 85                 | 90                    | 2        |
| MW-32         | W32MMA      | 11/18/2003 | DEMO 1         | E314.0 | PERCHLORATE                             | 2.6   | J    | UG/L  | 65                 | 75                    | 2        |
| MW-32         | W32MMD      | 11/18/2003 | DEMO 1         | E314.0 | PERCHLORATE                             | 2.8   | J    | UG/L  | 65                 | 75                    | 2        |
| MW-32         | W32SSA      | 11/18/2003 | DEMO 1         | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 50                 | 55                    | 2        |
| MW-2          | W02M2A      | 11/19/2003 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 33                 | 38                    | 2        |
| MW-38M3       | W38M3A      | 11/19/2003 | CIA [108]      | E314.0 | PERCHLORATE                             | 2.3   |      | UG/L  | 52                 | 62                    | 2        |
| MW-187        | W187DDA     | 11/21/2003 | J-1 RANGE      | OC21V  | BENZENE                                 | 140   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA     | 11/21/2003 | J-1 RANGE      | IM40MB | SODIUM                                  | 24200 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| 4036009DC     | 4036009DC-A | 11/24/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 4.88  |      | UG/L  |                    |                       | 2        |
| 58MW0016      | 58MW0016C-A | 11/24/2003 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0016      | 58MW0016C-D | 11/24/2003 | CS-19          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-265M2      | W265M2A     | 12/1/2003  | J-1 RANGE      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 12/1/2003  | J-1 RANGE      | E314.0 | PERCHLORATE                             | 33    |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A     | 12/1/2003  | J-1 RANGE      | E314.0 | PERCHLORATE                             | 9.7   |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-284M2      | W284M2A     | 12/2/2003  | NW CORNER      | E314.0 | PERCHLORATE                             | 2.89  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-286        | W286M2A     | 12/2/2003  | J-1 RANGE      | E314.0 | PERCHLORATE                             | 2.13  |      | UG/L  | 81.42              | 91.42                 | 2        |
| MW-278M2      | W278M2A     | 12/3/2003  | NW CORNER      | E314.0 | PERCHLORATE                             | 7.1   |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278M2      | W278M2D     | 12/3/2003  | NW CORNER      | E314.0 | PERCHLORATE                             | 7.4   |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-76M2       | W76M2A      | 12/3/2003  | DEMO 1         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 150   |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 12/3/2003  | DEMO 1         | E314.0 | PERCHLORATE                             | 210   |      | UG/L  | 38                 | 48                    | 2        |
| MW-75         | W75M2A      | 12/4/2003  | DEMO 1         | E314.0 | PERCHLORATE                             | 4.2   |      | UG/L  | 34                 | 44                    | 2        |
| MW-78         | W78M1A      | 12/4/2003  | DEMO 1         | E314.0 | PERCHLORATE                             | 5.3   |      | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A      | 12/4/2003  | DEMO 1         | E314.0 | PERCHLORATE                             | 11    |      | UG/L  | 38                 | 48                    | 2        |
| MW-264        | W264M1A     | 12/9/2003  | J3 [150]       | SW8270 | BENZO(A)PYRENE                          | 0.5   | J    | UG/L  | 160.94             | 170.94                | 0.2      |
| MW-279M1      | W279M1A     | 12/10/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 2.24  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 12/10/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 2.92  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 12/10/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 15.7  |      | UG/L  | 10                 | 20                    | 2        |
| MW-277        | W277SSA     | 12/12/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 5.27  |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSA     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 17    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-142M2      | W142M2A     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 2.2   | J    | UG/L  | 100                | 110                   | 2        |
| MW-143M1      | W143M1A     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 2.6   | J    | UG/L  | 114                | 124                   | 2        |
| MW-143M2      | W143M2A     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 4.4   | J    | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 3.1   | J    | UG/L  | 77                 | 82                    | 2        |
| MW-143M3      | W143M3D     | 12/18/2003 | J3 [150]       | E314.0 | PERCHLORATE                             | 3     | J    | UG/L  | 77                 | 82                    | 2        |
| MW-144        | W144SSA     | 12/18/2003 | J3 [150]       | IM40MB | SODIUM                                  | 27800 |      | UG/L  | 5                  | 15                    | 20000    |
| MW-148        | W148SSA     | 12/18/2003 | L RANGE        | IM40MB | SODIUM                                  | 27800 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-153M1      | W153M1A     | 12/19/2003 | L RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3   |      | UG/L  | 199                | 209                   | 2        |
| MW-263        | W263M2A     | 12/22/2003 | J-2 RANGE      | E314.0 | PERCHLORATE                             | 15    | J    | UG/L  | 8.66               | 18.66                 | 2        |
| MW-297        | W297SSA     | 12/23/2003 | NW CORNER      | E314.0 | PERCHLORATE                             | 2.53  |      | UG/L  | 0.32               | 10.32                 | 2        |
| MW-178M1      | W178M1A     | 12/24/2003 | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 117                | 127                   | 2        |
| MW-270M1      | W270M1A     | 1/6/2004   | NW CORNER      | E314.0 | PERCHLORATE                             | 11    | J    | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | W270M1D     | 1/6/2004   | NW CORNER      | E314.0 | PERCHLORATE                             | 11    | J    | UG/L  | 50.89              | 55.89                 | 2        |
| MW-176M1      | W176M1A     | 1/9/2004   | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-295M1      | W295M1A     | 1/14/2004  | J3 [150]       | E314.0 | PERCHLORATE                             | 2.1   |      | UG/L  | 49.5               | 59.5                  | 2        |
| MW-295M1      | W295M1D     | 1/14/2004  | J3 [150]       | E314.0 | PERCHLORATE                             | 2.15  |      | UG/L  | 49.5               | 59.5                  | 2        |
| MW-201M2      | W201M2A     | 1/20/2004  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-277        | W277SSA     | 1/20/2004  | NW CORNER      | E314.0 | PERCHLORATE                             | 5.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-278M2      | W278M2A     | 1/20/2004  | NW CORNER      | E314.0 | PERCHLORATE                             | 5.4   |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279S       | W279SSA     | 1/20/2004  | NW CORNER      | E314.0 | PERCHLORATE                             | 17    |      | UG/L  | 10                 | 20                    | 2        |
| MW-204M1      | W204M1A     | 1/21/2004  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.7   |      | UG/L  | 81                 | 91                    | 2        |
| MW-45         | W45SSA      | 1/21/2004  | L RANGE; FS-12 | IM40MB | ARSENIC                                 | 27.2  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA      | 1/21/2004  | L RANGE; FS-12 | IM40MB | LEAD                                    | 50.7  |      | UG/L  | 0                  | 10                    | 15       |
| MW-88M2       | W88M2A      | 1/22/2004  | CIA [108]      | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1   |      | UG/L  | 72                 | 82                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-21         | W21SSA      | 1/23/2004 | OTHER     | IM40MB | SODIUM                                  | 31600 |      | UG/L  | 0                  | 10                    | 20000    |
| MW-89M2       | W89M2A      | 1/23/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8   |      | UG/L  | 72                 | 82                    | 2        |
| MW-223M2      | W223M2A     | 1/30/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-218        | W218M2A     | 2/2/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 93                 | 98                    | 2        |
| MW-206        | W206M1A     | 2/3/2004  | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-227M1      | W227M1A     | 2/3/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 2/3/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.2   |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-197        | W197M2A     | 2/4/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 19    |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-211M1      | W211M1A     | 2/4/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 5.6   |      | UG/L  | 55                 | 65                    | 2        |
| MW-198M2      | W198M2A     | 2/5/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | W198M2A     | 2/5/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 280   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 2/5/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 2/5/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 260   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 2/5/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | W198M4A     | 2/5/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 54    |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-210M2      | W210M2A     | 2/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 19    |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-114M1      | W114M1A     | 2/9/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 13.4  |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A     | 2/9/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 210   |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A     | 2/9/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 42.3  |      | UG/L  | 39                 | 49                    | 2        |
| MW-184M1      | W184M1A     | 2/9/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-93         | W93M1A      | 2/9/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 56                 | 66                    | 2        |
| MW-129M1      | W129M1A     | 2/10/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M1      | W129M1A     | 2/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.62  |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A     | 2/10/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 2/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.13  |      | UG/L  | 46                 | 56                    | 2        |
| MW-172        | W172M2A     | 2/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.45  |      | UG/L  | 104                | 114                   | 2        |
| MW-172        | W172M2D     | 2/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.44  |      | UG/L  | 104                | 114                   | 2        |
| MW-196        | W196SSA     | 2/10/2004 | J3 [150]  | 8330   | 2,4,6-TRINITROTOLUENE                   | 14    |      | UG/L  | 0                  | 5                     | 2        |
| MW-207M1      | W207M1A     | 2/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-23         | W23M1A      | 2/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 103                | 113                   | 2        |
| MW-77M2       | W77M2A      | 2/12/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 2/12/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.32  |      | UG/L  | 38                 | 48                    | 2        |
| MW-163S       | W163SSA     | 2/13/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 2/13/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 41    |      | UG/L  | 0                  | 10                    | 2        |
| MW-209M1      | W209M1A     | 2/13/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 121                | 131                   | 2        |
| 4036009DC     | 4036009DC-A | 2/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.13  |      | UG/L  |                    |                       | 2        |
| 90MW0054      | 90MW0054-A  | 2/18/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1   |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A  | 2/18/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 4.2   |      | UG/L  | 91.83              | 96.83                 | 2        |
| MW-277        | W277SSA     | 2/18/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.06  |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 2/18/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.31  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-112M2      | W112M2A     | 2/19/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4   |      | UG/L  | 26                 | 36                    | 2        |
| MW-113M2      | W113M2A     | 2/19/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.6   |      | UG/L  | 48                 | 58                    | 2        |
| MW-113M2      | W113M2D     | 2/19/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3   |      | UG/L  | 48                 | 58                    | 2        |
| MW-278M2      | W278M2A     | 2/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.91  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M2      | W279M2A     | 2/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.22  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 2/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 11.4  |      | UG/L  | 10                 | 20                    | 2        |
| MW-166M1      | W166M1A     | 2/20/2004 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6   |      | UG/L  | 112                | 117                   | 2        |
| MW-91M1       | W91M1A      | 2/20/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6     |      | UG/L  | 45                 | 55                    | 2        |
| MW-91M1       | W91M1D      | 2/20/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1   |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 2/20/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    |      | UG/L  | 0                  | 10                    | 2        |
| MW-91S        | W91SSA      | 2/20/2004 | CIA [108] | E314.0 | PERCHLORATE                             | 2     | J    | UG/L  | 0                  | 10                    | 2        |
| MW-95M1       | W95M1A      | 2/20/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 78                 | 88                    | 2        |
| MW-66         | W66M2A      | 2/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.3   | J    | UG/L  | 22                 | 32                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-66         | W66M2D      | 2/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.3  | J    | UG/L  | 22                 | 32                    | 2        |
| MW-66         | W66SSA      | 2/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.2  | J    | UG/L  | 7                  | 17                    | 2        |
| MW-78         | W78M1A      | 2/23/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.83 |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 2/24/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 51   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 2/24/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 16.4 |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A      | 2/24/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 2/24/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 115  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA      | 2/24/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28   |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 2/24/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 19.1 |      | UG/L  | 18                 | 28                    | 2        |
| MW-78         | W78M2A      | 2/24/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 8.34 |      | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M2D      | 2/24/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 8.18 | J    | UG/L  | 38                 | 48                    | 2        |
| MW-1          | W01M2A      | 2/25/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8  |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA      | 2/25/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-301        | W301SSA     | 2/25/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.75 |      | UG/L  | 1.32               | 11.32                 | 2        |
| MW-75         | W75M2A      | 2/25/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.08 |      | UG/L  | 34                 | 44                    | 2        |
| MW-75         | W75M2D      | 2/25/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.84 |      | UG/L  | 34                 | 44                    | 2        |
| MW-101M1      | W101M1A     | 2/26/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 27                 | 37                    | 2        |
| MW-101M1      | W101M1D     | 2/26/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 27                 | 37                    | 2        |
| MW-203M2      | W203M2A     | 2/26/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 32.58              | 42.58                 | 2        |
| MW-293M2      | MW-293M2-   | 2/26/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 44   |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-293M2      | MW-293M2-FD | 2/26/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 44   |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-38M3       | W38M3A      | 2/26/2004 | CIA [108] | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 52                 | 62                    | 2        |
| MW-2          | W02M2A      | 2/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  | J    | UG/L  | 33                 | 38                    | 2        |
| MW-19S        | W19SSA      | 2/28/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 65   |      | UG/L  | 0                  | 10                    | 2        |
| MW-19S        | W19SSA      | 2/28/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.71 | J    | UG/L  | 0                  | 10                    | 2        |
| MW-31S        | W31SSA      | 2/28/2004 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.7  |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 2/28/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 2/28/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 7.77 | J    | UG/L  | 13                 | 18                    | 2        |
| MW-73S        | W73SSA      | 2/28/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA      | 2/28/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 3    | J    | UG/L  | 0                  | 10                    | 2        |
| MW-162        | W162M2A     | 3/1/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.91 | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-165        | W165M1A     | 3/1/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.15 | J    | UG/L  | 106                | 116                   | 2        |
| MW-165M2      | W165M2A     | 3/1/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 3/1/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 50.9 | J    | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2D     | 3/1/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2D     | 3/1/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 50.9 | J    | UG/L  | 46                 | 56                    | 2        |
| MW-37         | W37M2A      | 3/1/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 26                 | 36                    | 2        |
| MW-37         | W37M3A      | 3/1/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 11                 | 21                    | 2        |
| 58MW0002      | 58MW0002-A  | 3/2/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21   |      | UG/L  | 0                  | 5                     | 2        |
| MW-107M2      | W107M2A     | 3/2/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 5                  | 15                    | 2        |
| MW-85         | W85M1A      | 3/2/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 22                 | 32                    | 2        |
| MW-85         | W85M1D      | 3/2/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 22                 | 32                    | 2        |
| OW-1          | OW-1-A      | 3/2/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 0                  | 10                    | 2        |
| OW-2          | OW-2-A      | 3/2/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16   |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-265M2      | W265M2A     | 3/3/2004  | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 3/3/2004  | J-1 RANGE | E314.0 | PERCHLORATE                             | 30   |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A     | 3/3/2004  | J-1 RANGE | E314.0 | PERCHLORATE                             | 10   |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-300M2      | MW-300M2-   | 3/3/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 51   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-36         | W36M2A      | 3/3/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.13 |      | UG/L  | 54                 | 64                    | 2        |
| MW-36         | W36M2D      | 3/3/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.09 |      | UG/L  | 54                 | 64                    | 2        |
| MW-32         | W32MMA      | 3/4/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.93 |      | UG/L  | 65                 | 75                    | 2        |
| 58MW0009E     | 58MW0009E-A | 3/5/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.6  |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0009E     | 58MW0009E-D | 3/5/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8  |      | UG/L  | 6.5                | 11.5                  | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-187        | W187DDA     | 3/5/2004  | J-1 RANGE | OC21VM | BENZENE                                 | 120   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDA     | 3/5/2004  | J-1 RANGE | IM40MB | SODIUM                                  | 24100 |      | UG/L  | 199.5              | 209.5                 | 20000    |
| MW-34         | W34M1A      | 3/5/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 3/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.43  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 3/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 7.02  |      | UG/L  | 53                 | 63                    | 2        |
| MW-206        | W206M1A     | 3/9/2004  | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5     |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-302        | MW-302M2-   | 3/9/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 6.9   |      | UG/L  | 85                 | 95                    | 2        |
| MW-302        | MW-302M2-FD | 3/9/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 7     |      | UG/L  | 85                 | 95                    | 2        |
| MW-305M1      | MW-305M1-   | 3/9/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 36    |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-130        | W130SSA     | 3/10/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-211M1      | W211M1A     | 3/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 9.8   |      | UG/L  | 55                 | 65                    | 2        |
| MW-284M2      | W284M2A     | 3/10/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.3   |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-32         | W32DDA      | 3/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.2   | J    | UG/L  | 85                 | 90                    | 2        |
| MW-210M2      | W210M2A     | 3/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 23    |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-223M2      | W223M2A     | 3/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-223M2      | W223M2D     | 3/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-218        | W218M2A     | 3/15/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   |      | UG/L  | 93                 | 98                    | 2        |
| MW-225M3      | W225M3A     | 3/15/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.5   |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-227M1      | W227M1A     | 3/16/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7   | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 3/16/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4   |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-277        | W277SSA     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.18  |      | UG/L  | 0                  | 10                    | 2        |
| MW-278M2      | W278M2A     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.4   |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M1      | W279M1A     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.6   |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.9   |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279M2      | W279M2D     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.9   |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 3/17/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 11.2  |      | UG/L  | 10                 | 20                    | 2        |
| MW-287        | W287SSA     | 3/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 0                  | 10                    | 2        |
| MW-297        | W297SSA     | 3/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.4   |      | UG/L  | 0.32               | 10.32                 | 2        |
| MW-297M1      | W297M1A     | 3/23/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2     |      | UG/L  | 20.28              | 30.28                 | 2        |
| MW-303M3      | MW-303M3-   | 3/25/2004 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 27                 | 37                    | 2        |
| MW-303M3      | MW-303M3-   | 3/25/2004 | J-1 RANGE | E314.0 | PERCHLORATE                             | 2.2   |      | UG/L  | 27                 | 37                    | 2        |
| MW-303M2      | MW-303M2-   | 3/30/2004 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 32    |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | MW-303M2-   | 3/30/2004 | J-1 RANGE | E314.0 | PERCHLORATE                             | 31    |      | UG/L  | 122                | 132                   | 2        |
| MW-289M1      | MW-289M1-   | 3/31/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 6.9   |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | MW-289M2-   | 3/31/2004 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-   | 3/31/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 110   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-306        | MW-306M1-   | 4/1/2004  | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 61                 | 71                    | 2        |
| MW-306        | MW-306M2-   | 4/1/2004  | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3   |      | UG/L  | 41                 | 51                    | 2        |
| MW-77M2       | W77M2A      | 4/5/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 4/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 5.7   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M1A      | 4/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.37  |      | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A      | 4/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 8.2   |      | UG/L  | 38                 | 48                    | 2        |
| MW-129M1      | W129M1A     | 4/7/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5   |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M1      | W129M1A     | 4/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 6.54  |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A     | 4/7/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 4/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 5.27  |      | UG/L  | 46                 | 56                    | 2        |
| MW-75         | W75M2A      | 4/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.59  |      | UG/L  | 34                 | 44                    | 2        |
| MW-75         | W75M2D      | 4/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.46  |      | UG/L  | 34                 | 44                    | 2        |
| MW-165        | W165M1A     | 4/9/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.05  |      | UG/L  | 106                | 116                   | 2        |
| MW-165M2      | W165M2A     | 4/9/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 4/9/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 39    |      | UG/L  | 46                 | 56                    | 2        |
| MW-197        | W197M2A     | 4/13/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 23.3  |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-277        | W277SSA     | 4/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.74  |      | UG/L  | 0                  | 10                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-278M2      | W278M2A     | 4/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.02 |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M1      | W279M1A     | 4/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 6.15 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 4/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.03 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279M2      | W279M2D     | 4/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.04 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 4/15/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 9.84 |      | UG/L  | 10                 | 20                    | 2        |
| MW-162        | W162M2A     | 4/16/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.11 |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-114M1      | W114M1A     | 4/19/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 9.67 |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A     | 4/19/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 180  |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A     | 4/19/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 37.7 |      | UG/L  | 39                 | 49                    | 2        |
| MW-172        | W172M2A     | 4/19/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.39 |      | UG/L  | 104                | 114                   | 2        |
| MW-323        | W323SSA     | 4/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.14 |      | UG/L  | 73                 | 83                    | 2        |
| MW-323M2      | W323M2A     | 4/19/2004 | NW CORNER | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-32         | W32DDA      | 4/21/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.35 |      | UG/L  | 85                 | 90                    | 2        |
| MW-32         | W32MMA      | 4/21/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.14 |      | UG/L  | 65                 | 75                    | 2        |
| MW-76M1       | W76M1A      | 4/21/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 38   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 4/21/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 17.9 |      | UG/L  | 58                 | 68                    | 2        |
| MW-76S        | W76SSA      | 4/21/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 4/21/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 11.3 |      | UG/L  | 18                 | 28                    | 2        |
| MW-247        | W247M2A     | 4/22/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A     | 4/22/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 4.4  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-250        | W250M1A     | 4/22/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 174.65             | 184.65                | 2        |
| MW-250M2      | W250M2A     | 4/22/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 6.3  |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-76M2       | W76M2A      | 4/22/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 4/22/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 93.1 |      | UG/L  | 38                 | 48                    | 2        |
| MW-235M1      | W235M1A     | 4/23/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-310M1      | MW-310M1-   | 4/23/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 16   |      | UG/L  | 86                 | 96                    | 2        |
| MW-107M2      | W107M2A     | 4/26/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 5                  | 15                    | 2        |
| MW-2          | W02M2A      | 4/26/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7  |      | UG/L  | 33                 | 38                    | 2        |
| MW-38M3       | W38M3A      | 4/26/2004 | CIA [108] | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 52                 | 62                    | 2        |
| MW-113M2      | W113M2A     | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.5  |      | UG/L  | 48                 | 58                    | 2        |
| MW-204M1      | W204M1A     | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.7  |      | UG/L  | 81                 | 91                    | 2        |
| MW-307M3      | MW-307M3-   | 4/27/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 24   |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-43M2       | W43M2A      | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 67                 | 77                    | 2        |
| MW-88M2       | W88M2A      | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 72                 | 82                    | 2        |
| MW-88M2       | W88M2D      | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A      | 4/27/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9  |      | UG/L  | 72                 | 82                    | 2        |
| 58MW0002      | 58MW0002-A  | 4/28/2004 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 0                  | 5                     | 2        |
| MW-270M1      | W270M1A     | 4/29/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 8.94 |      | UG/L  | 50.89              | 55.89                 | 2        |
| 58MW0016      | 58MW0016C-A | 4/30/2004 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M2A      | 4/30/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 16                 | 26                    | 2        |
| MW-95M1       | W95M1A      | 4/30/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 78                 | 88                    | 2        |
| MW-207M1      | W207M1A     | 5/3/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-209M1      | W209M1A     | 5/3/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8  |      | UG/L  | 121                | 131                   | 2        |
| 58MW0009E     | 58MW0009E-A | 5/5/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1  |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-101M1      | W101M1A     | 5/5/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 27                 | 37                    | 2        |
| MW-91M1       | W91M1A      | 5/5/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 5/5/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0015      | 58MW0015A-A | 5/6/2004  | CS-19     | E314.0 | PERCHLORATE                             | 2.1  | J    | UG/L  | 36                 | 45                    | 2        |
| MW-218        | W218M2A     | 5/6/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 93                 | 98                    | 2        |
| MW-143M1      | W143M1A     | 5/7/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 5    | J    | UG/L  | 114                | 124                   | 2        |
| MW-143M2      | W143M2A     | 5/7/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 5.7  | J    | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 5/7/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 12   | J    | UG/L  | 77                 | 82                    | 2        |
| MW-143M3      | W143M3D     | 5/7/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 12   | J    | UG/L  | 77                 | 82                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-66         | W66SSA      | 5/10/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3    | J    | UG/L  | 7                  | 17                    | 2        |
| MW-163S       | W163SSA     | 5/11/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 58   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-319        | MW-319M2-   | 5/11/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 72                 | 82                    | 2        |
| MW-31M        | W31MMA      | 5/11/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA      | 5/11/2004 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 6.2  |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 5/11/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 72   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 5/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.02 |      | UG/L  | 13                 | 18                    | 2        |
| MW-234M1      | W234M1A     | 5/12/2004 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 5/12/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1D     | 5/12/2004 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1D     | 5/12/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-277        | W277SSA     | 5/12/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.49 |      | UG/L  | 0                  | 10                    | 2        |
| MW-278M2      | W278M2A     | 5/12/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.61 |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M1      | W279M1A     | 5/12/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.17 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 5/12/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 4.51 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-227M1      | W227M1A     | 5/13/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  |      | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 5/13/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.4  |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-247        | W247M2A     | 5/13/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A     | 5/13/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 4.9  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-279S       | W279SSA     | 5/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 11.9 |      | UG/L  | 10                 | 20                    | 2        |
| MW-34         | W34M1A      | 5/14/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 5/14/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.28 |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 5/14/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 53                 | 63                    | 2        |
| MW-34         | W34M2A      | 5/14/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.23 |      | UG/L  | 53                 | 63                    | 2        |
| 90MW0022      | 90MW0022-A  | 5/17/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.4  |      | UG/L  | 72.79              | 77.79                 | 2        |
| 90MW0022      | 90MW0022-D  | 5/17/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 72.79              | 77.79                 | 2        |
| 90MW0054      | 90MW0054-A  | 5/17/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 91.83              | 96.83                 | 2        |
| 90MW0054      | 90MW0054-A  | 5/17/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 91.83              | 96.83                 | 2        |
| LRMW0003      | LRMW0003-A  | 5/17/2004 | OTHER     | OC21VM | CHLOROMETHANE                           | 33   | J    | UG/L  | 69.68              | 94.68                 | 30       |
| MW-132        | W132SSA     | 5/18/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 13   |      | UG/L  | 0                  | 10                    | 2        |
| MW-184M1      | W184M1A     | 5/18/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 58.2               | 68.2                  | 2        |
| 4036009DC     | 4036009DC-A | 5/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.36 |      | UG/L  |                    |                       | 2        |
| 4036009DC     | 4036009DC-D | 5/19/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.23 |      | UG/L  |                    |                       | 2        |
| MW-178M1      | W178M1A     | 5/19/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 117                | 127                   | 2        |
| MW-178M1      | W178M1D     | 5/19/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 117                | 127                   | 2        |
| MW-206        | W206M1A     | 5/19/2004 | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-206        | W206M1D     | 5/19/2004 | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-250        | W250M3A     | 5/19/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 84.85              | 94.85                 | 2        |
| MW-250M2      | W250M2A     | 5/19/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 6.6  |      | UG/L  | 134.82             | 144.82                | 2        |
| 90PZ0211      | 90PZ0211A-A | 5/20/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 5    |      | UG/L  | 76.85              | 76.85                 | 2        |
| 90PZ0211      | 90PZ0211B-A | 5/20/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 5.3  |      | UG/L  | 86.85              | 86.85                 | 2        |
| 90PZ0211      | 90PZ0211C-A | 5/20/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 5.7  |      | UG/L  | 96.85              | 96.85                 | 2        |
| MW-210M2      | W210M2A     | 5/20/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2A     | 5/20/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 44   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2D     | 5/20/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2D     | 5/20/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 43   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-211M1      | W211M1A     | 5/21/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 11   |      | UG/L  | 55                 | 65                    | 2        |
| MW-235M1      | W235M1A     | 5/21/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 30   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-301        | W301SSA     | 5/21/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 1.32               | 11.32                 | 2        |
| MW-319        | MW-319M1-   | 5/24/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 107.25             | 117.25                | 2        |
| MW-225M3      | W225M3A     | 5/25/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.62 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-197        | W197M2A     | 5/26/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 20   |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-198M4      | W198M4A     | 5/26/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.7  |      | UG/L  | 48.4               | 53.4                  | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC            | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|----------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-198M4      | W198M4A     | 5/26/2004 | J3 [150]       | E314.0  | PERCHLORATE                             | 81.6 |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M2      | W198M2A     | 5/27/2004 | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | W198M2A     | 5/27/2004 | J3 [150]       | E314.0  | PERCHLORATE                             | 494  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 5/27/2004 | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 5/27/2004 | J3 [150]       | E314.0  | PERCHLORATE                             | 92.9 |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-19S        | W19SSA      | 6/1/2004  | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 73   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA      | 6/1/2004  | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | W73SSA      | 6/1/2004  | DEMO 1         | E314.0  | PERCHLORATE                             | 2.46 | J    | UG/L  | 0                  | 10                    | 2        |
| MW-277        | W277SSA     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.36 |      | UG/L  | 0                  | 10                    | 2        |
| MW-278M2      | W278M2A     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 2.22 |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M1      | W279M1A     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 5.05 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M1      | W279M1D     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 5.14 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 4.95 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 6/9/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 11.1 |      | UG/L  | 10                 | 20                    | 2        |
| MW-153M1      | W153M1A     | 6/14/2004 | L RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 199                | 209                   | 2        |
| MW-321M1      | MW-321M1-   | 6/14/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.5  |      | UG/L  | 70                 | 80                    | 2        |
| 58MW0001      | 58MW0001-A  | 6/22/2004 | CS-19          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.7  |      | UG/L  | 0                  | 5                     | 2        |
| MW-166M1      | W166M1A     | 6/29/2004 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 112                | 117                   | 2        |
| MW-313M2      | MW-313M2-   | 6/29/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 8.2  |      | UG/L  | 93                 | 103                   | 2        |
| MW-326M2      | MW-326M2-   | 6/30/2004 | J-1 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 75                 | 85                    | 2        |
| MW-326M2      | MW-326M2-   | 6/30/2004 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 21   |      | UG/L  | 75                 | 85                    | 2        |
| MW-45         | W45SSA      | 6/30/2004 | L RANGE; FS-12 | IM40MBM | ARSENIC                                 | 27.8 |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA      | 6/30/2004 | L RANGE; FS-12 | IM40MBM | LEAD                                    | 35.2 |      | UG/L  | 0                  | 10                    | 15       |
| MW-215M2      | W215M2A     | 7/6/2004  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-215M2      | W215M2D     | 7/6/2004  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-305M1      | MW-305M1-   | 7/6/2004  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 34   |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-277        | W277SSA     | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.14 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 4.63 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 4.84 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279M2      | W279M2D     | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 4.87 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 10.5 |      | UG/L  | 10                 | 20                    | 2        |
| MW-300M2      | MW-300M2-   | 7/7/2004  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 41   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-300M2      | MW-300M2-FD | 7/7/2004  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 41   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-324        | MW-324M2-   | 7/7/2004  | J-2 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 82                 | 92                    | 2        |
| RSNW03        | RSNW03-A    | 7/7/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 2.01 | J    | UG/L  |                    |                       | 2        |
| MW-23         | W23M1A      | 7/9/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 103                | 113                   | 2        |
| MW-176M1      | W176M1A     | 7/12/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-302        | MW-302M2-   | 7/12/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 9.3  |      | UG/L  | 85                 | 95                    | 2        |
| MW-86         | W86SSA      | 7/12/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 1                  | 11                    | 2        |
| MW-187        | W187DDA     | 7/13/2004 | J-1 RANGE      | OC21VM  | BENZENE                                 | 120  |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-293M2      | MW-293M2-   | 7/15/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 43   |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-93         | W93M1A      | 7/15/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 56                 | 66                    | 2        |
| MW-93         | W93M1D      | 7/15/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 56                 | 66                    | 2        |
| MW-201M2      | W201M2A     | 7/23/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-323        | W323SSA     | 7/27/2004 | NW CORNER      | E314.0  | PERCHLORATE                             | 2.78 |      | UG/L  | 73                 | 83                    | 2        |
| MW-323M2      | W323M2A     | 7/27/2004 | NW CORNER      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-323M2      | W323M2D     | 7/27/2004 | NW CORNER      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-162        | W162M2A     | 7/28/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 6.2  |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-172        | W172M2A     | 7/28/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 4.1  |      | UG/L  | 104                | 114                   | 2        |
| MW-77M2       | W77M2A      | 7/28/2004 | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 7/28/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 5.1  |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2D      | 7/28/2004 | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2D      | 7/28/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 5.1  |      | UG/L  | 38                 | 48                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-289M1      | MW-289M1-   | 7/29/2004 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M1      | MW-289M1-   | 7/29/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 9.2  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | MW-289M2-   | 7/29/2004 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-   | 7/29/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 63   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-FD | 7/29/2004 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | MW-289M2-FD | 7/29/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 64   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-114M1      | W114M1A     | 7/30/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.36 |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | W114M2A     | 7/30/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 160  |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A     | 7/30/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 40.8 |      | UG/L  | 39                 | 49                    | 2        |
| MW-211M1      | W211M1A     | 7/30/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 13   |      | UG/L  | 55                 | 65                    | 2        |
| MW-130        | W130SSA     | 8/2/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.6  | J    | UG/L  | 0                  | 10                    | 2        |
| MW-234M1      | W234M1A     | 8/2/2004  | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 8/2/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.2  | J    | UG/L  | 25.3               | 35.3                  | 2        |
| MW-263        | W263M2A     | 8/2/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 4    | J    | UG/L  | 8.66               | 18.66                 | 2        |
| MW-263        | W263M2D     | 8/2/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 4.3  | J    | UG/L  | 8.66               | 18.66                 | 2        |
| MW-32         | W32DDA      | 8/3/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.78 |      | UG/L  | 85                 | 90                    | 2        |
| MW-36         | W36M2A      | 8/3/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.9  | J    | UG/L  | 54                 | 64                    | 2        |
| MW-139M2      | W139M2A     | 8/4/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.5  | J    | UG/L  | 154                | 164                   | 2        |
| MW-277        | W277SSA     | 8/4/2004  | NW CORNER | E314.0 | PERCHLORATE                             | 3.09 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 8/4/2004  | NW CORNER | E314.0 | PERCHLORATE                             | 4.61 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 8/4/2004  | NW CORNER | E314.0 | PERCHLORATE                             | 4.99 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 8/4/2004  | NW CORNER | E314.0 | PERCHLORATE                             | 13.7 |      | UG/L  | 10                 | 20                    | 2        |
| MW-32         | W32MMA      | 8/4/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.21 |      | UG/L  | 65                 | 75                    | 2        |
| MW-32         | W32MMD      | 8/4/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.03 |      | UG/L  | 65                 | 75                    | 2        |
| MW-165        | W165M1A     | 8/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.54 | J    | UG/L  | 106                | 116                   | 2        |
| MW-210M2      | W210M2A     | 8/5/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2A     | 8/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 59   | J    | UG/L  | 54.69              | 64.69                 | 2        |
| MW-34         | W34M1A      | 8/5/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 8/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.32 | J    | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 8/5/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 53                 | 63                    | 2        |
| MW-34         | W34M2A      | 8/5/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 5.87 | J    | UG/L  | 53                 | 63                    | 2        |
| MW-129M1      | W129M1A     | 8/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.68 |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | W129M2A     | 8/6/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 8/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.74 |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 8/6/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 8/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 41.3 |      | UG/L  | 46                 | 56                    | 2        |
| MW-225M3      | W225M3A     | 8/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.1  | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-225M3      | W225M3D     | 8/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 2    | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-113M2      | W113M2A     | 8/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4  |      | UG/L  | 48                 | 58                    | 2        |
| MW-176M1      | W176M1A     | 8/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-176M1      | W176M1D     | 8/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-184M1      | W184M1A     | 8/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-201M2      | W201M2A     | 8/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-76M1       | W76M1A      | 8/11/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 59   |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M1       | W76M1A      | 8/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 47.3 |      | UG/L  | 58                 | 68                    | 2        |
| MW-76M2       | W76M2A      | 8/11/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 8/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 57.2 |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA      | 8/11/2004 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 8/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.11 |      | UG/L  | 18                 | 28                    | 2        |
| MW-78         | W78M1A      | 8/11/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.84 |      | UG/L  | 58                 | 68                    | 2        |
| MW-178M1      | W178M1A     | 8/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 117                | 127                   | 2        |
| MW-301        | W301SSA     | 8/12/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 1.32               | 11.32                 | 2        |
| MW-303M2      | MW-303M2-   | 8/12/2004 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28   |      | UG/L  | 122                | 132                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD  | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|---------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-303M2      | MW-303M2-   | 8/12/2004 | J-1 RANGE | E314.0  | PERCHLORATE                             | 29    |      | UG/L  | 122                | 132                   | 2        |
| MW-78         | W78M2A      | 8/12/2004 | DEMO 1    | E314.0  | PERCHLORATE                             | 6.48  |      | UG/L  | 38                 | 48                    | 2        |
| MW-207M1      | W207M1A     | 8/13/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-306        | MW-306M2-   | 8/13/2004 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2   |      | UG/L  | 41                 | 51                    | 2        |
| MW-306        | MW-306M2-FD | 8/13/2004 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5   |      | UG/L  | 41                 | 51                    | 2        |
| 4036009DC     | 4036009DC-A | 8/18/2004 | NW CORNER | E314.0  | PERCHLORATE                             | 5.63  |      | UG/L  |                    |                       | 2        |
| MW-341M3      | W341M3A     | 8/18/2004 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.95  |      | UG/L  | 50.66              | 60.66                 | 2        |
| MW-87M1       | W87M1A      | 8/18/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 62                 | 72                    | 2        |
| MW-339M1      | MW-339M1-   | 8/20/2004 | J-2 RANGE | E314.0  | PERCHLORATE                             | 5.6   |      | UG/L  | 125                | 135                   | 2        |
| MW-88M2       | W88M2A      | 8/20/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 72                 | 82                    | 2        |
| MW-310M1      | MW-310M1-   | 8/23/2004 | J-2 RANGE | E314.0  | PERCHLORATE                             | 15    |      | UG/L  | 86                 | 96                    | 2        |
| 58MW0009E     | 58MW0009E-A | 8/24/2004 | CS-19     | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5   |      | UG/L  | 6.5                | 11.5                  | 2        |
| 58MW0009E     | 58MW0009E-D | 8/24/2004 | CS-19     | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6   |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-35         | W35M1A      | 8/25/2004 | DEMO 1    | E314.0  | PERCHLORATE                             | 3.5   | J    | UG/L  | 68                 | 78                    | 2        |
| MW-284M2      | W284M2A     | 8/26/2004 | NW CORNER | E314.0  | PERCHLORATE                             | 3.1   | J    | UG/L  | 21.2               | 31.2                  | 2        |
| MW-95M1       | W95M1A      | 8/27/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1   |      | UG/L  | 78                 | 88                    | 2        |
| MW-23         | W23M1A      | 8/30/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 103                | 113                   | 2        |
| MW-341        | W341M4A     | 8/31/2004 | DEMO 1    | E314.0  | PERCHLORATE                             | 14.7  |      | UG/L  | 22.66              | 27.66                 | 2        |
| MW-66         | W66SSA      | 8/31/2004 | NW CORNER | E314.0  | PERCHLORATE                             | 2.7   | J    | UG/L  | 7                  | 17                    | 2        |
| MW-187        | W187DDA     | 9/1/2004  | J-1 RANGE | OC21VM  | BENZENE                                 | 110   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-142M2      | W142M2A     | 9/3/2004  | J3 [150]  | E314.0  | PERCHLORATE                             | 2     | J    | UG/L  | 100                | 110                   | 2        |
| MW-204M1      | W204M1A     | 9/7/2004  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8   |      | UG/L  | 81                 | 91                    | 2        |
| MW-277        | W277SSA     | 9/8/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 2.9   |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 9/8/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 3.76  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 9/8/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 4.5   |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279M2      | W279M2D     | 9/8/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 4.63  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 9/8/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 15.2  |      | UG/L  | 10                 | 20                    | 2        |
| MW-215M2      | W215M2A     | 9/9/2004  | J-2 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-215M2      | W215M2D     | 9/9/2004  | J-2 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6   |      | UG/L  | 98.9               | 108.9                 | 2        |
| RSNW03        | RSNW03-A    | 9/9/2004  | NW CORNER | E314.0  | PERCHLORATE                             | 2.07  |      | UG/L  |                    |                       | 2        |
| MW-270M1      | W270M1A     | 9/10/2004 | NW CORNER | E314.0  | PERCHLORATE                             | 9.7   |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-319        | MW-319M1-   | 9/14/2004 | J-2 RANGE | E314.0  | PERCHLORATE                             | 2.8   |      | UG/L  | 107.25             | 117.25                | 2        |
| MW-319        | MW-319M2-   | 9/14/2004 | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.7   |      | UG/L  | 72                 | 82                    | 2        |
| MW-319        | MW-319M2-FD | 9/14/2004 | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.7   |      | UG/L  | 72                 | 82                    | 2        |
| MW-57         | W57M1A      | 9/14/2004 | J-2 RANGE | IM40MBM | SODIUM                                  | 21800 |      | UG/L  | 102                | 112                   | 20000    |
| MW-309        | W309M1A     | 9/15/2004 | NW CORNER | E314.0  | PERCHLORATE                             | 3.72  |      | UG/L  | 31.91              | 41.91                 | 2        |
| MW-232        | W232M1A     | 9/16/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 2.6   |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-143M1      | W143M1A     | 9/20/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 5.5   |      | UG/L  | 114                | 124                   | 2        |
| MW-143M2      | W143M2A     | 9/20/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 7.3   |      | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 9/20/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 12    |      | UG/L  | 77                 | 82                    | 2        |
| 90MW0022      | 90MW0022-A  | 9/21/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 4.3   |      | UG/L  | 72.79              | 77.79                 | 2        |
| MW-227M1      | W227M1A     | 9/21/2004 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 9/21/2004 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.9   |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-43M2       | W43M2A      | 9/21/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1   |      | UG/L  | 67                 | 77                    | 2        |
| MW-7          | W07M1A      | 9/21/2004 | CIA [108] | IM40MBM | ARSENIC                                 | 12.4  |      | UG/L  | 135                | 140                   | 10       |
| 90PZ0211      | 90PZ0211A-A | 9/23/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 7.4   |      | UG/L  | 76.85              | 76.85                 | 2        |
| 90PZ0211      | 90PZ0211B-A | 9/23/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 8.1   |      | UG/L  | 86.85              | 86.85                 | 2        |
| 90PZ0211      | 90PZ0211C-A | 9/23/2004 | J3 [150]  | E314.0  | PERCHLORATE                             | 9.4   |      | UG/L  | 96.85              | 96.85                 | 2        |
| MW-153M1      | W153M1A     | 9/23/2004 | L RANGE   | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 199                | 209                   | 2        |
| MW-100        | W100M1A     | 9/24/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 45                 | 55                    | 2        |
| MW-101M1      | W101M1A     | 9/24/2004 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 27                 | 37                    | 2        |
| MW-265M2      | W265M2A     | 9/27/2004 | J-1 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 9/27/2004 | J-1 RANGE | E314.0  | PERCHLORATE                             | 23    |      | UG/L  | 97.6               | 107.6                 | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC            | METHOD  | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|----------------|---------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-1          | W01M2A      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3   |      | UG/L  | 44                 | 49                    | 2        |
| MW-91M1       | W91M1A      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5   |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M2A      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3     |      | UG/L  | 16                 | 26                    | 2        |
| OW-1          | OW-1-A      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| OW-2          | OW-2-A      | 9/28/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10    |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-206        | W206M1A     | 9/29/2004  | FORMER A       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-209M1      | W209M1A     | 9/29/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9   |      | UG/L  | 121                | 131                   | 2        |
| MW-45         | W45SSA      | 9/29/2004  | L RANGE; FS-12 | IM40MBM | ARSENIC                                 | 28.5  |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA      | 9/29/2004  | L RANGE; FS-12 | IM40MBM | LEAD                                    | 35.7  |      | UG/L  | 0                  | 10                    | 15       |
| MW-86         | W86SSA      | 9/29/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4   |      | UG/L  | 1                  | 11                    | 2        |
| MW-166M1      | W166M1A     | 9/30/2004  | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7   |      | UG/L  | 112                | 117                   | 2        |
| MW-132        | W132SSA     | 10/1/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 7.6   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 10/1/2004  | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.7   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 10/1/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 28    |      | UG/L  | 0                  | 10                    | 2        |
| MW-198M2      | W198M2A     | 10/4/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 120   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 10/4/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 120   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 10/4/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 120   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-197        | W197M2A     | 10/5/2004  | J3 [150]       | E314.0  | PERCHLORATE                             | 22    |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-265M3      | W265M3A     | 10/5/2004  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 8.9   |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-89M2       | W89M2A      | 10/5/2004  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2   |      | UG/L  | 72                 | 82                    | 2        |
| MW-277        | W277SSA     | 10/6/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.3   |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 10/6/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.95  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 10/6/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 5.12  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 10/6/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 19.7  |      | UG/L  | 10                 | 20                    | 2        |
| MW-323M2      | W323M2A     | 10/8/2004  | NW CORNER      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.6   |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-247        | W247M2A     | 10/12/2004 | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A     | 10/12/2004 | J3 [150]       | E314.0  | PERCHLORATE                             | 3.5   | J    | UG/L  | 102.78             | 112.78                | 2        |
| MW-250M2      | W250M2A     | 10/12/2004 | J3 [150]       | E314.0  | PERCHLORATE                             | 5.7   | J    | UG/L  | 134.82             | 144.82                | 2        |
| ASPWELL       | ASPWELL-A   | 10/13/2004 | OTHER          | E200.7  | SODIUM                                  | 29000 |      | UG/L  |                    |                       | 20000    |
| ASPWELL       | ASPWELL-A   | 10/13/2004 | OTHER          | IM40MBM | SODIUM                                  | 29700 |      | UG/L  |                    |                       | 20000    |
| MW-2          | W02M2A      | 10/13/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8   | J    | UG/L  | 33                 | 38                    | 2        |
| MW-321M1      | MW-321M1-   | 10/14/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 4.5   |      | UG/L  | 70                 | 80                    | 2        |
| MW-235M1      | W235M1A     | 10/18/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 40    |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 10/19/2004 | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 10/19/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.4   | J    | UG/L  | 25.3               | 35.3                  | 2        |
| MW-324        | MW-324M1-   | 10/20/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.2   |      | UG/L  | 111.85             | 121.85                | 2        |
| MW-324        | MW-324M1-FD | 10/20/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.3   |      | UG/L  | 111.85             | 121.85                | 2        |
| MW-324        | MW-324M2-   | 10/20/2004 | J-2 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 82                 | 92                    | 2        |
| MW-307M3      | MW-307M3-   | 10/25/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 24    |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-313M2      | MW-313M2-   | 10/25/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 9.1   |      | UG/L  | 93                 | 103                   | 2        |
| MW-31M        | W31MMA      | 10/27/2004 | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 50    | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA      | 10/27/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 7.44  | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA      | 10/27/2004 | DEMO 1         | 8330    | 2,4,6-TRINITROTOLUENE                   | 6.3   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 10/27/2004 | DEMO 1         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13    | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 10/27/2004 | DEMO 1         | E314.0  | PERCHLORATE                             | 4.7   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-196        | W196SSA     | 10/28/2004 | J3 [150]       | 8330    | 2,4,6-TRINITROTOLUENE                   | 29    |      | UG/L  | 0                  | 5                     | 2        |
| MW-326M2      | MW-326M2-   | 10/29/2004 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 18    |      | UG/L  | 75                 | 85                    | 2        |
| MW-277        | W277SSA     | 11/2/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.11  |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 11/2/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.87  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 11/2/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 5.26  |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 11/3/2004  | NW CORNER      | E314.0  | PERCHLORATE                             | 20.4  |      | UG/L  | 10                 | 20                    | 2        |
| MW-305M1      | MW-305M1-   | 11/3/2004  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 34    |      | UG/L  | 99.82              | 109.82                | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-348        | MW-348M2-   | 11/3/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 38   |      | UG/L  | 89.54              | 99.54                 | 2        |
| 58MW0001      | 58MW0001-A  | 11/4/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.5  | J    | UG/L  | 0                  | 5                     | 2        |
| 58MW0002      | 58MW0002-A  | 11/4/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   | J    | UG/L  | 0                  | 5                     | 2        |
| MW-300M2      | MW-300M2-   | 11/4/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 57   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-300M2      | MW-300M2-FD | 11/4/2004  | J-2 RANGE | E314.0 | PERCHLORATE                             | 57   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-38M3       | W38M3A      | 11/4/2004  | CIA [108] | E314.0 | PERCHLORATE                             | 2.7  |      | UG/L  | 52                 | 62                    | 2        |
| 58MW0016      | 58MW0016C-A | 11/5/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0016      | 58MW0016C-D | 11/5/2004  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-113M2      | W113M2A     | 11/5/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8    |      | UG/L  | 48                 | 58                    | 2        |
| MW-38         | W38M4A      | 11/5/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  | J    | UG/L  | 14                 | 24                    | 2        |
| MW-112M2      | W112M2A     | 11/9/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 26                 | 36                    | 2        |
| MW-2          | W02M2A      | 11/9/2004  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 33                 | 38                    | 2        |
| MW-91M1       | W91M1A      | 11/10/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 11/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 0                  | 10                    | 2        |
| MW-93         | W93M2A      | 11/12/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 16                 | 26                    | 2        |
| MW-201M2      | W201M2A     | 11/15/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-302        | MW-302M2-   | 11/15/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 11   |      | UG/L  | 85                 | 95                    | 2        |
| MW-130        | W130SSA     | 11/17/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.79 | J    | UG/L  | 0                  | 10                    | 2        |
| MW-142M2      | W142M2A     | 11/17/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.22 | J    | UG/L  | 100                | 110                   | 2        |
| MW-101M1      | W101M1A     | 11/18/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 27                 | 37                    | 2        |
| MW-227M1      | W227M1A     | 11/18/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 11/18/2004 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9  |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-293M2      | MW-293M2-   | 11/19/2004 | J-2 RANGE | E314.0 | PERCHLORATE                             | 52   |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-343M1      | MW-343M1-   | 11/22/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.9  |      | UG/L  | 122                | 132                   | 2        |
| MW-343M2      | MW-343M2-   | 11/22/2004 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 74                 | 84                    | 2        |
| MW-343M2      | MW-343M2-FD | 11/22/2004 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | UG/L  | 74                 | 84                    | 2        |
| MW-89M2       | W89M2A      | 11/22/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9  |      | UG/L  | 72                 | 82                    | 2        |
| MW-176M1      | W176M1A     | 11/23/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.1  |      | UG/L  | 158.55             | 168.55                | 2        |
| 90MW0022      | 90MW0022-A  | 11/30/2004 | J3 [150]  | E314.0 | PERCHLORATE                             | 4    | J    | UG/L  | 72.79              | 77.79                 | 2        |
| MW-247        | W247M2A     | 12/2/2004  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A     | 12/2/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 3.8  | J    | UG/L  | 102.78             | 112.78                | 2        |
| MW-250M2      | W250M2A     | 12/2/2004  | J3 [150]  | E314.0 | PERCHLORATE                             | 5.7  | J    | UG/L  | 134.82             | 144.82                | 2        |
| MW-153M1      | W153M1A     | 12/3/2004  | L RANGE   | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.4  |      | UG/L  | 199                | 209                   | 2        |
| MW-210M2      | W210M2A     | 12/6/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | W210M2A     | 12/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 56   | J    | UG/L  | 54.69              | 64.69                 | 2        |
| MW-211M1      | W211M1A     | 12/6/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.7  |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | W211M1A     | 12/6/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 33   | J    | UG/L  | 55                 | 65                    | 2        |
| MW-162        | W162M2A     | 12/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 10   | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-165M2      | W165M2A     | 12/7/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 130  |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 12/7/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 94   | J    | UG/L  | 46                 | 56                    | 2        |
| MW-225M3      | W225M3A     | 12/8/2004  | DEMO 1    | E314.0 | PERCHLORATE                             | 3.2  | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-34         | W34M2A      | 12/8/2004  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 53                 | 63                    | 2        |
| MW-346M1      | MW-346M1-   | 12/9/2004  | J-1 RANGE | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 130                | 140                   | 2        |
| MW-346M2      | MW-346M2-   | 12/9/2004  | J-1 RANGE | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 90                 | 100                   | 2        |
| MW-341M3      | W341M3A     | 12/10/2004 | DEMO 1    | E314.0 | PERCHLORATE                             | 15.5 |      | UG/L  | 50.66              | 60.66                 | 2        |
| 4036009DC     | 4036009DC-A | 12/13/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.03 |      | UG/L  |                    |                       | 2        |
| MW-207M1      | W207M1A     | 12/14/2004 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-277        | W277SSA     | 12/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.03 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A     | 12/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 3.54 |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 12/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 5.67 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 12/14/2004 | NW CORNER | E314.0 | PERCHLORATE                             | 23.1 |      | UG/L  | 10                 | 20                    | 2        |
| MW-306        | MW-306M1-   | 12/14/2004 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 61                 | 71                    | 2        |
| MW-306        | MW-306M2-   | 12/14/2004 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1  |      | UG/L  | 41                 | 51                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC            | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|----------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-303M2      | MW-303M2-   | 12/15/2004 | J-1 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | MW-303M2-   | 12/15/2004 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 20   |      | UG/L  | 122                | 132                   | 2        |
| MW-86         | W86SSA      | 12/15/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 1                  | 11                    | 2        |
| MW-310M1      | MW-310M1-   | 12/20/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 17   |      | UG/L  | 86                 | 96                    | 2        |
| MW-310M1      | MW-310M1-FD | 12/20/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 18   |      | UG/L  | 86                 | 96                    | 2        |
| MW-339M1      | MW-339M1-   | 12/20/2004 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 5.2  |      | UG/L  | 125                | 135                   | 2        |
| MW-1          | W01M2A      | 12/21/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  | J    | UG/L  | 44                 | 49                    | 2        |
| MW-105        | W105M1A     | 12/21/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 78                 | 88                    | 2        |
| MW-235M1      | W235M1A     | 12/21/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 34   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-37         | W37M2A      | 12/21/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  | J    | UG/L  | 26                 | 36                    | 2        |
| MW-204M1      | W204M1A     | 12/22/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.9  | J    | UG/L  | 81                 | 91                    | 2        |
| MW-209M1      | W209M1A     | 12/22/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.3  | J    | UG/L  | 121                | 131                   | 2        |
| MW-178M1      | W178M1A     | 12/29/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 117                | 127                   | 2        |
| MW-88M2       | W88M2A      | 12/29/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 72                 | 82                    | 2        |
| MW-88M2       | W88M2D      | 12/29/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 72                 | 82                    | 2        |
| MW-95M1       | W95M1A      | 12/30/2004 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2  |      | UG/L  | 78                 | 88                    | 2        |
| MW-23         | W23M1A      | 1/4/2005   | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  | J    | UG/L  | 103                | 113                   | 2        |
| MW-166M1      | W166M1A     | 1/5/2005   | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7  |      | UG/L  | 112                | 117                   | 2        |
| MW-143M2      | W143M2A     | 1/6/2005   | J3 [150]       | E314.0  | PERCHLORATE                             | 7.5  |      | UG/L  | 87                 | 92                    | 2        |
| MW-45         | W45SSA      | 1/6/2005   | L RANGE; FS-12 | IM40MBM | ARSENIC                                 | 31.1 |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA      | 1/6/2005   | L RANGE; FS-12 | IM40MBM | LEAD                                    | 24.9 |      | UG/L  | 0                  | 10                    | 15       |
| MW-45         | W45SSX      | 1/6/2005   | L RANGE; FS-12 | IM40MBM | ARSENIC                                 | 29   |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSX      | 1/6/2005   | L RANGE; FS-12 | IM40MBM | LEAD                                    | 18.2 |      | UG/L  | 0                  | 10                    | 15       |
| MW-100        | W100M1A     | 1/11/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 45                 | 55                    | 2        |
| MW-143M3      | W143M3A     | 1/11/2005  | J3 [150]       | E314.0  | PERCHLORATE                             | 10   |      | UG/L  | 77                 | 82                    | 2        |
| MW-143M1      | W143M1A     | 1/12/2005  | J3 [150]       | E314.0  | PERCHLORATE                             | 4    |      | UG/L  | 114                | 124                   | 2        |
| MW-203M2      | W203M2A     | 1/14/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 32.58              | 42.58                 | 2        |
| MW-259        | W259M1A     | 1/14/2005  | DEMO 2         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 7.62               | 17.62                 | 2        |
| MW-286        | W286M2A     | 1/14/2005  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 2    |      | UG/L  | 81.42              | 91.42                 | 2        |
| MW-319        | MW-319M1-   | 1/19/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.3  |      | UG/L  | 107.25             | 117.25                | 2        |
| MW-319        | MW-319M2-   | 1/19/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.2  |      | UG/L  | 72                 | 82                    | 2        |
| MW-241        | W241M1A     | 1/31/2005  | L RANGE        | SW8270  | NAPHTHALENE                             | 130  |      | UG/L  | 2.75               | 12.75                 | 100      |
| MW-187        | W187DDA     | 2/1/2005   | J-1 RANGE      | OC21VM  | BENZENE                                 | 91   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-184M1      | W184M1A     | 2/9/2005   | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-215M2      | W215M2A     | 2/9/2005   | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-270M1      | W270M1A     | 2/10/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 10.3 |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | W270SSA     | 2/10/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 2    |      | UG/L  | 0                  | 10                    | 2        |
| MW-321M1      | MW-321M1-   | 2/11/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 5.2  |      | UG/L  | 70                 | 80                    | 2        |
| MW-284M2      | W284M2A     | 2/15/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 3.4  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-265M2      | W265M2A     | 2/16/2005  | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 2/16/2005  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 18   |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A     | 2/16/2005  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 7    | J    | UG/L  | 72.44              | 82.44                 | 2        |
| MW-289M1      | W289M1A     | 2/16/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 8.2  | J    | UG/L  | 203                | 213                   | 2        |
| MW-277        | W277SSA     | 2/17/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M2      | W279M2A     | 2/17/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 6.26 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-289M2      | W289M2A     | 2/17/2005  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | W289M2A     | 2/17/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 50   | J    | UG/L  | 59.7               | 69.7                  | 2        |
| 58MW0009E     | 58MW0009E-A | 2/18/2005  | CS-19          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-38         | W38M4A      | 2/18/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  | J    | UG/L  | 14                 | 24                    | 2        |
| MW-38M3       | W38M3A      | 2/18/2005  | CIA [108]      | E314.0  | PERCHLORATE                             | 3.1  | J    | UG/L  | 52                 | 62                    | 2        |
| MW-307M3      | MW-307M3-   | 2/22/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 21   |      | UG/L  | 17.8               | 27.82                 | 2        |
| RS003P        | RS003P-A    | 2/22/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  |                    |                       | 2        |
| MW-313M2      | MW-313M2-   | 2/23/2005  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 7.7  |      | UG/L  | 93                 | 103                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-313M2      | MW-313M2-FD | 2/23/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 7.6  |      | UG/L  | 93                 | 103                   | 2        |
| MW-324        | MW-324M1-   | 2/23/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.2  |      | UG/L  | 111.85             | 121.85                | 2        |
| MW-206        | W206M1A     | 2/28/2005 | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-43M2       | W43M2A      | 3/8/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 67                 | 77                    | 2        |
| MW-43M2       | W43M2D      | 3/8/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 67                 | 77                    | 2        |
| MW-132        | W132SSA     | 3/9/2005  | J3 [150]  | E314.0 | PERCHLORATE                             | 4.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-132        | W132SSD     | 3/9/2005  | J3 [150]  | E314.0 | PERCHLORATE                             | 4.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-232        | W232M1A     | 3/9/2005  | J3 [150]  | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-130        | W130SSA     | 3/10/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 3/10/2005 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 33   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 3/10/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 120  |      | UG/L  | 0                  | 10                    | 2        |
| MW-234M1      | W234M1A     | 3/10/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-237M1      | W237M1A     | 3/10/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 28.5               | 38.5                  | 2        |
| 58MW0009C     | 58MW0009C-A | 3/11/2005 | CS-19     | E314.0 | PERCHLORATE                             | 2.2  |      | UG/L  | 41                 | 47                    | 2        |
| MW-198M2      | W198M2A     | 3/15/2005 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | W198M2A     | 3/15/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 110  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 3/15/2005 | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 3/15/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 730  | J    | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 3/15/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 160  |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-366        | MW-366M3-   | 3/15/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 49.6               | 59.6                  | 2        |
| MW-197        | W197M2A     | 3/17/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 14   |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-277        | W277SSA     | 3/22/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 2.09 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA     | 3/22/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 26.3 |      | UG/L  | 10                 | 20                    | 2        |
| MW-343M1      | MW-343M1-   | 3/23/2005 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 122                | 132                   | 2        |
| MW-343M2      | MW-343M2-   | 3/23/2005 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 34   |      | UG/L  | 74                 | 84                    | 2        |
| MW-348        | MW-348M2-   | 3/23/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 61   |      | UG/L  | 89.54              | 99.54                 | 2        |
| MW-112M2      | W112M2A     | 3/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 26                 | 36                    | 2        |
| MW-113M2      | W113M2A     | 3/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.6  |      | UG/L  | 48                 | 58                    | 2        |
| MW-89M2       | W89M2A      | 3/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 72                 | 82                    | 2        |
| MW-223M2      | W223M2A     | 3/29/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-86         | W86SSA      | 3/31/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 1                  | 11                    | 2        |
| 4036009DC     | 4036009DC-A | 4/4/2005  | NW CORNER | E314.0 | PERCHLORATE                             | 4.6  | J    | UG/L  |                    |                       | 2        |
| MW-176M1      | W176M1A     | 4/4/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-129M2      | W129M2A     | 4/5/2005  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | W129M2A     | 4/5/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.5  | J    | UG/L  | 46                 | 56                    | 2        |
| MW-172        | W172M2A     | 4/5/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.1  | J    | UG/L  | 104                | 114                   | 2        |
| MW-211M1      | W211M1A     | 4/5/2005  | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | W211M1A     | 4/5/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 25   | J    | UG/L  | 55                 | 65                    | 2        |
| MW-211M2      | W211M2A     | 4/5/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 3    | J    | UG/L  | 29.7               | 39.7                  | 2        |
| MW-225M3      | W225M3A     | 4/6/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 7.7  | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-139M2      | W139M2A     | 4/7/2005  | DEMO 1    | E314.0 | PERCHLORATE                             | 2.94 |      | UG/L  | 154                | 164                   | 2        |
| MW-329        | MW-329M2-   | 4/7/2005  | J3 [150]  | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 124.75             | 134.75                | 2        |
| MW-326M2      | MW-326M2-   | 4/11/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 16   |      | UG/L  | 75                 | 85                    | 2        |
| MW-114M2      | W114M2A     | 4/13/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 140  |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | W114M2A     | 4/13/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 54   |      | UG/L  | 39                 | 49                    | 2        |
| MW-346M2      | MW-346M2-   | 4/13/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 5.8  |      | UG/L  | 90                 | 100                   | 2        |
| MW-346M2      | MW-346M2-FD | 4/13/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 5.9  |      | UG/L  | 90                 | 100                   | 2        |
| MW-76M2       | W76M2A      | 4/13/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 62   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | W76M2A      | 4/13/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 25   | J    | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | W76SSA      | 4/13/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  | J    | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | W76SSA      | 4/13/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.2  | J    | UG/L  | 18                 | 28                    | 2        |
| MW-165M2      | W165M2A     | 4/14/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 23   |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | W165M2A     | 4/14/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 9.8  |      | UG/L  | 46                 | 56                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-346M1      | MW-346M1-   | 4/14/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 5.2  |      | UG/L  | 130                | 140                   | 2        |
| MW-76M1       | W76M1A      | 4/14/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 58                 | 68                    | 2        |
| MW-339M1      | MW-339M1-   | 4/18/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 125                | 135                   | 2        |
| MW-341M3      | W341M3A     | 4/18/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 40   | J    | UG/L  | 50.66              | 60.66                 | 2        |
| MW-77M2       | W77M2A      | 4/20/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 48   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | W77M2A      | 4/20/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 7    |      | UG/L  | 38                 | 48                    | 2        |
| MW-78         | W78M1A      | 4/20/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 58                 | 68                    | 2        |
| MW-78         | W78M2A      | 4/20/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 38                 | 48                    | 2        |
| MW-34         | W34M1A      | 4/21/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M1A      | 4/21/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | W34M2A      | 4/21/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.9  |      | UG/L  | 53                 | 63                    | 2        |
| MW-36         | W36M2A      | 4/21/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.3  |      | UG/L  | 54                 | 64                    | 2        |
| 58MW0002      | 58MW0002-A  | 4/25/2005 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0001      | 58MW0001-A  | 4/26/2005 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8  |      | UG/L  | 0                  | 5                     | 2        |
| 58MW0016      | 58MW0016C-A | 4/26/2005 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0016      | 58MW0016C-D | 4/26/2005 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 0                  | 10                    | 2        |
| MW-107M2      | W107M2A     | 4/27/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 5                  | 15                    | 2        |
| MW-107M2      | W107M2D     | 4/27/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 5                  | 15                    | 2        |
| MW-279S       | W279SSA     | 4/27/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 17   |      | UG/L  | 10                 | 20                    | 2        |
| MW-1          | W01M2A      | 4/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 44                 | 49                    | 2        |
| MW-88M2       | W88M2A      | 4/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 72                 | 82                    | 2        |
| MW-93         | W93M2A      | 4/28/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 16                 | 26                    | 2        |
| MW-91M1       | W91M1A      | 4/29/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 4/29/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 0                  | 10                    | 2        |
| MW-31M        | W31MMA      | 4/30/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120  |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | W31MMA      | 4/30/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 16   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | W31SSA      | 4/30/2005 | DEMO 1    | 8330   | 2,4,6-TRINITROTOLUENE                   | 5.9  |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 4/30/2005 | DEMO 1    | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 61   |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | W31SSA      | 4/30/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 4.6  |      | UG/L  | 13                 | 18                    | 2        |
| MW-105        | W105M1A     | 5/2/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  |      | UG/L  | 78                 | 88                    | 2        |
| MW-178M1      | W178M1A     | 5/2/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 117                | 127                   | 2        |
| MW-204M1      | W204M1A     | 5/2/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 81                 | 91                    | 2        |
| MW-37         | W37M2A      | 5/2/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 26                 | 36                    | 2        |
| MW-87M1       | W87M1A      | 5/3/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  | J    | UG/L  | 62                 | 72                    | 2        |
| MW-235M1      | W235M1A     | 5/4/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 38   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-95M1       | W95M1A      | 5/5/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3  |      | UG/L  | 78                 | 88                    | 2        |
| MW-201M2      | W201M2A     | 5/9/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.2  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-207M1      | W207M1A     | 5/9/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15   |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-209M1      | W209M1A     | 5/9/2005  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6  |      | UG/L  | 121                | 131                   | 2        |
| MW-23         | W23M1A      | 5/11/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23M1D      | 5/11/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 103                | 113                   | 2        |
| MW-43M2       | W43M2A      | 5/11/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 67                 | 77                    | 2        |
| MW-184M1      | W184M1A     | 5/12/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-38         | W38M4A      | 5/13/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  | J    | UG/L  | 14                 | 24                    | 2        |
| MW-38M3       | W38M3A      | 5/13/2005 | CIA [108] | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 52                 | 62                    | 2        |
| MW-234M1      | W234M1A     | 5/16/2005 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 5/16/2005 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.5  | J    | UG/L  | 25.3               | 35.3                  | 2        |
| MW-265M2      | W265M2A     | 5/16/2005 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 5/16/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 17   |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A     | 5/16/2005 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-265M3      | W265M3A     | 5/16/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 6.4  |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-346M2      | MW-346M3-   | 5/18/2005 | J-1 RANGE | E314.0 | PERCHLORATE                             | 8.5  |      | UG/L  | 60                 | 70                    | 2        |
| 58MW0009C     | 58MW0009C-A | 5/19/2005 | CS-19     | E314.0 | PERCHLORATE                             | 2.5  | J    | UG/L  | 41                 | 47                    | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC              | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|------------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| 58MW0009E     | 58MW0009E-A | 5/19/2005 | CS-19            | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-100        | W100M1A     | 5/20/2005 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 45                 | 55                    | 2        |
| MW-100        | W100M1D     | 5/20/2005 | CIA [108]        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 45                 | 55                    | 2        |
| MW-153M1      | W153M1A     | 5/24/2005 | L RANGE          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 199                | 209                   | 2        |
| MW-187        | W187DDA     | 5/24/2005 | J-1 RANGE        | OC21VM  | BENZENE                                 | 67   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-206        | W206M1A     | 5/24/2005 | FORMER A         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-164        | W164M2A     | 5/25/2005 | J-1 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 49                 | 59                    | 2        |
| MW-278M2      | W278M2A     | 5/25/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-279M1      | W279M1A     | 5/25/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 3.8  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 5/25/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 14   |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 5/25/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 16   |      | UG/L  | 10                 | 20                    | 2        |
| MW-297        | W297SSA     | 5/25/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 2.2  |      | UG/L  | 0.32               | 10.32                 | 2        |
| MW-130        | W130SSA     | 5/31/2005 | J-2 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSA     | 5/31/2005 | J-2 RANGE        | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-289M1      | W289M1A     | 5/31/2005 | J-2 RANGE        | E314.0  | PERCHLORATE                             | 5.5  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | W289M2A     | 5/31/2005 | J-2 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | W289M2A     | 5/31/2005 | J-2 RANGE        | E314.0  | PERCHLORATE                             | 17   |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-233M3      | W233M3A     | 6/1/2005  | WESTERN BOUNDARY | E314.0  | PERCHLORATE                             | 2.7  | J    | UG/L  | 231                | 241                   | 2        |
| 90PZ0211      | 90PZ0211B-A | 6/2/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 2.8  |      | UG/L  | 86.85              | 86.85                 | 2        |
| MW-237M1      | W237M1A     | 6/2/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 28.5               | 38.5                  | 2        |
| MW-243        | W243M1A     | 6/2/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 4.2  |      | UG/L  | 48.85              | 58.85                 | 2        |
| MW-142M2      | W142M2A     | 6/3/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 3    |      | UG/L  | 100                | 110                   | 2        |
| MW-250M2      | W250M2A     | 6/4/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 5.5  | J    | UG/L  | 134.82             | 144.82                | 2        |
| MW-227M1      | W227M1A     | 6/6/2005  | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2  | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 6/6/2005  | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  | J    | UG/L  | 56.38              | 66.38                 | 2        |
| MW-45         | W45SSA      | 6/6/2005  | L RANGE; FS-12   | IM40MBM | ARSENIC                                 | 23.1 |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA      | 6/6/2005  | L RANGE; FS-12   | IM40MBM | LEAD                                    | 21.4 |      | UG/L  | 0                  | 10                    | 15       |
| MW-197        | W197M2A     | 6/7/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 11   |      | UG/L  | 59.3               | 64.3                  | 2        |
| MW-303M2      | W303M2A     | 6/7/2005  | J-1 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | W303M2A     | 6/7/2005  | J-1 RANGE        | E314.0  | PERCHLORATE                             | 19   |      | UG/L  | 122                | 132                   | 2        |
| MW-163S       | W163SSA     | 6/8/2005  | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 6/8/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 85   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-258        | W258M2A     | 6/8/2005  | DEMO 1           | E314.0  | PERCHLORATE                             | 4    |      | UG/L  | 42.2               | 47.2                  | 2        |
| MW-270M1      | W270M1A     | 6/8/2005  | NW CORNER        | E314.0  | PERCHLORATE                             | 13   |      | UG/L  | 50.89              | 55.89                 | 2        |
| 90MW0022      | 90MW0022-A  | 6/9/2005  | J3 [150]         | E314.0  | PERCHLORATE                             | 9.8  |      | UG/L  | 72.79              | 77.79                 | 2        |
| MW-166M1      | W166M1A     | 6/9/2005  | J-1 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 112                | 117                   | 2        |
| MW-284M2      | W284M2A     | 6/10/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 4    |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-284M2      | W284M2D     | 6/10/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 4.2  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-309        | W309M1A     | 6/10/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 4.2  |      | UG/L  | 31.91              | 41.91                 | 2        |
| MW-309        | W309SSA     | 6/10/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 3.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-143M1      | W143M1A     | 6/13/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 4.9  |      | UG/L  | 114                | 124                   | 2        |
| MW-143M2      | W143M2A     | 6/13/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 7    |      | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 6/13/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 13   |      | UG/L  | 77                 | 82                    | 2        |
| MW-286        | W286M2A     | 6/13/2005 | J-1 RANGE        | E314.0  | PERCHLORATE                             | 6.4  |      | UG/L  | 81.42              | 91.42                 | 2        |
| MW-300M2      | W300M2A     | 6/13/2005 | J-2 RANGE        | E314.0  | PERCHLORATE                             | 74   |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-132        | W132SSA     | 6/14/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 2.2  |      | UG/L  | 0                  | 10                    | 2        |
| MW-198M2      | W198M2A     | 6/14/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 31   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 6/14/2005 | J3 [150]         | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2  | J    | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 6/14/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 770  |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 6/14/2005 | J3 [150]         | E314.0  | PERCHLORATE                             | 110  |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-306        | W306M1A     | 6/15/2005 | J-1 RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 61                 | 71                    | 2        |
| MW-323        | W323SSA     | 6/15/2005 | NW CORNER        | E314.0  | PERCHLORATE                             | 3.6  |      | UG/L  | 73                 | 83                    | 2        |
| MW-323M2      | W323M2A     | 6/15/2005 | NW CORNER        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.5  |      | UG/L  | 46.05              | 56.05                 | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-196        | W196SSA     | 6/16/2005 | J3 [150]         | 8330   | 2,4,6-TRINITROTOLUENE                   | 17   |      | UG/L  | 0                  | 5                     | 2        |
| MW-215M2      | W215M2A     | 6/16/2005 | J-2 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-306        | W306M2A     | 6/16/2005 | J-1 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 41                 | 51                    | 2        |
| MW-310M1      | W310M1A     | 6/16/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 13   |      | UG/L  | 86                 | 96                    | 2        |
| MW-283M1      | W283M1A     | 6/17/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-283M1      | W283M1D     | 6/17/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.7  |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-305M1      | W305M1A     | 6/17/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 26   |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-305M1      | W305M1D     | 6/17/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 26   |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-356        | MW-356M1-FD | 6/17/2005 | J3 [150]         | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 37   | J    | UG/L  | 82.4               | 92.4                  | 6        |
| MW-278S       | W278SSA     | 6/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 11   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA     | 6/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 13   |      | UG/L  | 10                 | 20                    | 2        |
| MW-162        | W162M2A     | 6/21/2005 | DEMO 1           | E314.0 | PERCHLORATE                             | 5.1  | J    | UG/L  | 49.28              | 59.28                 | 2        |
| MW-210M2      | W210M2A     | 6/21/2005 | DEMO 1           | E314.0 | PERCHLORATE                             | 15   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-34         | W34M2A      | 6/22/2005 | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 53                 | 63                    | 2        |
| MW-368M1      | MW-368M1-   | 6/30/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 15.8 | J    | UG/L  | 133.85             | 143.85                | 2        |
| MW-368M2      | MW-368M2-   | 6/30/2005 | J-2 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.5  |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-   | 6/30/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 39.8 | J    | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD | 6/30/2005 | J-2 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2  |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD | 6/30/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 40   | J    | UG/L  | 99.5               | 109.5                 | 2        |
| MW-370M2      | MW-370M2-   | 7/11/2005 | J-1 RANGE        | E314.0 | PERCHLORATE                             | 7.9  |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-370M2      | MW-370M2-FD | 7/11/2005 | J-1 RANGE        | E314.0 | PERCHLORATE                             | 8    |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-343M1      | MW-343M1-   | 7/18/2005 | J3 [150]         | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 122                | 132                   | 2        |
| MW-343M2      | MW-343M2-   | 7/18/2005 | J3 [150]         | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 35   |      | UG/L  | 74                 | 84                    | 2        |
| MW-279M1      | W279M1A     | 7/19/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 4    |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A     | 7/19/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 10.3 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA     | 7/19/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 16.3 |      | UG/L  | 10                 | 20                    | 2        |
| MW-348        | MW-348M2-   | 7/19/2005 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 51.6 |      | UG/L  | 89.54              | 99.54                 | 2        |
| MW-278M2      | W278M2A     | 7/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278M2      | W278M2D     | 7/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278S       | W278SSA     | 7/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 12.4 |      | UG/L  | 0                  | 10                    | 2        |
| MW-323        | W323SSA     | 7/20/2005 | NW CORNER        | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 73                 | 83                    | 2        |
| MW-323M2      | W323M2A     | 7/20/2005 | NW CORNER        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-142M2      | W142M2A     | 7/21/2005 | J3 [150]         | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 100                | 110                   | 2        |
| MW-233M3      | W233M3A     | 7/25/2005 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2    | J    | UG/L  | 231                | 241                   | 2        |
| MW-360        | MW-360M2-   | 7/25/2005 | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 5                  | 15                    | 2        |
| MW-143M2      | W143M2A     | 7/28/2005 | J3 [150]         | E314.0 | PERCHLORATE                             | 5.8  |      | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | W143M3A     | 7/28/2005 | J3 [150]         | E314.0 | PERCHLORATE                             | 11.3 |      | UG/L  | 77                 | 82                    | 2        |
| MW-227M1      | W227M1A     | 8/1/2005  | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.1  | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A     | 8/1/2005  | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.6  |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-23         | W23M1A      | 8/1/2005  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 103                | 113                   | 2        |
| MW-105        | W105M1A     | 8/2/2005  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7  |      | UG/L  | 78                 | 88                    | 2        |
| MW-225M3      | W225M3A     | 8/4/2005  | DEMO 1           | E314.0 | PERCHLORATE                             | 20.8 | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-225M3      | W225M3D     | 8/4/2005  | DEMO 1           | E314.0 | PERCHLORATE                             | 20.9 | J    | UG/L  | 26.48              | 36.48                 | 2        |
| 58MW0002      | 58MW0002-A  | 8/5/2005  | CS-19            | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 0                  | 5                     | 2        |
| MW-113M2      | W113M2A     | 8/8/2005  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8  | J    | UG/L  | 48                 | 58                    | 2        |
| MW-19S        | W19SSA      | 8/8/2005  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 0                  | 10                    | 2        |
| MW-211M1      | W211M1A     | 8/8/2005  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | W211M1A     | 8/8/2005  | DEMO 1           | E314.0 | PERCHLORATE                             | 50.6 |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | W211M1D     | 8/8/2005  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8  |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | W211M1D     | 8/8/2005  | DEMO 1           | E314.0 | PERCHLORATE                             | 50.8 |      | UG/L  | 55                 | 65                    | 2        |
| MW-341M3      | W341M3A     | 8/8/2005  | DEMO 1           | E314.0 | PERCHLORATE                             | 20   |      | UG/L  | 50.66              | 60.66                 | 2        |
| MW-73S        | W73SSA      | 8/8/2005  | DEMO 1           | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.3  |      | UG/L  | 0                  | 10                    | 2        |
| 90MW0022      | 90MW0022-A  | 8/11/2005 | J3 [150]         | E314.0 | PERCHLORATE                             | 10.2 |      | UG/L  | 72.79              | 77.79                 | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID    | SAMPLED   | AOC            | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------|-----------|----------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-166M1      | W166M1A      | 8/13/2005 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  | J    | UG/L  | 112                | 117                   | 2        |
| MW-166M3      | W166M3A      | 8/13/2005 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.7  |      | UG/L  | 19                 | 29                    | 2        |
| MW-346M1      | MW-346M1-    | 8/15/2005 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 6.5  |      | UG/L  | 130                | 140                   | 2        |
| MW-346M2      | MW-346M2-    | 8/15/2005 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 11   |      | UG/L  | 90                 | 100                   | 2        |
| MW-207M1      | W207M1A      | 8/16/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.6  |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-204M1      | W204M1A      | 8/18/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.1  |      | UG/L  | 81                 | 91                    | 2        |
| MW-207M1      | W207M2A      | 8/18/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-143M1      | W143M1A      | 8/19/2005 | J3 [150]       | E314.0  | PERCHLORATE                             | 5.2  |      | UG/L  | 114                | 124                   | 2        |
| MW-100        | W100M1A      | 8/22/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 45                 | 55                    | 2        |
| MW-289M2      | W289M2A      | 8/22/2005 | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | W289M2A      | 8/22/2005 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 14.8 |      | UG/L  | 59.7               | 69.7                  | 2        |
| 4036009DC     | 4036009_0805 | 8/23/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 3.9  |      | UG/L  |                    |                       | 2        |
| MW-289M1      | W289M1A      | 8/23/2005 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.5  |      | UG/L  | 203                | 213                   | 2        |
| MW-309        | W309M1A      | 8/25/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 4.1  |      | UG/L  | 31.91              | 41.91                 | 2        |
| MW-309        | W309SSA      | 8/25/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 3.9  |      | UG/L  | 0                  | 10                    | 2        |
| MW-277        | W277SSA      | 8/26/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 2.3  |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA      | 8/26/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 13.8 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA      | 8/26/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 21.1 |      | UG/L  | 10                 | 20                    | 2        |
| MW-112M2      | W112M2A      | 8/29/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 26                 | 36                    | 2        |
| MW-7          | W07M1A       | 8/29/2005 | CIA [108]      | IM40MBM | ARSENIC                                 | 14   | J    | UG/L  | 135                | 140                   | 10       |
| MW-215M2      | W215M2A      | 8/30/2005 | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-215M2      | W215M2A      | 8/30/2005 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2    |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-303M2      | W303M2A      | 8/30/2005 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | W303M2A      | 8/30/2005 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 13.5 |      | UG/L  | 122                | 132                   | 2        |
| MW-265M2      | W265M2A      | 8/31/2005 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A      | 8/31/2005 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 23.4 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A      | 8/31/2005 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-265M3      | W265M3A      | 8/31/2005 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 4.6  |      | UG/L  | 72.44              | 82.44                 | 2        |
| MW-95M1       | W95M1A       | 8/31/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9  |      | UG/L  | 78                 | 88                    | 2        |
| MW-270M1      | W270M1A      | 9/1/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 14.2 |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | W270SSA      | 9/1/2005  | NW CORNER      | E314.0  | PERCHLORATE                             | 2.2  |      | UG/L  | 0                  | 10                    | 2        |
| 58MW0016      | 58MW0016C-A  | 9/2/2005  | CS-19          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 0                  | 10                    | 2        |
| MW-1          | W01M2A       | 9/6/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6    |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01M2D       | 9/6/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA       | 9/6/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-178M1      | W178M1A      | 9/6/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 117                | 127                   | 2        |
| MW-153M1      | W153M1A      | 9/7/2005  | L RANGE        | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  | J    | UG/L  | 199                | 209                   | 2        |
| MW-201M2      | W201M2A      | 9/8/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-201M2      | W201M2D      | 9/8/2005  | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-107M2      | W107M2A      | 9/12/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 5                  | 15                    | 2        |
| MW-89M2       | W89M2A       | 9/13/2005 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   | J    | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A       | 9/13/2005 | CIA [108]      | E314.0  | PERCHLORATE                             | 2.2  |      | UG/L  | 72                 | 82                    | 2        |
| MW-243        | W243M1A      | 9/14/2005 | J3 [150]       | E314.0  | PERCHLORATE                             | 3    |      | UG/L  | 48.85              | 58.85                 | 2        |
| MW-45         | W45SSA       | 9/15/2005 | L RANGE; FS-12 | IM40MB  | ARSENIC                                 | 16.5 |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSA       | 9/15/2005 | L RANGE; FS-12 | IM40MB  | LEAD                                    | 20   |      | UG/L  | 0                  | 10                    | 15       |
| MW-45         | W45SSD       | 9/15/2005 | L RANGE; FS-12 | IM40MB  | ARSENIC                                 | 18.4 |      | UG/L  | 0                  | 10                    | 10       |
| MW-45         | W45SSD       | 9/15/2005 | L RANGE; FS-12 | IM40MB  | LEAD                                    | 16.4 |      | UG/L  | 0                  | 10                    | 15       |
| MW-187        | W187DDA      | 9/16/2005 | J-1 RANGE      | OC21VM  | BENZENE                                 | 64   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-187        | W187DDD      | 9/16/2005 | J-1 RANGE      | OC21VM  | BENZENE                                 | 64   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-277        | W277SSA      | 9/16/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 2.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-277        | W277SSD      | 9/16/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 2.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA      | 9/16/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 15.4 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA      | 9/16/2005 | NW CORNER      | E314.0  | PERCHLORATE                             | 24.4 |      | UG/L  | 10                 | 20                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC       | METHOD  | ANALYTE                                 | CONC  | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|---------|---|-------|------|-------|--------------------|-----------------------|----------|
| MW-283M1      | W283M1A     | 9/19/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 3.8   |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-283M1      | W283M1D     | 9/19/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 3.8   |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-284M2      | W284M2A     | 9/19/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 4.1   |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-88M2       | W88M2A      | 9/20/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   | J    | UG/L  | 72                 | 82                    | 2        |
| MW-164        | W164M2A     | 9/22/2005  | J-1 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9   |      | UG/L  | 49                 | 59                    | 2        |
| 58MW0001      | 58MW0001-A  | 9/24/2005  | CS-19     | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9   |      | UG/L  | 0                  | 5                     | 2        |
| MW-176M1      | W176M1A     | 9/29/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8     | J    | UG/L  | 158.55             | 168.55                | 2        |
| MW-235M1      | W235M1A     | 9/29/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 44    |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-286        | W286M2A     | 9/29/2005  | J-1 RANGE | E314.0  | PERCHLORATE                             | 7.6   |      | UG/L  | 81.42              | 91.42                 | 2        |
| MW-206        | W206M1A     | 10/5/2005  | FORMER A  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-206        | W206M1D     | 10/5/2005  | FORMER A  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2   |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-250M2      | W250M2A     | 10/10/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 2.9   |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-300M2      | W300M2A     | 10/11/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 85.2  |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-28         | W28SSA      | 10/12/2005 | OTHER     | OC21VM  | 1,2-DIBROMO-3-CHLOROPROPANE             | 0.2   | J    | UG/L  | 0                  | 10                    | 0.2      |
| MW-319        | W319M2A     | 10/12/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.2   |      | UG/L  | 72                 | 82                    | 2        |
| MW-38         | W38M2A      | 10/14/2005 | CIA [108] | 6020SB  | ANTIMONY                                | 12.4  | J    | UG/L  | 69                 | 79                    | 6        |
| MW-57         | W57M3A      | 10/18/2005 | J-2 RANGE | IM40MBM | SODIUM                                  | 22100 |      | UG/L  | 31                 | 41                    | 20000    |
| MW-307M3      | W307M3A     | 10/19/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 12.8  |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-398        | MW-398M2-   | 10/19/2005 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-398        | MW-398M2-FD | 10/19/2005 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120   |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-198M3      | W198M3A     | 10/20/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.4   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | W198M3A     | 10/20/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 617   |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 10/20/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 88.7  |      | UG/L  | 48.4               | 53.4                  | 2        |
| 90PZ0211      | 90PZ0211A-A | 10/21/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 3.1   |      | UG/L  | 76.85              | 76.85                 | 2        |
| 90PZ0211      | 90PZ0211B-A | 10/21/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 2.3   |      | UG/L  | 86.85              | 86.85                 | 2        |
| MW-223M2      | W223M2A     | 10/24/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8   |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-306        | W306M1A     | 10/25/2005 | J-1 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3   | J    | UG/L  | 61                 | 71                    | 2        |
| MW-38M3       | W38M3A      | 10/25/2005 | CIA [108] | E314.0  | PERCHLORATE                             | 3     |      | UG/L  | 52                 | 62                    | 2        |
| MW-277        | W277SSA     | 10/27/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 2.5   |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA     | 10/27/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 15.8  |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA     | 10/27/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 23.9  |      | UG/L  | 10                 | 20                    | 2        |
| MW-279S       | W279SSD     | 10/27/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 23.9  |      | UG/L  | 10                 | 20                    | 2        |
| MW-313M2      | W313M2A     | 10/27/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.5   |      | UG/L  | 93                 | 103                   | 2        |
| MW-368M1      | MW-368M1-   | 10/28/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 19.3  |      | UG/L  | 133.85             | 143.85                | 2        |
| MW-368M2      | MW-368M2-   | 10/28/2005 | J-2 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11    |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-   | 10/28/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 50.8  |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD | 10/28/2005 | J-2 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12    |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD | 10/28/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 51.5  |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-87M1       | W87M1A      | 10/28/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2     |      | UG/L  | 62                 | 72                    | 2        |
| 58MW0009E     | 58MW0009E-A | 11/1/2005  | CS-19     | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14    |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-184M1      | W184M1A     | 11/1/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15    |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-198M2      | W198M2A     | 11/2/2005  | J3 [150]  | E314.0  | PERCHLORATE                             | 413   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-293M2      | W293M2A     | 11/4/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 35.3  |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-293M2      | W293M2D     | 11/4/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 35.2  |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-305M1      | W305M1A     | 11/4/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 24.9  |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-130        | W130SSA     | 11/5/2005  | J-2 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3   | J    | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSA     | 11/5/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 2.6   |      | UG/L  | 0                  | 10                    | 2        |
| MW-234M1      | W234M1A     | 11/7/2005  | J-2 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 11/7/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.1   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-241        | W241M1A     | 11/7/2005  | L RANGE   | SW8270  | NAPHTHALENE                             | 140   |      | UG/L  | 2.75               | 12.75                 | 100      |
| MW-241        | W241M1D     | 11/7/2005  | L RANGE   | SW8270  | NAPHTHALENE                             | 160   |      | UG/L  | 2.75               | 12.75                 | 100      |
| MW-310M1      | W310M1A     | 11/7/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 9.4   |      | UG/L  | 86                 | 96                    | 2        |
| MW-339M1      | W339M1A     | 11/7/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 3.6   |      | UG/L  | 125                | 135                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID    | SAMPLED    | AOC       | METHOD  | ANALYTE                                 | CONC   | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------|------------|-----------|---------|---|--------|------|-------|--------------------|-----------------------|----------|
| MW-339M1      | W339M1D      | 11/7/2005  | J-2 RANGE | E314.0  | PERCHLORATE                             | 2.8    |      | UG/L  | 125                | 135                   | 2        |
| MW-370M2      | MW-370M2     | 11/7/2005  | J-1 RANGE | E314.0  | PERCHLORATE                             | 10     |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-209M1      | W209M1A      | 11/8/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1    |      | UG/L  | 121                | 131                   | 2        |
| MW-163S       | W163SSA      | 11/9/2005  | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15     |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA      | 11/9/2005  | J3 [150]  | E314.0  | PERCHLORATE                             | 28.7   |      | UG/L  | 0                  | 10                    | 2        |
| MW-91M1       | W91M1A       | 11/10/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5      |      | UG/L  | 45                 | 55                    | 2        |
| MW-247        | W247M2A      | 11/11/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4    |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A      | 11/11/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 2.7    |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-91S        | W91SSA       | 11/15/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16     | J    | UG/L  | 0                  | 10                    | 2        |
| BHW215083     | BHW215083B-A | 11/16/2005 | OTHER     | IM40MBM | SODIUM                                  | 371000 |      | UG/L  | 16.95              | 26.95                 | 20000    |
| BHW215083     | BHW215083D-A | 11/17/2005 | OTHER     | IM40MBM | SODIUM                                  | 63800  |      | UG/L  | 80.05              | 90.05                 | 20000    |
| MW-196        | W196SSA      | 11/17/2005 | J3 [150]  | 8330    | 2,4,6-TRINITROTOLUENE                   | 14     |      | UG/L  | 0                  | 5                     | 2        |
| MW-326M2      | W326M2A      | 11/18/2005 | J-1 RANGE | E314.0  | PERCHLORATE                             | 12.4   |      | UG/L  | 75                 | 85                    | 2        |
| MW-247        | W247M3A      | 11/19/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1    |      | UG/L  | 72.8               | 82.8                  | 2        |
| 4036009DC     | 4036009_1105 | 11/21/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 3.6    |      | UG/L  |                    |                       | 2        |
| OW-2          | OW-2-A       | 11/21/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4      |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-321M1      | W321M1A      | 11/22/2005 | J-2 RANGE | E314.0  | PERCHLORATE                             | 2.8    |      | UG/L  | 70                 | 80                    | 2        |
| MW-113M2      | W113M2A      | 11/28/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8    |      | UG/L  | 48                 | 58                    | 2        |
| MW-153M1      | W153M1A      | 11/29/2005 | L RANGE   | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7    | J    | UG/L  | 199                | 209                   | 2        |
| MW-153M1      | W153M1D      | 11/29/2005 | L RANGE   | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9    | J    | UG/L  | 199                | 209                   | 2        |
| MW-227M1      | W227M1A      | 11/29/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6    | J    | UG/L  | 76.38              | 86.38                 | 2        |
| MW-227M2      | W227M2A      | 11/29/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16     |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-227M2      | W227M2D      | 11/29/2005 | J3 [150]  | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16     |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-204M1      | W204M1A      | 11/30/2005 | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5    |      | UG/L  | 81                 | 91                    | 2        |
| 90MW0022      | 90MW0022-A   | 12/2/2005  | J3 [150]  | E314.0  | PERCHLORATE                             | 15.1   |      | UG/L  | 72.79              | 77.79                 | 2        |
| MW-303M2      | W303M2A      | 12/2/2005  | J-1 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24     |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | W303M2A      | 12/2/2005  | J-1 RANGE | E314.0  | PERCHLORATE                             | 10.1   |      | UG/L  | 122                | 132                   | 2        |
| MW-207M1      | W207M1A      | 12/5/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14     |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-278S       | W278SSA      | 12/5/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 15.6   |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA      | 12/5/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 20.4   |      | UG/L  | 10                 | 20                    | 2        |
| MW-23         | W23M1A       | 12/6/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8    |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | W23M1D       | 12/6/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6    |      | UG/L  | 103                | 113                   | 2        |
| MW-88M2       | W88M2A       | 12/6/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1    |      | UG/L  | 72                 | 82                    | 2        |
| MW-95M1       | W95M1A       | 12/6/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9    |      | UG/L  | 78                 | 88                    | 2        |
| MW-95M1       | W95M1D       | 12/6/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9    |      | UG/L  | 78                 | 88                    | 2        |
| MW-301        | W301SSA      | 12/7/2005  | NW CORNER | E314.0  | PERCHLORATE                             | 2      |      | UG/L  | 1.32               | 11.32                 | 2        |
| MW-323M2      | W323M2A      | 12/7/2005  | NW CORNER | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.6    |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-178M1      | W178M1A      | 12/8/2005  | CIA [108] | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2    |      | UG/L  | 117                | 127                   | 2        |
| MW-211M1      | MW-211M1-    | 12/8/2005  | DEMO 1    | E314.0  | PERCHLORATE                             | 64.5   |      | UG/L  | 55                 | 65                    | 2        |
| MW-341M3      | MW-341M3-    | 12/8/2005  | DEMO 1    | E314.0  | PERCHLORATE                             | 7.52   |      | UG/L  | 50.66              | 60.66                 | 2        |
| MW-225M3      | MW-225M3-    | 12/9/2005  | DEMO 1    | E314.0  | PERCHLORATE                             | 14.8   |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-143M1      | W143M1A      | 12/12/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 5.5    |      | UG/L  | 114                | 124                   | 2        |
| MW-143M2      | W143M2A      | 12/12/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 9.5    |      | UG/L  | 87                 | 92                    | 2        |
| MW-143M2      | W143M2D      | 12/12/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 9.5    |      | UG/L  | 87                 | 92                    | 2        |
| MW-162        | MW-162M2-    | 12/12/2005 | DEMO 1    | E314.0  | PERCHLORATE                             | 4.6    |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-243        | W243M1A      | 12/12/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 4.2    |      | UG/L  | 48.85              | 58.85                 | 2        |
| MW-270M1      | W270M1A      | 12/12/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 14.6   |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | W270M1D      | 12/12/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 14.5   |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-142M2      | W142M2A      | 12/13/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 2.8    |      | UG/L  | 100                | 110                   | 2        |
| MW-143M3      | W143M3A      | 12/13/2005 | J3 [150]  | E314.0  | PERCHLORATE                             | 15.8   |      | UG/L  | 77                 | 82                    | 2        |
| MW-215M2      | W215M2A      | 12/13/2005 | J-2 RANGE | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9    |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-309        | W309M1A      | 12/13/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 3      |      | UG/L  | 31.91              | 41.91                 | 2        |
| MW-309        | W309SSA      | 12/13/2005 | NW CORNER | E314.0  | PERCHLORATE                             | 3.4    |      | UG/L  | 0                  | 10                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID   | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-1          | W01M2A      | 12/14/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.5  |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01M2D      | 12/14/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 44                 | 49                    | 2        |
| MW-1          | W01SSA      | 12/14/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 0                  | 10                    | 2        |
| MW-2          | W02M2A      | 12/14/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 33                 | 38                    | 2        |
| MW-165M2      | MW-165M2-   | 12/15/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 5.92 |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | MW-165M2-FD | 12/15/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 6.14 |      | UG/L  | 46                 | 56                    | 2        |
| MW-210M2      | MW-210M2-   | 12/15/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 102  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2-FD | 12/15/2005 | DEMO 1    | E314.0 | PERCHLORATE                             | 99   |      | UG/L  | 54.69              | 64.69                 | 2        |
| 58MW0002      | 58MW0002-A  | 12/19/2005 | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 0                  | 5                     | 2        |
| MW-166M3      | W166M3A     | 12/20/2005 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 19                 | 29                    | 2        |
| MW-201M2      | W201M2A     | 12/20/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-89M1       | W89M1A      | 12/20/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 92                 | 102                   | 2        |
| MW-89M2       | W89M2A      | 12/20/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 72                 | 82                    | 2        |
| MW-164        | W164M2A     | 12/21/2005 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 49                 | 59                    | 2        |
| MW-404        | MW-404M2-   | 12/22/2005 | DEMO 2    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 16                 | 26                    | 2        |
| MW-404        | MW-404M2-FD | 12/22/2005 | DEMO 2    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 16                 | 26                    | 2        |
| MW-278M1      | W278M1A     | 12/27/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 2.4  |      | UG/L  | 25.76              | 35.76                 | 2        |
| MW-278M2      | W278M2A     | 12/27/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 9.2  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278S       | W278SSA     | 12/27/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 15.4 |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA     | 12/27/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 15.8 |      | UG/L  | 0                  | 10                    | 2        |
| MW-277        | W277SSA     | 12/28/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA     | 12/28/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 9.5  |      | UG/L  | 10                 | 20                    | 2        |
| MW-279S       | W279SSA     | 12/28/2005 | NW CORNER | E314.0 | PERCHLORATE                             | 9.6  |      | UG/L  | 10                 | 20                    | 2        |
| MW-176M1      | W176M1A     | 12/29/2005 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.2  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-284M2      | W284M2A     | 1/3/2006   | NW CORNER | E314.0 | PERCHLORATE                             | 4.2  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-206        | W206M1A     | 1/9/2006   | FORMER A  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 19.57              | 29.57                 | 2        |
| MW-283M1      | W283M1A     | 1/9/2006   | NW CORNER | E314.0 | PERCHLORATE                             | 3.7  |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-343M1      | W343M1A     | 1/10/2006  | J3 [150]  | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 122                | 132                   | 2        |
| MW-343M2      | W343M2A     | 1/10/2006  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24   |      | UG/L  | 74                 | 84                    | 2        |
| 58MW0009C     | 58MW0009C-A | 1/11/2006  | CS-19     | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 41                 | 47                    | 2        |
| 58MW0009E     | 58MW0009E-A | 1/11/2006  | CS-19     | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 6.5                | 11.5                  | 2        |
| MW-223M2      | W223M2A     | 1/11/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-223M2      | W223M2D     | 1/11/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-247        | W247M2A     | 1/16/2006  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M2A     | 1/16/2006  | J3 [150]  | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 102.78             | 112.78                | 2        |
| MW-247        | W247M3A     | 1/16/2006  | J3 [150]  | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 72.8               | 82.8                  | 2        |
| MW-250M2      | W250M2A     | 1/16/2006  | J3 [150]  | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-37         | W37M3A      | 1/17/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 11                 | 21                    | 2        |
| MW-38M3       | W38M3A      | 1/17/2006  | CIA [108] | E314.0 | PERCHLORATE                             | 3.2  |      | UG/L  | 52                 | 62                    | 2        |
| MW-38M3       | W38M3D      | 1/17/2006  | CIA [108] | E314.0 | PERCHLORATE                             | 3.2  |      | UG/L  | 52                 | 62                    | 2        |
| MW-293M2      | W293M2A     | 1/18/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 41.1 |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-293M2      | W293M2D     | 1/18/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 40.3 |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-305M1      | W305M1A     | 1/18/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 27.3 |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-305M1      | W305M1D     | 1/18/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 27.9 |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-101M1      | W101M1A     | 1/19/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 27                 | 37                    | 2        |
| MW-93         | W93M2A      | 1/19/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 16                 | 26                    | 2        |
| MW-93         | W93M2D      | 1/19/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 16                 | 26                    | 2        |
| MW-100        | W100M1A     | 1/23/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 45                 | 55                    | 2        |
| MW-105        | W105M1A     | 1/23/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 78                 | 88                    | 2        |
| MW-184M1      | W184M1A     | 1/23/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-184M1      | W184M1D     | 1/23/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-235M1      | W235M1A     | 1/23/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 42   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-286        | W286M2A     | 1/23/2006  | J-1 RANGE | E314.0 | PERCHLORATE                             | 6.8  |      | UG/L  | 81.42              | 91.42                 | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC            | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|----------------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| 58MW0016      | 58MW0016C-A | 1/24/2006 | CS-19          | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 0                  | 10                    | 2        |
| MW-91M1       | W91M1A      | 1/24/2006 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91M1       | W91M1D      | 1/24/2006 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA      | 1/24/2006 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24   |      | UG/L  | 0                  | 10                    | 2        |
| MW-187        | W187DDA     | 1/26/2006 | J-1 RANGE      | OC21VM  | BENZENE                                 | 52   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-265M2      | W265M2A     | 1/26/2006 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A     | 1/26/2006 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 29.4 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-306        | W306M1A     | 1/26/2006 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 61                 | 71                    | 2        |
| MW-326M2      | W326M2A     | 1/27/2006 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 12.3 |      | UG/L  | 75                 | 85                    | 2        |
| MW-346M1      | W346M1A     | 1/27/2006 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 10.4 |      | UG/L  | 130                | 140                   | 2        |
| MW-346M2      | W346M2A     | 1/27/2006 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 25.9 |      | UG/L  | 90                 | 100                   | 2        |
| MW-234M1      | W234M1A     | 1/30/2006 | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | W234M1A     | 1/30/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.7  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-300M2      | W300M2A     | 1/30/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 115  |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-307M3      | W307M3A     | 1/30/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 10.1 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-310M1      | W310M1A     | 1/31/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 7.3  |      | UG/L  | 86                 | 96                    | 2        |
| MW-321M1      | W321M1A     | 1/31/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 70                 | 80                    | 2        |
| MW-339M1      | W339M1A     | 1/31/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.7  |      | UG/L  | 125                | 135                   | 2        |
| MW-130        | W130SSA     | 2/1/2006  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSA     | 2/1/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSD     | 2/1/2006  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 0                  | 10                    | 2        |
| MW-130        | W130SSD     | 2/1/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 3.2  |      | UG/L  | 0                  | 10                    | 2        |
| MW-319        | W319M2A     | 2/1/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.5  |      | UG/L  | 72                 | 82                    | 2        |
| MW-348        | W348M2A     | 2/2/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 43   |      | UG/L  | 89.54              | 99.54                 | 2        |
| MW-289M1      | W289M1A     | 2/3/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 2.5  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | W289M2A     | 2/3/2006  | J-2 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-289M2      | W289M2A     | 2/3/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 12.5 |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-302        | W302M2A     | 2/3/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 17.1 |      | UG/L  | 85                 | 95                    | 2        |
| MW-313M2      | W313M2A     | 2/3/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 4.1  |      | UG/L  | 93                 | 103                   | 2        |
| MW-45         | W45SSA      | 2/6/2006  | L RANGE; FS-12 | IM40MBM | ARSENIC                                 | 20.1 |      | UG/L  | 0                  | 10                    | 10       |
| MW-210M2      | MW-210M2-   | 2/7/2006  | DEMO 1         | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-211M1      | MW-211M1-   | 2/7/2006  | DEMO 1         | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 55                 | 65                    | 2        |
| MW-19S        | MW-19S-     | 2/8/2006  | DEMO 1         | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.8  |      | UG/L  | 0                  | 10                    | 2        |
| MW-34         | MW-34M2-    | 2/8/2006  | DEMO 1         | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 53                 | 63                    | 2        |
| MW-73S        | MW-73S-     | 2/8/2006  | DEMO 1         | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 0                  | 10                    | 2        |
| MW-209M1      | W209M1A     | 2/14/2006 | CIA [108]      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3  |      | UG/L  | 121                | 131                   | 2        |
| MW-398        | MW-398M2-   | 2/16/2006 | J-1 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 130  |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-398        | MW-398M2-FD | 2/16/2006 | J-1 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 120  |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-368M1      | MW-368M1-   | 2/24/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 15.9 |      | UG/L  | 133.85             | 143.85                | 2        |
| MW-368M2      | MW-368M2-   | 2/24/2006 | J-2 RANGE      | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-   | 2/24/2006 | J-2 RANGE      | E314.0  | PERCHLORATE                             | 55.6 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-198M2      | W198M2A     | 2/27/2006 | J3 [150]       | E314.0  | PERCHLORATE                             | 431  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | W198M3A     | 2/28/2006 | J3 [150]       | E314.0  | PERCHLORATE                             | 217  |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | W198M4A     | 2/28/2006 | J3 [150]       | E314.0  | PERCHLORATE                             | 33.5 |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-370M2      | MW-370M2-   | 3/7/2006  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 11.3 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-370M2      | MW-370M2-FD | 3/7/2006  | J-1 RANGE      | E314.0  | PERCHLORATE                             | 11.5 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-193S       | W193SSA     | 3/8/2006  | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3  | J    | UG/L  | 0                  | 5                     | 2        |
| MW-313M2      | W313M2A     | 3/8/2006  | J-2 RANGE      | E314.0  | PERCHLORATE                             | 5    |      | UG/L  | 93                 | 103                   | 2        |
| MW-163S       | W163SSA     | 3/13/2006 | J3 [150]       | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | W163SSA     | 3/13/2006 | J3 [150]       | E314.0  | PERCHLORATE                             | 33.2 |      | UG/L  | 0                  | 10                    | 2        |
| MW-164        | W164M2A     | 3/14/2006 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    | J    | UG/L  | 49                 | 59                    | 2        |
| MW-303M2      | W303M2A     | 3/15/2006 | J-1 RANGE      | 8330    | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | W303M2A     | 3/15/2006 | J-1 RANGE      | E314.0  | PERCHLORATE                             | 10.7 |      | UG/L  | 122                | 132                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID  | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-346M1      | W346M1A    | 3/15/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 11.8 |      | UG/L  | 130                | 140                   | 2        |
| MW-286        | W286M2A    | 3/20/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 7    | J    | UG/L  | 81.42              | 91.42                 | 2        |
| MW-306        | W306M1A    | 3/20/2006 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 61                 | 71                    | 2        |
| MW-370M2      | W370M2A    | 3/20/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 11.8 | J    | UG/L  | 93.5               | 103.5                 | 2        |
| MW-265M2      | W265M2A    | 3/21/2006 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | W265M2A    | 3/21/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 30.6 | J    | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M3      | W265M3A    | 3/21/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 2    | J    | UG/L  | 72.44              | 82.44                 | 2        |
| MW-326M2      | W326M2A    | 3/22/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 12.5 | J    | UG/L  | 75                 | 85                    | 2        |
| MW-166M3      | W166M3A    | 3/23/2006 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 19                 | 29                    | 2        |
| MW-307M3      | W307M3A    | 3/27/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 12   |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-307M3      | W307M3D    | 3/27/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 11.9 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-309        | W309M1A    | 3/27/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 31.91              | 41.91                 | 2        |
| MW-309        | W309SSA    | 3/27/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-368M1      | W368M1A    | 3/27/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 14.1 |      | UG/L  | 133.85             | 143.85                | 2        |
| MW-215M2      | W215M2A    | 3/28/2006 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-368M2      | W368M2A    | 3/28/2006 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | W368M2A    | 3/28/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 50.8 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-319        | W319M2A    | 3/30/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 72                 | 82                    | 2        |
| MW-319        | W319M2D    | 3/30/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.9  |      | UG/L  | 72                 | 82                    | 2        |
| MW-310M1      | W310M1A    | 4/3/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 4.9  |      | UG/L  | 86                 | 96                    | 2        |
| MW-339M1      | W339M1A    | 4/4/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 125                | 135                   | 2        |
| MW-225M3      | MW-225M3-  | 4/6/2006  | DEMO 1    | E314.0 | PERCHLORATE                             | 11.3 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-278M1      | W278M1A    | 4/6/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 25.76              | 35.76                 | 2        |
| MW-278M2      | W278M2A    | 4/6/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 12.4 |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-341M3      | MW-341M3 - | 4/7/2006  | DEMO 1    | E314.0 | PERCHLORATE                             | 4.66 |      | UG/L  | 50.66              | 60.66                 | 2        |
| MW-211M1      | MW-211M1-  | 4/10/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | MW-211M1-  | 4/10/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 89.7 |      | UG/L  | 55                 | 65                    | 2        |
| MW-277        | W277SSA    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 15.9 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M1      | W279M1A    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 8.1  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | W279M2A    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 13.9 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | W279SSA    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 10.4 |      | UG/L  | 10                 | 20                    | 2        |
| MW-297M1      | W297M1A    | 4/10/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 20.28              | 30.28                 | 2        |
| MW-270M1      | W270M1A    | 4/11/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 13.5 |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | W270SSA    | 4/11/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 0                  | 10                    | 2        |
| MW-283M1      | W283M1A    | 4/11/2006 | NW CORNER | E314.0 | PERCHLORATE                             | 3.8  |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-19S        | MW-19S-    | 4/12/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 0                  | 10                    | 2        |
| MW-323M2      | W323M2A    | 4/12/2006 | NW CORNER | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-73S        | MW-73S-    | 4/12/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | MW-73S-FD  | 4/12/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-139M2      | MW-139M2-  | 4/13/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.86 |      | UG/L  | 154                | 164                   | 2        |
| MW-178M1      | W178M1A    | 4/13/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 117                | 127                   | 2        |
| MW-31M        | MW-31M-    | 4/13/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | MW-31M-    | 4/13/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27   | J    | UG/L  | 28                 | 38                    | 2        |
| MW-31M        | MW-31M-    | 4/13/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.68 |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | MW-31S-    | 4/13/2006 | DEMO 1    | SW8330 | 2,4,6-TRINITROTOLUENE                   | 4.8  |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | MW-31S-    | 4/13/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 27   | J    | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | MW-31S-    | 4/13/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28   |      | UG/L  | 13                 | 18                    | 2        |
| MW-165M2      | MW-165M2-  | 4/14/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 3.89 |      | UG/L  | 46                 | 56                    | 2        |
| MW-33         | MW-33D-    | 4/14/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 2.02 |      | UG/L  | 85                 | 90                    | 2        |
| MW-176M1      | W176M1A    | 4/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.4  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-207M1      | W207M1A    | 4/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9    |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-209M1      | W209M1A    | 4/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 121                | 131                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED   | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|-----------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-210M1      | MW-210M1- | 4/17/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.07 |      | UG/L  | 99.69              | 109.69                | 2        |
| MW-210M2      | MW-210M2- | 4/17/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2- | 4/17/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21   | J    | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2- | 4/17/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 95.1 |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-114M2      | MW-114M2- | 4/18/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 220  | J    | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | MW-114M2- | 4/18/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 240  |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | MW-114M2- | 4/18/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 103  |      | UG/L  | 39                 | 49                    | 2        |
| MW-162        | MW-162M2- | 4/18/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.33 |      | UG/L  | 49.28              | 59.28                 | 2        |
| MW-201M2      | W201M2A   | 4/18/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-34         | MW-34M1-  | 4/18/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.6  |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | MW-34M1-  | 4/18/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 7.35 |      | UG/L  | 73                 | 83                    | 2        |
| MW-34         | MW-34M2-  | 4/18/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9  |      | UG/L  | 53                 | 63                    | 2        |
| MW-34         | MW-34M2-  | 4/18/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 6.13 |      | UG/L  | 53                 | 63                    | 2        |
| MW-36         | MW-36M2-  | 4/18/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.29 |      | UG/L  | 54                 | 64                    | 2        |
| MW-89M2       | W89M2A    | 4/18/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2D    | 4/18/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 72                 | 82                    | 2        |
| MW-95M1       | W95M1A    | 4/18/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 78                 | 88                    | 2        |
| MW-112M2      | W112M2A   | 4/19/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 26                 | 36                    | 2        |
| MW-129M1      | MW-129M1- | 4/19/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.34 |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | MW-129M2- | 4/19/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | MW-129M2- | 4/19/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 60.1 |      | UG/L  | 46                 | 56                    | 2        |
| MW-76M2       | MW-76M2-  | 4/19/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28   |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M2       | MW-76M2-  | 4/19/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | MW-76S-   | 4/19/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 18                 | 28                    | 2        |
| MW-91M1       | W91M1A    | 4/19/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.7  |      | UG/L  | 45                 | 55                    | 2        |
| MW-91S        | W91SSA    | 4/19/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24   |      | UG/L  | 0                  | 10                    | 2        |
| MW-404        | MW-404M2- | 4/20/2006 | DEMO 2           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 16                 | 26                    | 2        |
| MW-77M2       | MW-77M2-  | 4/20/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 94   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | MW-77M2-  | 4/20/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 7.08 |      | UG/L  | 38                 | 48                    | 2        |
| MW-107M2      | W107M2A   | 4/24/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 5                  | 15                    | 2        |
| MW-2          | W02M2A    | 4/24/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 33                 | 38                    | 2        |
| MW-23         | W23M1A    | 4/24/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 103                | 113                   | 2        |
| MW-184M1      | W184M1A   | 4/26/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-184M1      | W184M1D   | 4/26/2006 | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-38M3       | W38M3A    | 4/26/2006 | CIA [108]        | E314.0 | PERCHLORATE                             | 3.4  |      | UG/L  | 52                 | 62                    | 2        |
| MW-1          | W01SSA    | 5/1/2006  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-235M1      | W235M1A   | 5/1/2006  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 45   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-105        | W105M1A   | 5/2/2006  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 78                 | 88                    | 2        |
| MW-113M2      | W113M2A   | 5/2/2006  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6    |      | UG/L  | 48                 | 58                    | 2        |
| MW-43M2       | W43M2A    | 5/4/2006  | CIA [108]        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.3  |      | UG/L  | 67                 | 77                    | 2        |
| MW-233M3      | W233M3A   | 5/16/2006 | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 231                | 241                   | 2        |
| MW-232        | W232M1A   | 5/31/2006 | J3 [150]         | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-343M1      | W343M1A   | 6/6/2006  | J3 [150]         | E314.0 | PERCHLORATE                             | 5.4  | J    | UG/L  | 122                | 132                   | 2        |
| MW-153M1      | W153M1A   | 6/13/2006 | L RANGE          | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | UG/L  | 199                | 209                   | 2        |
| MW-398        | MW-398M2- | 6/16/2006 | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 100  |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-225M3      | MW-225M3- | 8/3/2006  | DEMO 1           | E314.0 | PERCHLORATE                             | 16   |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-404        | MW-404M2- | 8/16/2006 | DEMO 2           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.7  |      | UG/L  | 16                 | 26                    | 2        |
| MW-234M1      | W234M1A   | 9/13/2006 | J-2 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-293M2      | W293M2A   | 9/18/2006 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 28.9 |      | UG/L  | 90.22              | 100.22                | 2        |
| MW-302        | W302M2A   | 9/19/2006 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 15   |      | UG/L  | 85                 | 95                    | 2        |
| MW-289M1      | W289M1A   | 9/20/2006 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M1      | W289M1D   | 9/20/2006 | J-2 RANGE        | E314.0 | PERCHLORATE                             | 2.7  |      | UG/L  | 203                | 213                   | 2        |
| MW-289M2      | W289M2A   | 9/20/2006 | J-2 RANGE        | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 59.7               | 69.7                  | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------|------------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-289M2      | W289M2A   | 9/20/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 7.4  |      | UG/L  | 59.7               | 69.7                  | 2        |
| MW-313M2      | W313M2A   | 9/21/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 7.5  |      | UG/L  | 93                 | 103                   | 2        |
| MW-300M2      | W300M2A   | 9/25/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 113  |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-348        | W348M2A   | 9/27/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 25   |      | UG/L  | 89.54              | 99.54                 | 2        |
| MW-270M1      | W270M1A   | 9/28/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 9.6  |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-277        | W277SSA   | 9/28/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-277        | W277SSD   | 9/28/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 2.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-278S       | W278SSA   | 9/28/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 10.5 |      | UG/L  | 0                  | 10                    | 2        |
| MW-279S       | W279SSA   | 9/28/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 9.2  |      | UG/L  | 10                 | 20                    | 2        |
| MW-307M3      | W307M3A   | 9/28/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 14.9 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-310M1      | W310M1A   | 9/28/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 8.5  |      | UG/L  | 86                 | 96                    | 2        |
| MW-310M1      | W310M1D   | 9/28/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 8.4  |      | UG/L  | 86                 | 96                    | 2        |
| MW-305M1      | W305M1A   | 10/2/2006  | J-2 RANGE | E314.0 | PERCHLORATE                             | 21.7 |      | UG/L  | 99.82              | 109.82                | 2        |
| MW-1          | W01M2A    | 10/3/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | UG/L  | 44                 | 49                    | 2        |
| MW-283M1      | W283M1A   | 10/9/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-284M2      | W284M2A   | 10/9/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 4.9  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-309        | W309SSA   | 10/9/2006  | NW CORNER | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-368M2      | W368M2A   | 10/10/2006 | J-2 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | W368M2A   | 10/10/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 42.5 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-393M1      | W393M1A   | 10/10/2006 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.6  |      | UG/L  | 180.42             | 190.42                | 2        |
| MW-207M1      | W207M1A   | 10/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 100.52             | 110.52                | 2        |
| MW-209M1      | W209M1A   | 10/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 121                | 131                   | 2        |
| MW-88M2       | W88M2A    | 10/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 72                 | 82                    | 2        |
| MW-105        | W105M1A   | 10/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 78                 | 88                    | 2        |
| MW-113M2      | W113M2A   | 10/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 48                 | 58                    | 2        |
| MW-95M1       | W95M1A    | 10/17/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 78                 | 88                    | 2        |
| MW-223M2      | W223M2A   | 10/18/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-178M1      | W178M1A   | 10/19/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 117                | 127                   | 2        |
| MW-201M2      | W201M2A   | 10/19/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-2          | W02M2A    | 10/25/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 33                 | 38                    | 2        |
| MW-235M1      | W235M1A   | 10/25/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 31   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-102        | W102M2A   | 10/26/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 93                 | 103                   | 2        |
| MW-176M1      | W176M1A   | 10/30/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-204M1      | W204M1A   | 10/30/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 81                 | 91                    | 2        |
| MW-303M2      | W303M2A   | 10/30/2006 | J-1 RANGE | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | W303M2A   | 10/30/2006 | J-1 RANGE | E314.0 | PERCHLORATE                             | 5.4  |      | UG/L  | 122                | 132                   | 2        |
| MW-23         | W23M1A    | 10/31/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 103                | 113                   | 2        |
| MW-187        | W187DDA   | 11/1/2006  | J-1 RANGE | OC21VM | BENZENE                                 | 53   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-370M2      | W370M2A   | 11/1/2006  | J-1 RANGE | E314.0 | PERCHLORATE                             | 16.3 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-43M2       | W43M2A    | 11/1/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 67                 | 77                    | 2        |
| MW-89M2       | W89M2A    | 11/2/2006  | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 72                 | 82                    | 2        |
| MW-89M2       | W89M2A    | 11/2/2006  | CIA [108] | E314.0 | PERCHLORATE                             | 4.4  |      | UG/L  | 72                 | 82                    | 2        |
| MW-369M1      | W369M1A   | 11/7/2006  | J-1 NORTH | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 137.87             | 147.87                | 2        |
| MW-101M1      | W101M1A   | 11/15/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 27                 | 37                    | 2        |
| MW-91M1       | W91M1A    | 11/15/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10   |      | UG/L  | 45                 | 55                    | 2        |
| MW-37         | W37M2A    | 11/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 26                 | 36                    | 2        |
| OW-2          | OW-2-A    | 11/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 48.78              | 58.78                 | 2        |
| OW-2          | OW-2-D    | 11/16/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.4  |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-38M3       | W38M3A    | 11/27/2006 | CIA [108] | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 52                 | 62                    | 2        |
| MW-184M1      | W184M1A   | 11/29/2006 | CIA [108] | 8330   | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-225M3      | MW-225M3  | 12/21/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 17.6 | J    | UG/L  | 26.48              | 36.48                 | 2        |
| MW-211M1      | MW-211M1  | 12/27/2006 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | MW-211M1  | 12/27/2006 | DEMO 1    | E314.0 | PERCHLORATE                             | 133  |      | UG/L  | 55                 | 65                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID      | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|----------------|------------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-341M3      | MW-341M3       | 12/27/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 2.64 |      | UG/L  | 50.66              | 60.66                 | 2        |
| MW-165M2      | MW-165M2       | 12/28/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 6.57 |      | UG/L  | 46                 | 56                    | 2        |
| MW-210M1      | MW-210M1       | 12/28/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.67 |      | UG/L  | 99.69              | 109.69                | 2        |
| MW-210M1      | MW-210M1-D     | 12/28/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 4.77 |      | UG/L  | 99.69              | 109.69                | 2        |
| MW-210M2      | MW-210M2       | 12/28/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 60   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2       | 12/28/2006 | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 62   |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2       | 12/28/2006 | DEMO 1           | E314.0 | PERCHLORATE                             | 226  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-139M2      | MW-139M2       | 1/2/2007   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 154                | 164                   | 2        |
| MW-34         | MW-34M2        | 1/2/2007   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 53                 | 63                    | 2        |
| MW-19S        | MW-19S         | 1/3/2007   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 34   |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | MW-73S         | 1/3/2007   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.7  |      | UG/L  | 0                  | 10                    | 2        |
| MW-477M2      | MW-477M2-      | 1/8/2007   | J-1 RANGE        | SW8270 | BIS(2-ETHYLHEXYL) PHTHALATE             | 14   |      | UG/L  | 26.1               | 36.1                  | 6        |
| MW-477M2      | MW-477M2-      | 1/8/2007   | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.3  |      | UG/L  | 26.1               | 36.1                  | 2        |
| MW-398        | MW-398M2       | 2/1/2007   | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 34   |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-481M2      | MW-481M2-      | 2/27/2007  | J1S [189]        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2-FD    | 2/27/2007  | J1S [189]        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 148                | 158                   | 2        |
| MW-295M1      | MW-295M1       | 3/7/2007   | J3 [150]         | E314.0 | PERCHLORATE                             | 2.04 |      | UG/L  | 49.5               | 59.5                  | 2        |
| MW-232        | MW-232M1       | 3/8/2007   | J3 [150]         | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.66 |      | UG/L  | 34.94              | 39.94                 | 2        |
| MW-313M2      | MW-313M2       | 3/20/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 3.92 |      | UG/L  | 93                 | 103                   | 2        |
| MW-404        | MW-404M2_D2    | 4/3/2007   | DEMO 2           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 16                 | 26                    | 2        |
| MW-404        | MW-404M2_D2-FD | 4/3/2007   | DEMO 2           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9  |      | UG/L  | 16                 | 26                    | 2        |
| MW-233M3      | MW-233M3_WB    | 4/4/2007   | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 231                | 241                   | 2        |
| MW-211M1      | MW-211M1       | 4/9/2007   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.45 |      | UG/L  | 55                 | 65                    | 2        |
| MW-211M1      | MW-211M1       | 4/9/2007   | DEMO 1           | E314.0 | PERCHLORATE                             | 181  |      | UG/L  | 55                 | 65                    | 2        |
| MW-335M1      | MW-335M1-      | 4/9/2007   | J2E [190]        | E314.0 | PERCHLORATE                             | 5.5  |      | UG/L  | 145.2              | 155.2                 | 2        |
| MW-393M1      | MW-393M1-      | 4/9/2007   | J-2 RANGE        | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 180.42             | 190.42                | 2        |
| MW-393M1      | MW-393M1-FD    | 4/9/2007   | J-2 RANGE        | E314.0 | PERCHLORATE                             | 2.9  |      | UG/L  | 180.42             | 190.42                | 2        |
| MW-215M2      | MW-215M2-      | 4/10/2007  | J-2 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 98.9               | 108.9                 | 2        |
| MW-310M1      | MW-310M1-      | 4/10/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 8.6  |      | UG/L  | 86                 | 96                    | 2        |
| MW-225M3      | MW-225M3       | 4/11/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 20.7 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-307M3      | MW-307M3-      | 4/11/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 25.3 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-307M3      | MW-307M3-FD    | 4/11/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 25   |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-319        | MW-319M2-      | 4/11/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 72                 | 82                    | 2        |
| MW-339M1      | MW-339M1-      | 4/11/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 125                | 135                   | 2        |
| MW-368M1      | MW-368M1-      | 4/12/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 38.6 |      | UG/L  | 133.85             | 143.85                | 2        |
| MW-368M2      | MW-368M2-      | 4/12/2007  | J-2 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-      | 4/12/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 53   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD    | 4/12/2007  | J-2 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2-FD    | 4/12/2007  | J-2 RANGE        | E314.0 | PERCHLORATE                             | 50.5 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-286        | MW-286M2-      | 4/13/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 5.1  |      | UG/L  | 81.42              | 91.42                 | 2        |
| MW-370M2      | MW-370M2-      | 4/13/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 19.6 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-370M2      | MW-370M2-FD    | 4/13/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 20.6 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-165M2      | MW-165M2       | 4/16/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 5.05 |      | UG/L  | 46                 | 56                    | 2        |
| MW-210M1      | MW-210M1       | 4/17/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 7.74 |      | UG/L  | 99.69              | 109.69                | 2        |
| MW-210M2      | MW-210M2       | 4/17/2007  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 53.4 |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-210M2      | MW-210M2       | 4/17/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 243  |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-265M2      | MW-265M2-      | 4/17/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 24.6 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | MW-265M2-FD    | 4/17/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 24.7 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-346M1      | MW-346M1-      | 4/17/2007  | J-1 RANGE        | E314.0 | PERCHLORATE                             | 25   |      | UG/L  | 130                | 140                   | 2        |
| MW-369M1      | MW-369M1-      | 4/17/2007  | J-1 NORTH        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 137.87             | 147.87                | 2        |
| MW-129M1      | MW-129M1       | 4/18/2007  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.79 | J    | UG/L  | 66                 | 76                    | 2        |
| MW-129M1      | MW-129M1       | 4/18/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 28   | J    | UG/L  | 66                 | 76                    | 2        |
| MW-139        | MW-139M1       | 4/18/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 2.55 | J    | UG/L  | 110                | 120                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC       | METHOD  | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|---------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-139M2      | MW-139M2    | 4/18/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.53 |      | UG/L  | 154                | 164                   | 2        |
| MW-326M2      | MW-326M2-   | 4/18/2007 | J-1 RANGE | E314.0  | PERCHLORATE                             | 10.1 |      | UG/L  | 75                 | 85                    | 2        |
| MW-326M3      | MW-326M3-   | 4/18/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 44                 | 54                    | 2        |
| MW-485M1      | MW-485M1-   | 4/18/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7    |      | UG/L  | 4.7                | 14.7                  | 2        |
| MW-486M1      | MW-486M1-   | 4/18/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4  |      | UG/L  | 70.7               | 80.7                  | 2        |
| MW-487M2      | MW-487M2-   | 4/18/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1  |      | UG/L  | 68.89              | 78.89                 | 2        |
| MW-487M2      | MW-487M2-FD | 4/18/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.2  |      | UG/L  | 68.89              | 78.89                 | 2        |
| MW-114M1      | MW-114M1    | 4/19/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.02 |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | MW-114M1    | 4/19/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.91 |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | MW-114M2    | 4/19/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 86.5 |      | UG/L  | 39                 | 49                    | 2        |
| MW-114M2      | MW-114M2    | 4/19/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 92.7 |      | UG/L  | 39                 | 49                    | 2        |
| MW-129M2      | MW-129M2    | 4/19/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.27 |      | UG/L  | 46                 | 56                    | 2        |
| MW-129M2      | MW-129M2    | 4/19/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 15.5 |      | UG/L  | 46                 | 56                    | 2        |
| MW-164        | MW-164M2-   | 4/19/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 49                 | 59                    | 2        |
| MW-187        | MW-187D-    | 4/19/2007 | J-1 RANGE | SW8260B | BENZENE                                 | 42   |      | UG/L  | 199.5              | 209.5                 | 5        |
| MW-303M2      | MW-303M2-   | 4/19/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | MW-303M2-   | 4/19/2007 | J-1 RANGE | E314.0  | PERCHLORATE                             | 5    |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | MW-303M2-FD | 4/19/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 122                | 132                   | 2        |
| MW-303M2      | MW-303M2-FD | 4/19/2007 | J-1 RANGE | E314.0  | PERCHLORATE                             | 5.5  |      | UG/L  | 122                | 132                   | 2        |
| MW-306        | MW-306M1-   | 4/19/2007 | J-1 RANGE | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 61                 | 71                    | 2        |
| MW-277        | MW-277S-    | 4/20/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.1  |      | UG/L  | 0                  | 10                    | 2        |
| MW-76M1       | MW-76M1     | 4/20/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 58                 | 68                    | 2        |
| MW-278M2      | MW-278M2-   | 4/23/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 6.2  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278S       | MW-278S-    | 4/23/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 6.9  |      | UG/L  | 0                  | 10                    | 2        |
| MW-323M2      | MW-323M2-   | 4/23/2007 | NW CORNER | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-323M2      | MW-323M2-FD | 4/23/2007 | NW CORNER | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.1  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-76M2       | MW-76M2     | 4/23/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22.6 |      | UG/L  | 38                 | 48                    | 2        |
| MW-76S        | MW-76S      | 4/23/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.88 |      | UG/L  | 18                 | 28                    | 2        |
| MW-76S        | MW-76S      | 4/23/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.58 |      | UG/L  | 18                 | 28                    | 2        |
| MW-77M2       | MW-77M2     | 4/23/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 37.4 |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | MW-77M2     | 4/23/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.64 |      | UG/L  | 38                 | 48                    | 2        |
| MW-279M1      | MW-279M1-   | 4/24/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 3.1  |      | UG/L  | 37.4               | 47.4                  | 2        |
| MW-279M2      | MW-279M2-   | 4/24/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 12   |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | MW-279S-    | 4/24/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.6  |      | UG/L  | 10                 | 20                    | 2        |
| MW-279S       | MW-279S-RD  | 4/24/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.61 |      | UG/L  | 10                 | 20                    | 2        |
| MW-344        | MW-344S-FD  | 4/24/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.2  |      | UG/L  | 0                  | 8.07                  | 2        |
| MW-284M2      | MW-284M2-   | 4/25/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 5.1  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-284M2      | MW-284M2-FD | 4/25/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 5.2  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-284M2      | MW-284M2-RD | 4/25/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 5.31 |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-297M1      | MW-297M1-   | 4/25/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.6  |      | UG/L  | 20.28              | 30.28                 | 2        |
| MW-309        | MW-309M1-FD | 4/25/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.5  | J    | UG/L  | 31.91              | 41.91                 | 2        |
| MW-34         | MW-34M2     | 4/25/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.05 |      | UG/L  | 53                 | 63                    | 2        |
| MW-270M1      | MW-270M1-   | 4/26/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 9    |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | MW-270M1-RD | 4/26/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 9.59 |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | MW-270S-    | 4/26/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 2.3  |      | UG/L  | 0                  | 10                    | 2        |
| MW-283M1      | MW-283M1-   | 4/26/2007 | NW CORNER | E314.0  | PERCHLORATE                             | 3    |      | UG/L  | 29.12              | 39.12                 | 2        |
| MW-31M        | MW-31M      | 4/26/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 25.9 |      | UG/L  | 28                 | 38                    | 2        |
| MW-31S        | MW-31S      | 4/26/2007 | DEMO 1    | SW8330  | 2,4,6-TRINITROTOLUENE                   | 2.84 |      | UG/L  | 13                 | 18                    | 2        |
| MW-31S        | MW-31S      | 4/26/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.3  |      | UG/L  | 13                 | 18                    | 2        |
| MW-255        | MW-255M2    | 4/29/2007 | DEMO 1    | E314.0  | PERCHLORATE                             | 2.75 | J    | UG/L  | 60.43              | 70.43                 | 2        |
| MW-153M1      | MW-153M1-   | 4/30/2007 | L RANGE   | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 199                | 209                   | 2        |
| MW-19S        | MW-19S      | 4/30/2007 | DEMO 1    | SW8330  | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 24.7 |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | MW-73S      | 4/30/2007 | DEMO 1    | SW6010B | ANTIMONY                                | 21.3 | J    | UG/L  | 0                  | 10                    | 6        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-73S        | MW-73S      | 4/30/2007 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | MW-73S-D    | 4/30/2007 | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.64 |      | UG/L  | 0                  | 10                    | 2        |
| MW-112M2      | MW-112M2    | 5/4/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 26                 | 36                    | 2        |
| MW-113M2      | MW-113M2    | 5/4/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 48                 | 58                    | 2        |
| MW-113M2      | MW-113M2_FD | 5/4/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 48                 | 58                    | 2        |
| MW-204M1      | MW-204M1    | 5/7/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 81                 | 91                    | 2        |
| MW-203M2      | MW-203M2    | 5/8/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  |                    |                       | 2        |
| MW-477M2      | MW-477M2-   | 5/10/2007 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 26.1               | 36.1                  | 2        |
| 58MW0011D     | 58MW0011D   | 5/11/2007 | CS-19     | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 49.5               | 54.5                  | 2        |
| MW-184M1      | MW-184M1    | 5/11/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.7  |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-184M1      | MW-184M1    | 5/11/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.2  |      | UG/L  | 58.2               | 68.2                  | 2        |
| MW-235M1      | MW-235M1    | 5/11/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 36   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-235M1      | MW-235M1    | 5/11/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 37   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-38         | MW-38M4     | 5/11/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 14                 | 24                    | 2        |
| MW-38M3       | MW-38M3     | 5/11/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 52                 | 62                    | 2        |
| MW-38M3       | MW-38M3     | 5/11/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 3.8  |      | UG/L  | 52                 | 62                    | 2        |
| MW-223M2      | MW-223M2    | 5/14/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-201M2      | MW-201M2    | 5/15/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 86.9               | 96.9                  | 2        |
| MW-209M1      | MW-209M1    | 5/15/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 121                | 131                   | 2        |
| MW-23         | MW-23M1     | 5/15/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 103                | 113                   | 2        |
| MW-23         | MW-23M1-RD  | 5/15/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.49 | J    | UG/L  | 103                | 113                   | 2        |
| MW-176M1      | MW-176M1    | 5/16/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1  |      | UG/L  | 158.55             | 168.55                | 2        |
| MW-178M1      | MW-178M1    | 5/16/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 117                | 127                   | 2        |
| OW-2          | OW-2        | 5/23/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 48.78              | 58.78                 | 2        |
| MW-212        | MW-212M1    | 5/24/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 125.6              | 135.6                 | 2        |
| MW-107M2      | MW-107M2    | 5/31/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 5                  | 15                    | 2        |
| MW-107M2      | MW-107M2    | 5/31/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 5                  | 15                    | 2        |
| MW-101M1      | MW-101M1    | 6/12/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.6  |      | UG/L  | 27                 | 37                    | 2        |
| MW-481M2      | MW-481M2-   | 6/28/2007 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22   |      | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2-FD | 6/28/2007 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22   |      | UG/L  | 148                | 158                   | 2        |
| MW-398        | MW-398M2-   | 8/9/2007  | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-398        | MW-398M2-FD | 8/9/2007  | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26   |      | UG/L  | 40.63              | 50.63                 | 2        |
| MW-485M1      | MW-485M1-   | 8/13/2007 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.8  |      | UG/L  | 4.7                | 14.7                  | 2        |
| MW-486M1      | MW-486M1-   | 8/14/2007 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6    |      | UG/L  | 70.7               | 80.7                  | 2        |
| MW-486M1      | MW-486M1-FD | 8/14/2007 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9  |      | UG/L  | 70.7               | 80.7                  | 2        |
| MW-487M2      | MW-487M2-   | 8/15/2007 | J-1 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3  |      | UG/L  | 68.89              | 78.89                 | 2        |
| MW-142M2      | MW-142M2    | 9/5/2007  | J3 [150]  | E314.0 | PERCHLORATE                             | 37.3 | J    | UG/L  | 100                | 110                   | 2        |
| MW-143M2      | MW-143M2    | 9/5/2007  | J3 [150]  | E314.0 | PERCHLORATE                             | 5.9  | J    | UG/L  | 87                 | 92                    | 2        |
| MW-143M3      | MW-143M3    | 9/5/2007  | J3 [150]  | E314.0 | PERCHLORATE                             | 8.15 | J    | UG/L  | 77                 | 82                    | 2        |
| MW-243        | MW-243M1    | 9/7/2007  | J3 [150]  | E314.0 | PERCHLORATE                             | 2.84 | J    | UG/L  | 48.85              | 58.85                 | 2        |
| MW-295M1      | MW-295M1    | 9/7/2007  | J3 [150]  | E314.0 | PERCHLORATE                             | 2.64 | J    | UG/L  | 49.5               | 59.5                  | 2        |
| MW-250M2      | MW-250M2    | 9/11/2007 | J3 [150]  | E314.0 | PERCHLORATE                             | 4.88 |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-227M2      | MW-227M2    | 9/13/2007 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 37.6 | J    | UG/L  | 56.38              | 66.38                 | 2        |
| MW-343M1      | MW-343M1    | 9/14/2007 | J3 [150]  | E314.0 | PERCHLORATE                             | 5.39 | J    | UG/L  | 122                | 132                   | 2        |
| 90PZ0211      | 90PZ0211    | 9/19/2007 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.7  |      | UG/L  | 76.85              | 76.85                 | 2        |
| MW-393M1      | MW-393M1-   | 9/21/2007 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.7  |      | UG/L  | 180.42             | 190.42                | 2        |
| MW-293M2      | 1844        | 10/1/2007 | J-2 RANGE | E314.0 | PERCHLORATE                             | 8.38 | J    | ug/L  | 90.22              | 100.22                | 2        |
| MW-370M2      | MW-370M2-   | 10/1/2007 | J-1 NORTH | E314.0 | PERCHLORATE                             | 38   |      | ug/L  | 93.5               | 103.5                 | 2        |
| MW-234M1      | 1820        | 10/2/2007 | J-2 RANGE | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | ug/L  | 25.3               | 35.3                  | 2        |
| MW-234M1      | 1820        | 10/2/2007 | J-2 RANGE | E314.0 | PERCHLORATE                             | 2.82 | J    | ug/L  | 25.3               | 35.3                  | 2        |
| MW-369M1      | MW-369M1-   | 10/2/2007 | J-1 NORTH | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | ug/L  | 99.8               | 109.8                 | 2        |
| MW-303M2      | MW-303M2-   | 10/5/2007 | J-1 NORTH | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | ug/L  | 122                | 132.1                 | 2        |
| MW-303M2      | MW-303M2-   | 10/5/2007 | J-1 NORTH | E314.0 | PERCHLORATE                             | 3.3  |      | ug/L  | 122                | 132                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID   | SAMPLED    | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-------------|------------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-303M2      | MW-303M2-FD | 10/5/2007  | J-1 NORTH | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | ug/L  | 122                | 132.1                 | 2        |
| MW-303M2      | MW-303M2-FD | 10/5/2007  | J-1 NORTH | E314.0 | PERCHLORATE                             | 3.6  |      | ug/L  | 122                | 132                   | 2        |
| MW-313M2      | 1857        | 10/5/2007  | J-2 RANGE | E314.0 | PERCHLORATE                             | 5.72 | J    | ug/L  | 93                 | 103                   | 2        |
| MW-278S       | MW-278S-    | 10/8/2007  | NW CORNER | E314.0 | PERCHLORATE                             | 5.3  |      | ug/L  | 0                  | 10                    | 2        |
| MW-300M2      | 1851        | 10/10/2007 | J-2 RANGE | E314.0 | PERCHLORATE                             | 60.8 | J    | ug/L  | 94.38              | 104.38                | 2        |
| MW-279S       | MW-279S-    | 10/11/2007 | NW CORNER | E314.0 | PERCHLORATE                             | 13   |      | ug/L  | 10                 | 20                    | 2        |
| MW-284M2      | MW-284M2-   | 10/11/2007 | NW CORNER | E314.0 | PERCHLORATE                             | 5.5  |      | ug/L  | 21.2               | 31.2                  | 2        |
| MW-284M2      | MW-284M2-FD | 10/11/2007 | NW CORNER | E314.0 | PERCHLORATE                             | 5.6  |      | ug/L  | 21.2               | 31.2                  | 2        |
| MW-289M2      | 1840        | 10/11/2007 | J-2 RANGE | E314.0 | PERCHLORATE                             | 3.66 |      | ug/L  | 59.7               | 69.7                  | 2        |
| MW-283M1      | MW-283M1-   | 10/16/2007 | NW CORNER | E314.0 | PERCHLORATE                             | 2.3  |      | ug/L  | 29.1               | 39.1                  | 2        |
| MW-113M2      | MW-113M2    | 10/17/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.9  |      | ug/L  | 48                 | 58                    | 2        |
| MW-203M2      | MW-203M2    | 10/18/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.9  |      | ug/L  | 32.6               | 42.6                  | 2        |
| MW-88M2       | MW-88M2     | 10/19/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | ug/L  | 72                 | 82                    | 2        |
| MW-88M2       | MW-88M2     | 10/19/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 2.5  |      | ug/L  | 72                 | 82                    | 2        |
| MW-88M2       | MW-88M2_FD  | 10/19/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | ug/L  | 72                 | 82                    | 2        |
| MW-88M2       | MW-88M2_FD  | 10/19/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 2.6  |      | ug/L  | 72                 | 82                    | 2        |
| MW-43M2       | MW-43M2     | 10/23/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | ug/L  | 67                 | 77                    | 2        |
| MW-87M1       | MW-87M1     | 10/23/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 2.8  |      | ug/L  | 62                 | 72                    | 2        |
| MW-89M2       | MW-89M2     | 10/23/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 18   |      | ug/L  | 72                 | 82                    | 2        |
| MW-89M2       | MW-89M2     | 10/23/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 5.5  |      | ug/L  | 72                 | 82                    | 2        |
| MW-95M1       | MW-95M1     | 10/23/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.5  |      | ug/L  | 78                 | 88                    | 2        |
| MW-201M2      | MW-201M2    | 10/25/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | ug/L  | 86.9               | 96.9                  | 2        |
| MW-209M1      | MW-209M1    | 10/25/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.1  |      | ug/L  | 121                | 131                   | 2        |
| MW-209M2      | MW-209M2    | 10/25/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 2.2  | J    | ug/L  | 121                | 131                   | 2        |
| MW-23M1       | MW-23M1     | 10/25/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | ug/L  | 103                | 113                   | 2        |
| MW-481M2      | MW-481M2-   | 10/26/2007 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | ug/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2-FD | 10/26/2007 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | ug/L  | 148                | 158                   | 2        |
| MW-176M1      | MW-176M1    | 11/7/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6    |      | ug/L  | 158.6              | 168.6                 | 2        |
| MW-176M1      | MW-176M1_FD | 11/7/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2  |      | ug/L  | 158.6              | 168.6                 | 2        |
| MW-207M1      | MW-207M1    | 11/9/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | ug/L  | 100.5              | 110.5                 | 2        |
| MW-204M1      | MW-204M1    | 11/16/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | ug/L  | 81                 | 91                    | 2        |
| MW-91M1       | MW-91M1     | 11/19/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | ug/L  | 170                | 180                   | 2        |
| MW-184M1      | MW-184M1    | 11/26/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1  |      | ug/L  | 58.2               | 68.2                  | 2        |
| MW-235M1      | MW-235M1    | 11/26/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 23   |      | ug/L  | 25.3               | 35.3                  | 2        |
| MW-25         | MW-25S      | 11/28/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | ug/L  | 0                  | 10                    | 2        |
| MW-38M3       | MW-38M3     | 11/29/2007 | CIA [108] | E314.0 | PERCHLORATE                             | 3    |      | ug/L  | 52                 | 62                    | 2        |
| OW-2          | OW-2        | 11/30/2007 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | ug/L  | 48.78              | 58.78                 | 2        |
| MW-211M1      | 1930        | 12/5/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.51 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | 1930        | 12/5/2007  | CIA [108] | E314.0 | PERCHLORATE                             | 135  |      | UG/L  | 55                 | 65                    | 2        |
| MW-223M2      | MW-223M2    | 12/5/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | ug/L  | 93.31              | 103.31                | 2        |
| MW-225M3      | 1934        | 12/5/2007  | CIA [108] | E314.0 | PERCHLORATE                             | 13.5 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-225M3      | 1934        | 12/5/2007  | CIA [108] | E314.0 | PERCHLORATE                             | 13.5 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-225M3      | 1935        | 12/5/2007  | CIA [108] | E314.0 | PERCHLORATE                             | 13.8 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-01M2       | MW-01M2     | 12/6/2007  |           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 0                  | 0                     | 2        |
| MW-01M2       | MW-01M2     | 12/6/2007  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | ug/L  | 160                | 165                   | 2        |
| MW-114M2      | 1918        | 12/6/2007  | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 112  | J    | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | 1919        | 12/6/2007  | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 195  | J    | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | 1919        | 12/6/2007  | DEMO 1    | E314.0 | PERCHLORATE                             | 38.6 |      | UG/L  | 120                | 130                   | 2        |
| MW-129M2      | 1920        | 12/6/2007  | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 71.9 |      | UG/L  | 116                | 126                   | 2        |
| MW-129M2      | 1920        | 12/6/2007  | DEMO 1    | E314.0 | PERCHLORATE                             | 35.1 |      | UG/L  | 46                 | 56                    | 2        |
| MW-139M2      | 1921        | 12/6/2007  | DEMO 1    | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.63 |      | UG/L  | 154                | 164                   | 2        |
| MW-165M2      | 1922        | 12/6/2007  |           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 171  |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | 1922        | 12/6/2007  |           | E314.0 | PERCHLORATE                             | 26.2 |      | UG/L  | 46                 | 56                    | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID      | SAMPLED    | AOC              | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|----------------|------------|------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-77M2       | 1928           | 12/6/2007  |                  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 54.8 |      | UG/L  | 120                | 130                   | 2        |
| MW-77M2       | 1928           | 12/6/2007  | DEMO 1           | E314.0 | PERCHLORATE                             | 3.64 |      | UG/L  | 38                 | 48                    | 2        |
| MW-19S        | 1923           | 12/7/2007  |                  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16.4 |      | UG/L  | 38                 | 48                    | 2        |
| MW-31M        | 1924           | 12/7/2007  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11.6 | J    | UG/L  | 113                | 123                   | 2        |
| MW-31S        | 1925           | 12/7/2007  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 28.2 |      | UG/L  | 98                 | 103                   | 2        |
| MW-73S        | 1926           | 12/7/2007  |                  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.32 |      | UG/L  | 0                  | 10                    | 2        |
| MW-76M2       | 1927           | 12/7/2007  |                  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.44 |      | UG/L  | 105                | 115                   | 2        |
| MW-485M1      | MW-485M1-      | 12/11/2007 | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | ug/L  | 4.7                | 14.7                  | 2        |
| MW-486M1      | MW-486M1-      | 12/11/2007 | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | ug/L  | 70.7               | 80.7                  | 2        |
| MW-487M2      | MW-487M2-      | 12/13/2007 | J-1 RANGE        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.6  |      | ug/L  | 68.89              | 78.89                 | 2        |
| MW-114M2      | MW-114M2       | 1/31/2008  | Demo 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 102  |      | UG/L  | 39                 | 49                    | 2        |
| MW-129M2      | MW-129M2       | 1/31/2008  | Demo 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 68.6 |      | UG/L  | 116                | 126                   | 2        |
| MW-129M2      | MW-129M2       | 1/31/2008  | Demo 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 68.6 |      | UG/L  | 116                | 126                   | 2        |
| MW-210M2      | MW-210M2       | 1/31/2008  | Demo 1           | E314.0 | PERCHLORATE                             | 3.31 |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-165M2      | MW-165M2       | 2/1/2008   | Demo 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 26.9 |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | MW-165M2       | 2/1/2008   | Demo 1           | E314.0 | PERCHLORATE                             | 6.55 |      | UG/L  | 46                 | 56                    | 2        |
| J3EWIP1       | J3EWIP1_3S     | 2/20/2008  | J3 [150]         | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 153                | 193                   | 2        |
| MW-295M1      | MW-295M1_3S    | 2/27/2008  | J3 [150]         | E314.0 | PERCHLORATE                             | 2.4  | J    | UG/L  | 49.5               | 59.5                  | 2        |
| J2EW0001      | J2EW0001_3S    | 3/5/2008   | J3 [150]         | E314.0 | PERCHLORATE                             | 13.6 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0002      | J2EW0002_3S    | 3/5/2008   | J3 [150]         | E314.0 | PERCHLORATE                             | 4.25 |      | UG/L  | 198                | 233                   | 2        |
| MW-322M1      | MW-322M1_3S    | 3/6/2008   | J2N [149]        | E314.0 | PERCHLORATE                             | 2.94 |      | UG/L  | 245                | 255                   | 2        |
| MW-322M1      | MW-322M1_3SD   | 3/6/2008   | J2N [149]        | E314.0 | PERCHLORATE                             | 3.06 |      | UG/L  | 245                | 255                   | 2        |
| MW-313M2      | MW-313M2_3S    | 3/7/2008   | J3 [150]         | E314.0 | PERCHLORATE                             | 3.82 |      | UG/L  | 93                 | 103                   | 2        |
| MW-313M2      | MW-313M2_3SD   | 3/7/2008   | J3 [150]         | E314.0 | PERCHLORATE                             | 3.38 |      | UG/L  | 93                 | 103                   | 2        |
| MW-153M1      | MW-153M1_0308  | 3/14/2008  | L RANGE          | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 199                | 209                   | 2        |
| MW-153M1      | MW-153M1_0308D | 3/14/2008  | L RANGE          | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 199                | 209                   | 2        |
| MW-233M3      | MW-233M3_0308D | 3/28/2008  | WESTERN BOUNDARY | E314.0 | PERCHLORATE                             | 2.1  |      | UG/L  | 231                | 241                   | 2        |
| MW-481M2      | MW-481M2_0408  | 4/4/2008   | J1S [189]        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.85 |      | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2_0408D | 4/4/2008   | J1S [189]        | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.14 |      | UG/L  | 148                | 158                   | 2        |
| MW-114M1      | 1937           | 4/8/2008   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10.6 | J    | UG/L  | 96                 | 106                   | 2        |
| MW-114M1      | 1937           | 4/8/2008   | DEMO 1           | E314.0 | PERCHLORATE                             | 9.23 |      | UG/L  | 96                 | 106                   | 2        |
| MW-114M2      | 1938           | 4/8/2008   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 33.7 |      | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | 1938           | 4/8/2008   | DEMO 1           | E314.0 | PERCHLORATE                             | 13.3 |      | UG/L  | 120                | 130                   | 2        |
| MW-139M2      | 1943           | 4/8/2008   | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.02 |      | UG/L  | 154                | 164                   | 2        |
| MW-139M2      | 1943           | 4/8/2008   | DEMO 1           | E314.0 | PERCHLORATE                             | 10.9 |      | UG/L  | 154                | 164                   | 2        |
| MW-393M1      | MW-393M1_0408  | 4/10/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 4.7  |      | UG/L  | 180.42             | 190.42                | 2        |
| MW-310M1      | MW-310M1_0408  | 4/11/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 17.4 |      | UG/L  | 86                 | 96                    | 2        |
| MW-225M3      | 1997           | 4/14/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 2.37 |      | UG/L  | 26.48              | 36.48                 | 2        |
| MW-307M3      | MW-307M3_0408  | 4/14/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 19.4 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-307M3      | MW-307M3_0408D | 4/14/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 18.9 |      | UG/L  | 17.8               | 27.82                 | 2        |
| MW-368M1      | MW-368M1_0408  | 4/14/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 70.8 |      | UG/L  | 133.85             | 143.85                | 2        |
| MW-368M2      | MW-368M2_0408  | 4/14/2008  | J-2 RANGE East   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2_0408  | 4/14/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 68.6 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2_0408D | 4/14/2008  | J-2 RANGE East   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15   |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-368M2      | MW-368M2_0408D | 4/14/2008  | J-2 RANGE East   | E314.0 | PERCHLORATE                             | 67.9 |      | UG/L  | 99.5               | 109.5                 | 2        |
| MW-210M1      | 1986           | 4/17/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 8.26 |      | UG/L  | 99.69              | 109.69                | 2        |
| MW-211M1      | 1989           | 4/17/2008  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.34 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | 1989           | 4/17/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 149  |      | UG/L  | 55                 | 65                    | 2        |
| MW-165M2      | 1948           | 4/18/2008  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11.6 |      | UG/L  | 46                 | 56                    | 2        |
| MW-165M2      | 1948           | 4/18/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 5.41 |      | UG/L  | 46                 | 56                    | 2        |
| MW-210M2      | 1987           | 4/21/2008  | DEMO 1           | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.23 |      | UG/L  | 156                | 166                   | 2        |
| MW-210M2      | 1987           | 4/21/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 3.98 |      | UG/L  | 54.69              | 64.69                 | 2        |
| MW-34M2       | 1966           | 4/21/2008  | DEMO 1           | E314.0 | PERCHLORATE                             | 3.61 |      | UG/L  | 131                | 141                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID       | SAMPLED   | AOC         | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|-------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-129M1      | 1939            | 4/22/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16.8 |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M1      | 1939            | 4/22/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 21.2 |      | UG/L  | 66                 | 76                    | 2        |
| MW-129M2      | 1940            | 4/22/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 61.1 |      | UG/L  | 116                | 126                   | 2        |
| MW-129M2      | 1940            | 4/22/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 13.9 |      | UG/L  | 46                 | 56                    | 2        |
| MW-274        | 2023            | 4/23/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.06 |      | UG/L  | 109                | 199                   | 2        |
| MW-274        | 2023            | 4/23/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 5.02 |      | UG/L  | 109                | 199                   | 2        |
| MW-36M2       | 1970            | 4/23/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 2.06 |      | UG/L  | 131                | 141                   | 2        |
| MW-431        | 2020            | 4/23/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.89 |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | 2021            | 4/23/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.91 |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | 2021            | 4/23/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 11.7 |      | UG/L  | 88                 | 188                   | 2        |
| MW-433        | 2022            | 4/23/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 3.98 |      | UG/L  | 148                | 228                   | 2        |
| MW-19S        | 1953            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 38                 | 48                    | 2        |
| MW-31M        | 1956            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21.2 |      | UG/L  | 113                | 123                   | 2        |
| MW-31S        | 1957            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12.7 |      | UG/L  | 98                 | 103                   | 2        |
| MW-73S        | 1971            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.46 |      | UG/L  | 0                  | 10                    | 2        |
| MW-73S        | 1972            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.44 |      | UG/L  | 0                  | 10                    | 2        |
| MW-76M2       | 1978            | 4/24/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22.9 |      | UG/L  | 105                | 115                   | 2        |
| MW-77M2       | 1981            | 4/25/2008 | DEMO 1      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 37.4 |      | UG/L  | 120                | 130                   | 2        |
| MW-77M2       | 1981            | 4/25/2008 | DEMO 1      | E314.0 | PERCHLORATE                             | 2.28 |      | UG/L  | 38                 | 48                    | 2        |
| MW-335M1      | MW-335M1_0408   | 4/28/2008 | J2E [190]   | E314.0 | PERCHLORATE                             | 18.3 |      | UG/L  | 145.2              | 155.2                 | 2        |
| MW-215M2      | MW-215M2_0408   | 4/29/2008 | PRNG [180]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 205                | 215                   | 2        |
| MW-339M1      | MW-339M1_0408   | 5/1/2008  | FKRNG [123] | E314.0 | PERCHLORATE                             | 3.4  |      | UG/L  | 125                | 135                   | 2        |
| MW-323M2      | MW-323M2_0508   | 5/7/2008  | NWC [167]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | UG/L  | 46.05              | 56.05                 | 2        |
| MW-278M2      | MW-278M2_0508   | 5/8/2008  | NWC [167]   | E314.0 | PERCHLORATE                             | 4.3  |      | UG/L  | 9.79               | 14.79                 | 2        |
| MW-278S       | MW-278S_0508    | 5/8/2008  | NWC [167]   | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 0                  | 10                    | 2        |
| MW-279M2      | MW-279M2_0508   | 5/8/2008  | NWC [167]   | E314.0 | PERCHLORATE                             | 13.4 |      | UG/L  | 26.8               | 31.8                  | 2        |
| MW-279S       | MW-279S_0508D   | 5/8/2008  | NWC [167]   | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 10                 | 20                    | 2        |
| MW-270M1      | MW-270M1_0508   | 5/12/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 5.9  |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270M1      | MW-270M1_0508D  | 5/12/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 5.7  |      | UG/L  | 50.89              | 55.89                 | 2        |
| MW-270S       | MW-270M2_0508   | 5/12/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 2    |      | UG/L  | 22                 | 32                    | 2        |
| MW-283M1      | MW-283M1_0508   | 5/12/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 2.8  |      | UG/L  | 29.1               | 39.1                  | 2        |
| MW-370M2      | MW-370M2_0508   | 5/12/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_0508   | 5/12/2008 | CIA [108]   | E314.0 | PERCHLORATE                             | 47.1 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-370M2      | MW-370M2_0508D  | 5/12/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_0508D  | 5/12/2008 | CIA [108]   | E314.0 | PERCHLORATE                             | 48.4 |      | UG/L  | 93.5               | 103.5                 | 2        |
| MW-284M2      | MW-284M2_0508   | 5/13/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 5.9  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-284M2      | MW-284M2_0508D  | 5/13/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 5.9  |      | UG/L  | 21.2               | 31.2                  | 2        |
| MW-297M1      | MW-297M1_0508   | 5/13/2008 | NWC [167]   | E314.0 | PERCHLORATE                             | 2.3  |      | UG/L  | 20.28              | 30.28                 | 2        |
| MW-204M1      | MW-204M1_SPR08  | 5/19/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 141                | 151                   | 2        |
| MW-204M2      | MW-204M2_SPR08  | 5/19/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 76                 | 86                    | 2        |
| MW-38M3       | MW-38M3_SPR08   | 5/20/2008 | CIA [108]   | E314.0 | PERCHLORATE                             | 3.1  |      | UG/L  | 52                 | 62                    | 2        |
| MW-235M1      | MW-235M1_SPR08  | 5/21/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-235M1      | MW-235M1_SPR08D | 5/21/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22   |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-43M2       | MW-43M2_SPR08   | 5/21/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 200                | 210                   | 2        |
| MW-101M1      | MW-101M1_SPR08  | 5/22/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 27                 | 37                    | 2        |
| MW-107M2      | MW-107M2_SPR08  | 5/23/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 5                  | 15                    | 2        |
| MW-107M2      | MW-107M2_SPR08D | 5/23/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 5                  | 15                    | 2        |
| MW-112M2      | MW-112M2_SPR08  | 5/27/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 26                 | 36                    | 2        |
| MW-113M2      | MW-113M2_SPR08  | 5/27/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 48                 | 58                    | 2        |
| MW-113M2      | MW-113M2_SPR08D | 5/27/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 48                 | 58                    | 2        |
| MW-87M1       | MW-87M1_SPR08   | 5/29/2008 | CIA [108]   | SW6850 | PERCHLORATE                             | 3.7  |      | UG/L  | 194                | 204                   | 2        |
| MW-87M1       | MW-87M1_SPR08D  | 5/29/2008 | CIA [108]   | SW6850 | PERCHLORATE                             | 3.8  |      | UG/L  | 194                | 204                   | 2        |
| MW-184M1      | MW-184M1_SPR08  | 5/30/2008 | CIA [108]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9  |      | UG/L  | 58.2               | 68.2                  | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID       | SAMPLED   | AOC       | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|-----------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-184M1      | MW-184M1_SPR08D | 5/30/2008 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7    |      | UG/L  | 58.2               | 68.2                  | 2        |
| OW-2          | OW-2_SPR08      | 5/30/2008 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.3  |      | UG/L  | 175                | 185                   | 2        |
| MW-88M2       | MW-88M2_SPR08   | 6/2/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_SPR08   | 6/2/2008  | CIA [108] | SW6850 | PERCHLORATE                             | 3.1  |      | UG/L  | 213                | 223                   | 2        |
| MW-95M1       | MW-95M1_SPR08   | 6/2/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 202                | 212                   | 2        |
| MW-01M2       | MW-01M2_SPR08   | 6/3/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 160                | 165                   | 2        |
| MW-209M1      | MW-209M1_SPR08  | 6/3/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.9  |      | UG/L  | 240                | 250                   | 2        |
| MW-23M1       | MW-23M1_SPR08   | 6/3/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 225                | 235                   | 2        |
| MW-89M2       | MW-89M2_SPR08   | 6/3/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR08D  | 6/3/2008  | CIA [108] | SW6850 | PERCHLORATE                             | 6.5  |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR08D  | 6/3/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR08D  | 6/3/2008  | CIA [108] | SW6850 | PERCHLORATE                             | 6.6  |      | UG/L  | 214                | 224                   | 2        |
| MW-303M2      | MW-303M2_0508   | 6/4/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 122                | 132.1                 | 2        |
| MW-303M2      | MW-303M2_0508   | 6/4/2008  | CIA [108] | SW6850 | PERCHLORATE                             | 3.8  |      | UG/L  | 122                | 132.1                 | 2        |
| MW-303M2      | MW-303M2_0508D  | 6/4/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 122                | 132.1                 | 2        |
| MW-303M2      | MW-303M2_0508D  | 6/4/2008  | CIA [108] | SW6850 | PERCHLORATE                             | 3.8  |      | UG/L  | 122                | 132.1                 | 2        |
| MW-303M3      | MW-303M3_0508   | 6/5/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 27                 | 37                    | 2        |
| MW-91M1       | MW-91M1_SPR08   | 6/6/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 170                | 180                   | 2        |
| MW-91S        | MW-91S_SPR08    | 6/6/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.8  |      | UG/L  | 124                | 134                   | 2        |
| MW-91S        | MW-91S_SPR08D   | 6/6/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 124                | 134                   | 2        |
| MW-369M1      | MW-369M1_0508   | 6/9/2008  | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 254                | 264                   | 2        |
| MW-176M1      | MW-176M1_SPR08  | 6/11/2008 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.4  |      | UG/L  | 270                | 280                   | 2        |
| MW-207M1      | MW-207M1_SPR08  | 6/11/2008 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9    |      | UG/L  | 254                | 264                   | 2        |
| MW-265M2      | MW-265M2_0508   | 6/16/2008 | CIA [108] | E314.0 | PERCHLORATE                             | 25.5 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-265M2      | MW-265M2_0508D  | 6/16/2008 | CIA [108] | E314.0 | PERCHLORATE                             | 25.2 |      | UG/L  | 97.6               | 107.6                 | 2        |
| MW-326M2      | MW-326M2_0508   | 6/16/2008 | CIA [108] | E314.0 | PERCHLORATE                             | 8.3  |      | UG/L  | 75                 | 85                    | 2        |
| MW-326M3      | MW-326M3_0508   | 6/18/2008 | CIA [108] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2  |      | UG/L  | 165                | 175                   | 2        |
| MW-346M1      | MW-346M1_0508   | 6/18/2008 | CIA [108] | E314.0 | PERCHLORATE                             | 37.7 |      | UG/L  | 130                | 140                   | 2        |
| MW-166M1      | MW-166M1_0508   | 6/20/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 112                | 117                   | 2        |
| MW-477M2      | MW-477M2_0508   | 6/26/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 26.1               | 36.1                  | 2        |
| MW-485M1      | MW-485M1_0508   | 6/26/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6    |      | UG/L  | 125                | 135                   | 2        |
| MW-486M1      | MW-486M1_0508   | 6/26/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8    |      | UG/L  | 186                | 196                   | 2        |
| MW-486M1      | MW-486M1_0508D  | 6/26/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 186                | 196                   | 2        |
| MW-487M2      | MW-487M2_0508   | 6/30/2008 | J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.8  |      | UG/L  | 196                | 206                   | 2        |
| MW-481M2      | MW-481M2_0708   | 7/31/2008 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 148                | 158                   | 2        |
| MW-250M2      | MW-250M2_FAL08  | 8/7/2008  | J3 [150]  | E314.0 | PERCHLORATE                             | 7.83 |      | UG/L  | 134.82             | 144.82                | 2        |
| MW-142M2      | MW-142M2_FAL08  | 8/8/2008  | J3 [150]  | E314.0 | PERCHLORATE                             | 12.5 |      | UG/L  | 100                | 110                   | 2        |
| MW-163S       | MW-163S_FAL08   | 8/11/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.73 |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | MW-163S_FAL08   | 8/11/2008 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.57 |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | MW-163S_FAL08D  | 8/11/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 2.74 |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | MW-163S_FAL08D  | 8/11/2008 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.79 |      | UG/L  | 0                  | 10                    | 2        |
| MW-143M3      | MW-143M3_FAL08  | 8/13/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 15.7 |      | UG/L  | 77                 | 82                    | 2        |
| 90MW0022      | 90MW0022_FAL08  | 8/19/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 11.1 |      | UG/L  | 72.79              | 77.79                 | 2        |
| 90MW0022      | 90MW0022_FAL08D | 8/19/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 11.3 |      | UG/L  | 72.79              | 77.79                 | 2        |
| MW-198M2      | MW-198M2_FAL08  | 8/19/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 194  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | MW-198M2_FAL08  | 8/19/2008 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.03 |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | MW-198M2_FAL08D | 8/19/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 197  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | MW-198M2_FAL08D | 8/19/2008 | J3 [150]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.3  |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | MW-198M3_FAL08  | 8/20/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 120  |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M4      | MW-198M4_FAL08  | 8/20/2008 | J3 [150]  | E314.0 | PERCHLORATE                             | 53   |      | UG/L  | 48.4               | 53.4                  | 2        |
| DP-499        | DP-499-08       | 8/28/2008 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 150                | 155                   | 2        |
| DP-499        | DP-499-09       | 8/29/2008 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3  |      | UG/L  | 160                | 165                   | 2        |
| DP-499        | DP-499-09D      | 8/29/2008 | J1S [189] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.3  |      | UG/L  | 160                | 165                   | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID       | SAMPLED    | AOC                  | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|------------|----------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| DP-499        | DP-499-10       | 8/29/2008  | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 170                | 175                   | 2        |
| MW-300M2      | MW-300M2_F08    | 9/9/2008   | J2N [149]            | E314.0 | PERCHLORATE                             | 3.48 |      | UG/L  | 94.38              | 104.38                | 2        |
| MW-300M2      | MW-300M2_F08D   | 9/9/2008   | J2N [149]            | E314.0 | PERCHLORATE                             | 3.28 |      | UG/L  | 94.38              | 104.38                | 2        |
| J2EW0001      | J2EW0001_F08    | 9/10/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 16.7 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0001      | J2EW0001_F08D   | 9/10/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 15.1 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0002      | J2EW0002_F08    | 9/10/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 3.07 |      | UG/L  | 198                | 233                   | 2        |
| MW-322M1      | MW-322M1_F08    | 9/11/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 2.5  |      | UG/L  | 245                | 255                   | 2        |
| MW-313M2      | MW-313M2_F08    | 9/12/2008  | CIA [108], J2N [149] | E314.0 | PERCHLORATE                             | 8.53 |      | UG/L  | 215                | 225                   | 2        |
| DP-504        | DP-504-06       | 9/17/2008  | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 151                | 156                   | 2        |
| DP-504        | DP-504-06D      | 9/17/2008  | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3    |      | UG/L  | 151                | 156                   | 2        |
| MW-234M1      | MW-234M1_F08    | 9/22/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 3.56 |      | UG/L  | 130                | 140                   | 2        |
| MW-234M1      | MW-234M1_F08    | 9/22/2008  | J2N [149]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15.5 |      | UG/L  | 130                | 140                   | 2        |
| MW-234M1      | MW-234M1_F08D   | 9/22/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 3.41 |      | UG/L  | 130                | 140                   | 2        |
| MW-234M1      | MW-234M1_F08D   | 9/22/2008  | J2N [149]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16.1 |      | UG/L  | 130                | 140                   | 2        |
| DP-505        | DP-505-08       | 9/23/2008  | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 168                | 173                   | 2        |
| MW-305M1      | MW-305M1_F08    | 9/24/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 6.19 |      | UG/L  | 203                | 213                   | 2        |
| MW-293M2      | MW-293M2_F08    | 9/25/2008  | CIA [108], J2N [149] | E314.0 | PERCHLORATE                             | 6.55 |      | UG/L  | 196.42             | 206.42                | 2        |
| DP-507        | DP-507-03       | 9/30/2008  | J2N [149]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7    |      | UG/L  | 110                | 115                   | 2        |
| J2EW3-MW-2-B  | J2EW3-MW2-B_F08 | 9/30/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 2.07 |      | UG/L  | 216.16             | 226.16                | 2        |
| MW-289M2      | MW-289M2_F08    | 10/2/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 3.6  |      | UG/L  | 162                | 172                   | 2        |
| MW-289M2      | MW-289M2_F08D   | 10/2/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 3.49 |      | UG/L  | 162                | 172                   | 2        |
| MW-289M2      | MW-289M2_F08D   | 10/2/2008  | J2N [149]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.54 |      | UG/L  | 162                | 172                   | 2        |
| J2EW2-MW3-B   | J2EW2-MW3-B_F08 | 10/6/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 19.7 |      | UG/L  | 211.65             | 221.65                | 2        |
| J2EW1-MW1-B   | J2EW1-MW1-B_F08 | 10/7/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 6.22 |      | UG/L  | 205.82             | 215.82                | 2        |
| J2EW1-MW1-C   | J2EW1-MW1-C_F08 | 10/7/2008  | J2N [149]            | E314.0 | PERCHLORATE                             | 8.23 |      | UG/L  | 240.82             | 250.82                | 2        |
| MW-481M2      | MW-481M2_1008   | 10/17/2008 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14.8 | J    | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2_1008D  | 10/17/2008 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14.9 | J    | UG/L  | 148                | 158                   | 2        |
| MW-184M1      | MW-184M1_F08    | 11/18/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8  |      | UG/L  | 186                | 196                   | 2        |
| MW-184M1      | MW-184M1_F08D   | 11/18/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7    |      | UG/L  | 186                | 196                   | 2        |
| MW-38M3       | MW-38M3_F08     | 11/18/2008 | CIA [108]            | SW6850 | PERCHLORATE                             | 2.7  |      | UG/L  | 170                | 180                   | 2        |
| MW-203M2      | MW-203M2_F08    | 11/26/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 176                | 186                   | 2        |
| MW-369M1      | MW-369M1_F08    | 12/1/2008  | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 254                | 264                   | 2        |
| MW-204M1      | MW-204M1_F08    | 12/2/2008  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.5  |      | UG/L  | 141                | 151                   | 2        |
| MW-209M1      | MW-209M1_F08    | 12/8/2008  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.1  |      | UG/L  | 240                | 250                   | 2        |
| MW-176M1      | MW-176M1_F08    | 12/9/2008  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 270                | 280                   | 2        |
| MW-207M1      | MW-207M1_F08    | 12/9/2008  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.8  |      | UG/L  | 254                | 264                   | 2        |
| MW-87M1       | MW-87M1_F08     | 12/9/2008  | CIA [108]            | E314.0 | PERCHLORATE                             | 3.7  |      | UG/L  | 194                | 204                   | 2        |
| MW-87M1       | MW-87M1_F08D    | 12/9/2008  | CIA [108]            | E314.0 | PERCHLORATE                             | 3.5  |      | UG/L  | 194                | 204                   | 2        |
| MW-88M2       | MW-88M2_F08     | 12/10/2008 | CIA [108]            | E314.0 | PERCHLORATE                             | 3.3  |      | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_F08     | 12/10/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 213                | 223                   | 2        |
| MW-89M2       | MW-89M2_F08     | 12/10/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 19   |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_F08D    | 12/10/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20   |      | UG/L  | 214                | 224                   | 2        |
| MW-95M1       | MW-95M1_F08     | 12/10/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 202                | 212                   | 2        |
| MW-178M1      | MW-178M1_F08    | 12/11/2008 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 257                | 267                   | 2        |
| MW-274        | MW-274_1208     | 12/16/2008 | DA1 [110]            | E314.0 | PERCHLORATE                             | 3.7  |      | UG/L  | 109                | 199                   | 2        |
| MW-274        | MW-274_1208     | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 109                | 199                   | 2        |
| MW-31S        | MW-31S_1208     | 12/16/2008 | DA1 [110]            | SW8330 | 2,4,6-TRINITROTOLUENE                   | 2.66 |      | UG/L  | 98                 | 103                   | 2        |
| MW-31S        | MW-31S_1208     | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10.6 | J    | UG/L  | 98                 | 103                   | 2        |
| MW-431        | MW-431_1208     | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.4  |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_1208     | 12/16/2008 | DA1 [110]            | E314.0 | PERCHLORATE                             | 6.7  |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_1208     | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.8  |      | UG/L  | 88                 | 188                   | 2        |
| MW-76M2       | MW-76M2_1208    | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21.4 |      | UG/L  | 105                | 115                   | 2        |
| MW-77M2       | MW-77M2_1208    | 12/16/2008 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11.9 | J    | UG/L  | 120                | 130                   | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result



**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID       | SAMPLED    | AOC                    | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|------------|------------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-114M2      | MW-114M2_1208   | 12/23/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 2.56 |      | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | MW-114M2_1208   | 12/23/2008 | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.44 |      | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | MW-114M2_1208D  | 12/23/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 2.56 |      | UG/L  | 120                | 130                   | 2        |
| MW-114M2      | MW-114M2_1208D  | 12/23/2008 | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.98 |      | UG/L  | 120                | 130                   | 2        |
| MW-129M2      | MW-129M2_1208   | 12/23/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 12.9 |      | UG/L  | 116                | 126                   | 2        |
| MW-211M1      | MW-211M1_1208   | 12/23/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 116  |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_1208   | 12/23/2008 | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.22 | J    | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_1208D  | 12/23/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 112  |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_1208D  | 12/23/2008 | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.22 |      | UG/L  | 200                | 210                   | 2        |
| MW-19S        | MW-19S_1208     | 12/29/2008 | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.41 | J    | UG/L  | 38                 | 48                    | 2        |
| MW-210M2      | MW-210M2_1208   | 12/30/2008 | DA1 [110]              | E314.0 | PERCHLORATE                             | 2.12 |      | UG/L  | 156                | 166                   | 2        |
| J2EW0001      | J2EW0001_SPR09D | 2/10/2009  | J2N [149]              | E314.0 | PERCHLORATE                             | 17   |      | UG/L  | 179                | 234                   | 2        |
| J2EW0001      | J2EW0001_SPR09  | 2/10/2009  | J2N [149]              | E314.0 | PERCHLORATE                             | 17.5 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0002      | J2EW0002_SPR09  | 2/10/2009  | J2N [149]              | E314.0 | PERCHLORATE                             | 3    |      | UG/L  | 198                | 233                   | 2        |
| MW-313M2      | MW-313M2_SPR09D | 2/12/2009  | CIA [108], J2N [149]   | E314.0 | PERCHLORATE                             | 7.36 |      | UG/L  | 215                | 225                   | 2        |
| MW-313M2      | MW-313M2_SPR09  | 2/12/2009  | CIA [108], J2N [149]   | E314.0 | PERCHLORATE                             | 7.46 |      | UG/L  | 215                | 225                   | 2        |
| J2EW3-MW-2-C  | J2EW3-MW2C_0209 | 2/13/2009  | J2N [149]              | SW6850 | PERCHLORATE                             | 3.1  |      | UG/L  | 251.2              | 261.2                 | 2        |
| MW-368M2      | MW-368M2_SPR09  | 2/23/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 48.5 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_SPR09  | 2/23/2009  | FKRNG [123], J2E [190] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13.8 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_SPR09D | 2/23/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 48.9 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_SPR09D | 2/23/2009  | FKRNG [123], J2E [190] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 203                | 213                   | 2        |
| MW-310M1      | MW-310M1_SPR09  | 2/24/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 7.9  |      | UG/L  | 171                | 181                   | 2        |
| MW-335M1      | MW-335M1_SPR09  | 2/24/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 48.6 |      | UG/L  | 255                | 265                   | 2        |
| MW-335M1      | MW-335M1_SPR09D | 2/24/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 45.1 |      | UG/L  | 255                | 265                   | 2        |
| MW-307M3      | MW-307M3_SPR09  | 2/25/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 6.34 |      | UG/L  | 126                | 136                   | 2        |
| J2MW-04M1     | J2MW-04M1_SPR09 | 2/26/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 2.15 |      | UG/L  | 257                | 267                   | 2        |
| MW-160S       | MW-160S_SPR09D  | 3/18/2009  | DA2 [111]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 138                | 148                   | 2        |
| J3EWIP1       | J3EWIP1_SPR09   | 3/20/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 4.88 |      | UG/L  | 153                | 193                   | 2        |
| MW-31M        | MW-31M_SPR09    | 4/20/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20.5 |      | UG/L  | 113                | 123                   | 2        |
| MW-31M        | MW-31M_SPR09D   | 4/20/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20.1 |      | UG/L  | 113                | 123                   | 2        |
| MW-31S        | MW-31S_SPR09    | 4/20/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.97 |      | UG/L  | 98                 | 103                   | 2        |
| MW-114M1      | MW-114M1_SPR09  | 4/21/2009  | DA1 [110]              | E314.0 | PERCHLORATE                             | 4.85 |      | UG/L  | 177                | 187                   | 2        |
| MW-114M1      | MW-114M1_SPR09  | 4/21/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.54 |      | UG/L  | 177                | 187                   | 2        |
| MW-114M1      | MW-114M1_SPR09D | 4/21/2009  | DA1 [110]              | E314.0 | PERCHLORATE                             | 4.95 |      | UG/L  | 177                | 187                   | 2        |
| MW-441M2      | MW-441M2_SPR09  | 4/21/2009  | CIA [108], NWC [167]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.4  |      | UG/L  | 109.5              | 119.5                 | 2        |
| MW-77M2       | MW-77M2_SPR09   | 4/21/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.76 |      | UG/L  | 120                | 130                   | 2        |
| MW-77M2       | MW-77M2_SPR09D  | 4/21/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.76 |      | UG/L  | 120                | 130                   | 2        |
| MW-36M1       | MW-36M1_SPR09   | 4/22/2009  | DA1 [110]              | E314.0 | PERCHLORATE                             | 4.26 |      | UG/L  | 152                | 162                   | 2        |
| MW-19S        | MW-19S_SPR09    | 4/29/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.45 |      | UG/L  | 38                 | 48                    | 2        |
| MW-76M1       | MW-76M1_SPR09   | 4/29/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 10.6 |      | UG/L  | 125                | 135                   | 2        |
| MW-76M2       | MW-76M2_SPR09   | 4/29/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 22.8 |      | UG/L  | 105                | 115                   | 2        |
| MW-270M1      | MW-270M1_SPR09  | 5/4/2009   | NWC [167]              | SW6850 | PERCHLORATE                             | 3.4  |      | UG/L  | 74                 | 79                    | 2        |
| MW-270M1      | MW-270M1_SPR09D | 5/4/2009   | NWC [167]              | SW6850 | PERCHLORATE                             | 3.3  |      | UG/L  | 74                 | 79                    | 2        |
| MW-284M2      | MW-284M2_SPR09  | 5/5/2009   | NWC [167]              | SW6850 | PERCHLORATE                             | 6.2  |      | UG/L  | 45                 | 55                    | 2        |
| MW-211M1      | MW-211M1_SPR09  | 5/8/2009   | DA1 [110]              | E314.0 | PERCHLORATE                             | 97.1 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_SPR09  | 5/8/2009   | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.48 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_SPR09D | 5/8/2009   | DA1 [110]              | E314.0 | PERCHLORATE                             | 99.2 |      | UG/L  | 200                | 210                   | 2        |
| MW-481M2      | MW-481M2_SPR09  | 5/13/2009  | J1S [189]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20   |      | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2_SPR09D | 5/13/2009  | J1S [189]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20.3 |      | UG/L  | 148                | 158                   | 2        |
| MW-166M1      | MW-166M1_SPR09  | 5/18/2009  | J1N [148]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 218                | 223                   | 2        |
| MW-265M2      | MW-265M2_SPR09  | 5/20/2009  | CIA [108], J1N [148]   | SW6850 | PERCHLORATE                             | 18.1 |      | UG/L  | 225                | 235                   | 2        |
| MW-265M2      | MW-265M2_SPR09D | 5/20/2009  | CIA [108], J1N [148]   | SW6850 | PERCHLORATE                             | 18.2 |      | UG/L  | 225                | 235                   | 2        |
| MW-286M2      | MW-286M2_SPR09  | 5/21/2009  | CIA [108], J1N [148]   | SW6850 | PERCHLORATE                             | 10   |      | UG/L  | 205                | 215                   | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID       | SAMPLED   | AOC                  | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|----------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-326M2      | MW-326M2_SPR09  | 5/21/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 5.6  |      | UG/L  | 196                | 206                   | 2        |
| MW-326M2      | MW-326M2_SPR09D | 5/21/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 5.5  |      | UG/L  | 196                | 206                   | 2        |
| MW-326M3      | MW-326M3_SPR09  | 5/21/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 165                | 175                   | 2        |
| MW-326M3      | MW-326M3_SPR09D | 5/21/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.2  |      | UG/L  | 165                | 175                   | 2        |
| MW-369M1      | MW-369M1_SPR09  | 5/22/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 254                | 264                   | 2        |
| MW-485M1      | MW-485M1_SPR09  | 5/22/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.9  |      | UG/L  | 125.3              | 135.3                 | 2        |
| MW-487M2      | MW-487M2_SPR09  | 5/22/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 195                | 205                   | 2        |
| MW-487M2      | MW-487M2_SPR09D | 5/22/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4    |      | UG/L  | 195                | 205                   | 2        |
| MW-303M2      | MW-303M2_SPR09  | 5/27/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 3.2  |      | UG/L  | 235                | 245                   | 2        |
| MW-303M2      | MW-303M2_SPR09  | 5/27/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 235                | 245                   | 2        |
| MW-303M2      | MW-303M2_SPR09D | 5/27/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13   |      | UG/L  | 235                | 245                   | 2        |
| MW-303M3      | MW-303M3_SPR09  | 5/27/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.9  |      | UG/L  | 140                | 150                   | 2        |
| MW-346M1      | MW-346M1_SPR09  | 5/27/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 42.1 |      | UG/L  | 245                | 255                   | 2        |
| MW-346M1      | MW-346M1_SPR09D | 5/27/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 41.1 |      | UG/L  | 245                | 255                   | 2        |
| MW-370M2      | MW-370M2_SPR09  | 5/28/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 54.5 |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_SPR09  | 5/28/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_SPR09D | 5/28/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 52.8 |      | UG/L  | 216                | 226                   | 2        |
| MW-477M2      | MW-477M2_SPR09  | 5/29/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.7  |      | UG/L  | 146                | 156                   | 2        |
| MW-486M1      | MW-486M1_SPR09  | 5/29/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.2  |      | UG/L  | 185.7              | 195.7                 | 2        |
| MW-486M1      | MW-486M1_SPR09D | 5/29/2009 | J1N [148]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.6  |      | UG/L  | 185.7              | 195.7                 | 2        |
| MW-01M2       | MW-01M2_SPR09   | 6/1/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 160                | 165                   | 2        |
| MW-01S        | MW-01S_SPR09    | 6/1/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 114                | 124                   | 2        |
| MW-87M1       | MW-87M1_SPR09   | 6/1/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 4.8  |      | UG/L  | 194                | 204                   | 2        |
| MW-87M1       | MW-87M1_SPR09D  | 6/1/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 4.8  |      | UG/L  | 194                | 204                   | 2        |
| MW-89M2       | MW-89M2_SPR09   | 6/2/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 9.7  |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR09   | 6/2/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 21   |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR09D  | 6/2/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 9.9  |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_SPR09D  | 6/2/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20   |      | UG/L  | 214                | 224                   | 2        |
| MW-184M1      | MW-184M1_SPR09  | 6/4/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.3  |      | UG/L  | 186                | 196                   | 2        |
| MW-184M1      | MW-184M1_SPR09D | 6/4/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.4  |      | UG/L  | 186                | 196                   | 2        |
| MW-431        | MW-431_0609     | 6/9/2009  | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.48 |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_0609     | 6/9/2009  | DA1 [110]            | E314.0 | PERCHLORATE                             | 3.34 |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_0609     | 6/9/2009  | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.84 |      | UG/L  | 88                 | 188                   | 2        |
| MW-88M2       | MW-88M2_SPR09   | 6/9/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 3.4  |      | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_SPR09   | 6/9/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  | J    | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_SPR09D  | 6/9/2009  | CIA [108]            | SW6850 | PERCHLORATE                             | 3.4  |      | UG/L  | 213                | 223                   | 2        |
| MW-95M1       | MW-95M1_SPR09   | 6/9/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  | J    | UG/L  | 202                | 212                   | 2        |
| MW-113M2      | MW-113M2_SPR09  | 6/10/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.8  |      | UG/L  | 48                 | 58                    | 2        |
| MW-235M1      | MW-235M1_SPR09  | 06/16/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.1  |      | UG/L  | 25.3               | 35.3                  | 2        |
| MW-91M1       | MW-91M1_SPR09   | 06/16/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.1  |      | UG/L  | 170                | 180                   | 2        |
| MW-91M1       | MW-91M1_SPR09D  | 06/16/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.2  |      | UG/L  | 170                | 180                   | 2        |
| MW-91S        | MW-91S_SPR09    | 06/16/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.6  |      | UG/L  | 124                | 134                   | 2        |
| MW-91S        | MW-91S_SPR09D   | 06/16/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.7  |      | UG/L  | 124                | 134                   | 2        |
| MW-209M1      | MW-209M1_SPR09  | 06/18/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 240                | 250                   | 2        |
| MW-209M1      | MW-209M1_SPR09D | 06/18/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 240                | 250                   | 2        |
| MW-176M1      | MW-176M1_SPR09  | 06/18/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.5  |      | UG/L  | 270                | 280                   | 2        |
| MW-223M2      | MW-223M2_SPR09  | 06/18/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.6  |      | UG/L  | 93.31              | 103.31                | 2        |
| MW-107M2      | MW-107M2_SPR09  | 06/23/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 5                  | 15                    | 2        |
| MW-178M1      | MW-178M1_SPR09  | 06/23/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 257                | 267                   | 2        |
| MW-207M1      | MW-207M1_SPR09  | 06/23/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 8.8  |      | UG/L  | 254                | 264                   | 2        |
| MW-207M1      | MW-207M1_SPR09D | 06/23/09  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 9.4  |      | UG/L  | 254                | 264                   | 2        |
| MW-441M2      | MW-441M2        | 7/13/2009 | CIA [108], NWC [167] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.9  |      | UG/L  | 109.5              | 119.5                 | 2        |
| J2EW0002      | J2EW0002_FAL09  | 8/3/2009  | J2N [149]            | E314.0 | PERCHLORATE                             | 2.66 |      | UG/L  | 198                | 233                   | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID          | SAMPLED    | AOC                    | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|--------------------|------------|------------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| J2EW0001      | J2EW0001_FAL09     | 8/3/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 17.3 |      | UG/L  | 179                | 189                   | 2        |
| J2EW0001      | J2EW0001_FAL09D    | 8/3/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 17.7 |      | UG/L  | 179                | 189                   | 2        |
| J2EW1-MW1-B   | J2EW1-MW1-B_FAL09  | 8/4/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 7.01 |      | UG/L  | 205.8              | 215.8                 | 2        |
| J2EW1-MW1-B   | J2EW1-MW1-B_FAL09D | 8/4/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 6.73 |      | UG/L  | 205.8              | 215.8                 | 2        |
| J2EW1-MW1-C   | J2EW1-MW1-C_FAL09  | 8/4/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 13.9 |      | UG/L  | 240.8              | 250.8                 | 2        |
| J2EW1-MW1-C   | J2EW1-MW1-C_FAL09D | 8/4/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 13.6 |      | UG/L  | 240.8              | 250.8                 | 2        |
| J2EW2-MW3-B   | J2EW2-MW3-B_FAL09  | 8/7/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 14.5 |      | UG/L  | 211.7              | 221.7                 | 2        |
| J2EW2-MW3-B   | J2EW2-MW3-B_FAL09D | 8/7/2009   | J2N [149]              | E314.0 | PERCHLORATE                             | 14.5 |      | UG/L  | 211.7              | 221.7                 | 2        |
| MW-313M2      | MW-313M2_FAL09     | 8/8/2009   | CIA [108], J2N [149]   | E314.0 | PERCHLORATE                             | 5.54 |      | UG/L  | 215                | 225                   | 2        |
| MW-313M2      | MW-313M2_FAL09D    | 8/8/2009   | CIA [108], J2N [149]   | E314.0 | PERCHLORATE                             | 5.43 |      | UG/L  | 215                | 225                   | 2        |
| J2EW3-MW-2-C  | J2EW3-MW-2-C_FAL09 | 8/14/2009  | J2N [149]              | E314.0 | PERCHLORATE                             | 3.05 |      | UG/L  | 251.2              | 261.2                 | 2        |
| MW-289M2      | MW-289M2_FAL09     | 8/17/2009  | J2N [149]              | E314.0 | PERCHLORATE                             | 2.36 |      | UG/L  | 162                | 172                   | 2        |
| J2MW-04M1     | J2MW-04M1_FAL09    | 9/10/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 2.31 |      | UG/L  | 257                | 267                   | 2        |
| J2MW-01M2     | J2MW-01M2_FAL09    | 9/10/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 24.3 |      | UG/L  | 245                | 255                   | 2        |
| MW-215M2      | MW-215M2_FAL09     | 9/11/2009  | PRNG [180], J2E [190]  | E314.0 | PERCHLORATE                             | 2.08 |      | UG/L  | 205                | 215                   | 2        |
| MW-215M2      | MW-215M2_FAL09     | 9/11/2009  | PRNG [180], J2E [190]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.16 |      | UG/L  | 205                | 215                   | 2        |
| MW-215M2      | MW-215M2_FAL09D    | 9/11/2009  | PRNG [180], J2E [190]  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.25 |      | UG/L  | 205                | 215                   | 2        |
| MW-310M1      | MW-310M1_FAL09     | 9/14/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 5.71 |      | UG/L  | 171                | 181                   | 2        |
| J3EWIP1       | J3EWIP1_FAL09      | 9/21/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 5.3  |      | UG/L  | 153                | 193                   | 2        |
| MW-163S       | MW-163S_FAL09      | 9/21/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 3.74 |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | MW-163S_FAL09      | 9/21/2009  | J3 [150]               | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.38 |      | UG/L  | 0                  | 10                    | 2        |
| MW-163S       | MW-163S_FAL09D     | 9/21/2009  | J3 [150]               | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.74 |      | UG/L  | 0                  | 10                    | 2        |
| MW-368M1      | MW-368M1_FAL09     | 9/22/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 47.7 |      | UG/L  | 237                | 247                   | 2        |
| MW-368M1      | MW-368M1_FAL09D    | 9/22/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 47.2 |      | UG/L  | 237                | 247                   | 2        |
| MW-368M2      | MW-368M2_FAL09     | 9/22/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 46.5 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_FAL09     | 9/22/2009  | FKRNG [123], J2E [190] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13.2 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_FAL09D    | 9/22/2009  | FKRNG [123], J2E [190] | E314.0 | PERCHLORATE                             | 48.7 |      | UG/L  | 203                | 213                   | 2        |
| MW-368M2      | MW-368M2_FAL09D    | 9/22/2009  | FKRNG [123], J2E [190] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 13.6 |      | UG/L  | 203                | 213                   | 2        |
| MW-335M1      | MW-335M1_FAL09     | 9/22/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 20.4 |      | UG/L  | 255                | 265                   | 2        |
| MW-335M1      | MW-335M1_FAL09D    | 9/22/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 19.5 |      | UG/L  | 255                | 265                   | 2        |
| MW-307M3      | MW-307M3_FAL09     | 9/22/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 3.52 |      | UG/L  | 126                | 136                   | 2        |
| MW-307M3      | MW-307M3_FAL09D    | 9/22/2009  | J2E [190]              | E314.0 | PERCHLORATE                             | 4    |      | UG/L  | 126                | 136                   | 2        |
| MW-142M2      | MW-142M2_FAL09     | 9/23/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 5.9  |      | UG/L  | 100                | 110                   | 2        |
| MW-142M2      | MW-142M2_FAL09D    | 9/23/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 5.59 |      | UG/L  | 100                | 110                   | 2        |
| MW-227M2      | MW-227M2_FAL09     | 9/24/2009  | J3 [150]               | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 20.7 |      | UG/L  | 56.38              | 66.38                 | 2        |
| MW-343M1      | MW-343M1_FAL09     | 9/24/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 3.02 |      | UG/L  | 122                | 132                   | 2        |
| MW-193S       | MW-193S_FAL09      | 9/29/2009  | J3 [150]               | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.15 |      | UG/L  | 0                  | 5                     | 2        |
| MW-198M2      | MW-198M2_FAL09     | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 22   |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M2      | MW-198M2_FAL09D    | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 21.2 |      | UG/L  | 98.4               | 103.4                 | 2        |
| MW-198M3      | MW-198M3_FAL09     | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 7.45 |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-198M3      | MW-198M3_FAL09D    | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 6.94 |      | UG/L  | 78.5               | 83.5                  | 2        |
| MW-432        | MW-432_PRES        | 9/30/2009  | DA1 [110]              | E314.0 | PERCHLORATE                             | 2.2  |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_PRES        | 9/30/2009  | DA1 [110]              | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.22 |      | UG/L  | 88                 | 188                   | 2        |
| MW-198M4      | MW-198M4_FAL09     | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 14   |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-198M4      | MW-198M4_FAL09D    | 9/30/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 13.7 |      | UG/L  | 48.4               | 53.4                  | 2        |
| MW-143M3      | MW-143M3_FAL09     | 10/6/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 3.88 |      | UG/L  | 107                | 112                   | 2        |
| MW-143M3      | MW-143M3_FAL09D    | 10/6/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 3.9  |      | UG/L  | 107                | 112                   | 2        |
| MW-143M2      | MW-143M2_FAL09     | 10/6/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 4.59 |      | UG/L  | 117                | 122                   | 2        |
| MW-250M2      | MW-250M2_FAL09     | 10/8/2009  | J3 [150]               | E314.0 | PERCHLORATE                             | 4.98 |      | UG/L  | 145                | 155                   | 2        |
| MW-303M2      | MW-303M2_FAL09     | 10/21/2009 | CIA [108], J1N [148]   | SW6850 | PERCHLORATE                             | 2.8  |      | UG/L  | 235                | 245                   | 2        |
| MW-303M2      | MW-303M2_FAL09     | 10/21/2009 | CIA [108], J1N [148]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   | J    | UG/L  | 235                | 245                   | 2        |
| MW-303M2      | MW-303M2_FAL09D    | 10/21/2009 | CIA [108], J1N [148]   | SW6850 | PERCHLORATE                             | 3    |      | UG/L  | 235                | 245                   | 2        |
| MW-303M2      | MW-303M2_FAL09D    | 10/21/2009 | CIA [108], J1N [148]   | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   | J    | UG/L  | 235                | 245                   | 2        |

AOC = Area of Concern  
J = Estimated Result

BWTS = Depth Below Water Table Start (feet)  
BWTE = Depth Below Water Table End (feet)  
DW Limit = Either the MCL or Lowest Health Advisory Limit

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE ID       | SAMPLED    | AOC                  | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|------------|----------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-370M2      | MW-370M2_FAL09  | 10/22/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 35.5 |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_FAL09  | 10/22/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 216                | 226                   | 2        |
| MW-370M2      | MW-370M2_FAL09D | 10/22/2009 | CIA [108], J1N [148] | SW6850 | PERCHLORATE                             | 36.8 |      | UG/L  | 216                | 226                   | 2        |
| MW-346M2      | MW-346M2_FAL09  | 10/22/2009 | CIA [108]            | SW6850 | PERCHLORATE                             | 42.5 |      | UG/L  | 205                | 215                   | 2        |
| MW-369M1      | MW-369M1_FAL09  | 10/26/2009 | CIA [108], J1N [148] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 254                | 264                   | 2        |
| MW-481M2      | MW-481M2_FAL09  | 10/27/2009 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.75 |      | UG/L  | 148                | 158                   | 2        |
| MW-481M2      | MW-481M2_FAL09D | 10/27/2009 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.59 |      | UG/L  | 148                | 158                   | 2        |
| MW-522        | MW-522-07       | 11/11/2009 |                      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 178                | 188                   | 2        |
| MW-522        | MW-522-08       | 11/11/2009 |                      | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 198                | 208                   | 2        |
| MW-441M2      | MW-441M2_FAL09  | 11/12/2009 | CIA [108], NWC [167] | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 15   |      | UG/L  | 109.5              | 119.5                 | 2        |
| MW-19S        | MW-19S_FAL09    | 11/16/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 38                 | 48                    | 2        |
| MW-77M2       | MW-77M2_FAL09   | 11/16/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 30.1 |      | UG/L  | 120                | 130                   | 2        |
| MW-114M1      | MW-114M1_FAL09  | 11/16/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 2.16 |      | UG/L  | 177                | 187                   | 2        |
| MW-114M1      | MW-114M1_FAL09D | 11/16/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 2.19 |      | UG/L  | 177                | 187                   | 2        |
| MW-76M2       | MW-76M2_FAL09   | 11/16/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12.6 |      | UG/L  | 105                | 115                   | 2        |
| MW-76M2       | MW-76M2_FAL09D  | 11/16/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12.7 |      | UG/L  | 105                | 115                   | 2        |
| MW-210M2      | MW-210M2_FAL09  | 11/16/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 3.22 |      | UG/L  | 156                | 166                   | 2        |
| MW-341M3      | MW-341M3_FAL09  | 11/16/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 2.31 |      | UG/L  | 210                | 220                   | 2        |
| MW-211M1      | MW-211M1_FAL09  | 11/18/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 98.4 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_FAL09  | 11/18/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11.4 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_FAL09D | 11/18/2009 | DA1 [110]            | SW6860 | PERCHLORATE                             | 98.7 |      | UG/L  | 200                | 210                   | 2        |
| MW-211M1      | MW-211M1_FAL09D | 11/18/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11.4 |      | UG/L  | 200                | 210                   | 2        |
| MW-31S        | MW-31S_FAL09    | 11/18/2009 | DA1 [110]            | SW8330 | 2,4,6-TRINITROTOLUENE                   | 2.66 |      | UG/L  | 98                 | 103                   | 2        |
| MW-31S        | MW-31S_FAL09    | 11/18/2009 | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5.46 |      | UG/L  | 98                 | 103                   | 2        |
| MW-432        | MW-432_FAL09    | 12/2/2009  | DA1 [110]            | SW6860 | PERCHLORATE                             | 2.69 |      | UG/L  | 88                 | 188                   | 2        |
| MW-432        | MW-432_FAL09    | 12/2/2009  | DA1 [110]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.39 |      | UG/L  | 88                 | 188                   | 2        |
| MW-274        | MW-274_FAL09    | 12/2/2009  | DA1 [110]            | SW6860 | PERCHLORATE                             | 10.9 |      | UG/L  | 109                | 199                   | 2        |
| MW-176M1      | MW-176M1_FAL09  | 12/8/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.2  |      | UG/L  | 270                | 280                   | 2        |
| MW-176M1      | MW-176M1_FAL09D | 12/8/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.5  |      | UG/L  | 270                | 280                   | 2        |
| MW-207M1      | MW-207M1_FAL09  | 12/8/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.5  |      | UG/L  | 254                | 264                   | 2        |
| MW-207M1      | MW-207M1_FAL09D | 12/8/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.3  |      | UG/L  | 254                | 264                   | 2        |
| MW-178M1      | MW-178M1_FAL09  | 12/8/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.7  |      | UG/L  | 257                | 267                   | 2        |
| MW-223M2      | MW-223M2_FAL09  | 12/9/2009  | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.3  |      | UG/L  | 185                | 195                   | 2        |
| MW-209M1      | MW-209M1_FAL09  | 12/14/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 7.8  |      | UG/L  | 240                | 250                   | 2        |
| MW-113M2      | MW-113M2_FAL09  | 12/16/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 5    |      | UG/L  | 190                | 200                   | 2        |
| MW-528        | MW-528-04       | 12/21/2009 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 117                | 127                   | 2        |
| MW-528        | MW-528-04D      | 12/21/2009 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 14   |      | UG/L  | 117                | 127                   | 2        |
| MW-100M1      | MW-100M1_FAL09  | 12/22/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2    |      | UG/L  | 179                | 189                   | 2        |
| MW-01M2       | MW-01M2_FAL09   | 12/22/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.5  |      | UG/L  | 160                | 165                   | 2        |
| MW-91M1       | MW-91M1_FAL09   | 12/22/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 170                | 180                   | 2        |
| MW-91M1       | MW-91M1_FAL09D  | 12/22/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 170                | 190                   | 2        |
| MW-235M1      | MW-235M1_FAL09  | 12/28/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.2  |      | UG/L  | 154                | 164                   | 2        |
| MW-235M1      | MW-235M1_FAL09D | 12/28/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 3.1  |      | UG/L  | 154                | 164                   | 2        |
| MW-184M1      | MW-184M1_FAL09  | 12/29/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 6.7  |      | UG/L  | 186                | 196                   | 2        |
| MW-88M2       | MW-88M2_FAL09   | 12/30/2009 | CIA [108]            | SW6850 | PERCHLORATE                             | 3.5  |      | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_FAL09   | 12/30/2009 | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.1  |      | UG/L  | 213                | 223                   | 2        |
| MW-88M2       | MW-88M2_FAL09D  | 12/30/2009 | CIA [108]            | SW6850 | PERCHLORATE                             | 3.6  |      | UG/L  | 213                | 223                   | 2        |
| MW-87M1       | MW-87M1_FAL09   | 1/4/2010   | CIA [108]            | SW6850 | PERCHLORATE                             | 4.8  |      | UG/L  | 194                | 204                   | 2        |
| MW-87M1       | MW-87M1_FAL09D  | 1/4/2010   | CIA [108]            | SW6850 | PERCHLORATE                             | 4.9  |      | UG/L  | 194                | 204                   | 2        |
| MW-89M2       | MW-89M2_FAL09   | 1/4/2010   | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 17   |      | UG/L  | 214                | 224                   | 2        |
| MW-89M2       | MW-89M2_FAL09D  | 1/4/2010   | CIA [108]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 16   |      | UG/L  | 214                | 224                   | 2        |
| MW-532        | MW-532-07       | 1/20/2010  | DA1 [110]            | SW6850 | PERCHLORATE                             | 11   |      | UG/L  | 138                | 148                   | 2        |
| MW-532        | MW-532-08       | 1/20/2010  | DA1 [110]            | SW6850 | PERCHLORATE                             | 4.2  |      | UG/L  | 148                | 158                   | 2        |

BWTS = Depth Below Water Table Start (feet)

BWTE = Depth Below Water Table End (feet)

DW Limit = Either the MCL or Lowest Health Advisory Limit

AOC = Area of Concern

J = Estimated Result

**TABLE 4**  
**VALIDATED DETECTS EXCEEDING MCLs or HEALTH ADVISORY LIMITS 1997 THROUGH February 2010**

| LOCID/WELL ID | SAMPLE_ID       | SAMPLED   | AOC                  | METHOD | ANALYTE                                 | CONC | FLAG | UNITS | Top Depth (ft bgs) | Bottom Depth (ft bgs) | DW LIMIT |
|---------------|-----------------|-----------|----------------------|--------|---|------|------|-------|--------------------|-----------------------|----------|
| MW-534        | MW-532-06       | 1/20/2010 | DA1 [110]            | SW6850 | PERCHLORATE                             | 6.3  |      | UG/L  | 167                | 177                   | 2        |
| MW-532        | MW-532-09       | 1/20/2010 | DA1 [110]            | SW6850 | PERCHLORATE                             | 5.5  |      | UG/L  | 158                | 168                   | 2        |
| MW-532        | MW-532-10       | 1/20/2010 | DA1 [110]            | SW6850 | PERCHLORATE                             | 2    |      | UG/L  | 168                | 178                   | 2        |
| MW-522M2      | MW-522M2_0110   | 1/20/2010 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 2.4  |      | UG/L  | 165                | 175                   | 2        |
| MW-524M1      | MW-524M1_0110   | 1/21/2010 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 11   |      | UG/L  | 148                | 158                   | 2        |
| MW-528M1      | MW-528M1_0110   | 1/21/2010 | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 4.6  |      | UG/L  | 117                | 127                   | 2        |
| J2EW0001      | J2EW0001_SPR10  | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 20.7 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0001      | J2EW0001_SPR10D | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 20.5 |      | UG/L  | 179                | 234                   | 2        |
| J2EW0002      | J2EW0002_SPR10  | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 3.02 |      | UG/L  | 198                | 233                   | 2        |
| MW-313M2      | MW-313M2_SPR10  | 2/12/2010 | CIA [108], J2N [149] | SW6860 | PERCHLORATE                             | 5.9  |      | UG/L  | 215                | 225                   | 2        |
| MW-524M1      | MW-524M1_0110R  | 2/4/2010  | J1S [189]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12   |      | UG/L  | 148                | 158                   | 2        |

**TABLE 5**  
**VALIDATED EXPLOSIVE AND PERCHLORATE RESULTS**  
**Data Received February 2010**

| Location     | Field Sample Id    | Logdate   | Area of Concern      | Method | Analyte                                 | Result Value | Qualifier | MDL    | RL   | Units | Top Depth | Bot. Depth | DW Limit | > DW Limit |
|--------------|--------------------|-----------|----------------------|--------|---|--------------|-----------|--------|------|-------|-----------|------------|----------|------------|
| MW-541       | MW-541-02          | 1/25/2010 | J1N                  | SW6850 | PERCHLORATE                             | 0.07         | J         | 0.04   | 0.2  | UG/L  | 187       | 197        | 2        |            |
| MW-541       | MW-541-03          | 1/25/2010 | J1N                  | SW6850 | PERCHLORATE                             | 0.041        | J         | 0.04   | 0.2  | UG/L  | 197       | 207        | 2        |            |
| MW-542       | MW-542-02          | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.12         | J         | 0.04   | 0.2  | UG/L  | 88        | 98         | 2        |            |
| MW-542       | MW-542-03          | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.39         |           | 0.04   | 0.2  | UG/L  | 98        | 108        | 2        |            |
| MW-542       | MW-542-04          | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.36         |           | 0.04   | 0.2  | UG/L  | 108       | 118        | 2        |            |
| MW-542       | MW-542-04D         | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.28         |           | 0.04   | 0.2  | UG/L  | 108       | 118        | 2        |            |
| MW-542       | MW-542-05          | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.11         | J         | 0.04   | 0.2  | UG/L  | 118       | 128        | 2        |            |
| MW-542       | MW-542-06          | 2/2/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.16         | J         | 0.04   | 0.2  | UG/L  | 128       | 138        | 2        |            |
| MW-542       | MW-542-07          | 2/3/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.29         |           | 0.04   | 0.2  | UG/L  | 138       | 148        | 2        |            |
| MW-542       | MW-542-08          | 2/3/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.14         | J         | 0.04   | 0.2  | UG/L  | 148       | 158        | 2        |            |
| MW-542       | MW-542-09          | 2/3/2010  | Demo 1               | SW6850 | PERCHLORATE                             | 0.074        | J         | 0.04   | 0.2  | UG/L  | 158       | 168        | 2        |            |
| MW-524M1     | MW-524M1_0110R     | 2/4/2010  | J1S                  | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 12           |           | 0.037  | 0.2  | UG/L  | 148       | 158        | 2        | X          |
| J2EW0002     | J2EW0002_SPR10     | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 3.02         |           | 0.0067 | 0.05 | UG/L  | 198       | 233        | 2        | X          |
| J2EW0003     | J2EW0003_SPR10     | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 0.991        |           | 0.0067 | 0.05 | UG/L  | 202       | 232        | 2        |            |
| J2EW0001     | J2EW0001_SPR10     | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 20.7         |           | 0.067  | 0.5  | UG/L  | 179       | 234        | 2        | X          |
| J2EW0001     | J2EW0001_SPR10     | 2/9/2010  | J2N [149]            | SW8330 | HEXAHYDRO-1,3,5-TRINITRO-1,3,5-TRIAZINE | 0.307        |           | 0.0332 | 0.2  | UG/L  | 179       | 234        | 2        |            |
| J2EW0001     | J2EW0001_SPR10D    | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 20.5         |           | 0.067  | 0.5  | UG/L  | 179       | 234        | 2        | X          |
| MW-322M1     | MW-322M1_SPR10     | 2/9/2010  | J2N [149]            | SW6860 | PERCHLORATE                             | 0.825        |           | 0.0067 | 0.05 | UG/L  | 245       | 255        | 2        |            |
| MW-327M3     | MW-327M3_SPR10     | 2/10/2010 | J2N [149]            | SW6860 | PERCHLORATE                             | 0.0465       | J         | 0.0067 | 0.05 | UG/L  | 220       | 230        | 2        |            |
| MW-337M1     | MW-337M1_SPR10     | 2/10/2010 | J2N [149]            | SW6860 | PERCHLORATE                             | 0.062        |           | 0.0067 | 0.05 | UG/L  | 244       | 254        | 2        |            |
| J2EW3-MW-2-B | J2EW3-MW-2-B_SPR10 | 2/11/2010 | J2N [149]            | SW6860 | PERCHLORATE                             | 0.0333       | J         | 0.0067 | 0.05 | UG/L  | 216.2     | 226.2      | 2        |            |
| MW-313M1     | MW-313M1_SPR10     | 2/12/2010 | CIA [108], J2N [149] | SW6860 | PERCHLORATE                             | 0.05         |           | 0.0067 | 0.05 | UG/L  | 255       | 265        | 2        |            |
| MW-313M2     | MW-313M2_SPR10     | 2/12/2010 | CIA [108], J2N [149] | SW6860 | PERCHLORATE                             | 5.9          |           | 0.0067 | 0.05 | UG/L  | 215       | 225        | 2        | X          |
| MW-313M3     | MW-313M3_SPR10     | 2/12/2010 | CIA [108], J2N [149] | SW6860 | PERCHLORATE                             | 0.0267       | J         | 0.0067 | 0.05 | UG/L  | 195       | 205        | 2        |            |

J = Estimated Result < MDL  
MDL = Method Detection Limit  
RL = Reporting Limit