



Contaminant of Concern (COC)	Type of Contaminant	Risk-Based Level
TCE = trichloroethene	solvent	MCL = 5 µg/L
PCE = perchloroethene	solvent	MCL = 5 µg/L
CCl ₄ = carbon tetrachloride	solvent	MCL = 5 µg/L
EDB = ethylene dibromide	fuel-related compound	MMCL = 0.02 µg/L
benzene	fuel-related compound	MCL = 5 µg/L
VC = vinyl chloride	solvent	MCL = 2 µg/L
1,1,2,2-TeCa = 1,1,2,2-tetrachloroethane	solvent	GW-1 = 2 µg/L
1,4-DCB = 1,4-dichlorobenzene	solvent	MMCL = 5 µg/L
Mn = manganese	metal	EPA Health Advisory = 300 µg/L
thallium	metal	MCL = 2 µg/L
lead	metal	15 µg/L (treatment technique action level for water distribution systems)
toluene	fuel-related compound	MCL = 1,000 µg/L
RDX = hexahydro-1,3,5-trinitro-1,3,5-triazine	explosive	HA = 2 µg/L GW-1 = 1 µg/L 10 ⁻⁶ = 0.6 µg/L (IAGWSP); = 0.7 µg/L (IRP)
perchlorate	oxidizer	HA = 15 µg/L MMCL = 2 µg/L
C5-C8 aliphatic hydrocarbons	fuel-related compound	GW-1 = 300 µg/L
C9-C10 aromatic hydrocarbons	fuel-related compound	GW-1 = 200 µg/L
C9-C12 aromatic hydrocarbons	fuel-related compound	GW-1 = 700 µg/L
C11-C22 aromatic hydrocarbons	fuel-related compound	GW-1 = 200 µg/L
1,2,4-TMB	fuel-related compound	RBC = 56 µg/L
1,3,5-TMB	fuel-related compound	RBC = 60 µg/L
2-methylnaphthalene	fuel-related compound	GW-1 = 10 µg/L

Joint Base Cape Cod Groundwater Plume Map, IRP and IAGWSP LUC Areas, and IRP PFOS/PFOA Outreach Areas

Issued September 2019

Note: MCL – Maximum Contaminant Level
 MMCL – Massachusetts Maximum Contaminant Level
 HA – Federal Lifetime Health Advisory
 PFOS – Perfluorooctane Sulfonic Acid
 PFOA – Perfluorooctanoic Acid
 GW-1 – State default cleanup value to be used in lieu of site-specific risk-based level
 10⁻⁶ – EPA level resulting in an excess cancer risk of one in a million
 RBC – Site Specific Risk Based Concentration